



BID/PROPOSAL

COMMODITY: CAFETERIA AND KITCHEN EQUIPMENT, COMMERCIAL DATE: 10/1/2012

FORMAL BID NO. _____ PUBLIC BID NO. 2286 RFP NO. _____

BIDS ARE TO BE RECEIVED IN URI PURCHASING DEPARTMENT BY: DATE: 10/22/2012 TIME: 3:00 PM

BUYER: KAROL CHADWICK / MSC SURETY REQUIRED: YES: _____ NO: X
Karol Chadwick

PRE-BID/PROPOSAL CONFERENCE: DATE: _____ TIME: _____

MANDATORY: YES: _____ NO: _____

LOCATION: _____

BE SURE ALL INFORMATION SHOWN BELOW IS CORRECT.
FEDERAL EMPLOYER IDENTIFICATION NUMBER MUST BE INCLUDED.

COMPANY NAME: _____ FEIN: _____

STREET AND NUMBER: _____

CITY, STATE & ZIP CODE: _____

ORDERING E-MAIL ADDRESS: _____

**No offer will be considered that is not accompanied by the attached
University of Rhode Island Bidder Certification Form/Contract Offer
completed and signed by the offeror.**

Print Name and Title

Telephone Number/Facsimile Number

Signature

Date

Company F.E.I.N.

THIS BID WILL NOT BE HONORED UNLESS SIGNED

The University of Rhode Island is an equal opportunity employer committed to the principles of affirmative action.

University of Rhode Island Bidder Certification Form/Contract Offer

ALL OFFERS ARE SUBJECT TO THE REQUIREMENTS, PROVISIONS AND PROCEDURES CONTAINED IN THIS CERTIFICATION FORM/CONTRACT OFFER. Offerors are expected to read, sign and comply with all requirements. Failure to do so may be grounds for disqualification of the offer contained herein.

Rules for Submitting Offers

This Certification Form/Contract Offer must be attached in its entirety to the front of the offer and shall be considered an integral part of each offer made by a vendor to enter into a contract with the University of Rhode Island. As such, submittal of the entire Bidder Certification Form/Contract Offer, signed by a duly authorized representative of the offeror attesting that he/she (1) has read and agrees to comply with the requirements set forth herein and (2) to the accuracy of the information provided and the offer extended, is a mandatory part of any contract award.

To assure that offers are considered on time, each offer must be submitted with the specific Bid/RFP/LOI number, date and time of opening marked in the upper left hand corner of the envelope. Each bid/offer must be submitted in separate sealed envelopes.

A complete signed (in ink) offer package must be delivered to the University of Rhode Island Purchasing Office by the time and date specified for the opening of responses in a sealed envelope.

Bids must be submitted on the URI bid solicitation forms provided, indicating brand and part numbers of items offered, as appropriate. Bidders must submit detailed cuts and specs on items offered as equivalent to brands requested WITH THE OFFER. Bidders must be able to submit samples if requested.

Documents misdirected to other State locations or which are not present in the University of Rhode Island Purchasing Office at the time of opening for whatever cause will be deemed to be late and will not be considered. For the purposes of this requirement, the official time and date shall be that of the time clock in the reception area of the University of Rhode Island Purchasing Office. Postmarks shall not be considered proof of timely submission.

RIVIP SOLICITATIONS. To assure maximum access opportunities for users, public bid/RFP/LOI solicitations shall be posted on the RIVIP for a minimum of seven days and no amendments shall be made within the last five days before the date an offer is due. When the result of an internet solicitation is unsuccessful, the University of Rhode Island will cancel the original solicitation and resolicit the original offer directly from vendors.

PRICING. Offers are irrevocable for sixty (60) days from the opening date (or such other extended period set forth in the solicitation), and may not be withdrawn, except with the express permission of the University Purchasing Agent. All pricing will be considered to be firm and fixed unless otherwise indicated. The University of Rhode Island is exempt from Federal excise taxes and State Sales and Use Taxes. Such taxes shall not be included in the bid price. PRICES QUOTED ARE FOB DESTINATION.

DELIVERY and PRODUCT QUALITY. All offers must define delivery dates for all items; if no delivery date is specified, it is assumed that immediate delivery from stock will be made. The contractor will be responsible for delivery of materials in first class condition. Rejected materials will be at the vendor's expense.

PREVAILING WAGE and OSHA SAFETY TRAINING REQUIREMENTS. The provisions of the State labor laws and OSHA Safety Training, including but not limited to Rhode Island General Laws §37-13-1 et seq. and §28-20-1 et seq. shall apply for all public works contracts. Prevailing wage rates are posted in the information section of the RIVIP. The RI Department of Labor and Training should be contacted for regulatory requirements.

Apprenticeship Rhode Island General Laws §37-13-3.1 requires all general contractors and subcontractors who perform work on any public works contract awarded by the state/URI valued at One Million dollars (\$1,000,000) or more shall employ apprentices required for the performance of the awarded contract. The number of apprentices shall comply with the apprentice to journeyman ratio for each trade approved by the apprenticeship council of the department of labor and training.

In addition to executing this certification, the general contractor shall be responsible for requiring that all subcontractors on the awarded project certify their compliance with R.I. Gen. Laws §37-13-3.1 prior to allowing the subcontractor to commence work on the awarded project. The general contractor shall be responsible for submitting the subcontractors' compliance certification to the University of Rhode Island Purchasing Office after the contracts are finalized between the contractor and subcontractor.

PUBLIC RECORDS. Offerors are advised that all materials submitted to the University for consideration in response to this solicitation will be considered without exception to be Public Records pursuant to Title 38 Chapter 2 of the Rhode Island General Laws, and will be released for inspection immediately upon request once an award has been made. Offerors are encouraged to attend public bid/RFP openings to obtain information; however, bid/RFP response summaries may be reviewed after award(s) have been made by visiting the Rhode Island Vendor Information Program (RIVIP) at www.purchasing.ri.gov, Bidding Opportunities +, Other RI Bid Opportunities or appearing in person at the University of Rhode Island Purchasing Office Mondays through Fridays between 8:30 am – 3:30 pm. Telephone requests for results will not be honored. Written requests for results will only be honored if the information is not available on the RIVIP.

Award will be made to the responsive and responsible offeror quoting the lowest net price in accordance with specifications, for any individual item(s), for major groupings of items, or for all items listed, at the University's sole option.

BID SURETY. Where bid surety is required, bidder must furnish a bid bond or certified check for 5% of the bid total with the bid, or for such other amount as may be specified. Bids submitted without a required bid surety will not be considered.

SPECIFICATIONS. Unless specified "no substitute", product offerings equivalent in quality and performance will be considered (at the sole option of the University) on the condition that the offer is accompanied by detailed product specifications. Offers which fail to include alternate specifications may be deemed nonresponsive.

VENDOR AUTHORIZATION TO PROCEED. When a purchase order, change order, contract/agreement or contract/agreement amendment is issued by the University of Rhode Island, no claim for payment for services rendered or goods delivered contrary to or in excess of the contract terms and scope shall be considered valid unless the vendor has obtained a written change order or contract amendment issued by the University of Rhode Island Purchasing Office PRIOR to delivery.

Any offer, whether in response to a solicitation for proposals or bids, or made without a solicitation, which is accepted in the form of an order OR pricing agreement made in writing by the University of Rhode Island Purchasing Office, shall be considered a binding contract.

REGULATIONS, GENERAL TERMS AND CONDITIONS GOVERNING STATE AND BOARD OF GOVERNORS FOR HIGHER EDUCATION CONTRACTS. This solicitation and any contract or purchase order arising from it are issued in accordance with the specific requirements described herein, and the State's Purchasing Laws and Regulations and other applicable State Laws, including the Board of Governors for Higher Education General Terms and Conditions of Purchase. The regulations, General Terms and Conditions are incorporated into all University of Rhode Island contracts and can be viewed at: www.ribghe.org/procurementregs113006.pdf and www.purchasing.ri.gov.

ARRA SUPPLEMENTAL TERMS AND CONDITIONS. Contracts and sub-awards funded in whole or in part by the American Recovery and Reinvestment Act of 2009. Pub.L.No. 111-5 and any amendments thereto, such contracts and sub-awards shall be subject to the Supplemental Terms and Conditions for Contracts and Sub-awards funded in whole or in part by the American Recovery and Reinvestment Act of 2009. Pub.L.No. 111-5 and any amendments thereto located on the Division of Purchases website at www.purchasing.ri.gov.

EQUAL EMPLOYMENT OPPORTUNITY. Compliance certificate and agreement procedures will apply to all awards for supplies or services valued at \$10,000 or more. Minority Business Enterprise policies and procedures, including subcontracting opportunities as described in Title 37 Chapter 14.1 of the Rhode Island General Laws also apply.

PERFORMANCE BONDS. Where indicated, successful bidder must furnish a 100% performance bond and labor and payment bond for contracts subject to Title 37 Chapters 12 and 13 of the Rhode Island General Laws. All bonds must be furnished by a surety company authorized to conduct business in the State of Rhode Island. Performance bonds must be submitted within 21 calendar days of the issuance of a tentative notice of award.

DEFAULT and NON-COMPLIANCE Default and/or non-compliance with the requirements and any other aspects of the award may result in withholding of payment(s), contract termination, debarment, suspension, or any other remedy necessary that is in the best interest of the state.

COMPLIANCE Vendor must comply with all applicable federal, state and local laws, regulations and ordinances.

Effective January 1, 2012 all *public works project* related bids or proposals exceeding SEVEN HUNDRED FIFTY THOUSAND (\$750,000) dollars are required to include a "public copy". All agency contract solicitations, requests for proposals, invitations for bids, etc., shall state that any bid or proposal that exceeds SEVEN HUNDRED FIFTY THOUSAND (\$750,000) dollars must include a copy to be available for public inspection upon the opening of the bids. Any bid or proposal that exceeds SEVEN HUNDRED FIFTY THOUSAND (\$750,000) dollars which does not include a copy for public inspection shall be deemed to be non-responsive. For further information, please see R.I. Gen. Laws §37-2-18(j) and State of Rhode Island Procurement Regulations at <http://purchasing.ri.gov/rulesandregulations/rulesandregulations.aspx>.

ALL CONTRACT AWARDS ARE SUBJECT TO THE FOLLOWING DISCLOSURES & CERTIFICATIONS

Offerors must respond to every disclosure statement. A person authorized to enter into contracts must sign the offer and attest to the accuracy of all statements. Incomplete certification forms are grounds for disqualification of offer.

You MUST answer 'Yes' or 'No' to the following questions:

___1 Has your firm (or any principal) been subject to the following findings by the Federal Government, State of Rhode Island or any other jurisdiction? Suspension, Debarment, Indictment, Criminal Conviction. CIRCLE APPROPRIATE ITEM (S)

___2 Has your firm (or any principal) been fined more than \$5000 for a single violation by the Rhode Island Department of Environmental Management for violation of Rhode Island Wetlands law?

___3 I/we certify that I/We will immediately disclose, in writing, to the University Purchasing Agent any potential conflict of interest which may occur during the course of the engagement authorized pursuant to this contract.

___4 I/we acknowledge that, in accordance with (1) Chapter §37-2-54(c) of the Rhode Island General Laws "no purchase or contract shall be binding on the state or any agency thereof unless approved by the Department [of Administration] or made under general regulations which the Chief Purchasing Officer may prescribe," and (2) RIGL section §37-2-7(16) which identifies the Board of Governors for Higher Education as a public agency and gives binding contractual authority to the University Purchasing Agent, including change orders and other types of contracts and under State Purchasing Regulation 8.2.1.1.2 any alleged oral agreement or arrangements made by a bidder or contractor with any agency or an employee of the University of Rhode Island may be disregarded and shall not be binding on the University of Rhode Island.

___5 I/we certify that all of the vendor information provided is correct and complete.

___6 I/we certify that I or my firm possesses all licenses required by Federal and State law and regulation as they pertain to the requirements of the solicitation and offer made herein and shall maintain such required license(s) during the entire course of the contract resulting from the offer contained herein and, should my/our license lapse or be suspended, I/we shall immediately inform the University of Rhode Island Purchasing Agent in writing of such circumstance.

___7 I/we certify that I/we will maintain required insurance during the entire course of the contract resulting from the offer contained herein and, should my/our insurance lapse or be suspended, I/we shall immediately inform the University of Rhode Island Purchasing Agent in writing of such circumstance.

___8 I/we certify that I/we understand that falsification of any information herein or failure to notify the University of Rhode Island Purchasing Agent as certified herein may be grounds for suspension, debarment and/or prosecution for fraud.

___9 I/we acknowledge that the provisions and procedures set forth in this form apply to any contract arising from this offer.

___10 I/we acknowledge that I/we understand the State's Purchasing Laws (§37-2 of the General laws of Rhode Island) and Purchasing Regulations and General Terms and Conditions available at the Rhode Island Division of Purchases Website (<http://www.purchasing.ri.gov>) and the Board of Governors Website (www.righe.org/procurementregs113006.pdf) apply as the governing conditions for any contract or purchase order I/we may receive from the University of Rhode Island, including the offer contained herein.

___11 NEW REVISED REQUIREMENT*-IMPORTANT!! I/we hereby acknowledge that I/we understand that effective January 1, 2012 all public works related project bids or proposals exceeding SEVEN HUNDRED FIFTY THOUSAND (\$750,000) dollars, inclusive of all proposed alternates, must include a "public copy" as required by R.I. Gen. Laws §37-2-18(j) and the State Procurement Regulations. It is further understood that any bid or proposal in excess of SEVEN HUNDRED FIFTY THOUSAND (\$750,000) dollars which does not include a copy for public inspection shall be deemed to be non-responsive.

IF YOU HAVE ANSWERED "YES" TO QUESTIONS #1 OR 2 OR IF YOU ARE UNABLE TO CERTIFY YES TO QUESTIONS #3 – 11 OF THE FOREGOING, PROVIDE DETAILS/EXPLANATION IN AN ATTACHED STATEMENT.

Signature below commits vendor to the attached offer and certifies (1) that the offer reflects all solicitation amendments (2) that the above statements and information are accurate and that vendor understands and has complied with the requirements set forth herein.

Vendor's Signature: _____ Bid Number: _____ Date: _____
(Person Authorized to enter into contracts; signature must be in ink) (if applicable)

Print Name and Title of Company official signing offer Telephone Number

COMMODITY: CAFETERIA AND KITCHEN EQUIPMENT, COMMERCIAL
 OPENING DATE & TIME: 10/22/12 3:00 PM

SHIP TO:
 UNIVERSITY OF RHODE ISLAND
 DINING SERVICES
 LOWER COLLEGE ROAD
 KINGSTON, RI 02881

BIDDER (NAME OF FIRM)

BIDDER (NAME OF FIRM)

BID NO: 2286

BID NO: 2286

ATTACHMENT "A"

| ITEM NO. | DESCRIPTION | QUANTITY | UOM | UNIT PRICE | EXTENDED PRICE | UNIT PRICE | EXTENDED PRICE | TEW NO. |
|----------|-------------|----------|-----|------------|----------------|------------|----------------|---------|
|----------|-------------|----------|-----|------------|----------------|------------|----------------|---------|

INSTRUCTIONS:

IF BIDDING ON ANY ITEM, THE ENTIRE BID MUST BE RETURNED. THE PRICE COLUMN ON THE RIGHT WILL BE DETACHED TO CREATE A BID TABULATION SPREAD SHEET FOR THE "OFFICIAL BID ANALYSIS"; THEREFORE:

- A. VENDOR NAME MUST APPEAR IN BOTH COLUMNS ON "EVERY" PAGE UNDER THE WORDS "BIDDER"
- B. PRICE COLUMNS MUST CONTAIN "EXACTLY" THE SAME INFORMATION.
- C. ANY SUPPLEMENTARY INFORMATION MUST BE REPEATED IN "BOTH" COLUMNS.
- D. TO ASSURE THAT OFFERS ARE CONSIDERED ON TIME, EACH OFFER MUST BE SUBMITTED WITH SPECIFIC BID/REP NUMBER (PROVIDED ABOVE), DATE AND TIME OF OPENING MARKED IN THE UPPER LEFT HAND CORNER OF ENVELOPE. EACH BID/OFFER MUST BE SUBMITTED IN SEPARATE SEALED ENVELOPES:

| | |
|--|---|
| MAIL TO: UNIVERSITY OF RHODE ISLAND P.O. BOX 1773 PURCHASING DEPARTMENT PLAINS ROAD KINGSTON, RI 02881 | COURIER: UNIVERSITY OF RHODE ISLAND PURCHASING DEPARTMENT DINING SERVICES DISTRIBUTION CENTER 581 PLAINS ROAD KINGSTON, RI 02881-2010 |
|--|---|

DOCUMENTS MISDIRECTED TO OTHER STATE LOCATIONS OR WHICH ARE NOT PRESENT IN THE UNIVERSITY OF RHODE ISLAND PURCHASING DEPARTMENT AT THE TIME OF OPENING FOR WHATEVER CAUSE WILL BE DEEMED TO BE LATE AND WILL NOT BE CONSIDERED. FOR THE PURPOSE OF THIS REQUIREMENT, THE OFFICIAL TIME AND DATE SHALL BE THAT OF THE TIME CLOCK IN THE UNIVERSITY OF RHODE ISLAND PURCHASING DEPARTMENT. POSTMARKS SHALL NOT BE CONSIDERED PROOF OF TIMELY SUBMISSION.

FAILURE TO COMPLETE FORM AS INSTRUCTED MAY BE GROUNDS FOR "DISQUALIFICATION".

GROUP PURCHASING ORGANIZATIONS (GPO):

- THE UNIVERSITY OF RHODE ISLAND IS A MEMBER OF THE FOLLOWING:
- 1) Educational & Institutional Cooperative Purchasing (E&I)
 - 2) Provisita

NO SUBSTITUTION ON BRAND OR MODEL LISTED

1 HOBART #2912 Smart Feature Automatic Slicer
 With Low Fence

| | | | | | | |
|---|------|----|----|----|----|---|
| 1 | each | \$ | \$ | \$ | \$ | 1 |
|---|------|----|----|----|----|---|

Spec sheet attached

Item # _____

Quantity _____

C.S.I. Section 11400

| | |
|---|------------------------|
| HOBART 701 S Ridge Avenue, Troy, OH 45374 1-888-4HOBART • www.hobartcorp.com | 2912 SLICER |
|---|------------------------|

HOBART

STANDARD FEATURES

- Variable Six-Speed Automatic Carriage with Front Mounted Controls
- Home Position Start
- Close To Stop
- Gauge Plate Interlock
- Carriage System Interlock
- No Volt Release
- Exclusive Tilting, Removable Carriage System
- CleanCut™ Knife
- Top Mounted Borazon Stone Sharpener
- Hobart Poly V-Belt Drive System
- Sanitary Anodized Aluminum Base
- Double-Action Indexing Cam
- Permanently Mounted Ring Guard
- Heavy Gauge Stainless Steel Knife Cover
- Lift Lever
- Removable Rear Deflector
- ½ H.P. Knife Drive Motor
- Nylon Carriage Roller
- Electroless Nickel Plated Single Slide Rod with Reservoir Wick
- Stainless Steel Carriage
- Ergonomic Style Handle
- Low Fence


MODEL

- 2912 – Smart Feature Automatic Slicer

ACCESSORIES

- Low Fence
- High Fence
- Food Chute
- Heavy Meat Grip
- Tall Legs
- Product Tray

Specifications, Details and Dimensions on Inside and Back.



2912 SLICER

2912 SLICER

HOBART

701 S Ridge Avenue, Troy, OH 45374
1-888-4HOBART • www.hobartcorp.com

SOLUTIONS / BENEFITS

Variable Six-Speed Automatic Carriage with Front Mounted Controls

- Improved yield, labor savings
- Greater flexibility for all slicing needs
- Six speed choices for 28, 33, 38, 42, 47, and 52 strokes per minute

Home Start Position

- Maximizes yield
- Carriage must be in "home position" before the slicer will start

Close To Stop

- Convenience, labor savings, energy savings
- Closing of gauge plate turns off the slicer

Gauge Plate Interlock

- Supports use of proper cleaning procedures, easier to clean
- Gauge plate must be closed to remove carriage for cleaning and cannot be opened when removed

Carriage System Interlock

- Will not tilt away or remove if gauge plate indicator is not closed

No Volt Release

- Protects against unintentional starting of slicer
- Slicer must be restarted if power fails or slicer is unplugged

Exclusive Tilting, Removable Carriage System

- Reduces labor, improves sanitation
- Tilt design allows for ease of midday cleaning
- Removable for complete cleaning and sanitation procedures

CleanCut™ Knife

- Reduced cost of ownership, improved yield
- Thin edge design improves yield
- Super alloy edge lasts longer
- Fewer and shorter sharpenings required

Top Mounted Borazon Stone Sharpener

- Ease of use, improved sanitation, reduced costs
- Single action sharpens and hones in just five seconds
- Removable and submersible for easy cleaning and sanitation
- Lifetime guaranteed Borazon sharpening stones provide maximum performance with reduced maintenance costs

Poly V-Belt Drive System

- Performance, durability, reduced maintenance
- Patented design extends belt life while producing optimum slicing results
- Quieter operating slicer

Sanitary Anodized Aluminum Base

- Improved sanitation, labor savings
- One piece base protects against possible growth of bacteria
- No cracks/crevices or bolt holes where product can lodge and bacteria may grow
- Easy cleanup and durable finish

Double-Action Indexing Cam

- Increases reliability, easier to use, increased yield
- The first full revolution of the indexing knob provides precise control for shaving, chipping and thin slicing
- The second revolution opens the gauge plate quickly for thicker slicing
- Gauge plate holds position for consistent, precision slicing

Permanently Mounted Ring Guard

- Protection
- Protects knife during operation and cleaning

Heavy Gauge Stainless Steel Knife Cover

- Durability, ease of use, sanitation
- Twelve-gauge stainless steel maintains shape to ensure consistent fit
- Spring loaded knob for quick removal and easy cleanup
- One piece design for simplistic usage

Lift Lever

- Improved sanitation, ease of use
- Props machine for easy cleaning underneath slicer

Removable Rear Deflector

- Improved sanitation, ease of use
- Allows access for thorough cleaning
- No tools required means easy removal during cleaning

½ H.P. Knife Drive Motor

- Durability, performance
- Reserve power runs at 400 rpm for optimum results

Nylon Carriage Roller

- Performance
- Easy movement for manual operation

Electroless Nickel Plated Single Slide Rod with Reservoir Wick

- Performance, durability, lower maintenance
- Smooth operation with continuous lubrication of carriage rod
- Resistant to rust

Stainless Steel Carriage

- Improved sanitation, durability
- Maximum sanitation with minimum cleanup time
- Corrosion resistant, impact resistant

Ergonomic Style Handle

- Operator satisfaction
- Comfortable manual operation

Meat Grip Options

- Multiple choices for improved yield and consistency
- Front meat grip standard
- Heavy front meat grip available

HOBART

701 S Ridge Avenue, Troy, OH 45374
1-888-4HOBART • www.hobartcorp.com

2912 SLICER

SPECIFICATIONS

VARIABLE SIX-SPEED AUTOMATIC CARRIAGE WITH FRONT MOUNTED CONTROLS: Choice of six speeds - 28, 33, 38, 42, 47, 52 strokes per minute. Carriage can be disengaged from power drive whether slicer is in operation or not. Automatic engagement and speed selector controls located in front of machine. Speed can be changed with slicer motor on or off. Carriage driven by DC gear-reduction motor and 4 bar synchronous linkage.

HOME POSITION START: Home-start ensures carriage is in a convenient position before starting the slicer.

CLOSE TO STOP: After slicing, a quick turn of the index knob to the closed position turns off the slicer.

GAUGE PLATE INTERLOCK: Gauge plate interlock protects knife edge when indicator is at zero.

CARRIAGE SYSTEM INTERLOCK: Carriage will not tilt away or remove if gauge plate indicator is not closed.

NO VOLT RELEASE: In the event of power loss, slicer must be restarted before operation can continue.

TILTING REMOVABLE CARRIAGE SYSTEM: Positive angle carriage design enables operator to slice without manual feed. The stainless steel carriage system tilts back easily for midday cleaning and is removable for thorough cleaning and sanitation procedures. The carriage has 12½" manual travel.

CLEANCUT™ KNIFE: Another Hobart exclusive, the knife is constructed of 304L stainless steel and high performance super alloy. Knife is protected by a permanently mounted ring guard with integrated product deflector. The stainless steel knife cover provides easy access for cleaning. Gauge plate protects knife edge when indicator is closed. Knife cover is quickly removed with a quarter turn of the spring loaded locking knob.

TOP MOUNTED BORAZON STONE SHARPENER: One lever operation utilizing two Borazon stones to sharpen and hone in five seconds. Removable and top mounted. When sharpener is removed for cleaning, knife edge is shielded. Borazon stones have lifetime guarantee.

HOBART POLY V-BELT DRIVE SYSTEM: Knife is driven by a Hobart Poly V belt and runs at 400 rpm for optimal performance.

SANITARY ANODIZED ALUMINUM BASE: One-piece base protects against possible growth of bacteria. All surfaces are durable and smooth, presenting no holes or crevices in which food can lodge.

DOUBLE-ACTION INDEXING CAM: First revolution of index cam for precision slicing; second revolution for thicker slicing selection. Indexing cam holds true to setting during slicing operation.

PERMANENTLY MOUNTED RING GUARD: Permanently mounted ring guard with integrated product deflector protects knife.

HEAVY GAUGE STAINLESS STEEL KNIFE COVER: One piece design made of 12 gauge stainless steel, durable to maintain shape and ensure consistent fit. Spring loaded for quick removal and replacement.

LIFT LEVER: Lift lever facilitates raising slicer to tilted position for cleaning beneath the machine.

REMOVABLE REAR DEFLECTOR: No tools are required for removal of the deflector for thorough cleaning of the slicer.

KNIFE MOTOR: ½ H.P., permanently lubricated ball bearings. Single phase capacitor-start, induction run.

ELECTROLESS NICKEL PLATED SINGLE SLIDE ROD WITH RESERVOIR WICK: Transport slide rod is E-Nickel electroless plated. Slide rod bearings feature an oil reservoir/oil wick.

FINISH: Stainless steel carriage, gauge plate and knife cover. Anodized aluminum base.

ERGONOMIC STYLE HANDLE: Specially designed for ease of use during manual operation.

MEAT GRIP: Front mounted grip is high strength thermoplastic. Swings out of way when not in use.

ELECTRICAL SPECIFICATIONS: 120/60/1 - U L Listed. Also available in 100/50/60/1, 240/60/1 (3 amps) and 230/50/1 (3 amps) - not submitted for U L Listing.

SWITCH: Moisture protected toggle type, operated by a push-pull rod.

CORD & PLUG: 6-foot, three-wire power supply cord and plug. Plug not furnished on export models.

CAPACITY: The carriage will take food up to 12" in width or 7½" in diameter.

GAUGE PLATE: Gauge plate is a heavy aluminum casting with ribbed laminated stainless steel face for smooth feeding. Adjustable to cut any thickness of slice up to 1".

WARRANTY: All parts and service coverage for one year including knife. Lifetime guarantee on Borazon stones in the sharpening system.

WEIGHTS FOR THE FOLLOWING ITEMS: Tubular Chute 9.1 lbs.; Swing Arm .61 lbs.; Heavy Front Meat Grip 2.76 lbs.; Heavy Handle 2.7 lbs.; Standard Meat Grip 2.34 lbs.


WEIGHT: Shipping 182 lbs., Net 140 lbs.

2912 SLICER


HOBART

701 S Ridge Avenue, Troy, OH 45374
1-888-4HOBART • www.hobartcorp.com

DETAILS AND DIMENSIONS




WHEN IN CLEANING POSITION
LEG 5" OFF GROUND
PIVOTED BY OTHER LEG



WARNING

ELECTRICAL AND GROUNDING CONNECTIONS
MUST COMPLY WITH THE APPLICABLE PORTIONS
OF THE NATIONAL ELECTRICAL CODE AND/OR
OTHER LOCAL ELECTRICAL CODES.

11-3/4"
KNIFE DIA.



LEGEND

E1-ELECTRICAL CONNECTION,
APPROX 6 1/2" ABOVE
COUNTER TOP

As continued product improvement is a policy of Hobart, specifications are subject to change without notice.