



PURCHASING DEPARTMENT
581 Plains Road, Suite 3, Kingston, RI 02881 USA p: 401.874.2171 f: 401.874.2306 uri.edu/purchasing

BID/PROPOSAL

COMMODITY: FLOOR CARE PRODUCTS DATE: 5/7/2013

FORMAL BID NO. _____ PUBLIC BID NO. 2341 RFP NO. _____

BIDS ARE TO BE RECEIVED IN URI PURCHASING DEPARTMENT BY: DATE: 5/28/2013 TIME: 3:00 PM

BUYER: **DEBRA LEE / MSC**  SURETY REQUIRED: YES: _____ NO: X

PRE-BID/PROPOSAL CONFERENCE: DATE: _____ TIME: _____
MANDATORY: YES: _____ NO: _____

LOCATION: _____

**BE SURE ALL INFORMATION SHOWN BELOW IS CORRECT.
FEDERAL EMPLOYER IDENTIFICATION NUMBER MUST BE INCLUDED.**

COMPANY NAME: _____ FEIN: _____

STREET AND NUMBER: _____

CITY, STATE & ZIP CODE: _____

ORDERING E-MAIL ADDRESS: _____

**No offer will be considered that is not accompanied by the attached
University of Rhode Island Bidder Certification Form/Contract Offer
completed and signed by the offeror.**

Print Name and Title

Telephone Number/Facsimile Number

Signature

Date

Company F.E.I.N.

THIS BID WILL NOT BE HONORED UNLESS SIGNED
The University of Rhode Island is an equal opportunity employer committed to the principles of affirmative action.

University of Rhode Island Bidder Certification Form/Contract Offer

ALL OFFERS ARE SUBJECT TO THE REQUIREMENTS, PROVISIONS AND PROCEDURES CONTAINED IN THIS CERTIFICATION FORM/CONTRACT OFFER. Offerors are expected to read, sign and comply with all requirements. Failure to do so may be grounds for disqualification of the offer contained herein.

Rules for Submitting Offers

This Certification Form/Contract Offer must be attached in its entirety to the front of the offer and shall be considered an integral part of each offer made by a vendor to enter into a contract with the University of Rhode Island. As such, submittal of the entire Bidder Certification Form/Contract Offer, signed by a duly authorized representative of the offeror attesting that he/she (1) has read and agrees to comply with the requirements set forth herein and (2) to the accuracy of the information provided and the offer extended, is a mandatory part of any contract award.

To assure that offers are considered on time, each offer must be submitted with the specific Bid/RFP/LOI number, date and time of opening marked in the upper left hand corner of the envelope. Each bid/offer must be submitted in separate sealed envelopes.

A complete signed (in ink) offer package must be delivered to the University of Rhode Island Purchasing Office by the time and date specified for the opening of responses in a sealed envelope.

Bids must be submitted on the URI bid solicitation forms provided, indicating brand and part numbers of items offered, as appropriate. Bidders must submit detailed cuts and specs on items offered as equivalent to brands requested WITH THE OFFER. Bidders must be able to submit samples if requested.

Documents misdirected to other State locations or which are not present in the University of Rhode Island Purchasing Office at the time of opening for whatever cause will be deemed to be late and will not be considered. For the purposes of this requirement, the official time and date shall be that of the time clock in the reception area of the University of Rhode Island Purchasing Office. Postmarks shall not be considered proof of timely submission.

RIVIP SOLICITATIONS. To assure maximum access opportunities for users, public bid/RFP solicitations shall be posted on the RIVIP for a minimum of seven days and no amendments shall be made within the last five days before the date an offer is due. Except when access to the Web Site has been severely curtailed and it is determined by the Purchasing Agent that special circumstances preclude extending a solicitation due date, requests to mail or fax hard copies of solicitations will not be honored. When the result of an internet solicitation is unsuccessful, the University of Rhode Island will cancel the original solicitation and resolicit the original offer directly from vendors.

PRICING. Offers are irrevocable for sixty (60) days from the opening date (or such other extended period set forth in the solicitation), and may not be withdrawn, except with the express permission of the University Purchasing Agent. All pricing will be considered to be firm and fixed unless otherwise indicated. The University of Rhode Island is exempt from Federal excise taxes and State Sales and Use Taxes. Such taxes shall not be included in the bid price. PRICES QUOTED ARE FOB DESTINATION.

DELIVERY and PRODUCT QUALITY. All offers must define delivery dates for all items; if no delivery date is specified, it is assumed that immediate delivery from stock will be made. The contractor will be responsible for delivery of materials in first class condition. Rejected materials will be at the vendor's expense.

PREVAILING WAGE and OSHA SAFETY TRAINING REQUIREMENTS. The provisions of the State labor laws and OSHA Safety Training, including but not limited to Rhode Island General Laws §37-13-1 et seq. and §28-20-1 et seq. shall apply for all public works contracts. Prevailing wage rates are posted in the information section of the RIVIP. The RI Department of Labor and Training should be contacted for regulatory requirements.

Apprenticeship. Rhode Island General Laws §37-13-3.1 requires all general contractors and subcontractors who perform work on any public works contract awarded by the state/URI valued at One Million dollars (\$1,000,000) or more shall employ apprentices required for the performance of the awarded contract. The number of apprentices shall comply with the apprentice to journeyman ratio for each trade approved by the apprenticeship council of the department of labor and training.

In addition to executing this certification, the general contractor shall be responsible for requiring that all subcontractors on the awarded project certify their compliance with R.I. Gen. Laws §37-13-3.1 prior to allowing the subcontractor to commence work on the awarded project. The general contractor shall be responsible for submitting the subcontractors' compliance certification to the University of Rhode Island Purchasing Office after the contracts are finalized between the contractor and subcontractor.

PUBLIC RECORDS. Offerors are advised that all materials submitted to the University for consideration in response to this solicitation will be considered without exception to be Public Records pursuant to Title 38 Chapter 2 of the Rhode Island General Laws, and will be released for inspection immediately upon request once an award has been made. Offerors are encouraged to attend public bid/RFP openings to obtain information; however, bid/RFP response summaries may be reviewed after award(s) have been made by visiting the Rhode Island Vendor Information Program (RIVIP) at www.purchasing.ri.gov, Bidding Opportunities +, Other RI Bid Opportunities or appearing in person at the University of Rhode Island Purchasing Office Mondays through Fridays between 8:30 am – 3:30 pm. Telephone requests for results will not be honored. Written requests for results will only be honored if the information is not available on the RIVIP.

Award will be made to the responsive and responsible offeror quoting the lowest net price in accordance with specifications, for any individual item(s), for major groupings of items, or for all items listed, at the University's sole option.

BID SURETY. Where bid surety is required, bidder must furnish a bid bond or certified check for 5% of the bid total with the bid, or for such other amount as may be specified. Bids submitted without a required bid surety will not be considered.

SPECIFICATIONS. Unless specified "no substitute", product offerings equivalent in quality and performance will be considered (at the sole option of the University) on the condition that the offer is accompanied by detailed product specifications. Offers which fail to include alternate specifications may be deemed nonresponsive.

VENDOR AUTHORIZATION TO PROCEED. When a purchase order, change order, contract/agreement or contract/agreement amendment is issued by the University of Rhode Island, no claim for payment for services rendered or goods delivered contrary to or in excess of the contract terms and scope shall be considered valid unless the vendor has obtained a written change order or contract amendment issued by the University of Rhode Island Purchasing Office PRIOR to delivery.

Any offer, whether in response to a solicitation for proposals or bids, or made without a solicitation, which is accepted in the form of an order OR pricing agreement made in writing by the University of Rhode Island Purchasing Office, shall be considered a binding contract.

REGULATIONS, GENERAL TERMS AND CONDITIONS GOVERNING STATE AND BOARD OF GOVERNORS FOR HIGHER EDUCATION CONTRACTS. This solicitation and any contract or purchase order arising from it are issued in accordance with the specific requirements described herein, and the State's Purchasing Laws and Regulations and other applicable State Laws, including the Board of Governors for Higher Education General Terms and Conditions of Purchase. The regulations, General Terms and Conditions are incorporated into all University of Rhode Island contracts and can be viewed at: www.ribghe.org/procurementregs113006.pdf and www.purchasing.ri.gov.

ARRA SUPPLEMENTAL TERMS AND CONDITIONS. Contracts and sub-awards funded in whole or in part by the American Recovery and Reinvestment Act of 2009. Pub.L.No. 111-5 and any amendments thereto, such contracts and sub-awards shall be subject to the Supplemental Terms and Conditions for Contracts and Sub-awards funded in whole or in part by the American Recovery and Reinvestment Act of 2009. Pub.L.No. 111-5 and any amendments thereto located on the Division of Purchases website at www.purchasing.ri.gov.

EQUAL EMPLOYMENT OPPORTUNITY. Compliance certificate and agreement procedures will apply to all awards for supplies or services valued at \$10,000 or more. Minority Business Enterprise policies and procedures, including subcontracting opportunities as described in Title 37 Chapter 14.1 of the Rhode Island General Laws also apply.

PERFORMANCE BONDS. Where indicated, successful bidder must furnish a 100% performance bond and labor and payment bond for contracts subject to Title 37 Chapters 12 and 13 of the Rhode Island General Laws. All bonds must be furnished by a surety company authorized to conduct business in the State of Rhode Island. Performance bonds must be submitted within 21 calendar days of the issuance of a tentative notice of award.

DEFAULT and NON-COMPLIANCE Default and/or non-compliance with the requirements and any other aspects of the award may result in withholding of payment(s), contract termination, debarment, suspension, or any other remedy necessary that is in the best interest of the state.

COMPLIANCE Vendor must comply with all applicable federal, state and local laws, regulations and ordinances.

Effective January 1, 2013 all *public works project* related bids or proposals exceeding FIVE HUNDRED THOUSAND (\$500,000) DOLLARS are required to include a "public copy". All agency contract solicitations, requests for proposals, invitations for bids, etc., shall state that any bid or proposal that exceeds FIVE HUNDRED THOUSAND (\$500,000) DOLLARS must include a copy to be available for public inspection upon the opening of the bids. Any bid or proposal in excess of FIVE HUNDRED THOUSAND (\$500,000) DOLLARS which does not include a copy for public inspection shall be deemed to be non-responsive. For further information, please see R.I. Gen. Laws §37-2-18(j) and State of Rhode Island Procurement Regulations at <http://purchasing.ri.gov/rulesandregulations/rulesandregulations.aspx>.

ALL CONTRACT AWARDS ARE SUBJECT TO THE FOLLOWING DISCLOSURES & CERTIFICATIONS

Offerors must respond to every disclosure statement. A person authorized to enter into contracts must sign the offer and attest to the accuracy of all statements. Incomplete certification forms are grounds for disqualification of offer.

You MUST answer 'Yes' or 'No' to the following questions:

___1 State whether your company, or any owner, stockholder, officer, director, member, partner, or principal thereof, or any subsidiary or affiliated company, has been subject to suspension or debarment by any federal, state, or municipal government agency, or the subject of criminal prosecution, or convicted of a criminal offense with the previous five (5) years. If so, then provide details below.

___2 State whether your company, or any owner, stockholder, officer, director, member, partner, or principal thereof, or any subsidiary or affiliated company, has had any contracts with a federal, state or municipal government agency terminated for any reason within the previous five (5) years. If so, then provide details below.

___3 State whether your company or any owner, stockholder, officer, director, member, partner, or principal thereof, or any subsidiary or affiliated company, has been fined more than \$5000 for violation(s) of Rhode Island environmental laws by the Rhode Island Department of Environmental Management within the previous five (5) years. If so, then provide details below.

___4 I/we certify that I/We will immediately disclose, in writing, to the University Purchasing Agent any potential conflict of interest which may occur during the course of the engagement authorized pursuant to this contract.

___5 I/we acknowledge that, in accordance with (1) Chapter §37-2-54(c) of the Rhode Island General Laws "no purchase or contract shall be binding on the state or any agency thereof unless approved by the Department [of Administration] or made under general regulations which the Chief Purchasing Officer may prescribe," and (2) RIGL section §37-2-7(16) which identifies the Board of Governors for Higher Education as a public agency and gives binding contractual authority to the University Purchasing Agent, including change orders and other types of contracts and under State Purchasing Regulation 8.2.1.1.2 any alleged oral agreement or arrangements made by a bidder or contractor with any agency or an employee of the University of Rhode Island may be disregarded and shall not be binding on the University of Rhode Island.

___6 I/we certify that I or my firm possesses all licenses required by Federal and State laws and regulations as they pertain to the requirements of the solicitation and offer made herein and shall maintain such required license(s) during the entire course of the contract resulting from the offer contained herein and, should my/our license lapse or be suspended, I/we shall immediately inform the University of Rhode Island Purchasing Agent in writing of such circumstance.

___7 I/we certify that I/we will maintain required insurance during the entire course of the contract resulting from the offer contained herein and, should my/our insurance lapse or be suspended, I/we shall immediately inform the University of Rhode Island Purchasing Agent in writing of such circumstance.

___8 I/we certify that I/we understand that falsification of any information herein or failure to notify the University of Rhode Island Purchasing Agent as certified herein may be grounds for suspension, debarment and/or prosecution for fraud.

___9 I/we acknowledge that the provisions and procedures set forth in this form apply to any contract arising from this offer.

___10 I/we acknowledge that I/we understand the State's Purchasing Laws (§37-2 of the General Laws of Rhode Island) and Purchasing Regulations and General Terms and Conditions available at the Rhode Island Division of Purchases Website (<http://www.purchasing.ri.gov>) and the Board of Governors Website (www.ribghe.org/procurementregs113006.pdf) apply as the governing conditions for any contract or purchase order I/we may receive from the University of Rhode Island, including the offer contained herein.

___11 NEW REVISED REQUIREMENT*-IMPORTANT!! I/we hereby acknowledge that I/we understand that effective January 1, 2013 all public works project related bids or proposals exceeding FIVE HUNDRED THOUSAND (\$500,000) dollars, inclusive of all proposed alternates, must include a "public copy" as required by R.I. Gen. Laws §37-2-18(j) and the State Procurement Regulations. It is further understood that any bid or proposal in excess of FIVE HUNDRED THOUSAND (\$500,000) dollars which does not include a copy for public inspection shall be deemed to be non-responsive.

___12 I/we certify that the above information is correct and complete.

IF YOU HAVE ANSWERED "YES" TO QUESTIONS #1 – 3 OR IF YOU ARE UNABLE TO CERTIFY YES TO QUESTIONS #4 – 12 OF THE FOREGOING, PROVIDE DETAILS/EXPLANATION IN AN ATTACHED STATEMENT. INCOMPLETE CERTIFICATION FORMS SHALL BE GROUNDS FOR DISQUALIFICATION OF OFFER.

Signature below commits vendor to the attached offer and certifies (1) that the offer reflects all solicitation amendments (2) that the above statements and information are accurate and that vendor understands and has complied with the requirements set forth herein.

Vendor's Signature: _____ Bid Number: _____ Date: _____
(Person Authorized to enter into contracts; signature must be in ink) (if applicable)

Print Name and Title of Company official signing offer Telephone Number

COMMODITY: FLOOR CARE PRODUCTS
 OPENING DATE & TIME: 5/28/13 3:00 PM
 BLANKET REQUIREMENTS: 7/1/13 - 6/30/14

SHIP TO:
 UNIVERSITY OF RHODE ISLAND
 HRL WAREHOUSE
 22 WEST ALUMNI AVENUE
 KINGSTON, RI 02881
 ATTN: MIKE MCDONALD

BIDDER (NAME OF FIRM)

 BID NO: 2341

BIDDER (NAME OF FIRM)

 BID NO. 2341

ITEM NO.	DESCRIPTION	QUANTITY	UOM	UNIT PRICE	EXTENDED PRICE	UNIT PRICE	EXTENDED PRICE	ITEM NO.
ATTACHMENT "A"								
INSTRUCTIONS:								

IF BIDDING ON ANY ITEM, THE ENTIRE BID MUST BE RETURNED. THE PRICE COLUMN ON THE RIGHT WILL BE DETACHED TO CREATE A BID TABULATION SPREAD SHEET FOR THE "OFFICIAL BID ANALYSIS", THEREFORE:

- A. VENDOR NAME MUST APPEAR IN BOTH COLUMNS ON "EVERY" PAGE UNDER THE WORDS "BIDDER"
- B. PRICE COLUMNS MUST CONTAIN "EXACTLY" THE SAME INFORMATION.
- C. ANY SUPPLEMENTARY INFORMATION MUST BE REPEATED IN "BOTH" COLUMNS.
- D. TO ASSURE THAT OFFERS ARE CONSIDERED ON TIME, EACH OFFER MUST BE SUBMITTED WITH SPECIFIC BID/RFP NUMBER (PROVIDED ABOVE), DATE AND TIME OF OPENING MARKED IN THE UPPER LEFT HAND CORNER OF ENVELOPE. EACH BID/OFFER MUST BE SUBMITTED IN SEPARATE SEALED ENVELOPES.

MAIL TO: COURIER:
 UNIVERSITY OF RHODE ISLAND
 P.O. BOX 1773
 PURCHASING DEPARTMENT
 PLAINS ROAD
 KINGSTON, RI 02881
 UNIVERSITY OF RHODE ISLAND
 PURCHASING DEPARTMENT
 DINING SERVICES DISTRIBUTION CENTER
 581 PLAINS ROAD
 KINGSTON, RI 02881-2010

DOCUMENTS MISDIRECTED TO OTHER STATE LOCATIONS OR WHICH ARE NOT PRESENT IN THE UNIVERSITY OF RHODE ISLAND PURCHASING DEPARTMENT AT THE TIME OF OPENING FOR WHATEVER CAUSE WILL BE DEEMED TO BE LATE AND WILL NOT BE CONSIDERED. FOR THE PURPOSE OF THIS REQUIREMENT, THE OFFICIAL TIME AND DATE SHALL BE THAT OF THE TIME CLOCK IN THE UNIVERSITY OF RHODE ISLAND PURCHASING DEPARTMENT. POSTMARKS SHALL NOT BE CONSIDERED PROOF OF TIMELY SUBMISSION.

- FAILURE TO COMPLETE FORM AS INSTRUCTED MAY BE GROUNDS FOR "DISQUALIFICATION":
- GROUP PURCHASING ORGANIZATIONS (GPO):
 THE UNIVERSITY OF RHODE ISLAND IS A MEMBER OF THE FOLLOWING:
- 1) Educational & Institutional Cooperative Purchasing (E&I)
 - 2) Provista

IF THIS IS A MULTI-YEAR BID/CONTRACT, CONTINUATION OF THE CONTRACT BEYOND THE INITIAL FISCAL YEAR WILL BE AT THE DISCRETION OF THE UNIVERSITY. TERMINATION MAY BE EFFECTED BY THE UNIVERSITY BASED UPON DETERMINING FACTORS SUCH AS UNSATISFACTORY PERFORMANCE OR THE DETERMINATION BY THE UNIVERSITY TO DISCONTINUE THE GOODS/SERVICES, OR TO REVISE THE SCOPE AND NEED FOR THE TYPE OF GOODS/SERVICES. ALSO MANAGEMENT OWNER DETERMINATIONS THAT MAY PRECLUDE THE NEED FOR GOODS/SERVICES AND SUBJECT TO AVAILABILITY OF FUNDS.

DELIVERY AS REQUESTED

BLANKET REQUIREMENTS: 7/1/13 - 6/30/14

AIRWICK / LIBERTY BRAND PRODUCTS, EQUIVALENT OR BETTER

COMMODITY: FLOOR CARE PRODUCTS
 OPENING DATE & TIME: 5/28/13 3:00 PM
 BLANKET REQUIREMENTS: 7/1/13 - 6/30/14

SHIP TO:
 UNIVERSITY OF RHODE ISLAND
 HRL WAREHOUSE
 22 WEST ALUMNI AVENUE
 KINGSTON, RI 02881
 ATTN: MIKE McDONALD

BIDDER (NAME OF FIRM)
 BID NO: 2341

BIDDER (NAME OF FIRM)
 BID NO: 2341

ITEM NO.	DESCRIPTION	QUANTITY	UOM	UNIT PRICE	EXTENDED PRICE	UNIT PRICE	EXTENDED PRICE	ITEM NO.
1	Airwick Liberty Finish Stripper 5 GALLON PAIL Specifications: Color: Clear Liquid Odor: Slight Butyl Base: Alkaline PH: 12-14 Biodegradability: Complete Foam: Low Solubility: Complete Shelf Life: Min. One (1) Year Flash Point: NONE (waterbased)	200	PAIL	\$ _____	\$ _____	\$ _____	\$ _____	1
2	Airwick Confident Floor Finish 5 GALLON PAIL Specifications: Color: Milky Liquid Odor: Slight PH: 8-9 Dry/RecoatTime: 45 minutes Leveling: Excellent Coverage: Up to 2000-2500 sq/ft/gal Shelf Life: Min. One (1) Year Removability: With Instant type strippers Freeze/Thaw: Keep from freezing Must contain no less than 22% solids	200	PAIL	\$ _____	\$ _____	\$ _____	\$ _____	2
3	Airwick A125 HD SYNTHETIC DETERGENT WITH BUILT-IN CHELATING AGENT, GALLON SIZE Specifications: Color: Blue Odor: Pleasant Scent Base: Neutral PH: Neutral Biodegradability: Complete Foam: Moderate Solubility: Complete Shelf Life: Min. One (1) Year Flash Point: NONE (water based)	300	GAL	\$ _____	\$ _____	\$ _____	\$ _____	3

Contact Person: Mike McDonald (401) 874-2895

SPECIFICATIONS

ALL DIFFERENCES BETWEEN THE UNIVERSITY'S REQUIREMENT AND EACH VENDOR'S BID MUST BE CLEARLY NOTED, ITEM BY ITEM. IF NO DIFFERENCES ARE NOTED, BID WILL BE CONSIDERED EXACT.

IF THE ITEM BEING BID IS OTHER THAN BRAND/MODEL SPECIFIED, BIDDERS MUST INCLUDE LITERATURE FOR THE ITEMS THEY ARE BIDDING. ITEMS IN CATALOGS MUST BE CLEARLY MARKED AND PAGES TABBED.

COMMODITY: FLOOR CARE PRODUCTS
 OPENING DATE & TIME: 5/28/13 3:00 PM
 BLANKET REQUIREMENTS: 7/1/13 - 6/30/14

SHIP TO:
 UNIVERSITY OF RHODE ISLAND
 HRL WAREHOUSE
 22 WEST ALUMNI AVENUE
 KINGSTON, RI 02881
 ATTN: MIKE MCDONALD

BIDDER (NAME OF FIRM)
 BID NO: 2341

BIDDER (NAME OF FIRM)
 BID NO. 2341

ITEM NO.	DESCRIPTION	QUANTITY UOM	UNIT PRICE	EXTENDED PRICE	UNIT PRICE	EXTENDED PRICE	ITEM NO.
----------	-------------	--------------	------------	----------------	------------	----------------	----------

QUANTITIES
 QUANTITIES, IF ANY, ARE ESTIMATED ONLY. THE AGREEMENT SHALL COVER THE ACTUAL QUANTITIES ORDERED DURING THE PERIOD. DELIVERIES WILL BE BILLED AT THE SINGLE, FIRM, AWARDED UNIT PRICE QUOTED REGARDLESS OF THE QUANTITIES ORDERED.

ORDERING

(A) THE UNIVERSITY WILL SUBMIT INDIVIDUAL ORDERS FOR THE VARIOUS ITEMS AND VARIOUS QUANTITIES AS MAY BE REQUIRED DURING THE AGREEMENT PERIOD.

(B) EXCEPTION - REGARDLESS OF ANY AGREEMENT RESULTING FROM THIS BID, THE UNIVERSITY RESERVES THE RIGHT TO SOLICIT PRICES SEPARATELY FOR ANY EXTRA LARGE REQUIREMENTS FOR DELIVERY TO SPECIFIC DESTINATIONS.

MSDS

NOTICE TO VENDOR: RHODE ISLAND LAW REQUIRES THAT AN MSDS BE PROVIDED FOR EACH PRODUCT CONTAINING HAZARDOUS CHEMICALS AS DEFINED BY OSHA AND RHODE ISLAND REGULATIONS. PLEASE INCLUDE A COPY WITH EACH SHIPMENT AND SEND AN ADDITIONAL COPY TO THE DIRECTOR, DEPARTMENT OF SAFETY & RISK MANAGEMENT, 44 LOWER COLLEGE RD, KINGSTON, RI 02881



A DIVISION OF GCSPi

LIBERTY

Floor Finish Stripper

Applications

Vinyl Tile, Vinyl Asbestos, Asphalt Tile, Linoleum, Rubber Tile, Concrete, Flagstone, Terrazo, Ceramic Tile

Description

Removes all types of metal interlock acrylic polymer, styrene, water based-urethane finishes and coatings.

A special blend of alkali and solvents quickly penetrates and lifts old finish. It emulsifies the old film for easy vacuum pick-up and rinsing.

This low odor and low alkali formula is ideal for nursing home, hospital and any restricted area with poor ventilation without sacrificing quality. Low alkali prevents damage to floors. Removes all types of metal interlock acrylic polymer, styrene, water based-urethane finishes and coatings.

A special blend of alkali and solvents quickly penetrates and lifts old finish. It emulsifies the old film for easy vacuum pick-up and rinsing.

Our finest stripper. Low alkaline. Non-caustic. Available in butyl and non-butyl formula.

Directions

1. Dilute 1 part concentrate with 4-5 parts warm water.
2. Apply liberally to floor with mop. Be sure to keep entire surface wet.
3. Allow 3-4 minutes to soak and re-mop.
4. Scrub and vacuum up dirty solution.
5. Rinse thoroughly.

Note: Dilute as directed as ample water is needed to suspend and emulsify soil and finish residue.

Do not allow solution to dry on floor.
When floor is completely dry, it is ready to re-coat.

Product Specifications

Color: clear liquid	Foam: low
Odor: slight soap	Solubility: complete
Base: alkaline	Shelf Life: indeterminate
pH: 12-14	Flash Point: none (water based)
Biodegradability: complete	Nonylphenol Surfactants: none

Airwick a division of GCSPi
Plainville, MA 02762 508-668-0632



A DIVISION OF GCSP

Confident

Floor Finish

Applications:

Vinyl Tile, Vinyl Asbestos, Asphalt Tile, Linoleum, Rubber Tile, Terrazzo, Sealed Wood, Quarry Tile

Description:

This finish is an acrylic copolymer super durable floor finish designed to exhibit maximum gloss with just 2-4 coats, an exceptionally high gloss is achieved. This finish demonstrates excellent and long lasting reparability, and stands up to ultra high speed buffing without dusting or powdering. Its ease of application and superior leveling characteristics make it user friendly. This multi-purpose finish can also be used in low maintenance floor care programs. Available in 18%, 22% and 25% solids content.

Directions:

If necessary strip all old finish or wax. Pick up with mop or wet vac and follow with several clear water rinses. Apply 1-2 coats of floor sealer if floor is old or porous. Apply 2-4 coats of finish, allowing 30-60 minutes to dry before recoating. Extra coats may be applied in high traffic areas. Maintenance: Dry mop to remove loose sand and dirt. Wet mop with a neutral detergent. To achieve ultimate results spray buff using a floor maintainer.

Slip resistance meets or exceeds CSMA and UL Standard, (ASTM-D-2047-69).

Product Specifications


Color: white milky liquid	Coverage: 19 to 2000 sq ft/gal
Odor: slight	Reparability: excellent
pH: 8-9	Shelf Life: indefinite
Dry/Recoat Time: 45 minutes min.	Reparability: with repair type of repair
Leveling: excellent	Freeze/Thaw Stability: Keep from freezing

Airwick a division of GCSP
Plainville, MA 02762 508-668-0632



A DIVISION OF GCSPI

A-125



A-125 is biodegradable

How A-125 Works: A-125 is a heavy duty synthetic detergent with a built-in chelating agent. Working with Airkem's true odor counteractants, this combination of ingredients provides effective cleaning and odor counteraction in one labor-saving operation with the added plus of Airkem's famous residual air freshened effect.

Recommended Use Dilutions:

For Light Duty Cleaning:

Mix 1/2 oz to every gallon of water.

For Normal Cleaning:

Mix 1 oz to every gallon of water.

For Heavy Duty Cleaning:

Mix 2 ozs of A-125 to every gallon of water. Use either hot or cold water. A-125 works well in either hard or soft water.

Uses: A-125 can be used on a variety of surfaces and finishes including: porcelain, marble, stainless steel, terrazzo, washable paint, chrome, linoleum, glass, asphalt, tile, rubber, tile floors and sealed cork.

As a Detergent: The highly effective detergent blend in A-125 is a combination of synthetic detergents, working with proven synergizing builders to a) loosen soil through superior wetting and penetrating, b) suspend insoluble matter in solution and c) emulsify oil and grease. The low foamers in A-125 are designed to leave surfaces spot-free and film-free.

As an Odor Counteractant: A-125 contains Airkem's exclusive odor counteractant providing positive odor control and leaving a residual air freshened effect, like the outdoors after a spring rain.

Product Specifications

Color	White	Form	Powder
Color	White	Stability	Stable
Use	Household	Shelf Life	Indefinite
PH	Neutral	Flammable	Non-flammable
Biodegradability	Biodegradable	Approved	Approved

Airwick a division of GCSPI

Plainville, MA 02762

508-668-0632

PRODUCT SPECIFICATIONS	A-125		
Color	blue	Foam	Moderate
Odor	Pleasant scent	Solubility	Complete
Base	Neutral	Shelf life	Min. 1yr
PH	Neutral	Flush Point	None (water based)
Biodegradability	Complete	Nonylphenol Surfactants	None

PRODUCT SPECIFICATIONS	CONFIDENT FLOOR FINISH		
Color	white milky liquid	Coverage	up to 2000-2500 sq.ft./gal
Odor	slight	Recoatibility	excellent
PH	8 - 9	Shelf life	Min. 1yr
Dry/Recoat Time	45 minutes min.	Removability	with instant type strippers
Leveling	excellent	Freeze/Thaw Stability	Keep from freezing

PRODUCT SPECIFICATIONS	LIBERTY FLOOR FINISH STRIPPER		
Color	Clear liquid	Foam	low
Odor	slight butyl	Solubility	complete
Base	alkaline	Shelf life	Min. 1yr
PH	12-14	Flush Point	None (water based)
Biodegradability	complete	Nonylphenol Surfactants	None

MATERIAL SAFETY DATA SHEET

SECTION I - IDENTITY		Date Reviewed: August 5, 2011	
Distributed by: AIRWICK A DIVISION OF GCSPi	Phone No.: 508-668-0632	Address: PO BOX 2378, PLAINVILLE MA 02762	
Chemical Name: Acrylic Floor Finish	Trade Name: CONFIDENT FLOOR FINISH		
SECTION II - HAZARDOUS INGREDIENTS			
CAS NO. Principal Hazardous Ingredients	%	ACGIH/TLV	OSHA/PEL
38714475	Zinc Ammonium Carbonate	<5%	25 ppm (nh3)
111-77-3	Diethylene Glycol Monomethyl Ether	<7%	
78-5-13	Tributoxyethyl Phosphate	<5%	
SECTION II B - Other Ingredients Water, Acrylate Copolymer, Surfactants.			
SECTION III - PHYSICAL DATA			
Appearance & Odor: White Milky Liquid	pH: 8-9	Reactivity in water none	
Specific Gravity: Approx. 1.0055	% volatile: n/a	Vapor Density: not known	
Boiling Point Approx. 212°F	Solubility in water: 100%		
SECTION IV - FIRE AND EXPLOSION DATA			
Flash Point: none	Special Fire Fighting Procedures: none		
Extinguishing media: water, dry chemical, carbon dioxide, foam	Unusual fire and explosion hazards: none known		
SECTION V - PHYSICAL HAZARDS			
Stability: unstable () stable (x)	conditions to avoid: none known		
Materials to avoid: strong oxidizing products			
Hazardous Decomposition Products from Thermal: unknown			
Hazardous polymerization: may occur () will not occur (x)			
SECTION VI - HEALTH HAZARD DATA			
Effect of Over Exposure			
1. Inhalation: Inhalation of mist is a severel irritation to throat			
2. Eyes: Strong irritant.			
3. Skin: Prolonged exposure may irritate skin.			
4. Ingestion: Consult a Physician.			
Chemical listed as a carcinogen no (x) yes ()			
Emergency and First Aid			
1. Inhalation: Avoid inhalation of mist or vapors – remove to fresh air			
2. Eyes: Wear protective glasses or goggles.			
3. Skin: Wash with soap and water, if irritation persists, contact physician			
4. Ingestion: Dilute by drinking water or milk and get medical attention			
SECTION VII - SPILL OR LEAK PROCEDURES			
Steps to be taken in case material is released or spilled: Small spills may be flushed down the drain.			
Waste Disposal: Dispose of in accordance with local, state and federal requirements.			
SECTION VIII - SPECIAL PROTECTION INFORMATION			
Respiratory Protection: generally not required if good ventilation is achieved			
Ventilation Exhaust: Local (x) Mech. () Special ()			
Protective: Wear rubber gloves and safety glasses other: Avoid contact with skin.			
SECTION IX - SPECIAL PRECAUTIONS			
Precautions to be taken in handling and storage: Store between: 40°F and 120°F			
Keep container covered or closed. Keep out of reach of children.			
HAZARDOUS MATERIAL IDENTIFICATION SYSTEM			
Health	1		
Flammability	0		
Reactivity	0		
Personal Protection	B		
TSCA Regulatory: All intentional ingredients are listed on the TSCA inventory.			
HMIS Code		Personal Protection Index	
0 – Minimal Hazard		A – Safety Goggles	
1 – Slight Hazard		B – Safety Goggles, Gloves	
2 – Moderate Hazard		C – Safety Goggles, Gloves, Synthetic Apron	
3 – Serious Hazard		D – Face Shield, Gloves, Synthetic Apron	
4 – Severe Hazard		E – Safety Goggles, Gloves, Dust Respirator	

MATERIAL SAFETY DATA SHEET**SECTION I - IDENTITY** Date Reviewed: August 2, 2011

Distributed by: AIRWICK A DIVISION OF GCSPi	Phone No.: 508-668-0632	Address: PO BOX 2378, PLAINVILLE MA 02762
Chemical Name: All Purpose Cleaner	Trade Name: AIRWICK A 125 ODOR COOUNTERACTANT	

SECTION II - HAZARDOUS INGREDIENTS

CAS NO. Principal Hazardous Ingredients	%	ACGIH/TLV	OSHA/PEL
NONE.			

SECTION II B - Other Ingredients

Water, Surfactants, Alkaline Builders., Perfume, deodorants, dye

SECTION III - PHYSICAL DATA

Appearance & Odor: , Clear Blue Liquid pleasant scent	pH: neutral	
Specific Gravity: Approx. 1	% volatile: n/a	Reactivity in water none
Boiling Point Approx. 212°F	Solubility in water: 100%	Vapor Density: not known

SECTION IV - FIRE AND EXPLOSION DATA

Flash Point: none	Special Fire Fighting Procedures: none
Extinguishing media: water, dry chemical, carbon dioxide, foam	Unusual fire and explosion hazards: none known

SECTION V - PHYSICAL HAZARDS

Stability: unstable () stable (x) conditions to avoid: none known
 Materials to avoid: strong oxidizing products
 Hazardous Decomposition Products from Thermal: unknown
 Hazardous polymerization: may occur () will not occur (x)

SECTION VI - HEALTH HAZARD DATA**Effect of Over Exposure**

- Inhalation: inhalation of mist may be irritating to throat.
- Eyes: irritant.
- Skin: May irritate skin.
- Ingestion: Consult a Physician. May cause gastrointestinal irritation and irritation to mouth and throat.

Chemical listed as a carcinogen no (x) yes ()

Emergency and First Aid

- Inhalation: Avoid inhalation of mist or vapors
- Eyes: Flush eyes with water for 15 minutes and contact physician.
- Skin: Wash with soap and water – if irritation occurs, contact physician.
- Ingestion: Dilute by drinking water or milk and get medical attention

SECTION VII - SPILL OR LEAK PROCEDURES

Steps to be taken in case material is released or spilled: Small spills may be flushed down the drain.
 Waste Disposal: Dispose of in accordance with local, state and federal requirements.

SECTION VIII - SPECIAL PROTECTION INFORMATION

Respiratory Protection: generally not required
 Ventilation Exhaust: Local (x) Mech. () Special ()
 Protective: Wear rubber gloves and safety glasses other: Avoid prolonged contact with skin.

SECTION IX - SPECIAL PRECAUTIONS

Precautions to be taken in handling and storage: Store between: 40°F and 120°F
 Keep container covered or closed Keep out of reach of children.

HAZARDOUS MATERIAL IDENTIFICATION SYSTEM

Health	1
Flammability	0
Reactivity	0
Personal Protection	

TSCA Regulatory: All intentional ingredients are listed on the TSCA Inventory.

HMIS Code **Personal Protection Index**

0 – Minimal Hazard	A – Safety Goggles
1 – Slight Hazard	B – Safety Goggles, Gloves
2 – Moderate Hazard	C – Safety Goggles, Gloves, Synthetic Apron
3 – Serious Hazard	D – Face Shield, Gloves, Synthetic Apron
4 – Severe Hazard	E – Safety Goggles, Gloves, Dust Respirator

MATERIAL SAFETY DATA SHEET**SECTION I - IDENTITY** Date Reviewed: August 4, 2011

Distributed by: AIRWICK A DIVISION OF GCSPi	Phone No.: 508-668-0632	Address: PO BOX 2378, PLAINVILLE MA 02762
Chemical Name: Floor Finish Stripper	Trade Name: LIBERTY FLOOR STRIPPER	

SECTION II - HAZARDOUS INGREDIENTS

CAS NO.	Principal Hazardous Ingredients	%	ACGIH/TLV	OSHA/PEL
111-76-2	Ethylene Glycol Monobutyl Ether*	<15%	25 ppm	100ppm skin
* This chemical is subject to report requirements of section 313 of Sara Title III.				
001310-58-3	Potassium Hydroxide	<5%	2mg/m3	
000141-43-5	Monoethanolamine	<15%	Oral Rats LD50 1090 mg/kg	
100-51-6	Benzyl Alcohol	<15%		

SECTION II B - Other Ingredients
Water, Alkaline Builders, Surfactants.

SECTION III - PHYSICAL DATA

Appearance & Odor: Clear Liquid	pH: 12-14	
Specific Gravity: Approx. 1.06	% volatile: n/a	Reactivity in water none
Boiling Point Approx. 212°F	Solubility in water: 100%	Vapor Density: not known

SECTION IV - FIRE AND EXPLOSION DATA

Flash Point: none	Special Fire Fighting Procedures: none
Extinguishing media: water, dry chemical, carbon dioxide, foam	Unusual fire and explosion hazards: none known

SECTION V - PHYSICAL HAZARDS

Stability: unstable () stable (x) conditions to avoid: acids
 Materials to avoid: strong oxidizing products
 Hazardous Decomposition Products from Thermal: unknown
 Hazardous polymerization: may occur () will not occur (x)

SECTION VI - HEALTH HAZARD DATA**Effect of Over Exposure**

- Inhalation: Inhalation of mist is severely irritation to throat
- Eyes: Severe irritant, can cause permanent damage
- Skin: Extremely irritating to skin and absorbed through skin
- Ingestion: Consult a Physician, may cause gastrointestinal irritation and irritation to mouth and throat

Chemical listed as a carcinogen no (x) yes ()

Emergency and First Aid

- Inhalation: Avoid inhalation of mist or vapors – remove to fresh air
- Eyes: Flush eyes with water for 15 minutes and contact physician
- Skin: Wash with soap and water, if irritation occurs, contact physician
- Ingestion: Dilute by drinking water or milk and get medical attention

SECTION VII - SPILL OR LEAK PROCEDURES

Steps to be taken in case material is released or spilled: Small spills may be flushed down the drain.
 Waste Disposal: Dispose of in accordance with local, state and federal requirements.

SECTION VIII - SPECIAL PROTECTION INFORMATION

Respiratory Protection: generally not required if good ventilation is achieved
 Ventilation Exhaust: Local () Mech. (x) Special ()
 Protective: Wear rubber gloves and safety glasses other: Avoid contact with skin.

SECTION IX - SPECIAL PRECAUTIONS

Precautions to be taken in handling and storage: Store between: 40°F and 120°F
 Keep container covered or closed. Keep out of reach of children.

HAZARDOUS MATERIAL IDENTIFICATION SYSTEM

Health	3
Flammability	0
Reactivity	0
Personal Protection	C

TSCA Regulatory: All intentional ingredients are listed on the TSCA Inventory.

HMIS Code **Personal Protection Index**

0 – Minimal Hazard	A – Safety Goggles
1 – Slight Hazard	B – Safety Goggles, Gloves
2 – Moderate Hazard	C – Safety Goggles, Gloves, Synthetic Apron
3 – Serious Hazard	D – Face Shield, Gloves, Synthetic Apron
4 – Severe Hazard	E – Safety Goggles, Gloves, Dust Respirator