



Request for Quote

STATE OF RHODE ISLAND AND PROVIDENCE PLANTATIONS
 ONE CAPITOL HILL
 PROVIDENCE RI 02908

BUYER: Ohara 2nd, John F
 PHONE #: 401-574-8125

CREATION DATE : 29-JAN-09
 BID NUMBER: 7186887,2
 TITLE: Fence Installation-DOC
 BID CLOSING DATE AND TIME:10-FEB-2009 02:00:00

**B
I
L
L
T
O**
 DOA CONTROLLER
 ONE CAPITOL HILL, 4TH FLOOR
 SMITH ST
 PROVIDENCE, RI 02908
 US

**S
H
I
P
T
O**
 DOC CDC WAREHOUSE
 ATTN: SEE BELOW ON PO
 144 POWER RD
 CRANSTON, RI 02920
 US

Requisition Number: 1117607
 Amendment Description: Addendum Number 2

Line	Description	Quantity	Unit	Unit Price	Total
1	<p>There will be a MANDATORY Pre-Bid Conference held on 1/27/09 at 10:00 AM at: DOC - Maximum Security 2nd Floor Conference Room 1375 Pontiac Avenue Cranston, RI</p> <p>Contact Person: Arthur Fillo Jr. 401-462-3067</p> <p>Addendum No. 2 Include the following requirement in your bid response: REMOVAL AND DISPOSAL OF ALL ASPHALT WITH-IN THE NEW AREA TO BE INCLUDED. THE ENTIRE AREA WILL BE PREPARED AND PAVED ACCORDING TO THE SPECIFICATION.</p> <p>ACKNOWLEDGE THIS ADDENDUM NO. 2 IN YOUR BID RESPONSE.</p> <p>TOTAL COST TO INSTALL 185-LINEAR FEET OF 14 FT HIGH NEW GALVANIZED FENCING AT THE INTAKE CENTER</p>	1.00	Foot		

Delivery: _____

Terms of Payment: _____

It is the Vendor's responsibility to check and download any and all addenda from the RIVIP. This offer may not be considered unless a signed RIVIP generated Bidder Certification Cover Form is attached and the Unit Price column is completed. The signed Certification Cover Form must be attached to the front of the offer

Attached is a list of attendees for your review. We have a list of addendum items at this time, please see below.

- All products manufactured by American companies.
- Install new 8" bollards on both sides of gate operator control box and both sides of the entry at the new gate location.
- Relocate speaker control/call-up box from old location to new location at left of new gate location, approximately 8" in front of gate.
- As per Tymetal Recommendation, Grade beam shall be constructed for the full length of the gate travel. Grade beam depth shall be 48" and the width shall be 24". Concrete shall be installed as one monolithic pour. Furnish and install new Tymetal bottom guides on plates and lag to concrete grade beam. Contractor shall furnish concrete lags.

Thank you,

STATE OF RHODE ISLAND - DEPARTMENT OF CORRECTIONS
 PRE-BID MEETING - BID # _____
 FENCE/GATE EXPANSION - INTAKE CENTER

DATE: JANUARY 27, 2009 STARTED: 10:00 a.m.

NAME (Print)		TELEPHONE/FAX	FIRM/ADDRESS/E-MAIL
GARY L. Doig gdoig@securityfenceco.com	T	978 562 0778	Security Fence Co
	F	978 562 0720	59 Apsley St
		E-Mail	Hudson Ma
Ed Demersky	T	781-826-9655	United Fence
	F	9654	300 Oak St Pembroke
		E-Mail	MDA 02259 edem@unitedfence.com
Craig Cox	T	508-761-7400	20 Rutledge Drive
	F	508-761-7170	Attetboro Ma 02703
		E-Mail	CCOX@Citework.com
Michael Interlini	T	401-231-2247	United fence Rhode Island
	F	401-231-4547	M. Interlini @ GMAIL.COM
		E-Mail	
WALTER VINCENT	T	508 554 7500	PREMIER FENCES LLC
	F	508 554 5080	4 LEGON DR. AVON MA 02322
		E-Mail	WALTERV@PREMIER-FENCES.COM
JOHN BURGESS	T	401-885-5374	KINGSTOWN SERVICES CO
	F	401-884-7739	39 Seary Lane No Kingstown RI 02912
		E-Mail	KINGSTOWNSERVICE@COX.NET
JOSEPH PARENTI	T	401-944-5251	FENCE AMERICA INC
	F	401-944-5270	30 TWEEB ST Cranston RI 02920
		E-Mail	FENCE-AMERICA INC.COM
COSCO INC Donald Constantino	T	765-0009	COSCO Fence
	F	DONALD@COSCOFENCE.COM	
		E-Mail	
Cosco Inc Robert Oliverick	T	765-0009 EXT 17	7017 PARK EAST DR.
	F	767-5290	Wewasocket RI 02895
		E-Mail	BOS@Coscofence.com

Contract Terms and Conditions

Table of Contents

Terms and Conditions.....	II
BID STANDARD TERMS AND CONDITIONS	II
TERMS AND CONDITIONS FOR THIS BID	II
RIVIP INFO - BID SUBMISSION REQUIREMENTS	II
START DATE	II
SURETY REQUIREMENTS	II
WAGE REQUIREMENTS	II
INSPECTION REQUIREMENTS	II
INSURANCE REQUIREMENTS	III
VENDOR SPECIFICATIONS	III
LICENSE REQUIREMENTS	III

Terms and Conditions

BID STANDARD TERMS AND CONDITIONS

TERMS AND CONDITIONS FOR THIS BID

RIVIP INFO - BID SUBMISSION REQUIREMENTS

It is the Vendor's responsibility to check and download any and all addenda from the RIVIP. This offer may not be considered unless a signed RIVIP generated Bidder Certification Cover Form is attached and the Unit Price column is completed. The signed Certification Cover Form must be attached to the front of the offer. When delivering offers in person to One Capitol Hill, vendors are advised to allow at least one hour additional time for clearance through security checkpoints.

START DATE

STARTING DATE _____ NO. OF WORKING DAYS REQUIRED FOR COMPLETION

SURETY REQUIREMENTS

BIDDER IS REQUIRED TO PROVIDE A BID SURETY IN THE FORM OF A BID BOND, OR A CERTIFIED CHECK PAYABLE TO THE STATE OF RHODE ISLAND, IN THE AMOUNT OF A SUM NOT LESS THAN FIVE PERCENT (5%) OF THE BID PRICE. BID SURETY MUST BE ATTACHED TO THE BID FORM. THE SUCCESSFUL BIDDER WILL ALSO BE REQUIRED TO FURNISH PERFORMANCE AND LABOR AND PAYMENT BONDS AT TIME OF TENTATIVE CONTRACT AWARD.

WAGE REQUIREMENTS

BIDDERS ARE ADVISED THAT ALL PROVISIONS OF TITLE 37 CHAPTER 13 OF THE GENERAL LAWS OF RHODE ISLAND APPLY TO THE WORK COVERED BY THIS REQUEST, AND THAT PAYMENT OF THE GENERAL PREVAILING RATE OF PER DIEM WAGES AND THE GENERAL PREVAILING RATE FOR REGULAR, OVERTIME, AND OTHER WORKING CONDITIONS EXISTING IN THE LOCALITY FOR EACH CRAFT, MECHANIC, TEAMSTER, OR TYPE OF WORKMAN NEEDED TO EXECUTE THIS WORK IS A REQUIREMENT FOR BOTH CONTRACTORS AND SUBCONTRACTORS. THE PREVAILING WAGE TABLE MAY BE OBTAINED AT THE RI DIVISION OF PURCHASES HOME PAGE BY INTERNET at www.purchasing.state.ri.us. SELECT "INFORMATION" AND THEN SELECT "PREVAILING WAGE TABLE". THE STATE OF RHODE ISLAND USES THE GENERAL DECISION NUMBER RI20070001. PRINTING THE ENTIRE DOCUMENT AVERAGES APPROXIMATELY ONE MINUTE PER PAGE - YOU MAY WANT TO PRINT ONLY THE PAGES APPLICABLE TO YOUR BID. BIDDERS NOTE: IN THE EVENT THIS BID SPECIFIES PRICE OFFERS ON A TIME-AND-MATERIALS BASIS, i.e., AN HOURLY RATE, ANY OR ALL BIDS SUBMITTED IN AN AMOUNT LESS THAN THE PREVAILING RATE IN EFFECT FOR THE WORK COVERED BY THIS REQUEST AS OF THE DATE OF BID ISSUANCE SHALL BE REJECTED BY THE DIVISION OF PURCHASES.

INSPECTION REQUIREMENTS

BIDDERS ARE RESPONSIBLE FOR INSPECTION OF EQUIPMENT AND/OR LOCATION, TAKING MEASUREMENTS* WHEN REQUIRED, AND MAKING THEMSELVES AWARE OF THE TOTAL REQUIREMENT BEFORE SUBMITTING A BID. *MEASUREMENTS PROVIDED WITH ANY BID

ARE FOR REFERENCE PURPOSES AND ARE NOT GUARANTEED TO BE COMPLETELY ACCURATE.

INSURANCE REQUIREMENTS

AN INSURANCE CERTIFICATE IN COMPLIANCE WITH PROVISIONS OF ITEM 31 (INSURANCE) OF THE GENERAL CONDITIONS OF PURCHASE IS REQUIRED FOR COMPREHENSIVE GENERAL LIABILITY, AUTOMOBILE LIABILITY, AND WORKERS' COMPENSATION AND MUST BE SUBMITTED BY THE SUCCESSFUL BIDDER(S) TO THE DIVISION OF PURCHASES PRIOR TO AWARD. THE INSURANCE CERTIFICATE MUST NAME THE STATE OF RHODE ISLAND AS CERTIFICATE HOLDER AND AS AN ADDITIONAL INSURED. FAILURE TO COMPLY WITH THESE PROVISIONS MAY RESULT IN REJECTION OF THE OFFEROR'S BID. ANNUAL RENEWAL CERTIFICATES MUST BE SUBMITTED TO THE AGENCY IDENTIFIED ON THE PURCHASE ORDER. FAILURE TO DO SO MAY BE GROUNDS FOR CANCELLATION OF CONTRACT.

NOTE: IF THIS BID COVERS CONSTRUCTION, SCHOOL BUSING, HAZARDOUS WASTE, OR VESSEL OPERATION, APPLICABLE COVERAGES FROM THE FOLLOWING LIST MUST ALSO BE SUBMITTED TO THE DIVISION OF PURCHASES PRIOR TO AWARD: * PROFESSIONAL LIABILITY INSURANCE (AKA ERRORS & OMISSIONS) - \$1 MILLION OR 5% OF ESTIMATED PROJECT COST, WHICHEVER IS GREATER. * BUILDER'S RISK INSURANCE - COVERAGE EQUAL TO FACE AMOUNT OF CONTRACT FOR CONSTRUCTION. * SCHOOL BUSING - AUTO LIABILITY COVERAGE IN THE AMOUNT OF \$5 MILLION. * ENVIRONMENTAL IMPAIRMENT (AKA POLLUTION CONTROL) - \$1 MILLION OR 5% OF FACE AMOUNT OF CONTRACT, WHICHEVER IS GREATER. * VESSEL OPERATION - (MARINE OR AIRCRAFT) - PROTECTION & INDEMNITY COVERAGE REQUIRED IN THE AMOUNT OF \$1 MILLION.

VENDOR SPECIFICATIONS

ALL VENDORS MUST INCLUDE SPECIFICATIONS WITH BID PROPOSAL (EVEN THOSE BIDDING BRAND SPECIFIED). FAILURE TO SUBMIT SPECIFICATIONS WITH BID PROPOSAL MAY RESULT IN DISQUALIFICATION OF BID. ITEMS IN CATALOGS MUST BE CLEARLY MARKED AND PAGES TABBED.

LICENSE REQUIREMENTS

VENDOR (OWNER OF COMPANY) IS RESPONSIBLE TO COMPLY WITH ALL LICENSING OR STATE PERMITS REQUIRED FOR THIS TYPE OF SERVICE. A COPY OF LICENSE/PERMIT SHOULD BE SUBMITTED WITH THIS BID. IN ADDITION TO THESE LICENSE REQUIREMENTS, BIDDER, BY SUBMISSION OF THIS BID, CERTIFIES THAT ANY/ALL WORK RELATED TO THIS BID, AND ANY SUBSEQUENT AWARD WHICH REQUIRES A RHODE ISLAND LICENSE(S), SHALL BE PERFORMED BY AN INDIVIDUAL(S) HOLDING A VALID RHODE ISLAND LICENSE.

STATE OF RHODE ISLAND * DEPARTMENT OF CORRECTIONS

SPECIFICATIONS – EXPANSION FENCE/GATE INTAKE SERVICE CENTER/SALLY-PORT

SCOPE-OF-WORK:

- Furnish/install approximately 185 linear feet of fourteen (14) foot high “new” galvanized chain-link fencing (match existing fence height).
- Fabric to be two inch, six-gauge galvanized. Fabric to be buried one foot below finished grade. All framework to be schedule-40 galvanized piping to include top rail, middle rail and bottom rail. All fabric to have galvanized steel banding and tack welded throughout system.
- Fence to have two rows of 24-inch diameter razor ribbon fastened with stainless ties around top perimeter of “new” fencing.
- Remove and relocate existing Tymetal slide gate #3 to new southerly fence. All electric work to be included to make gate operational from sally-port control. All rigid conduit installed is to be weather-tight and may be mounted above the bottom rail of fence. Gate to be set to best utilize existing asphalt.

PAVING SPECIFICATIONS:

- Saw cut existing asphalt within new area to make clean edge for new asphalt.
- Remove and stockpile on site loam and topsoil from within the new area. Site to be adjacent to site (across access road).
- Place eight inches of new gravel in excavated areas. Grade and compact.
- Place two inch binder course of asphalt. Finish with 1-1/2 inches of surface course of asphalt.
- Finish grade to be pitched toward the High Security access road and be at the approximate level of manhole in area.
- All work to be performed during normal working hours. Security to be monitored at all times and take precedence as/if necessary.

FENCING INSTALLATION - INTAKE SERVICE CENTER MAP LAYOUT

SITCH OF
ASPHALT

