

Request for Quote

STATE OF RHODE ISLAND AND PROVIDENCE PLANTATIONS
 ONE CAPITOL HILL
 PROVIDENCE RI 02908

CREATION DATE : 29-DEC-11
BID NUMBER: 7449312,1
TITLE: FURNISH AND INSTALL TWO (2) HALYARD BANNER POLES/FLAGPOLES AT URI

BID CLOSING DATE AND TIME:18-JAN-2012 10:30:00

BUYER: Melillo, Charlotte A
PHONE #: 401-574-8110

B
I
L
L
T
O
 URI ACCOUNTS PAYABLE
 CARLOTTI ADMINISTRATION BLDG
 75 LOWER COLLEGE ROAD, SUITE 1
 KINGSTON, RI 02881
 US

S
H
I
P
T
O
 URI FACILITIES RECEIVING
 ATTN: SEE BELOW
 SHERMAN BLDG
 KINGSTON, RI 02881
 US

Requisition Number: 1252712
Amendment Description: *
 ADDENDUM #1 -
 EXTEND BID CLOSING DATE:
 FROM: 1/5/12 AT 10:00 AM
 TO: 1/18/12 AT 10:30 AM
 *

Line	Description	Quantity	Unit	Unit Price	Total
1	URI CONTACT: SHELEEN CLARKE, FACILITIES SERVICES, LANDS & GROUNDS (401) 874-5515 * START DATE _____ NUMBER OF WORKING DAYS REQUIRED FOR COMPLETION _____ * BID A TOTAL COST TO FURNISH AND INSTALL TWO (2) NEW HALYARD BANNER POLES/FLAGPOLES AT UPPER COLLEGE ROAD ACROSS FROM THE WELCOME CENTER PER ATTACHED PLANS AND BID SPECIFICATIONS IN COMPLIANCE WITH FINAL SHOP DRAWINGS AND MANUFACTURER'S INSTRUCTION	1 00	Total		

Delivery: _____

Terms of Payment: _____

It is the Vendor's responsibility to check and download any and all addenda from the RIVIP. This offer may not be considered unless a signed RIVIP generated Bidder Certification Cover Form is attached and the Unit Price column is completed. The signed Certification Cover Form must be attached to the front of the offer.

ATTACHMENT "A"

ITEM NO.	DESCRIPTION	QUANTITY	UOM
----------	-------------	----------	-----

GROUP PURCHASING ORGANIZATIONS (GPO):

THE UNIVERSITY OF RHODE ISLAND IS A MEMBER OF THE FOLLOWING:

- 1) Educational & Institutional Cooperative Purchasing (E&I)
- 2) Provista

SPECIFICATIONS FOR URI BANNER POLES

SCOPE OF WORK: CONTRACTOR SHALL SUPPLY AND INSTALL A PAIR OF (2) NEW TWENTY FIVE FOOT (25) STEEL INTERNAL HALYARD FLAGPOLES AT THE FOLLOWING LOCATION: **UPPER COLLEGE ROAD OPPOSITE THE WELCOME CENTER**
SEE PLAN FOR LOCATIONS

FLAGPOLE: SHALL BE TWENTY FIVE FEET (25') HIGH, MEASURING FROM THE GROUND TO THE TOP THE POLES SHALL BE COMMERCIAL GRADE HOT DIPPED GALVANIZED (BLACK SATIN FINISH) MEETING THE FOLLOWING SPECIFICATIONS:

- EXPOSED LENGTH: 25 FEET
- OVERALL LENTH: 28 FEET
- BUTT DIAMETER: 10 INCHES
- TOP DIAMETER: 5 INCHES
- BASE WALL THICKNESS: 500 INCHES
- BASE PLATE: 12' x 12' x 1" STEEL BOLT THROUGH PLATE

HALYARD SYSTEM: INTERNAL WINCH WITH STEEL CAPABLE HALYARD WITH CONTROL STOP DEVICE AND REMOVABLE HANDLE **STEEL CABLE HALYWARD TO BE INCLUDED.**

WIND RATING: CAPABLE OF WITHSTANDING THE EFFECTS OF WIND LOADS, DETERMINED ACCORDING TO NAAMM FP 1001 FOR SPECIFIED GROUND SPEED AND BANNER SIZE OF 3 FEET x 20 FEET

ACCESSORIES: CUSTOM BANNER ATTACHMENTS INCLUDING BREAK AWAY CLIPS FOR HIGH WIND CONDITIONS (SUBMIT SHOP DRAWINGS)

INSTALLATION:



FOUNDATION: CONTRACTOR SHALL EXCAVATE PITS AT THE MANUFACTURER S RECOMMENDED DEPTH AND WIDTH FOR THE SIZE POLE TO BE INSTALLED CONCRETE SHALL BE 5000 PSI, 3/4" CLASS B AIR ENTRANED MATERIALS AND METHODS SHALL CONFORM TO "SECTION 600 PORTLAND CEMENT CONCRETE OF THE RIDOT STD SPECIFICATIONS FOR ROAD AND BRIDGE CONSTRUCTION, LATEST EDITION ALL FOUNDATIONS SHALL BE INSTALLED ON UNDISTURBED SUBGRADE OR COMPACTED GRAVEL BASE ALL FOUNDATIONS SHALL BE SET PLUMB AND TRUE TO GRADE VERIFY FINAL GRADES AND ELEVATIONS ACCORDING TO THE PLAN BEFORE BEGINNING INSTALLATION THE TOP OF EACH FOUNDATION SHALL BE LEVEL CONTRACTOR SHALL CAREFULLY MARK THE PROPOSED LOCATION OF THE CONCRETE FOUNDATIONS AND THEN DETERMINE IF ANY UTILITIES OR UNDERGROUND OR OVERHEAD OBSTRUCTIONS WILL PREVENT THE INSTALLATION AT THIS LOCATION IF SUCH AN OBSTRUCTION IS EVIDENT. THE CONTACTOR REQUEST PERMISSION FROM THE ENGINEER TO MOVE OR ADJUST THE LOCATION OF THE FOUNDATION IF, IN THE OPINION OF THE ENGINEER NEARBY EXCAVATION OBSTRUCTIONS OR UNUSUAL CONDITIONS OF THE SOIL WARRANT, THE DEPTH AND WIDTH OF THE BELOW-GROUND FOUNDATION MAY BE AUGMENTED BY THE POURING OFF ADDITIONAL 3500 PSI 28 DAY COMPRESSIVE STRENGTH CONCRETE

BANNER POLE: INSTALL FLAGPOLE AS INDICATED AND IN COMPLIANCE WITH FINAL SHOP DRAWINGS AND MANUFACTURER'S INSTRUCTION	2	Each
--	---	------

RESTORATION AND CLEANUP: CONTRACTOR SHALL REPAIR ALL AREAS DISTURBED OR DAMAGED BY THE WORK, INCLUDING PAVEMENTS, LAWNS TREES, CURBS SITE FURNISHINGS AND ANY OTHER AMENITIES AT NO ADDITIONAL COST TO THE OWNER TURF DAMAGE MUST BE REPAIRED BY MECHANICAL AERATION, TOP DRESSING AND SEEDING IN ACCORDANCE WITH THE SPECIFICATIONS PROVIDED BY THE OWNER.

ATTACHMENT "A"

ITEM NO.	DESCRIPTION	QUANTITY	UOM
	CONTACT INFORMATION: SHELEEN CLARKE URI / LANDS AND GROUNDS DEPT 523 PLAINS RD KINGSTON RI 02881		



Contract Terms and Conditions

Table of Contents

Terms and Conditions	VI
BID STANDARD TERMS AND CONDITIONS	VI
TERMS AND CONDITIONS FOR THIS BID	VI
RIVIP INFO - BID SUBMISSION REQUIREMENTS	VI
INSURANCE REQUIREMENTS	VI
VENDOR SPECIFICATIONS	VI

Terms and Conditions

BID STANDARD TERMS AND CONDITIONS

TERMS AND CONDITIONS FOR THIS BID

RIVIP INFO - BID SUBMISSION REQUIREMENTS

It is the Vendor's responsibility to check and download any and all addenda from the RIVIP. This offer may not be considered unless a signed RIVIP generated Bidder Certification Cover Form is attached and the Unit Price column is completed. The signed Certification Cover Form must be attached to the front of the offer. When delivering offers in person to One Capitol Hill, vendors are advised to allow at least one hour additional time for clearance through security checkpoints.

INSURANCE REQUIREMENTS

AN INSURANCE CERTIFICATE IN COMPLIANCE WITH PROVISIONS OF ITEM 31 (INSURANCE) OF THE GENERAL CONDITIONS OF PURCHASE IS REQUIRED FOR COMPREHENSIVE GENERAL LIABILITY, AUTOMOBILE LIABILITY, AND WORKERS' COMPENSATION AND MUST BE SUBMITTED BY THE SUCCESSFUL BIDDER(S) TO THE DIVISION OF PURCHASES PRIOR TO AWARD. THE INSURANCE CERTIFICATE MUST NAME THE STATE OF RHODE ISLAND AS CERTIFICATE HOLDER AND AS AN ADDITIONAL INSURED. FAILURE TO COMPLY WITH THESE PROVISIONS MAY RESULT IN REJECTION OF THE OFFEROR'S BID. ANNUAL RENEWAL CERTIFICATES MUST BE SUBMITTED TO THE AGENCY IDENTIFIED ON THE PURCHASE ORDER. FAILURE TO DO SO MAY BE GROUNDS FOR CANCELLATION OF CONTRACT.

NOTE: IF THIS BID COVERS CONSTRUCTION, SCHOOL BUSING, HAZARDOUS WASTE, OR VESSEL OPERATION, APPLICABLE COVERAGES FROM THE FOLLOWING LIST MUST ALSO BE SUBMITTED TO THE DIVISION OF PURCHASES PRIOR TO AWARD: * PROFESSIONAL LIABILITY INSURANCE (AKA ERRORS & OMISSIONS) - \$1 MILLION OR 5% OF ESTIMATED PROJECT COST, WHICHEVER IS GREATER. * BUILDER'S RISK INSURANCE - COVERAGE EQUAL TO FACE AMOUNT OF CONTRACT FOR CONSTRUCTION. * SCHOOL BUSING - AUTO LIABILITY COVERAGE IN THE AMOUNT OF \$5 MILLION. * ENVIRONMENTAL IMPAIRMENT (AKA POLLUTION CONTROL) - \$1 MILLION OR 5% OF FACE AMOUNT OF CONTRACT, WHICHEVER IS GREATER. * VESSEL OPERATION - (MARINE OR AIRCRAFT) - PROTECTION & INDEMNITY COVERAGE REQUIRED IN THE AMOUNT OF \$1 MILLION.

VENDOR SPECIFICATIONS

ALL VENDORS MUST INCLUDE SPECIFICATIONS WITH BID PROPOSAL (EVEN THOSE BIDDING BRAND SPECIFIED). FAILURE TO SUBMIT SPECIFICATIONS WITH BID PROPOSAL MAY RESULT IN DISQUALIFICATION OF BID. ITEMS IN CATALOGS MUST BE CLEARLY MARKED AND PAGES TABBED.