



Request for Quote

STATE OF RHODE ISLAND AND PROVIDENCE PLANTATIONS
ONE CAPITOL HILL
PROVIDENCE RI 02908

CREATION DATE : 01-FEB-12
BID NUMBER: 7449450
TITLE: RIDING TRACTOR WITH MID-MOUNT MOWER - DEM

BID CLOSING DATE AND TIME:01-MAR-2012 10:15:00

BUYER: Gill Raymond E Jr
PHONE #: 401-574-8466

B
I
L
L
L
T
O
DOA CONTROLLER
ONE CAPITOL HILL, 4TH FLOOR
SMITH ST
PROVIDENCE, RI 02908
US

S
H
I
P
T
O
DOA-CS STATE FLEET
ONE CAPITOL HILL, 2ND FLOOR
SMITH ST
PROVIDENCE, RI 02908
US

Requisition Number: 1224428

Note to Bidders: RIDING TRACTOR WITH MID-MOUNT MOWER PER ATTACHED 2 PAGE SPECIFICATION

BIDDERS MUST FILL OUT AND INCLUDE THE ATTACHED 2 PAGE SPECIFICATION AND A COPY OF THE MANUFACTURERS SPECIFICATIONS WITH THEIR BID SUBMISSION

Line	Description	Quantity	Unit	Unit Price	Total
1	RIDING TRACTOR 4WD WITH MOUNT MOWER - SEE ATTACHED SPECIFICATIONS	1 00	Each		

Delivery: _____

Terms of Payment: _____

It is the Vendor's responsibility to check and download any and all addenda from the RIVIP. This offer may not be considered unless a signed RIVIP generated Bidder Certification Cover Form is attached and the Unit Price column is completed. The signed Certification Cover Form must be attached to the front of the offer

Req # 1224428

Specifications for 4WD Riding Tractor with mid mount mower

Specification Details	YES/NO	Vendor Alternative if Responding NO
General: Riding tractor with Mid mounted mower 54 inch		
Tractor requirements:		
Engine: 1 3 cylinder Diesel 2. minimum 68 cu inch displacement. 3 minimum 24HP 3 minimum 24HP 4. Bore & Stroke 76x82 mm. 5 compression ratio 23:1 minimum 6 pressurized lubrication with spin on oil filter 7 Cooling system water pump 8 Operating range 1270-3170 RPM 9 engine torque @ rated speed 40ft/lb minimum 10. Key switch shut off		
Electrical system: 12 volt 1 Battery 500CCA 2 Alternator 12 volt 20 amp 3. Starter size: 1.6 HP		
Fuel System: Indirect injection pump		
Transmission: 1. 2 range, forward/reverse Hydrostatic with minimum 18HP at PTO 2 twin touch pedals 3 spur gear final drive with engage on the go differential lock		
Brakes: Wet disk		
Steering: Power steering		
Axle Type & Capacity: Flanged type Front: 1940 lb minimum Rear: 2426 lb minimum		
Hydraulics: Open center gear type pump Pump output rating 5.6 gpm minimum Steering: 2.2 gpm minimum Implement: 3.4 gpm minimum Maximum operating pressure: 2421 PSI 2 remote valves		
3 point hitch: Category 1		
Power Take-Off: Rear standard @ 540 RPM Mid standard @ 2100 RPM		
Fluid Capacities: 1 Fuel Tank : Approximately Six(6) gallons 2 Cooling system including coolant bottle: Approximately Three (3) quarts 3 Crankcase with filter: Approximately Three(3) quart 4 Hydrostatic Transmission and hydraulic system: Approximately 2.5 gallon 5. Front axle gear case : Approximately 3.5 gallon		
Dimensions:		

Rig. 1224428

<p>Wheelbase : Approximately 63 inches Front Tread Range : Approximately 31 inches Front axle clearance : Approximately 12.5 inches Turning radius : Approximately 7 feet Operating weight : approximately 1660 lbs</p>		
<p>Tires: Front: 23x8 5-12R4 Rear: 31x12-16.5R4</p>		
<p>Operator Station Protection: OSHA approved Foldable Rollover protection structure</p>		
<p>Miscellaneous: Underhood muffler Joystick SCV Control Mechanical lift kit to raise and lower mid mount mower</p>		
<p>Mid mount mower to include: A ten(10) gauge stamped steel deck with 54" cutting width with 3 cutting blades PTO shaft Front and rear quick release gauge wheels with memory setting Quick release belt shields Anti-Scalp Front roller Hinged discharge chute Greaseable spindles Front Lip Reinforcement Deck Lockup Mower wash port Spare set of blades</p>		
<p>Vendor requirements- Successful bidder must be an authorized dealer for the equipment offered, capable of servicing the unit under warranty as well as stock normal wearing replacement parts at their place of business.</p>		
<p>Vendor requirements- Selling dealer must be within a reasonable distance- (less than one hundred miles)- to provide initial mower to tractor installation as well as for possible warranty work. If the selling dealer is greater than one hundred miles from our workplace, the dealer must either perform the initial installation and/or warranty work at our location or arrange installation and/or warranty work with an equipment dealer nearby who is mutually agreed upon with the authorized agent of the State of Rhode Island</p>		
<p>Acceptance- tractor and mowerdeck bid must meet or exceed the specifications listed above to be considered for purchase by the State of Rhode Island. To be a John Deere 2320 with 54" mid mount deck or equal.</p>		
<p>Bid Price- Amount bid by the vendor includes set up and delivery and initial service</p>		
<p>Delivery location- RI Department of Environmental Management, Division of Fish and Wildlife, Great Swamp Headquarters, 277 Great Neck Rd, West Kingston, RI. 02892.</p>		
<p>Supplying vendor to provide operation, repair, and parts manuals as well as warranty information.</p>		

Contract Terms and Conditions

Table of Contents

Terms and Conditions.....	VI
BID STANDARD TERMS AND CONDITIONS	VI
TERMS AND CONDITIONS FOR THIS BID	VI
VENDOR SPECIFICATIONS	VI
RIVIP INFO - BID SUBMISSION REQUIREMENTS	VI
BID ALL ITEMS	VI
INSURANCE REQUIREMENTS	VI
DELIVERY PER AGENCY	VI

Terms and Conditions

BID STANDARD TERMS AND CONDITIONS

TERMS AND CONDITIONS FOR THIS BID

VENDOR SPECIFICATIONS

ALL VENDORS MUST INCLUDE SPECIFICATIONS WITH BID PROPOSAL (EVEN THOSE BIDDING BRAND SPECIFIED) FAILURE TO SUBMIT SPECIFICATIONS WITH BID PROPOSAL MAY RESULT IN DISQUALIFICATION OF BID ITEMS IN CATALOGS MUST BE CLEARLY MARKED AND PAGES TABBED.

RIVIP INFO - BID SUBMISSION REQUIREMENTS

It is the Vendor's responsibility to check and download any and all addenda from the RIVIP. This offer may not be considered unless a signed RIVIP generated Bidder Certification Cover Form is attached and the Unit Price column is completed. The signed Certification Cover Form must be attached to the front of the offer. When delivering offers in person to One Capitol Hill, vendors are advised to allow at least one hour additional time for clearance through security checkpoints.

BID ALL ITEMS

BIDDERS MUST BID ALL ITEMS TO BE CONSIDERED. AWARD WILL BE BASED ON TOTAL LOW.

INSURANCE REQUIREMENTS

AN INSURANCE CERTIFICATE IN COMPLIANCE WITH PROVISIONS OF ITEM 31 (INSURANCE) OF THE GENERAL CONDITIONS OF PURCHASE IS REQUIRED FOR COMPREHENSIVE GENERAL LIABILITY, AUTOMOBILE LIABILITY, AND WORKERS' COMPENSATION AND MUST BE SUBMITTED BY THE SUCCESSFUL BIDDER(S) TO THE DIVISION OF PURCHASES PRIOR TO AWARD. THE INSURANCE CERTIFICATE MUST NAME THE STATE OF RHODE ISLAND AS CERTIFICATE HOLDER AND AS AN ADDITIONAL INSURED. FAILURE TO COMPLY WITH THESE PROVISIONS MAY RESULT IN REJECTION OF THE OFFEROR'S BID. ANNUAL RENEWAL CERTIFICATES MUST BE SUBMITTED TO THE AGENCY IDENTIFIED ON THE PURCHASE ORDER. FAILURE TO DO SO MAY BE GROUNDS FOR CANCELLATION OF CONTRACT.

NOTE: IF THIS BID COVERS CONSTRUCTION, SCHOOL BUSING, HAZARDOUS WASTE, OR VESSEL OPERATION, APPLICABLE COVERAGES FROM THE FOLLOWING LIST MUST ALSO BE SUBMITTED TO THE DIVISION OF PURCHASES PRIOR TO AWARD: * PROFESSIONAL LIABILITY INSURANCE (AKA ERRORS & OMISSIONS) - \$1 MILLION OR 5% OF ESTIMATED PROJECT COST, WHICHEVER IS GREATER. * BUILDER'S RISK INSURANCE - COVERAGE EQUAL TO FACE AMOUNT OF CONTRACT FOR CONSTRUCTION. * SCHOOL BUSING - AUTO LIABILITY COVERAGE IN THE AMOUNT OF \$5 MILLION. * ENVIRONMENTAL IMPAIRMENT (AKA POLLUTION CONTROL) - \$1 MILLION OR 5% OF FACE AMOUNT OF CONTRACT, WHICHEVER IS GREATER. * VESSEL OPERATION - (MARINE OR AIRCRAFT) - PROTECTION & INDEMNITY COVERAGE REQUIRED IN THE AMOUNT OF \$1 MILLION.

DELIVERY PER AGENCY

DELIVERY OF GOODS OR SERVICES AS REQUESTED BY AGENCY.