



Request for Quote

STATE OF RHODE ISLAND AND PROVIDENCE PLANTATIONS
 ONE CAPITOL HILL
 PROVIDENCE RI 02908

CREATION DATE : 27-FEB-12
 BID NUMBER: 7449521
 TITLE: SCOREBOARDS - UNIVERSITY OF RI
 BID CLOSING DATE AND TIME: 20-MAR-2012 10:00:00

BUYER: Melillo, Charlotte A
 PHONE #: 401-574-8110

**B
I
L
L
T
O**
 URI-ACCOUNTS PAYABLE-FISH BUILDING
 NARRAGANSETT BAY CAMPUS
 SOUTH FERRY ROAD
 NARRAGANSETT, RI 02882-1197
 US

**S
H
I
P
T
O**
 URI SPECIAL INSTRUCTIONS
 SEE BELOW
 SEE BELOW, RI N/A
 US

Requisition Number: 1261058

Line	Description	Quantity	Unit	Unit Price	Total
1	SCOREBOARDS - PER THE ATTACHED BID SPECIFICATIONS AND PRICING SPREADSHEET * Deliver to: University of Rhode Island Athletics Equipment Room 3 Keaney Road Kingston RI 02881 * *URI Contact Person: Art Tuveson, Ass't Director 401-874-5469 * Purchasing Buyer: charlotte.melillo@purchasing.ri.gov * * Delivery and Installation must be completed by 6/30/12 * STARTING DATE _____ NO. OF WORKING DAYS REQUIRED FOR COMPLETION _____ *	0 00	Total		

Delivery: _____

Terms of Payment: _____

It is the Vendor's responsibility to check and download any and all addenda from the RIVIP. This offer may not be considered unless a signed RIVIP generated Bidder Certification Cover Form is attached and the Unit Price column is completed. The signed Certification Cover Form must be attached to the front of the offer.

COMMODITY: SCOREBOARDS FOR URI		SHIP TO:	BIDDER (NAME OF FIRM)		
OPENING DATE & TIME: 3/20/12 AT 10:00 AM		UNIVERSITY OF RI			
BID # 7449521		ATHLETICS EQUIP ROOM			
		3 KEANEY ROAD			
		KINGSTON, RI 02881			
ATTACHMENT "A"		BID NO:			
ITEM NO.	DESCRIPTION	QUANTITY	UOM	UNIT PRICE	EXTENDED PRICE
1	Indoor VolleyBall Scoreboard (Base to include installation)	1	Ea		
Alt 1A	One (1) set of 8 x 48 Team Name Message Centers (Note: these would replace HOME (UR) & GUEST on the center scoreboard module and allow team names to be programmed in)	1	Set		
Alt 1B	One (1) Set of LED Six Player Stat Panels (6" high x 4' wide x 6' deep) which attach to the right & left side of the Scoreboard and which shows PLYR number, ACES and KILLS for up to six players with six digits wide. (Note - interchangeable Basketball insert to be provided which displays PLYR number, FLS (fouls) and PTS (points) for up to six players. Constructed of durable, lightweight aluminum. Digits are 7" high. PLYR digits are amber and all other digits are red. Captions are 4" high vinyl applied directly to the caption panel. Color to match that of scoreboard & selected by owner.	1	Set		
Alt 1C	Two (2) sets of Basketball Game Clock Shot Clocks (one set each for Keaney Gym and for Tootell West gym)(must be compatible with All Sport Radio Control Console)	2	Sets		
Alt 1D	One (1) set of Basketball End of Period Light Strips (must be compatible with All Sport Radio Control Console)	1	Set		
Alt 1E	One (1) back-up All Sport Radio Control Console	1	Ea		
Alt 1F	One (1) 24" x 17" Sponsor/ID Panel to include ad copy	1	Ea		
2	Outdoor Soccer Scoreboard (Base to include installation)	1	Ea		
Alt 2A	One (1) arched truss 3' H x 20' L with RI logo	1	Ea		
Alt 2B	One (1) full depth and width custom sign for below scoreboard to use for non-backlit advertising panels (2'0" L x 2'3" H)	1	Ea		
Alt 2C	Scoreboard controller for board with wireless transmitter and carrying case - Backup	1	Ea		
3	Softball / Baseball Scoreboard (Base to include installation)	1	Ea		
Alt 3A	One (1) arched truss (for top of board & would replace 24" x 20' panel listed above) of 20' long w/ up to 50% lettering (University of Rhode Island, logo RI in center) and screen backing. Screen backing to be painted same color as truss. Truss constructed of painted aluminum tubing and flat bars. Truss to be mounted on two/three vertical beams as required.	1	Ea		
Alt 3B	Programmable LED Team Name Message center; set of two (2); same color as LED digits on the scoreboard	1	Set		

COMMODITY: SCOREBOARDS FOR URI		SHIP TO:		BIDDER (NAME OF FIRM)	
OPENING DATE & TIME: 3/20/12 AT 10:00 AM		UNIVERSITY OF RI			
BID # 7448521		ATHLETICS EQUIP ROOM			
		3 KEANEY ROAD		BID NO:	
		KINGSTON, RI 02881			
ATTACHMENT "A"					
ITEM NO.	DESCRIPTION	QUANTITY	UOM	UNIT PRICE	EXTENDED PRICE
Alt 3C	Pricing if awarded as two separate orders, Volleyball only base bid with installation	1	Ea		
Alt 3D	Pricing if awarded as two separate orders, Soccer and Softball base bid with installation	1	Tot		
Alt 3E	Pricing if awarded as one order for Volleyball, Soccer and Softball base bids with installation	1	Tot		

Contract Terms and Conditions

Table of Contents

Terms and Conditions.....	VI
BID STANDARD TERMS AND CONDITIONS	VI
TERMS AND CONDITIONS FOR THIS BID	VI
RIVIP INFO - BID SUBMISSION REQUIREMENTS	VI
INSURANCE REQUIREMENTS	VI
INSPECTION	
VENDOR SPEC	

Terms and Conditions

BID STANDARD TERMS AND CONDITIONS

TERMS AND CONDITIONS FOR THIS BID

RIVIP INFO - BID SUBMISSION REQUIREMENTS

It is the Vendor's responsibility to check and download any and all addenda from the RIVIP. This offer may not be considered unless a signed RIVIP generated Bidder Certification Cover Form is attached and the Unit Price column is completed. The signed Certification Cover Form must be attached to the front of the offer. When delivering offers in person to One Capitol Hill, vendors are advised to allow at least one hour additional time for clearance through security checkpoints.

INSURANCE REQUIREMENTS

AN INSURANCE CERTIFICATE IN COMPLIANCE WITH PROVISIONS OF ITEM 31 (INSURANCE) OF THE GENERAL CONDITIONS OF PURCHASE IS REQUIRED FOR COMPREHENSIVE GENERAL LIABILITY, AUTOMOBILE LIABILITY, AND WORKERS' COMPENSATION AND MUST BE SUBMITTED BY THE SUCCESSFUL BIDDER(S) TO THE DIVISION OF PURCHASES PRIOR TO AWARD. THE INSURANCE CERTIFICATE MUST NAME THE STATE OF RHODE ISLAND AS CERTIFICATE HOLDER AND AS AN ADDITIONAL INSURED. FAILURE TO COMPLY WITH THESE PROVISIONS MAY RESULT IN REJECTION OF THE OFFEROR'S BID. ANNUAL RENEWAL CERTIFICATES MUST BE SUBMITTED TO THE AGENCY IDENTIFIED ON THE PURCHASE ORDER. FAILURE TO DO SO MAY BE GROUNDS FOR CANCELLATION OF CONTRACT.

NOTE: IF THIS BID COVERS CONSTRUCTION, SCHOOL BUSING, HAZARDOUS WASTE, OR VESSEL OPERATION, APPLICABLE COVERAGES FROM THE FOLLOWING LIST MUST ALSO BE SUBMITTED TO THE DIVISION OF PURCHASES PRIOR TO AWARD: * PROFESSIONAL LIABILITY INSURANCE (AKA ERRORS & OMISSIONS) - \$1 MILLION OR 5% OF ESTIMATED PROJECT COST, WHICHEVER IS GREATER * BUILDER'S RISK INSURANCE - COVERAGE EQUAL TO FACE AMOUNT OF CONTRACT FOR CONSTRUCTION. * SCHOOL BUSING - AUTO LIABILITY COVERAGE IN THE AMOUNT OF \$5 MILLION * ENVIRONMENTAL IMPAIRMENT (AKA POLLUTION CONTROL) - \$1 MILLION OR 5% OF FACE AMOUNT OF CONTRACT, WHICHEVER IS GREATER * VESSEL OPERATION - (MARINE OR AIRCRAFT) - PROTECTION & INDEMNITY COVERAGE REQUIRED IN THE AMOUNT OF \$1 MILLION

INSPECTION: Bidders are responsible for inspection of equipment and/or location, taking measurements when required and making themselves aware of the total requirement before submitting a bid. Measurements provided with any bid are for reference purposes and are not guaranteed to be completely accurate.

VENDOE SPEC: All vendors must include specifications with bid proposal (even those bidding brand specified). Failure to submit specifications with bid proposal may result in disqualification of bid. Items in catalogs must be clearly marked and pages tabbed.

SR1261058

The University of Rhode Island Athletic Department is soliciting bid quotations for three (3) separate Intercollegiate Athletic Scoreboards for the sports of Volleyball; Soccer and Softball to be based on the attached specifications for each board and it's installation. The State of Rhode Island reserves the right to award the three Scoreboards: separately to different qualified bidders; based on indoor and outdoor applications; or all to one company depending on the three methods of bidding requested below:

- i. Interested companies are asked to first bid each sport scoreboard separately according to the attached specification requirements (to include removal and disposal of existing; preparation of area & installation of new; hook-up, testing & demonstration of completed board):
 - a) Volleyball
 - b) Soccer
 - c) Softball
- ii. Secondly, interested companies are asked to submit two (2) separate bid quotations for the three scoreboards being bid to be divided between Indoor application (Volleyball) and Outdoor application (Soccer & Softball)
- iii. Interested companies are then asked to provide a separate lump sum bid quote including all three scoreboards, again according to the specification requirements (as above), with consideration for price discounting if they were to be awarded all three scoreboards.

The following criteria also needs to be met:

- 1) All bid quotes must include removal and disposal of existing boards and installation of new boards
- 2) All scoreboard equipment has to be able to be serviced by a local authorized service provider located within three hours or less driving time to the University
- 3) Qualified bidder must be able to show/demonstrate that they have 5 similar installations at the Division I University/collegiate level located in the North East and/or at Atlantic 10 Conference institutions
- 4) The Volleyball Scoreboard bid will also contain two (2) sets of Basketball Game 30 Second Shot Clocks for installation at URI's two auxiliary basketball practice gymnasiums (Keaney & Tootell West) (and one set of End Of Period Light Strips for Keaney as well). This equipment needs to be compatible with the new Volleyball/Basketball scoreboard and controllers used in those locations.

**SPECIFICATIONS FOR VOLLEYBALL SCOREBOARD
AT THE UNIVERSITY OF RHODE ISLAND**

**BIDS RECEIVED MUST CONFORM WITH THE BELOW
SPECIFICATIONS TO BE CONSIDERED FOR AWARD**

- One (1) Indoor Volleyball Scoreboard (4' high x 10' wide x 6" deep) (usable for Basketball time & score as well) – single sided LED displays period time to 99:59, HOME (replaced by URI) and GUEST scores to 99 and SETS WON to 9 for two teams. When period time is less than one minute, the scoreboard displays time to 1/10 of a second. To include one border stripe All digits are 13" high. Clock digits and SETS WON digits are amber. Score digits are red. All captions are 6" high. Captions are vinyl applied to display face /caption panel.
- Display color to be selected by owner utilizing school colors from selection available.
- 100% solid state electronics housed in durable all aluminum, lightweight cabinet. Comes assembled.
- One (1) All Sport Radio Control Console with electronics housed in heavy duty aluminum case; Console has 32-character prompting display to verify entries and recall information currently displayed; case and sealed keyboard provide water resistant console face; 6' power cord supplied and plugs into a standard grounded 120V AC outlet. 6 watt maximum power demand; standard 2"x2"x4" outlet box and cover plate w/ mounted connector provided (connects with connector from control console)
- One (1) Console carrying case provided
- Vibrating horn mounted behind scoreboard face – sounds at zero on clock count down or manually by operator
- Suspension installation kit provided with install
- One (1) hand held start/stop/horn switch
- One (1) LED Stats Display (2' high x 10' wide x 6" deep) which aligns and attaches under the bottom edge of the scoreboard and shows home & guest scores for up to four previous sets in volleyball. Constructed of durable, lightweight aluminum; all digits are 7" high and red; captions are 4" high and are white vinyl applied directly to the display face. Color to match that of scoreboard and selected by owner.
- Scoreboard, LED Stats Display, LED Six player Stat Panels and All Sport Radio Control Console must operate in synchronization with each other.
- 5 year standard warranty

Alternate

Optional Equipment:

(Includes some Basketball Features)

- One (1) set of 8 x 48 Team Name Message Centers (Note: these would replace HOME (URI) & GUEST on the center scoreboard module and allow team names to be programmed in)

- One (1) Set of LED Six Player Stat Panels (6' high x 4' wide x 6' deep) which attach to the right & left side of the Scoreboard and which shows PLYR number, ACES and KILLS for up to six players with six digits wide. (Note – interchangeable Basketball insert to be provided which displays PLYR number, FLS (fouls) and PTS (points) for up to six players. Constructed of durable, lightweight aluminum. Digits are 7" high. PLYR digits are amber and all other digits are red. Captions are 4" high vinyl applied directly to the caption panel. Color to match that of scoreboard & selected by owner.
- Two (2) sets of Basketball Game Clock Shot Clocks (one set each for Keaney Gym and for Tootell West gym)(must be compatible with All Sport Radio Control Console)
- One (1) set of Basketball End of Period Light Strips (must be compatible with All Sport Radio Control Console)
- One (1) back-up All Sport Radio Control Console
- One (1) 24" x 17" Sponsor/ID Panel to include ad copy

Part of
Base

Installation – Scoreboard (all modules); Shot Clocks & End of Period Lighting

- Remove and dispose of two (2) existing scoreboards in Keaney Gymnasium
- Mount and level one (1) Volleyball scoreboard, one (1) LED Stats Display and two (2) Player Stat panels
- Mount and level Sponsor/ID panel (if purchased)
- Reuse and reconnect to existing electrical source
- Mount radio Receiver and calibrate radio frequencies
- Test all functions
- Give Demonstration and presentation of new equipment to selected group of Athletic department personnel
- Mount, install set(s) of Basketball Game Shot Clocks and End of period Light Strips (if purchased)

**SPECIFICATIONS FOR SOCCER SCOREBOARD
AT THE UNIVERSITY OF RHODE ISLAND**

**BIDS RECEIVED MUST CONFORM WITH THE BELOW
SPECIFICATIONS TO BE CONSIDERED FOR AWARD**

- One (1) Outdoor Soccer Scoreboard with wireless receiver – yellow (amber) LED digit technology (seven bar segments per digit); Height 7'6", Width 20' 0", Depth 6-10", shots on goal, time, score and half; nominal digit size for time & scores 24", all others 18-24"
 - Scoreboard border striping (white)
 - Programmable electronic Team name message center 8-14" H x 40-48" W, set of two with amber LED digits
 - Scorers console controller for board with wireless transmitter and carrying case
 - Standard Horn
 - 5 year limited warranty to include: repair or replacement of failed electronic parts or assemblies; shipping of repaired or replaced failed electronic components; technical support via telephone during business hours (8am – 5pm); access to service personnel/center
 - Water resistant aluminum construction
 - Cabinet color to be determined by owner utilizing school colors at no added cost
 - One full depth and width custom sign above board to display the "University of Rhode Island" and RI logo as scoreboard header
 - Crating and shipping of all equipment to site via common or independent carrier and unloading of all equipment from carrier
 - Obtain and pay for any & all permits required from the Rhode Island Building Code Commission for this project
 - Physical and electrical installation to include: removal and disposal of existing scoreboard; prime and painting of existing steel supports; lift and mount displays/scoreboard sections onto existing steel supports; complete electrical hook-up (conduit and wiring pre-existing). Unpack, set-up, hook-up and testing of control system. Site cleanup and ground turf repair if any evident/caused by installation
 - On-site installation supervision, service and operator training
- w/ Three ~~RIP~~ ALTERNATES TO BE BID SEPARATELY
- One (1) arched truss 3' H x 20' L with RI logo
 - One (1) full depth and width custom sign for below scoreboard to use for non-backlit advertising panels (2 10' L x 2 3' H)

- Scorers console controller for board with wireless transmitter and carrying case - Backup

**SPECIFICATIONS FOR SOFTBALL SCOREBOARD
AT THE UNIVERSITY OF RHODE ISLAND**

**BIDS RECEIVED MUST CONFORM WITH THE BELOW
SPECIFICATIONS TO BE CONSIDERED FOR AWARD**

- One (1) Nine Inning red LED digit technology Softball/Baseball Scoreboard (6' 6" H x 20' W x 6"-10" D); to display HOME (One "Team Name" panel in place of HOME) & GUEST/VISITOR scores for each inning up to nine innings; BALL to three, STRIKE to two, OUT to two, AT BAT to 99, and total RUNS to 99. BALL, STRIKE, OUT & AT BAT to have nominal digit size of 18" H. Digits can be dimmed for night viewing. HOME & GUEST/VISITOR captions are 12". BALL, STRIKE, OUT & AT BAT captions are 10-12". Captions are white vinyl applied directly to the display face.
- Scoreboard provides scoring for two teams. 100 percent solid state electronics housed in an all aluminum cabinet. Scoreboard is shipped in one section and includes hardware to mount it on two poles.
- Product Safety Approval: ETL listed to UL standards 48 and 1433. Tested to CSA standards and CE labeled for outdoor use.
- Aluminum construction for excellent water and corrosion resistance
- Scoreboard border striping (white)
- Cabinet color to be determined by owner utilizing school colors at no added costs
- Control console electronics housed in rugged aluminum case. Console has 32 character backlit prompting display to verify entries & recall information currently displayed. Case & sealed keyboard make console face water resistant. A 20' control cable and a 6' power cord included. Power cord compatible with standard grounded 120V AC outlet. Maximum power demand 6 watts.
- One (1) Console carrying case
- 2.4GHz spectrum radio control kit with one (1) Radio Transmitter 2.4 GHz and one (1) Radio Receiver 2.4 GHz
- Cover plate with mounted connector and standard 2" x 2" x 4" outlet box is provided. Connector mates with connector from control console.
- Digit panels and electronics are serviced from the front of the scoreboard.
- One (1) 24" x 20' Panel (for top of board to include "University of Rhode Island" & RI logo) to match dimensions (depth, length & materials and connect/attach with scoreboard)

- Five (5) year warranty to include: repair or replacement of failed electronic parts or assemblies; shipping of repaired or replaced failed electronic components; technical support via telephone during business hours (8am -5pm); access to Service personnel/Center.
- Crating and shipping of all equipment to site via common or independent carrier and unloading of all equipment from carrier.
- Engineering design of the support structure and engineering certification stamp for support structure design (including footings). Provide riser diagrams for electric and signal, sound, etc. Generate/issue shop drawing and attachment detail submittals. (6 copies based on IBC 2006)
- Obtain & pay for all permits required for the project by the Rhode Island Code Commission
- Physical and Electrical Installation to include: crane & backhoe rental if needed; digging of footings including dirt removal; fabrication and installation of steel cages, re-bar or bolt attachments; pouring and finishing of concrete for 2 scoreboard footings. Steel fabrication and installation of support structure (provide, mount & level two painted steel I beams) to meet OSHA or ANSI requirements; prime and paint main structure. Lift and mount displays. Provide cable and labor to pull power from existing power location to base of new structure (extend the power wiring from the existing scoreboard in right field to the new scoreboard). Secondary power conduits, power cable and power hook-up from the fused electrical panel located in displays to all supplied load centers. The Contractor will be responsible for installing the electrical cabling from the power source to the scoreboard and making all connections at each end of cabling. Install scoreboard radio receiver and calibrate radio frequencies.
- Unpack, set-up, hook-up & testing of control system. Site clean-up.
- On-site Installation Supervision, Service and Operator Training

Alternate

-OPTIONAL EQUIPMENT

- One (1) arched truss (for top of board & would replace 24" x 20' panel listed above) of 20' long w/ up to 50% lettering (University of Rhode Island, logo RI in center) and screen backing. Screen backing to be painted same color as truss. Truss constructed of painted aluminum tubing and flat bars. Truss to be mounted on two/three vertical beams as required.
- Programmable LED Team Name Message center; set of two (2); same color as LED digits on the scoreboard.