

# Request for Quote

STATE OF RHODE ISLAND AND PROVIDENCE PLANTATIONS  
 ONE CAPITOL HILL  
 PROVIDENCE RI 02908

CREATION DATE : 15-MAY-12  
 BID NUMBER: 7449728  
 TITLE: UNIFORM APPAREL FOR DEM LAW ENFORCEMENT OFFICERS  
 BLANKET START : 01-JUN-12  
 BLANKET END : 31-MAY-14  
 BID CLOSING DATE AND TIME: 06-JUN-2012 11:15:00

BUYER: Cowell Jr, John A  
 PHONE #: 401-574-8114


**B  
I  
L  
L  
T  
O**  
 DOA CONTROLLER  
 ONE CAPITOL HILL, 4TH FLOOR  
 SMITH ST  
 PROVIDENCE, RI 02908  
 US

**S  
H  
I  
P  
T  
O**  
 DEM DIV OF LAW ENFORCEMENT  
 235 PROMENADE STREET  
 PROVIDENCE, RI 02908  
 US

Requisition Number: 1267023

Line	Description	Quantity	Unit	Unit Price	Total
1	BLANKET REQUIREMENTS: 6/1/12 - 5/13/14  PRICES TO REFLECT ALL SIZES  NO SUBSTITUTIONS  BIDDER MUST BE A AUTHORIZED DISTRIBUTION OF THE ITEM BEING BID  SUPPLIER MUST PROVIDE PROPER MEASUREMENTS FOR ITEMS REQUESTED  SHIRTS UNIFORM (WINTER) ELBECO #542	20 00	Each		
2	SHIRTS UNIFORM (SUMMER) ELBECO #5542	20 00	Each		
3	SHIRTS, UNIFORM (DRESS) HARD EPAULETS/SLEEVE PIPING ELBECO #542	10 00	Each		
4	TROUSERS UNIFORM (WINTER) FECHHIEMER #32215	20 00	Each		
5	TROUSERS, UNIFORM (SUMMER) FECHHIEMER #32275	20 00	Each		
6	GLOVES, INSULATED, BLACK LEATHER FINGER FASHIONS #7318 SIZES: S M L AND XL	26 00	Each		
7	SWEATER, UNIFORM COMMANDO SWEATER W/LINER FLYING CROSS #00815 COLOR: OD GREEN	10 00	Each		
8	5 11 SHORT SLEEVE SHIRT (#71001)	81 00	Each		
9	5 11 LONG SLEEVE SHIRT (#72002)	74 00	Each		
10	5 11 TROUSERS, UNIFORM (GREEN)	94 00	Each		

It is the Vendor's responsibility to check and download any and all addenda from the RIVIP. This offer may not be considered unless a signed RIVIP generated Bidder Certification Cover Form is attached and the Unit Price column is completed. The signed Certification Cover Form must be attached to the front of the offer.



# Request for Quote

STATE OF RHODE ISLAND AND PROVIDENCE PLANTATIONS  
 ONE CAPITOL HILL  
 PROVIDENCE RI 02908

CREATION DATE : 15-MAY-12  
 BID NUMBER: 7449728  
 TITLE: UNIFORM APPAREL FOR DEM LAW ENFORCEMENT OFFICERS  
 BLANKET START : 01-JUN-12  
 BLANKET END : 31-MAY-14  
 BID CLOSING DATE AND TIME:06-JUN-2012 11:15:00

BUYER: Cowell Jr, John A  
 PHONE #: 401-574-8114

**B  
I  
L  
L  
T  
O**  
 DOA CONTROLLER  
 ONE CAPITOL HILL, 4TH FLOOR  
 SMITH ST  
 PROVIDENCE, RI 02908  
 US

**S  
H  
I  
P  
T  
O**  
 DEM DIV OF LAW ENFORCEMENT  
 235 PROMENADE STREET  
 PROVIDENCE, RI 02908  
 US

Requisition Number: 1267023

Line	Description	Quantity	Unit	Unit Price	Total
11	HAT, UNIFORM, STRATTON CON GREEN SHERIFF STYLE (WINTER) F-42	5 00	Each		
12	HAT, UNIFORM, STRATTON CON GREEN STRAW SHEFFIFF STYLE (SUMMER) S-42	11 00	Each		
13	STRAPS 3-PIECE LEATHER STRAP FOR STRATTON	16 00	Each		
14	5 11 - WINTER JACKET (BLACK) (48017)	8 00	Each		
15	5 11 FLEECE PORTION OF WINTER JACKET (48038)	30 00	Each		
16	5 11 - 48057 RAIN PANTS (BLACK)	6 00	Each		
17	RAIN JACKET- WOOLRICH BREATHABLE PARKA (44420) (BLACK)	6 00	Each		

Delivery: \_\_\_\_\_

Terms of Payment: \_\_\_\_\_

It is the Vendor's responsibility to check and download any and all addenda from the RIVIP. This offer may not be considered unless a signed RIVIP generated Bidder Certification Cover Form is attached and the Unit Price column is completed. The signed Certification Cover Form must be attached to the front of the offer.

**Contract Terms and Conditions**

**Table of Contents**

Terms and Conditions ..... XI  
    BID STANDARD TERMS AND CONDITIONS ..... XI  
        TERMS AND CONDITIONS FOR THIS BID ..... XI  
        MULTI YEAR AWARD ..... XI  
        AWARD .. XI  
        RIVIP INFO - BID SUBMISSION REQUIREMENTS ..... XI  
        DELIVERY PER AGENCY ..... XI

## **Terms and Conditions**

### **BID STANDARD TERMS AND CONDITIONS**

### **TERMS AND CONDITIONS FOR THIS BID**

#### **MULTI YEAR AWARD**

THIS IS A MULTI-YEAR BID/CONTRACT. PER RHODE ISLAND STATE LAW 37-2-33, CONTRACT OBLIGATIONS BEYOND THE CURRENT FISCAL YEAR ARE SUBJECT TO AVAILABILITY OF FUNDS. CONTINUATION OF THE CONTRACT BEYOND THE INITIAL FISCAL YEAR WILL BE AT THE DISCRETION OF THE STATE. TERMINATION MAY BE EFFECTED BY THE STATE BASED UPON DETERMINING FACTORS SUCH AS UNSATISFACTORY PERFORMANCE OR THE DETERMINATION BY THE STATE TO DISCONTINUE THE GOODS/SERVICES, OR TO REVISE THE SCOPE AND NEED FOR THE TYPE OF GOODS/SERVICES; ALSO MANAGEMENT OWNER DETERMINATIONS THAT MAY PRECLUDE THE NEED FOR GOODS/SERVICES.

#### **AWARD**

THE STATE, AT ITS SOLE DISCRETION, SHALL RESERVE THE RIGHT TO MAKE ONE OR MULTIPLE AWARDS FOR THIS REQUIREMENT AND/OR TO REJECT ANY OR ALL BIDS

#### **RIVIP INFO - BID SUBMISSION REQUIREMENTS**

It is the Vendor's responsibility to check and download any and all addenda from the RIVIP. This offer may not be considered unless a signed RIVIP generated Bidder Certification Cover Form is attached and the Unit Price column is completed. The signed Certification Cover Form must be attached to the front of the offer. When delivering offers in person to One Capitol Hill, vendors are advised to allow at least one hour additional time for clearance through security checkpoints.

#### **DELIVERY PER AGENCY**

DELIVERY OF GOODS OR SERVICES AS REQUESTED BY AGENCY.

DEPARTMENT OF ENVIRONMENTAL MANAGEMENT DIVISION OF

LAW ENFORCEMENT

Uniform Specifications

SHIRT, WINTER DRESS (09-23-05)  
ELBECO #542

1. Classification & Scope:

- 1.1 This Specification covers Winter Dress Shirts as described herein.
- 1.2 65% Dacron Rayon, 35% Light Avril Rayon
- 1.3 Tropical Weight 6 oz.
- 1.4 Color: As specified in bid.

2. Applicable Specification: There are no other specifications applicable to this specification.

3. Requirements:

3.1 Style: Long sleeve fully-lined top center and banded dress type collar, permanent collar stays, epaulets, pencil compartment. (5) Five resin in military creases. The pleated pockets have lines, scalloped flaps with buttons and Velcro closures on both pockets and flaps. There is a metal eyelet badge tab above the left pocket. The cuff has a 2-button styling with a button on the sleeve facing. Full length tails and form fit.

Special Requirements: Division of Enforcement Emblem on both sleeves, to be sewn 3/4" below shoulder seam on both sleeves. Emblem will be furnished by agency and sewn by the vendor. Epaulets: Hard shoulder epaulets, black in color with Forest Green, 1/4", trim on three sides. Edge of epaulet touching shoulder seam will stay black.

Buttons: Buttons found on epaulets and breast pockets will be gold State of Rhode Island buttons. Not the Universal police buttons. All other buttons found on shirt will be standard tan buttons. Breast Badge Holder: Inside sling-type badge patch of self goods approximately 1 7/8" wide to extend from adjoining seam to pocket to left front. Two small buttonholes, 1 1/4" apart with the lower buttonhole approximately 1 1/8", above flap. Sleeve Piping: There will be a 1/6" black trim piping adjacent to the top edge of the cuff seam on both sleeves with a Forest Green 1/4", trim piping adjacent to and above the black sleeve piping. Velcro Patch: The vendor shall sew a Velcro patch (3" X 1 1/4"), for attaching a number card, 1/4" above right breast pocket flap centered on pocket flap.

4. Workmanship: Shirts shall be first quality, free from defects affecting appearance or serviceability consistent with good tailoring practices.

5. Label & Tag: Each shirt shall be marked with the lot number, size, fiber content, WPL Number, and shall have a care instruction label sewn in it.

6. Bid Samples: Buyer, subsequent to bid opening, may instruct (3) lowest bidders to submit samples.

PLEASE RETAIN FOR FUTURE REFERENCE.

\* WERE APPLICABLE SERGEANTS' CHEVRONS ARE TO BE APPLIED TO SLEEVES

DEPARTMENT OF ENVIRONMENTAL MANAGEMENT

DIVISION OF LAW ENFORCEMENT

Uniform Specifications

SHIRTS, SUMMER (09-23-05)  
ELBECO #5542

Agency: Department of Environmental Management/Division of Enforcement

1. Classification & Scope:

- 1.1 Material: 65% Dacron Rayon, 35% Light Avril Rayon
- 1.2 Weight: 6 oz. Tropical
- 1.3 Color: Silvertan

2. Applicable Specification: There are no other specifications applicable to this specification.

3. Requirements:

- 3.1 Style: Short sleeves, convertible collar, permanent collar stays, pencil compartment, full length tails, form fit, five (5) sewn in military creases. Breast Badge Holder: Universal Badge Clip.
- Special Requirements: Division of Enforcement Emblem on both sleeves. Emblem shall be furnished by the agency and sewed on by the vendor. Individual measurements and alterations to be made by vendor.
- Velcro Patch: The vendor shall sew a Velcro patch (3" X 1 1/4"), for attaching a number card, 1/4" above right breast pocket flap centered on pocket flap.

4. Workmanship: Shirts shall be first quality, free from any defects affecting appearance or serviceability.

5. Size Tag: Each shirt shall be marked with lot number, size, fiber content, WPL Number and shall have a care instructions label sewn in it.

Bid Samples: Buyer, subsequent to bid opening, may instruct (3) lowest bidders to submit samples. Samples shall not be submitted with bid.

---

PLEASE RETAIN FOR FUTURE REFERENCE.

\* WERE APPLICABLE SERGEANTS' CHEVRONS ARE TO BE APPLIED TO SLEEVES

---

DEPARTMENT OF ENVIRONMENTAL MANAGEMENT DIVISION OF

LAW ENFORCEMENT

Uniform Specifications

SHIRT, WINTER DRESS (09-23-05)  
ELBECO #542

1. Classification & Scope:

- 1.1 This Specification covers Winter Dress Shirts as described herein.
- 1.2 65% Dacron Rayon, 35% Light Avril Rayon
- 1.3 Tropical Weight 6 oz.
- 1.4 Color: As specified in bid.

2. Applicable Specification: There are no other specifications applicable to this specification.

3. Requirements:

3.1 Style: Long sleeve fully-lined top center and banded dress type collar, permanent collar stays, epaulets, pencil compartment. (5) Five resin in military creases. The pleated pockets have lines, scalloped flaps with buttons and Velcro closures on both pockets and flaps. There is a metal eyelet badge tab above the left pocket. The cuff has a 2-button styling with a button on the sleeve facing. Full length tails and form fit.

Special Requirements: Division of Enforcement Emblem on both sleeves, to be sewn 3/4" below shoulder seam on both sleeves. Emblem will be furnished by agency and sewn by the vendor. Epaulets: Hard shoulder epaulets, black in color with Forest Green, 1/4", trim on three sides. Edge of epaulet touching shoulder seam will stay black.

Buttons: Buttons found on epaulets and breast pockets will be gold State of Rhode Island buttons. Not the Universal police buttons. All other buttons found on shirt will be standard tan buttons. Breast Badge Holder: Inside sling-type badge patch of self goods approximately 1 1/2" wide to extend from adjoining seam to pocket to left front. Two small buttonholes, 1 1/4" apart with the lower buttonhole approximately 1 1/8", above flap. Sleeve Piping: There will be a 1/6" black trim piping adjacent to the top edge of the cuff seam on both sleeves with a Forest Green 1/4", trim piping adjacent to and above the black sleeve piping. Velcro Patch: The vendor shall sew a Velcro patch (3" X 1 1/4"), for attaching a number card, 1/4" above right breast pocket flap centered on pocket flap.

4. Workmanship: Shirts shall be first quality, free from defects affecting appearance or serviceability consistent with good tailoring practices.

5. Label & Tag: Each shirt shall be marked with the lot number, size, fiber content, WPL Number, and shall have a care instruction label sewn in it.

6. Bid Samples: Buyer, subsequent to bid opening, may instruct (3) lowest bidders to submit samples.

PLEASE RETAIN FOR FUTURE REFERENCE.

\* WERE APPLICABLE SERGEANTS' CHEVRONS ARE TO BE APPLIED TO SLEEVES

DEPARTEMENT OF ENVIRONMENTAL  
MANAGEMENT DIVISION OF ENFORCEMENT

Uniform Specifications

Trousers, Winter (09/26/05)

FECHHIEMER #32215

1. CLASSIFICATION & SCOPE:

- 1.1 This specification covers Winter Uniform Trousers as described herein
- 1.2 Material: Raeford #6072 75% Dacron Polyester/ 25% Wool, Elastique Weave
- 1.3 Weight: 14 1/2 oz /Linear Yard (50") width
- 1.4 Color: Forest Green #92727
- 1.5 Sizes: Trousers must be available in the following stock sizes:  
Regular rise: 28-54 (even only over 38)  
Short rise: 28-40 even sizes only  
Long rise: 32-42 even sizes only

2. Applicable Specification: There are no other specifications applicable to this specification.

3. Requirements:

3.1 Design: Trousers shall be manufactured from a men's uniform pattern. The trouser styling shall incorporate a plain-front, two (2) quarter top front pockets, two (2) hip pockets and a watch pocket. Trousers shall be full length. Trousers to be straight leg style.

3.2 Pocketing: Pocketing shall be 70% cotton, 30% Cotton, 2.9 oz. Per square yard (60" width) with a minimum 78 x 64 count. Pocketing must have a durable press finish and the color of the pocketing must be black.

3.3 Pocket Design: The two (2) front pockets will be quarter top style with a minimum opening of 6" and a minimum depth of 5 3/4" measured from the bottom of the pocket opening. Front pockets to have straight bartacks (use of triangle bartacks will be cause for rejection) at the top and bottom of pocket openings. Pockets shall be constructed using the stitch, turn and topstitch method. Pocket facings to be made of the basic fabric and must measure a minimum of 3" in width at the top. The two hip pockets shall have a minimum opening of 5 1/2" and a minimum depth of 5 3/4" measured from the bottom of the pocket opening. Hip pockets shall be constructed using the double welt method on a Reece PW Machine and the welts shall be finished in such a manner that there is no topstitching (topstitched hip pockets shall be cause for rejection). The corners of the hip pocket openings shall have a centered tab made of basic cloth inserted into the top welt with bartacks at the top and bottom of the tab to form an opening for a button. A button shall be located below the bottom welt corresponding in location with the tab.

The watch pocket shall be located on the right front at the waistband. This pocket shall have a minimum opening and depth of 2 3/4". The front of the pocket shall be made of pocketing fabric and the back of the pocket shall be made of basic fabric and the two pieces are securely stitched together. Each corner of the pocket opening shall have firm straight bartacks.

3.4 Waistband: The trouser will be made with the Freedom Fit waistband system.

The waistband shall be constructed using the "closed method" and shall measure 2" wide when finished. The waistband closure shall be accomplished with a crush proof hook and eye. The hook and eye shall be reinforced with stays made of non-woven fabric that are anchored by the topstitching for the fly facing and curtain. This top stitching must be to the top of the waistband. The waistband must be topstitched 1/16" below the waistband seam for added strength. The top portion of the inside of the waistband is to consist of the same fabric as used for pocketing (70% polyester 30% cotton - minimum 80 x 62 (j) 2 count. The fabric is to be cut on the bias for maximum comfort. To be 1 3/4" wide and to finish 1 1/8" wide and to finish 1 1/8" wide after construction. Upper waistband curtain to be inner lined with stretch Bar-Rol canvas. This canvas fabric consists of a warp of 47 ends of texturized nylon and a fill of 34 ends of 750 denier polyester monofilament. The woven fabric is coated with latex, which completely encapsulates all yarns. This finish canvas fabric weighs 12.0 oz/yd. the canvas will be cut 1 3/8" wide with the monofilaments running vertically and have a 10% stretch.

The bottom portion of the waistband curtain will be a blend of 32% nylon, 38% polyester, 18% rubber (3 strands) 11% lycra and 1% acrylic woven 1 7/8" wide and to finish a minimum of 1 5/8" wide. To have a minimum of 40% stretch characteristics.

3.5 Fly; Trousers shall have a Talan 342 memory lock zipper. There shall be a French Fly tab closure on the inside of the right fly. The tab shall be double ply made of the basic cloth (tabs made or pocketing material or a "grown on" French Fly will be cause for rejection). The right fly shall be lined with the same fabric as the waistband curtain and pocketing. The fly lining shall be sewn to the left fly below the zipper in neat and durable manner. A button shall be located on the left fly corresponding with the French Fly tab to provide a clean and comfortable closure. There shall be a firm straight bartack at the bottom of the fly going through the zipper tape.

3.6 Belt Loops: There shall be a minimum of 7 belt loops, 6 of which are to be Keystone style. Keystone loops shall measure 1 3/4" in width at the top and 1 1/4" at the bottom. The center back loop shall be 3/4" wide straight loop. The Keystone loops shall be sewn into the bottom of the waistband and the top of the loops shall be caught into the waistband curtain seam with a Rocap machine. The bottom of the center back loop shall be tacked to the trouser and the top of the loop tacked to the outside of the waistband.

3.7 Stitching, Pressing & Finishing: Trousers must be stitched with matching thread and all stitching to show must be 10-11 stitches per inch. Trousers must be neatly pressed on hothead Presses and properly shaped. Outseams and inseams must be pressed open. Trousers must be cleaned and finished to eliminate loose threads.

3.8 Labels; Trousers must have a care label permanently affixed that also indicates the size. A paper ticket showing the size, fabric content, cut number and WPL number must be on the outside of the waistband. Garment must be made in the United States of America and bear a union label.

3.9 Care: Trousers may be home laundered or professionally dry-cleaned.

4.0 Workmanship; Trousers shall be first quality, free from any defects affecting appearance or serviceability.

5.0 Inspection: Trousers shall be inspected at point of delivery. The state reserves the right to reject upon inspection.

---

Bid Samples; Buyer, subsequent to bid opening, may instruct (3) lowest bidders to submit samples. Samples shall not be submitted with bid.

\* STRIPE ON SIDE OF PANTS SHOULD BE BLACK

DEPARTEMENT OF ENVIRONMENTAL MANAGEMENT  
DIVISION OF ENFORCEMENT  
Uniform Specifications

Trousers, Summer (09/25/05)

FECHHIEMER #32275

1 Classification & Scope:

- 1.1. This Specification covers Summer Trousers as described herein.
- 1.2 Material: Raeford #573U 55% Dacron/ 45% Wool Tropical Weave
- 1.3 Weight: 10-10 1/2 oz./Linear Yard (60" width) three (3) ply.
- 1.4 Color: Forest Green #93389
- 1.5 Sizes: Trouser must be available in the following stock sizes:  
Regular rise: 28-54 (Even only over 38)  
Short rise: 28-40 even sizes only  
Long rise: 32-42 even only

1.6 Laundering Instructions: Fabric shall be dry-cleaned or launderable in-home washing machine.

2. Applicable Specification: There are no other specifications applicable to this specification.

SPECIAL REQUIREMENT: Trousers shall have one inch black Nyl-a-twist braid on outer legs, colorfast, pre-shrunk.

3 Requirements:

3.1 Design: The trousers shall be a straight leg uniform trouser cut from a men's up to date pattern. The trouser styling shall incorporate a plain front, two (2) quarter top front pockets, two (2) hip pockets, and a front watch pocket.

3.1 Construction:

Pockets: The pocketing shall be 70% polyester/30% cotton, 2.9 oz-per square yard (60" width) with minimum 78 x 64 count. Pocketing must have a durable press finish and the pocketing must be black.

Pocket Design:

The two (2) front pockets shall be quarter top style with a minimum opening of 6" and a minimum depth of 5 3/4" measured from the bottom of the pocket opening. Front pockets to have straight bartacks (use of triangle bartacks will be cause for rejection) at the top and bottom of pocket openings. Pockets shall be constructed using the stitch, turn and top stitch method. Pocket facings to be Bade of the basic fabric and must measure a minimum of 3" in width at the top.

Two Hip Pockets: Shall have a minimum opening of 5 1/2" and a minimum depth of 5 3/4" measured from the bottom of the pocket opening. The corners of the pocket openings shall have firm straight bartacks for reinforcing strength (triangle bartacks are acceptable). The left hip pocket shall have a centered finished tab made-of basic cloth inserted into the top welt with bartacks at the top and bottom of the tab to form an opening for a button. A button shall be located below the bottom welt corresponding in location with the tab.

Watch pocket: Shall be located at the right front at the waistband. This pocket shall have a minimum opening and depth of 2 3/4". The front of the pocket shall be made of pocketing fabric and the back of the pocket shall be made of basic fabric and the two pieces securely stitched together. Each corner of the pocket opening shall have firm straight bartacks.

Waistband: The waistband shall be constructed using the "closed method" and shall measure 2" wide when finished. The waistband curtain is to be of the same fabric and color as the pocketing material and must be attached to the trouser with zig-zag stitch. The waistband must contain Ban-Rol to prevent roll over and have three strand snugtex to keep shirts tucked in. The waistband closure to have a crush-proof hook and eye. The hook and eye shall be reinforced with stays made of non-woven fabric that are anchored by the top stitching for fly facing and curtain. This top-stitching must be to the top of the waistband. The waistband shall be set on and closed using a lockstitch. Use of the chain stitch is unacceptable to stitch the band seam through the outer fabric and the waistband curtain. The waistband must be top-stitched 1/16" below the waistband seam for added strength.

Fly: Trousers shall have a Talon #42 memory lock zipper and there shall be a bar tack at the bottom of the fly going through the zipper tape. There shall be a French Fly tab closure on the inside of the right fly. The tab shall be double ply made of the basic cloth. Tabs made of pocketing material or a "grown on" French Fly will be cause for rejection. The right fly shall be lined with the same fabric as the waistband curtain and pocketing. The Fly lining shall be sewn to the left fly below the zipper in a neat and durable manner. A button shall be located at the left fly corresponding with the French Fly tab to provide a clean and comfortable closure. There shall be a firm straight bar tack at the bottom of the fly going through the zipper tape.

Belt Loops: There shall be a minimum of seven belt loops, six of which are to be Keystone style. Keystone loops shall measure 1 3/4" in width at the top and 1 1/4" at the bottom. The center back loop shall be a 3/4" wide straight loop. The keystone loops shall be sewn into the bottom of the waistband and the top of the loops shall be caught into the waistband curtain seam with a recap machine. The bottom of the center back loop shall be tacked to the trouser and the top of the loop tacked to the outside of the waistband. 4. Workmanship; Trousers shall be made in a first class workmanship manner. Trousers are to be stitched with matching thread and all stitching to show must be 10-11 stitches per inch.

5. Stitching, Dressing and Finishing: Trousers are to be neatly pressed on Hothead pressed and properly shaped. Outseams and inseams must be pressed open. Trouser must be cleaned and finished to eliminate loose threads.
6. Label & Tags: Trouser must have a sewn in care label permanently affixed giving cleaning instructions and marked with lot number, size, fiber content, cut number and WPL number. A cardboard label must be affixed to outside waistband showing size, fiber content, lot number and WPL number. Garment must be made in the United States of America and bear a union label.
7. Inspection: Trousers will be inspected at point of delivery. The State reserves the right to reject upon inspection.

Bid Samples: Buyer, subsequent to bid opening, may instruct (3) lowest bidders to submit samples. Samples shall not be submitted with bid.

---

\* STRIPE ON SIDE OF PANTS SHOULD BE BLACK

DEPARTMENT OF ENVIRONMENTAL MANAGEMENT  
DIVISION OF LAW ENFORCEMENT Uniform Specifications

COMMANDO SWEATER W/LINER (09-23-85)  
FLYING CROSS MODEL #00815

1. Classification & Scope:

- 1.1 This specification covers Commando Sweaters with liners as described herein.
- 1.2 Material: 70% Monsanto low-pill acrylic/30% Long staple wool.
- 1.3 Color: O.D. Green
- 1.4 Length: 251,
- 1.5 Weight: 1 lb 4 oz
- 1.6 Sizes: X-Small to XXX-Large

2. Applicable Specification: There are no other specifications applicable to this specification.

3. Requirements:

3.1 Style: Sweater shall be pull-over style, 2 x 2 rib throughout, V-neck, shoulder epaulets, straight body and set in sleeves. Factory installed 3 oz. windproof barrier liner. Extra long body length with knitted welt and turn back cuff design for adjusting sleeve length. Durable cloth patches shall re-enforce shoulders and elbows. The body and sleeve welts shall be knit with a non-raveling bottom edge.

Seam Construction: All sweater seams shall be stitched using an overlock machine, except for the shoulder and sleeve cuff seams which shall also be over sewn with a seam cover using a wool cover thread for neat appearance and comfort. All seams shall be straight and neat with thread ends trimmed. Tape Reinforcement: The shoulders and underarms shall be reinforced with 5/8 inch cotton tape, to prevent underarm seam from coming apart under stress.

Patches: The sweater is to have re-enforcing patches on each shoulder and sleeve. When the sweater is laid flat, the bottom of each shoulder patch to patch, insuring a uniform appearance. The patches shall match the color of the sweater. The shoulder patch shall measure approximately 9 inches by 5 inches (size medium). The sleeve patch shall be contoured to fit the arm, measuring approximately 10 inches by 4 1/4 inches (size medium).

Badge Patch: There shall be a badge patch on the left breast measuring approximately 3x4 inches. There shall be two eyelets on the patch for insertion of a metal badge. Epaulets: Sewn on epaulets made of the shall match the color of the sweater. Name Tab: The vendor shall sew a Velcro patch (3" X 1 1/4"), for attaching a number card, in place of metal eyelets on the name tab. \*

NOTE: In all details not specifically described herein, the tailoring, styling, and the construction of the components shall conform to the standard sample.

BID SAMPLES: Buyer, subsequent to bid opening, may instruct (3) lowest bidders to submit samples. Samples shall not be submitted with bid.

PLEASE RETAIN FOR FUTURE REFERENCE.

~~\*Dept: shoulder patch to be provided by agency and sewn on to both shoulders by vendor.~~

\* WERE APPLICABLE SERGEANTS' CHEVRONS ARE TO BE APPLIED TO SLEEVES




## PRODUCT BID SPECIFICATION

**PRODUCT DESCRIPTION:** TDU Shirt S/S

**STYLE NUMBER:** 71001

**FABRIC TYPE:** 65% Polyester/35% Cotton Ripstop

**FEATURES & BENEFITS:** Comfortable, durable and functional  
Superior fit  
Bi-swing shoulder for a wider range of motion  
Teflon® treated for stain and soil resistance  
Triple-stitch construction  
26 bartacks in high stress areas  
Tough melamine buttons  
Patented hidden document pockets



**STITCHING & FINISHING:** Stitches per inch are 10-12 on all operations  
Triple needle stitching on the patented document pockets, armholes, bi swings, front yokes, back yoke, and elbow patches  
Single needle Top stitch is on the outside collar edge  
Center front placket is 1 3/4" wide with single needle topstitch on both sides  
Body hem is clean finished with a double roll turn back edge and 3/4" single needle stitching  
Sleeve hem is clean finished with a double roll turn back edge and 1 1/2" Triple needle stitching  
hook and loop flaps with box style stitching for reinforcement  
Individually packaged in a poly bag like a dress shirt with plastic clips, cardboard collar band, and a molded plastic butterfly at center front.

**BARTACK & REINFORCEMENT:** Top and bottoms opening of Document pocket  
Bottom miter corners of the Document pocket  
Top corners of pocket flaps  
Top corners of chest pocket  
Top, Bottom and Middle of the Hidden Placket

**LABELS:** Barcode Sticker, Content/Co Care Label, Part number label, Hangtag and Main Label

**CLOSURES:** Buttons -- 4 hole Melamine buttons that won't melt, burn, or crack.  
30 Line Buttons:  
1 at center front neck  
4 buttons appear in front hidden placket  
1 Spare  
Hook & Loop closure on chest pockets  
Hook & Loop closure on chest document pockets

**LABELS:** Main label, content label, care instruction label, hangtag and factory label

**STOCK SIZES:** S-4XL

**COLORS:** 019 Black, 724 Dark Navy, 190 TDU Green, 162 TDU Khaki, 175 Digi Woodland

**Requisition #**

**Agency Specific Finishing**

The Rhode Island Department of Environmental Management, Division of Law Enforcement requires the following agency specific finishing to the 5.11 specified garments listed.

- #48017, Installation of four shoulder patches, two of which will be sewn into both shoulders of the outer shell and two of which will be sewn into both shoulders of the inner fleece liner. These patches will be positioned one inch below the shoulder seam and centered onto the shoulder portion of the garment. A badge holder will be sewn centered onto the left breast of the outer shell of this garment and a 2.75" x 1.5" Velcro strip for a number board will be sewn centered into the right front breast area of the outer shell of this jacket. On the inner fleece liner we shall require our badge to be embroidered into the left breast area and a badge number sewn into the right breast area. The positioning of the badge holders, embroidered badge, Velcro strip and embroidered badge numbers shall be positioned centered on the respective breast area and be placed so that the attached accoutrement shall not hang or be displayed over any breast pocket. All fold out tabs will have POLICE silk screened in reflective silver.

The agency has a sample jacket that can be provided for confirmation of said finishing.

- #71001, Installation of two agency shoulder patches, both of which will be positioned one inch below the shoulder seam and centered onto the shoulder portion of the garment. We shall require our badge to be embroidered into the left breast area and a badge number sewn into the right breast area. The positioning of the embroidered badge and embroidered badge numbers shall be positioned centered on the respective breast area and be placed not more than 1/2" above any breast pocket.
- #72002, Installation of two agency shoulder patches, both of which will be positioned one inch below the shoulder seam and centered onto the shoulder portion of the garment. We shall require our badge to be embroidered into the left breast area and a badge number sewn into the right breast area. The positioning of the embroidered badge and embroidered badge numbers shall be positioned centered on the respective breast area and be placed not more than 1/2" above any breast pocket.

The agency will provide the respective shoulder patches in the appropriate number to the successful vendor. This award shall require that the vendor complete and assure that proper fit for the respective users is completed.

\* WERE APPLICABLE SERGEANTS' CHEVRONS ARE TO BE APPLIED TO SLEEVES




## PRODUCT BID SPECIFICATION

**PRODUCT DESCRIPTION:** TDU Shirt L/S

**STYLE NUMBER:** 72002, 72002T

**FABRIC TYPE:** 65% Polyester/35% Cotton Ripstop



**FEATURES & BENEFITS:** Comfortable, durable and functional  
Superior fit  
Bi-swing shoulder for a wider range of motion  
Teflon® treated for stain and soil resistance  
Triple-stitch construction  
26 bartacks in high stress areas  
Tough melamine buttons  
Double-reinforced elbows  
Patented hidden document pockets

**STITCHING & FINISHING:** Stitches per inch are 10-12 on all operations  
Triple needle stitching on the patented document pockets, armholes, bi swings, front yokes, back yoke, and elbow patches.  
Single needle Top stitch is on the outside collar edge  
Center front placket is 1 3/4" wide with single needle topstitch on both sides  
Body hem is clean finished with a double roll turn back edge and 3/4" single needle stitching  
Sleeve hem is clean finished with a double roll turn back edge and 1 1/2" Triple needle stitching  
hook and loop flaps with box style stitching for reinforcement  
Individually packaged in a poly bag like a dress shirt with plastic clips, cardboard collar band, and a molded plastic butterfly at center front.

**CLOSURES:** Buttons - 4 hole Melamine buttons that won't melt, burn, or crack.  
30 Ligne Buttons:  
1 at center front neck  
4 buttons appear in front hidden placket  
2 buttons on each cuff  
1 functional button for each epaulet provided in poly bag  
1 Spare

**LABELS:** Main label, content label, care instruction label, hangtag and factory label

**STOCK SIZES:** S-4XL  
S-5XL Tall

**COLORS:** Black, TDU Khaki, Digi Woodland, TDU Green, Dark Navy and TDU Green

Tall sizes on come in the following colors: Black, TDU Khaki, TDU Green, Dark Navy and TDU Green

**Requisition #**

**Agency Specific Finishing**

The Rhode Island Department of Environmental Management, Division of Law Enforcement requires the following agency specific finishing to the 5.11 specified garments listed.

- #48017, Installation of four shoulder patches, two of which will be sewn into both shoulders of the outer shell and two of which will be sewn into both shoulders of the inner fleece liner. These patches will be positioned one inch below the shoulder seam and centered onto the shoulder portion of the garment. A badge holder will be sewn centered onto the left breast of the outer shell of this garment and a 2.75" x 1.5" Velcro strip for a number board will be sewn centered into the right front breast area of the outer shell of this jacket. On the inner fleece liner we shall require our badge to be embroidered into the left breast area and a badge number sewn into the right breast area. The positioning of the badge holders, embroidered badge, Velcro strip and embroidered badge numbers shall be positioned centered on the respective breast area and be placed so that the attached accoutrement shall not hang or be displayed over any breast pocket. All fold out tabs will have POLICE silk screened in reflective silver.

The agency has a sample jacket that can be provided for confirmation of said finishing.

- #71001, Installation of two agency shoulder patches, both of which will be positioned one inch below the shoulder seam and centered onto the shoulder portion of the garment. We shall require our badge to be embroidered into the left breast area and a badge number sewn into the right breast area. The positioning of the embroidered badge and embroidered badge numbers shall be positioned centered on the respective breast area and be placed not more than 1/2" above any breast pocket.
- #72002, Installation of two agency shoulder patches, both of which will be positioned one inch below the shoulder seam and centered onto the shoulder portion of the garment. We shall require our badge to be embroidered into the left breast area and a badge number sewn into the right breast area. The positioning of the embroidered badge and embroidered badge numbers shall be positioned centered on the respective breast area and be placed not more than 1/2" above any breast pocket.


The agency will provide the respective shoulder patches in the appropriate number to the successful vender. This award shall require that the vender complete and assure that proper fit for the respective users is completed.

\* WERE APPLICABLE SERGEANTS' CHEVRONS ARE TO BE APPLIED TO SLEEVES



**PRODUCT BID SPECIFICATION**

**PRODUCT DESCRIPTION** : Men's TDU pants  
**STYLE NO.** : 74003  
 74003U, unhemmed



**FABRIC & FINISHING** : Main Body: 65% Polyester, 35% cotton; tear-resistant Ripstop; with HR Teflon water resistant finish. Pocketing: 70% Polyester 30% Cotton, 3.2 oz, tightly woven poplin

**FEATURES & BENEFITS** : Self adjusting tunnel waist; Deep front pockets; Large pleated cargo pockets with bellows on sides and 2-compartment pockets with BBS feature inside; Back Pockets with flaps. The pants have double knees of self-fabric and a double seat of self fabric. Leg-openings have removable draw cords.

**DESIGN DETAILS: Pockets** : **Front Pocket** openings have self fabric facings and extra reinforcement on knife clipping area. Pocket opening and side seam intersections are firmly back tacked. Pocket bags are made of durable Poly/Cotton blend and they are extra deep. Pocket bags are finished clean inside the pant and double stitched for heavy duty. **Cargo pockets** have large flaps and Velcro closure that is designed to reach even when pockets are full. Divided pockets inside have double function: small items fit inside and several types of rigs attach to Velcro loop fabric on the face side. Pleats and bellows camouflage the exact nature of the items on the rigs. **Back Pockets** have single welts and generous size flaps with two-Velcro closure on both sides. Pocket bags are deep, clean finished inside and double stitched.

**Seams and Stitchings** : **Seams** are durable with 10 stitches per inch and extra heavy 5-thread construction. **Top Stitchings** are non-raveling lock stitchings. Side seams, seat seam and front rise have tree-needle top stitching. Crotch point is bar tacked. Fly outline, hand pocket openings, all pocket flaps, knee patches and seat patch have double needle top stitchings. Cargo pockets are attached with double needle top stitching. Belt loops are bar tacked on all corners. Cargo pocket openings are bar tacked and flaps are cross bar tacked. Back pocket openings are bar tacked. All Velcro pieces are attached with box stitching. Hem draw cord is tacked to inseam so that it will not slip out; the tack is removable.

**LABELS** : The woven logo label, care label, size label, country of origin label and fiber content label are permanently attached to the pants.

**CLOSURES** : Closures are high quality, proven brand name products. Fly zipper is metallic YKK® zipper with auto lock slider. Waist snap is metallic PRYM® snaps with extra strong grip. Inside fly button is non-burning, non-melting, non-cracking Melamine button, and it is cross tacked.

**STOCK SIZES** : The pants are available in the following sizes:

Size	XS	S	M	L	XL	2XL	3XL	4XL	5XL	6XL
Waist Range	23 1/2" - 27"	27 1/2" - 31"	31 1/2" - 35"	35 1/2" - 39"	39 1/2" - 43"	43 1/2" - 47"	47 1/2" - 51"	51 1/2" - 55"	55 1/2" - 59"	59 1/2" - 63"
Inseams	Short 29 1/2"		Regular 32 1/2"		Long 35 1/2"		X-Long 38 1/2"		Unhemmed 39"	

RCA 112508  
MS 11 24-08

**COLORS** : The TDU pants are available in 6 colors:  
 Black 019, Brown 108, TDU Khaki 162, Digi Woodland 175, Dk Navy 724, TDU Green 190



[Click on photo to see high-resolution version](#)

### Felt Sheriff Style


is an extremely popular stock weight uniform hat. Pre-blocked center crease crown and a 3" brim with a regular side-curl. Five air vents on each side of crown. Available lined at additional cost.

Shown in Chocolate Brown.

F-42A: Same as F-42, without vent holes.

- ★ F-42 Sheriff Style Hat -
- F-42A Sheriff Style Hat -
- F-42/F-42A in Tan Color -


All Stratton Hats are Proudly Made in the USA



S-42 Sheriff

Straw Sheriff Style is our most popular law enforcement summer hat. Open weave crown for maximum ventilation. 3" double dense brim for exceptional shape retention.

Shown in Forest Green/Leaf.



**Straps**

***3-Piece Leather Strap***

Available in black, brown, and black patent leather. Center strap 1/2" wide. Ends are 3/8" wide with snap-type swivel and closure.

Black or Brown

Black Patent


Color



## PRODUCT BID SPECIFICATION

**PRODUCT DESCRIPTION:** 5 in 1 Jacket

**STYLE NUMBER:** 48017



**FABRIC TYPE:**  
Outer Jacket/Coat: Shell is 100% Nylon  
Fleece Jacket: Shell is 100% Polyester Fleece

**FEATURES & BENEFITS:** The 5-in-1 Parka features the 100% Nylon FD which delivers an exceptional warmth and waterproof-breathable versatility. The 100% Polyester Taffeta offers a breathable lining. The 100% Polyester Fleece Jacket is wind resistant and offers great comfort to your body and warmth.  
**Water Resistant:** Waterproof treated fabrics with especially designed zippers, closures and seams completely seal out water and rain.  
**Outer Pockets:** 11 – Space for hand warming and storage.  
**Back-Up Belt System** rounds out this great parka and offers ability to carry additional gear.  
The jacket is made of abrasion resistant lower lining on coat and shoulder, elbows and lower inside lining of fleece jacket.  
The 5-in-1 includes a free ANSI/ISEA 2007-2006(Category II) High-Vis traffic vest

**STITCHING & FINISHING:** Fully seam sealed shell, over locked seams with single needle details stitching, to reinforce seams and pocket corners.

**CLOSURES:** YKK zippers, VELCRO Hook and Loop  
PRYM Snap – Plastic Cap Snap

**LABELS:** Jackets have a care label, size label, country of origin and fiber content label permanently attached to the garment.

**STOCK SIZES:** XS-4XL

**COLORS:** Black, Dark Navy, Forest Green and Dark Brown

**Requisition #**

**Agency Specific Finishing**

The Rhode Island Department of Environmental Management, Division of Law Enforcement requires the following agency specific finishing to the 5.11 specified garments listed.

- #48017, Installation of four shoulder patches, two of which will be sewn into both shoulders of the outer shell and two of which will be sewn into both shoulders of the inner fleece liner. These patches will be positioned one inch below the shoulder seam and centered onto the shoulder portion of the garment. A badge holder will be sewn centered onto the left breast of the outer shell of this garment and a 2.75" x 1.5" Velcro strip for a number board will be sewn centered into the right front breast area of the outer shell of this jacket. On the inner fleece liner we shall require our badge to be embroidered into the left breast area and a badge number sewn into the right breast area. The positioning of the badge holders, embroidered badge, Velcro strip and embroidered badge numbers shall be positioned centered on the respective breast area and be placed so that the attached accoutrement shall not hang or be displayed over any breast pocket. All fold out tabs will have POLICE silk screened in reflective silver.

The agency has a sample jacket that can be provided for confirmation of said finishing.

- #71001, Installation of two agency shoulder patches, both of which will be positioned one inch below the shoulder seam and centered onto the shoulder portion of the garment. We shall require our badge to be embroidered into the left breast area and a badge number sewn into the right breast area. The positioning of the embroidered badge and embroidered badge numbers shall be positioned centered on the respective breast area and be placed not more than 1/2" above any breast pocket.
- #72002, Installation of two agency shoulder patches, both of which will be positioned one inch below the shoulder seam and centered onto the shoulder portion of the garment. We shall require our badge to be embroidered into the left breast area and a badge number sewn into the right breast area. The positioning of the embroidered badge and embroidered badge numbers shall be positioned centered on the respective breast area and be placed not more than 1/2" above any breast pocket.

The agency will provide the respective shoulder patches in the appropriate number to the successful vendor. This award shall require that the vendor complete and assure that proper fit for the respective users is completed.

\* WERE APPLICABLE SERGEANTS' CHEVRONS ARE TO BE APPLIED TO SLEEVES

## 5.11 Tactical Tactical Fleece 48038 Product Info

---

An attractive, wind-resistant fleece jacket with an abrasion resistant collar, shoulders and elbows, the **5.11 Tactical Fleece Jacket 48038** is a great casual duty outer shell that provides you with a number of tactical features. The Back-Up Belt System hidden chest pockets on this Tactical Fleece Coat manufactured by 5.11 Tactical provides officers with immediate access to critical gear such as a handgun, pistol magazine, flashlight or cell phone. The side zippers on both sides of the **Tactical Fleece Jacket by 511** to give you quick and unencumbered access to your side arm or for added ventilation as the temperature changes. You'll be able to keep your hands warm with the zippered hand-warmer pockets on the **511 Tactical Outer Shell Fleece Coat** while the zippered pocket on the sleeve hold your important gear. Finally this 5.11 Tactical Jacket has two pockets on the interior to round out your storage options.

### Specifications for 511 Wind Resistant Fleece Jacket:

---

**Material:** Fleece  
**Zippers:** YKK  
**Style:** Outer Shell

### Features of 5.11 Tactical Fleece Coat:

---

- Wind Resistant
- Back-Up Belt System hidden chest pockets
- Abrasion resistant collar, shoulders and elbows
- Zippered exterior hand-warmer pockets
- Interior pockets
- Side zippers and snaps
- Microphone clips



**Requisition #**

**Agency Specific Finishing**

The Rhode Island Department of Environmental Management, Division of Law Enforcement requires the following agency specific finishing to the 5.11 specified garments listed.

- #48017, Installation of four shoulder patches, two of which will be sewn into both shoulders of the outer shell and two of which will be sewn into both shoulders of the inner fleece liner. These patches will be positioned one inch below the shoulder seam and centered onto the shoulder portion of the garment. A badge holder will be sewn centered onto the left breast of the outer shell of this garment and a 2.75" x 1.5" Velcro strip for a number board will be sewn centered into the right front breast area of the outer shell of this jacket. On the inner fleece liner we shall require our badge to be embroidered into the left breast area and a badge number sewn into the right breast area. The positioning of the badge holders, embroidered badge, Velcro strip and embroidered badge numbers shall be positioned centered on the respective breast area and be placed so that the attached accoutrement shall not hang or be displayed over any breast pocket. All fold out tabs will have POLICE silk screened in reflective silver.

The agency has a sample jacket that can be provided for confirmation of said finishing.

- #71001, Installation of two agency shoulder patches, both of which will be positioned one inch below the shoulder seam and centered onto the shoulder portion of the garment. We shall require our badge to be embroidered into the left breast area and a badge number sewn into the right breast area. The positioning of the embroidered badge and embroidered badge numbers shall be positioned centered on the respective breast area and be placed not more than 1/2" above any breast pocket.
- #72002, Installation of two agency shoulder patches, both of which will be positioned one inch below the shoulder seam and centered onto the shoulder portion of the garment. We shall require our badge to be embroidered into the left breast area and a badge number sewn into the right breast area. The positioning of the embroidered badge and embroidered badge numbers shall be positioned centered on the respective breast area and be placed not more than 1/2" above any breast pocket.

The agency will provide the respective shoulder patches in the appropriate number to the successful vendor. This award shall require that the vendor complete and assure that proper fit for the respective users is completed.

\* WERE APPLICABLE SERGEANTS' CHEVRONS ARE TO BE APPLIED TO SLEEVES


## 5.11 #48057 Patrol Rain Pant

### Product Features

- nylon
- High performance waterproof/breathable material is durable, comfortable and functional
- Pass-through pockets; twelve inch side zippers
- Gusseted crotch, abrasion resistant kick panels
- Lower leg Velcro closures
- Elastic waist

### Product Description

If you find yourself in wet weather 5.11 Tactical series has the right combination of waterproof and breathable gear for you. The perfect partner for our 3-in-1 or 5-in-1 jackets, our Patrol Rain Pants will keep you warm and dry in extreme wet conditions. Made from our high performance waterproof/breathable material, these rain pants are easy to slip on and off. The design of our Patrol Rain Pants lets you to easily put them on over your uniform. The elastic waistband and Prym snap allow you to secure the rain pants just below your duty belt, giving you total access to your critical duty gear including your side-arm. With both standard pockets and pass through pockets these rain pants give you great flexibility in wet weather conditions. You can easily access the gear in your uniform pockets via the pass through pockets or you can stow your critical gear in the standard zippered pockets of these versatile Patrol Rain Pants. These Patrol Rain Pants are built to last. Our gusseted crotch makes them strong and provides a greater range of motion than other rain pants on the market. We've added abrasion resistant kick panels along the inside ankle of the pants where they are susceptible to accelerated wear. We use only quality YKK zippers and Prym snaps on our Patrol Rain Pants. Our high performance waterproof/breathable material is extremely strong and durable and can endure hours of a hard driving rain. There are hook and loop closures at the ankles and our elastic waistband will always cling tightly to your waist protecting you from the elements. Our Patrol Rain Pants are an extreme value when you consider the quality materials and superior design. 5.11 Tactical Series prides itself on providing our customers with high quality products at a great price and these Patrol Rain Pants meet all of our mission goals.



## Rain Jacket – Woolrich Waterproof Breathable Parka (44420)

### DESCRIPTION

If you could be certain in advance how the next situation would play out, it might not matter if your jacket could only do one thing. But because you have to be ready for anything, and because situations can require split-second timing, we've designed the Elite Waterproof Breathable Parka to be ready to confront a variety of situations. The fully lined performance parka incorporates many design elements requested by professionals in the field. The shell is made of waterproof, breathable ripstop nylon and constructed with two-way sideseam zippers in addition to the two-way front zipper, allowing you to adjust quickly to a wide variety of climate and activity conditions and to access gear easily. For inclement weather, fasten the storm flap at the top of the front zipper and put up the hood (which can also be removed or self-stored under the collar.) Multiple pockets include two on-sleeve flapped pockets, two zippered upper chest pockets with removable ID panels, two angled zippered security pockets under chest flanges, and two hidden security pockets under storm placket. Dual-entry front bellows pockets have side hand-warmers; the front flaps close with hook-and-loop fasteners or can be tucked inside to create convenient dump pockets. The parka's durable Dupont™ Teflon® Fabric Protector coating repels both water and oil-based spills. Imported. Machine wash

### PRODUCT DETAILS

- Shell: Waterproof, breathable 100% nylon ripstop, 4 oz
- 100% nylon taffeta liner
- Machine wash
- Stand-up collar with fleece zipper guard
- Two-way zipper with storm flap & hook-&-loop closure
- Stowable/removable hood
- Hidden security pockets located under storm-flap
- Horizontal security pockets on chest & back that contain stowable/removable ID panels
- Two, angled zippered security pockets under chest flanges
- Dual-entry hand-warmer bellows pockets that conveniently double as "dump pockets"
- Two-way sideseam to underarm zipper provides ventilation & access to waist area
- Two left biceps sleeve pockets
- Double pen holder pocket on forearm
- Hook-&-loop adjustable cuffs
- Rear security pocket with ID badge holder
- Two internal security pockets
- 1½" dropped back hem
- Drawcord front hem
- Centerback length: L-32½"

