



# Request for Quote

STATE OF RHODE ISLAND AND PROVIDENCE PLANTATIONS  
ONE CAPITOL HILL  
PROVIDENCE RI 02908

CREATION DATE : 11-JUN-12  
BID NUMBER: 7449754,1  
TITLE: SCISSOR LIFTS - ONE EACH FOR MURRAY CENTER, REC CENTER & PHYSICAL PLANT - RIC  
  
BID CLOSING DATE AND TIME:25-JUN-2012 10:00:00

BUYER: Mosca, Gary  
PHONE #: 401-574-8124

**B  
I  
L  
L  
  
T  
O**  
RIC-PURCHASING  
600 MOUNT PLEASANT AVENUE  
PROVIDENCE, RI 02908  
US

**S  
H  
I  
P  
  
T  
O**  
RIC-PURCHASING  
600 MOUNT PLEASANT AVENUE  
PROVIDENCE, RI 02908  
US

Requisition Number: 1270057

Note to Bidders: Questions concerning this solicitation may be emailed to gary.mosca@purchasing.ri.gov no later than 6/11/12 @ 12:00 NOON (EST). Questions should be submitted in a Microsoft word attachment. Please reference the RFQ # on all correspondence. Questions received if any, will be posted on the internet as an addendum to this solicitation. It is the responsibility of all interested parties to download this information.

Amendment Description: VENDOR SUBMITTED QUESTIONS/ADDITIONAL BID SPECIFICATIONS ATTACHED.

Line	Description	Quantity	Unit	Unit Price	Total
1	SCISSOR LIFT FOR THE RECREATION CENTER - FOR RIC.	1.00	Each		
2	SCISSOR LIFT FOR PHYSICAL PLANT - FOR RIC.	1.00	Each		
3	SCISSOR LIFT FOR THE MURRAY CENTER - FOR RIC.	1.00	Each		

Delivery: \_\_\_\_\_

Terms of Payment: \_\_\_\_\_

It is the Vendor's responsibility to check and download any and all addenda from the RIVIP. This offer may not be considered unless a signed RIVIP generated Bidder Certification Cover Form is attached and the Unit Price column is completed. The signed Certification Cover Form must be attached to the front of the offer

REQUEST FOR QUOTE #

**AWARD**

THE STATE, AT ITS SOLE DISCRETION, SHALL RESERVE THE RIGHT TO MAKE ONE OR MULTIPLE AWARDS FOR THIS REQUIREMENT AND/OR TO REJECT ANY OR ALL BIDS.

**BIDDING** (a) A single price shall be quoted for each item against which a proposal is submitted. This price will be the maximum in effect during the agreement period. Any price decline at the manufacturer's level shall be reflected in a reduction of the agreement price to the State. (b) Quantities, if any, are estimated only. The agreement shall cover the actual quantities ordered during the period. Deliveries will be billed at the single, firm, awarded unit price quoted regardless of the quantities ordered. (c) Bid price is net F.O.B. destination and shall include inside delivery at no extra cost. (d) Bids for single items and/or a small percentage of total items listed, may, at the State's sole option, be rejected as being non-responsive to the intent of this request. **ORDERING** (a) The User Agency(s) will submit individual orders for the various items and various quantities as may be required during the agreement period. (b) Exception - Regardless of any agreement resulting from this bid, the State reserves the right to solicit prices separately for any extra large requirements for delivery to specific destinations.

**INSURANCE**

AN INSURANCE CERTIFICATE IN COMPLIANCE WITH PROVISIONS OF ITEM 31 (INSURANCE) OF THE GENERAL CONDITIONS OF PURCHASE IS REQUIRED FOR COMPREHENSIVE GENERAL LIABILITY, AUTOMOBILE LIABILITY, AND WORKERS' COMPENSATION AND MUST BE SUBMITTED BY THE SUCCESSFUL BIDDER(S) TO THE DIVISION OF PURCHASES PRIOR TO AWARD. THE INSURANCE CERTIFICATE MUST NAME THE STATE OF RHODE ISLAND AS CERTIFICATE HOLDER AND AS AN ADDITIONAL INSURED. FAILURE TO COMPLY WITH THESE PROVISIONS MAY RESULT IN REJECTION OF THE OFFEROR'S BID. ANNUAL RENEWAL CERTIFICATES MUST BE SUBMITTED TO THE AGENCY IDENTIFIED ON THE PURCHASE ORDER. FAILURE TO DO SO MAY BE GROUNDS FOR CANCELLATION OF CONTRACT.

**RIVIP**

IT IS THE VENDOR'S RESPONSIBILITY TO CHECK AND DOWNLOAD ANY AND ALL ADDENDA FROM RIVIP. THIS OFFER MAY NOT BE CONSIDERED UNLESS A SIGNED RIVIP GENERATED BIDDER CERTIFICATION COVER

FORM IS ATTACHED AND THE UNIT PRICE COLUMN IS COMPLETE. THE SIGNED CERTIFICATION COVER FORM MUST BE ATTACHED TO THE FRONT OF THE OFFER. WHEN DELIVERING OFFERS IN PERSON TO ONE CAPITOL HILL, VENDORS ARE ADVISED TO ALLOW AT LEAST ONE HOUR ADDITIONAL TIME FOR CLEARANCE THROUGH SECURITY CHECKPOINTS.

THIS OFFER MAY NOT BE CONSIDERED UNLESS BIDDER CERTIFICATION COVER FORM IS ATTACHED AND THE UNIT PRICE COLUMN IS COMPLETED THE SIGNED CERTIFICATION COVER FORM MUST BE ATTACHED TO THE FRONT OF THE OFFER. WHEN DELIVERED OFFERS ON PERSON TO ONE CAPITOL HILL, VENDORS ARE ADVISED TO ALLOW AT LEAST ONE HOUR ADDITIONAL TIME FOR CLEARANCE THROUGH SECURITY CHECKPOINTS.

**VENDOR SPEC**

ALL VENDORS MUST INCLUDE SPECIFICATIONS WITH BID PROPOSAL (EVEN THOSE BIDDING BRAND SPECIFIED). FAILURE TO SUBMIT SPECIFICATIONS WITH BID PROPOSAL MAY RESULT IN DISQUALIFICATION OF BID. ITEMS IN CATALOGS MUST BE CLEARLY MARKED AND PAGES TABBED.

**DELIVERY**

DELIVERY OF GOODS OR SERVICES AS REQUESTED BY AGENCY.



State of Rhode Island  
Department of Administration / Division of Purchases  
One Capitol Hill, Providence, Rhode Island 02908-5855  
Tel: (401) 574-8100 Fax: (401) 574-8387

June 5, 2012

**ADDENDUM # 1**

RFQ #7449754

**Title: Scissor Lifts – One each for Murray Center, Recreation Center, & Physical Plant**

**Bid Opening 6/25/12 @ 10:00 AM (EST)**

---

**Vendor submitted question(s) / Additional bid specifications**

**See Attached**

Interested parties should monitor this website, on a regular basis, for any additional information that may be posted.

Gary P. Mosca,

A handwritten signature in cursive script that reads "Gary P. Mosca".

Buyer

**SUBMITTED QUESTIONS, BID #7449754**

Questions:

1. Are all 3 scissor lifts going to be delivered to the same location?
2. Does the specification sheet listed with the bid apply to all 3 lifts that are needed?

**ANSWER TO QUESTION #1:** All three scissor lifts are being delivered to Rhode Island College, but to different buildings on campus.

**ANSWER TO QUESTION #2:** See additional specifications included in addendum #1.

**END DOCUMENT**

## Specifications for Outdoor Scissor Lift – Physical Plant

Specification Details	YES/NO	Vendor Alternative if Responding NO
<b>1. General</b>		
One (1) 32' Rough Terrain Scissor Lift with Stabilizers of the manufacturer's latest stock model of the current year. To be new, complete, delivered and ready to operate.		
<b>2. Work Height:</b> 38' (111.6 m)		
<b>3. Raised Platform Height:</b> 32' (9.8 m)		
<b>4. Lowered Platform Height:</b> 54" (1.4 m)		
<b>5. Overall Width:</b> 68" (1.7 m)		
<b>6. Overall Length:</b> 107" (2.7 m)		
<b>7. Stowed Height (Rails Up):</b> 99" (2.5 m)		
<b>8. Stowed Height (Rails Down):</b> 69" (1.8 m)		
<b>9. Platform Width (Inside Dimension):</b> 56" (1.4 m)		
<b>10. Platform Length (Inside Dimension):</b> 96" (2.4 m)		
<b>11. Extension Deck:</b> 5' (1.5 m)		
<b>12. Tires:</b> Foam filled		
<b>13. Wheelbase:</b> 80.5" (2.0 m)		
<b>14. Ground Clearance:</b> 8" (0.2 m)		
<b>15. Weight:</b> 7,660 lbs (3,475 kg)		
<b>16. Gradeability:</b> 40%		
<b>17. Turning Radius (Inside):</b> 60" (1.5 m)		
<b>18. Turning Radius (Outside):</b> 156" (4.0 m)		
<b>19. Lift Time (With Rated Load):</b> 39 sec		
<b>20. Gas / LP Power</b>		
<b>21. Drive Speed (Stowed):</b> 3.8 mph (6.1 km/h)		
<b>22. Drive Speed (Raised):</b> 0.4 mph (0.6 km/h)		
<b>23. 4 Wheel Drive</b>		
<b>24. Stabilizers</b>		
<b>25. 2 Year Warranty</b>		
<b>26. Capacity (Overall):</b> 1,000 lbs		
<b>27. Maximum # of persons:</b> 4		
<b>28. Standard Features:</b> <ul style="list-style-type: none"> <li>• Drivable at Full Height</li> <li>• Crossover Symmetrical 4 WD</li> <li>• Multiple wet disc spring applied hydraulic release brakes</li> <li>• 5' (1.5 m) roll out extension deck</li> <li>• 31hp Kubota Dual fuel (gas/propane) engine</li> </ul>		

<ul style="list-style-type: none"> <li>• 90 Degree swing out engine tray</li> <li>• Analog control system</li> <li>• Color coded and numbered wiring system</li> <li>• Up to 50% Gradeability</li> <li>• Foam filled low profile grip lug tires</li> <li>• 110V AC outlet on platform with GFI</li> <li>• Tilt alarm with drive &amp; lift cut-out</li> <li>• All motion audible alarm</li> <li>• Operator horn</li> <li>• Hinged railing system</li> <li>• Full height spring hinged gate at rear of unit</li> <li>• Lanyard attachment points</li> <li>• Forklift pockets and tie down/lift lugs</li> </ul>		
<p>Outdoor Rough Terrain Scissor Lift make and model must meet or exceed these specifications subject to approval by Rhode Island College, Sky Jack SJ6832RT model or equal.</p>		

## Specifications for Scissor Lift – Murray Center

Specification Details	YES/NO	Vendor Alternative if Responding NO
<b>1. General</b>		
One (1) 26' Electric Scissor Lift of the manufacturer's latest stock model of the current year. To be new, complete, delivered and ready to operate.		
<b>2. Work Height:</b> 32' (9.8 m)		
<b>3. Raised Platform Height:</b> 26' (7.9 m)		
<b>4. Lowered Platform Height:</b> 45" (1.1 m)		
<b>5. Overall Width:</b> 46" (1.2 m)		
<b>6. Overall Length:</b> 91" (2.3 m)		
<b>7. Stowed Height (Rails Up):</b> 84.5" (2.1 m)		
<b>8. Stowed Height (Rails Down):</b> 70.5" (1.8 m)		
<b>9. Platform Width (Inside Dimension):</b> 42" (1.1 m)		
<b>10. Platform Length (Inside Dimension):</b> 84" (2.1 m)		
<b>11. Extension Deck (Roll Out):</b> 4' (1.2 m)		
<b>12. Wheelbase:</b> 69" (1.8 m)		
<b>13. Ground Clearance (Stowed):</b> 3.5" (8.9 cm)		
<b>14. Ground Clearance (Raised):</b> 0.75" (1.9 cm)		
<b>15. Weight:</b> 4,700 lbs (2,132 kg)		
<b>16. Gradeability:</b> 25%		
<b>17. Turning Radius (Inside):</b> 47.5" (1.2 m)		
<b>18. Turning Radius (Outside):</b> 93.5" (2.4 m)		
<b>19. Lift Time (With Rated Load):</b> 54 sec		
<b>20. Drive Speed (Stowed):</b> 2 mph (3.2 km/h)		
<b>21. Drive Speed (Raised):</b> 0.6 mph (1 km/h)		
<b>22. 2 Year Warranty</b>		
<b>23. Capacity (Overall):</b> "1		
<b>24. Maximum # of persons:</b> 3		
<b>25. Standard Features:</b> <ul style="list-style-type: none"> <li>• Drivable at Full Height</li> <li>• Variable Speed, rear two wheel hydraulic drive</li> <li>• Dual holding brakes</li> <li>• Proportional controls for drive &amp; lift functions</li> <li>• 4' (1.2 m) roll out extension deck</li> <li>• 24V DC Power Source</li> <li>• Low Voltage battery protection</li> <li>• Analog control system</li> </ul>		

<ul style="list-style-type: none"> <li>• Color code and numbered wiring system</li> <li>• Solid rubber, non-working tires</li> <li>• Pothole protection system</li> <li>• 110V AC outlet on platform with GFI</li> <li>• Tilt alarm with drive &amp; lift cut-out</li> <li>• All motion audible alarm</li> <li>• Operator horn</li> <li>• Hinged railing system</li> <li>• Lanyard attachment points</li> <li>• Forklift pockets and tie down/lift lugs</li> </ul>		
<p>Electric Scissor Lift make and model must meet or exceed these specifications subject to approval by Rhode Island College, Sky Jack III 4626 model or equal.</p>		