



Request for Quote

STATE OF RHODE ISLAND AND PROVIDENCE PLANTATIONS
 ONE CAPITOL HILL
 PROVIDENCE RI 02908

CREATION DATE : 28-JUN-12
BID NUMBER: 7457836
TITLE: TRACTOR, KUBOTA - DIESEL 4 WHEEL DRIVE - URI
BID CLOSING DATE AND TIME: 31-JUL-2012 10:00:00

BUYER: Mosca, Gary
PHONE #: 401-574-8124

B URI ACCOUNTS PAYABLE
I CARLOTTI ADMINISTRATION BLDG
L 75 LOWER COLLEGE ROAD, SUITE 1
L KINGSTON, RI 02881
T US
O

S URI SPECIAL INSTRUCTIONS
H SEE BELOW
I SEE BELOW, RI N/A
P US
T
O

Requisition Number: 1272135

Note to Bidders: Questions concerning this solicitation may be emailed to gary.mosca@purchasing.ri.gov no later than 7/24/12 @ 12:00 NOON (EST). Questions should be submitted in a Microsoft word attachment. Please reference the RFQ # on all correspondence. Questions received if any, will be posted on the internet as an addendum to this solicitation. It is the responsibility of all interested parties to download this information

Line	Description	Quantity	Unit	Unit Price	Total
1	<p>Tractor, L4240HST-3 Kubota w/44 hp diesel, 4 wheel drive, industrial tires and folding rollbar Line Note to Bidders: TRACTOR MAKE AND MODEL MUST MEET OR EXCEED THESE SPECIFICATIONS SUBJECT TO APPROVAL BY THE UNIVERSITY OF RHODE ISLAND, TRACTOR REQUESTED TO BE A KUBOTA L4240HST-3 W/44 HP DIESEL, 4 WHEEL DRIVE, INDUSTRIAL TIRES AND FOLDING ROLLBAR OR EQUAL.</p> <p>ALL BIDDERS MUST FILL OUT AND SUBMIT SPECIFICATION SHEET(S) WITH BID. Deliver to: University of Rhode Island Dept. of Fisheries, Animal & Vet Sciences Peckham Farm, Route 138 Kingston, RI 02881 Attn: Fred Launer</p>	1.00	Each		

Delivery: _____

Terms of Payment: _____

It is the Vendor's responsibility to check and download any and all addenda from the RIVIP. This offer may not be considered unless a signed RIVIP generated Bidder Certification Cover Form is attached and the Unit Price column is completed. The signed Certification Cover Form must be attached to the front of the offer

REQUEST FOR QUOTE #7457836

AWARD

THE STATE, AT ITS SOLE DISCRETION, SHALL RESERVE THE RIGHT TO MAKE ONE OR MULTIPLE AWARDS FOR THIS REQUIREMENT AND/OR TO REJECT ANY OR ALL BIDS.

BIDDING (a) A single price shall be quoted for each item against which a proposal is submitted. This price will be the maximum in effect during the agreement period. Any price decline at the manufacturer's level shall be reflected in a reduction of the agreement price to the State. (b) Quantities, if any, are estimated only. The agreement shall cover the actual quantities ordering during the period. Deliveries will be billed at the single, firm, awarded unit price quoted regardless of the quantities ordered. (c) Bid price is net F.O.B. destination and shall include inside delivery at no extra cost. (d) Bids for single items and/or a small percentage of total items listed, may, at the State's sole option, be rejected as being non-responsive to the intent of this request. **ORDERING** (a) The User Agency(s) will submit individual orders for the various items and various quantities as may be required during the agreement period. (b) Exception - Regardless of any agreement resulting from this bid, the State reserves the right to solicit prices separately for any extra large requirements for delivery to specific destinations.

DELIVERY

DELIVERY OF GOODS OR SERVICES AS REQUESTED BY AGENCY.

AUTO

THE FOLLOWING ADDITIONAL TERMS AND CONDITIONS APPLY TO THIS PURCHASE ORDER: 1. ALL VEHICLES MUST BE DELIVERED WITHOUT DEALER'S NAME OR ADVERTISING OF ANY TYPE VISIBLE ON THE BODY. 2. EACH VEHICLE DELIVERED TO THE STATE MUST BE ACCOMPANIED BY A "CERTIFICATE OF ORIGIN" CONTAINING THE MANUFACTURER'S VEHICLE IDENTIFICATION NUMBER (VIN), THE NUMBER OF ENGINE CYLINDERS AND ENGINE TYPE, A GENERAL DESCRIPTION OF THE BODY, AND THE MODEL NAME OR NUMBER. CERTIFICATE OF ORIGIN MUST BE ASSIGNED TO STATE OF RI/FLEET OPERATIONS, ONE CAPITOL HILL, PROVIDENCE, RI 02908 UNLESS THE VEHICLE IS BEING PURCHASED BY THE RHODE ISLAND STATE POLICE. IF SO, CERTIFICATE OF ORIGIN MUST BE ASSIGNED TO RHODE ISLAND STATE POLICE, 311 DANIELSON PIKE, NORTH SCITUATE, RI 02857. 3. THE VENDOR MUST WARRANT FULL AND UNENCUMBERED TITLE TO THE VEHICLE(S) AS OF THE DATE OF DELIVERY TO THE STATE. 4. TITLE CERTIFICATES MUST BE PROVIDED AT THE TIME OF DELIVERY TO THE STATE.

VENDOR SPEC

ALL VENDORS MUST INCLUDE SPECIFICATIONS WITH BID PROPOSAL (EVEN THOSE BIDDING BRAND SPECIFIED). FAILURE TO SUBMIT SPECIFICATIONS WITH BID PROPOSAL MAY RESULT IN DISQUALIFICATION OF BID. ITEMS IN CATALOGS MUST BE CLEARLY MARKED AND PAGES TABBED.

INSURANCE

AN INSURANCE CERTIFICATE IN COMPLIANCE WITH PROVISIONS OF ITEM 31 (INSURANCE) OF THE GENERAL CONDITIONS OF PURCHASE IS REQUIRED FOR COMPREHENSIVE GENERAL LIABILITY, AUTOMOBILE LIABILITY, AND WORKERS' COMPENSATION AND MUST BE SUBMITTED BY THE SUCCESSFUL BIDDER(S) TO THE DIVISION OF PURCHASES PRIOR TO AWARD. THE INSURANCE CERTIFICATE MUST NAME THE STATE OF RHODE ISLAND AS CERTIFICATE HOLDER AND AS AN ADDITIONAL INSURED. FAILURE TO COMPLY WITH THESE PROVISIONS MAY RESULT IN REJECTION OF THE OFFEROR'S BID. ANNUAL RENEWAL CERTIFICATES MUST BE SUBMITTED TO THE AGENCY IDENTIFIED ON THE PURCHASE ORDER. FAILURE TO DO SO MAY BE GROUNDS FOR CANCELLATION OF CONTRACT.

RIVIP

IT IS THE VENDOR'S RESPONSIBILITY TO CHECK AND DOWNLOAD ANY AND ALL ADDENDA FROM RIVIP. THIS OFFER MAY NOT BE CONSIDERED UNLESS A SIGNED RIVIP GENERATED BIDDER CERTIFICATION COVER FORM IS ATTACHED AND THE UNIT PRICE COLUMN IS COMPLETE. THE SIGNED CERTIFICATION COVER FORM MUST BE ATTACHED TO THE FRONT OF THE OFFER. WHEN DELIVERING OFFERS IN PERSON TO ONE CAPITOL HILL, VENDORS ARE ADVISED TO ALLOW AT LEAST ONE HOUR ADDITIONAL TIME FOR CLEARANCE THROUGH SECURITY CHECKPOINTS.

THIS OFFER MAY NOT BE CONSIDERED UNLESS BIDDER CERTIFICATION COVER FORM IS ATTACHED AND THE UNIT PRICE COLUMN IS COMPLETED. THE SIGNED CERTIFICATION COVER FORM MUST BE ATTACHED TO THE FRONT OF THE OFFER. WHEN DELIVERED OFFERS ON PERSON TO ONE CAPITOL HILL, VENDORS ARE ADVISED TO ALLOW AT LEAST ONE HOUR ADDITIONAL TIME FOR CLEARANCE THROUGH SECURITY CHECKPOINTS.

PABID

- (a) A SINGLE PRICE SHALL BE QUOTED FOR EACH ITEM AGAINST WHICH A PROPOSAL IS SUBMITTED. THIS PRICE WILL BE THE MAXIMUM IN EFFECT DURING THE AGREEMENT PERIOD. ANY PRICE DECLINE AT THE MANUFACTURE'S LEVEL SHALL BE REFLECTED IN A REDUCTION OF THE AGREEMENT PRICE TO THE STATE .
- (b) QUANTITIES, IF ANY, ARE ESTIMATED ONLY. THE AGREEMENT SHALL COVER THE ACTUAL QUANTITIES ORDERED DURING THE PERIOD. DELIVERIES WILL BE BILLED AT THE SINGLE, FIRM, AWARD UNIT PRICE QUOTED REGARDLESS OF THE QUANTITIES ORDERED.
- (c) BID PRICE IS NET F.O.B. DESTINATION AND SHALL INCLUDE INSIDE DELIVERY AT NO EXTRA COST.
- (d) BIDS FOR SINGLE ITEMS AND/OR A SMALL PERCENTAGE OF TOTAL LIST, MAY, AT THE STATE'S SOLE OPTION, BE REJECTED AS BEING NON-RESPONSIVE TO THE INTENT OF THIS REQUEST.'

Quantity:			Vendor Indicate Compliance Yes/No
Department:		Fuel Type:	
Division:		Color: *if not offered may be changed at award	
RI-FANS Requisition Number:			

STANDARD FEATURES	FOR VENDOR USE ONLY TO INDICATE COMPLIANCE	
	↓ Yes/No	↓ Specify Alternative (if responding no)
ENGINE		
MAKE MODEL AND TYPE V2203-M-E3 (Interim Tier 4) E-TVCS Indirect Injection, 4-Cylinder, Diesel, Naturally Aspirated		
ENGINE HP, GROSS; HP, NET ; HP, PTO 42, 44 FST/GST- 36.5 HST – 35 @ 2700 rpm		
RATED ENGINE SPEED, BORE AND STROKE, DISPLACEMENT 2700 rpm, 3.4" X 3.6", 134.0 cu in		
AIR CLEANER, LUBRICATION, COOLING SYSTEM Dry Dual Element, Forced Lubrication, Pressurized Radiator		
MAX. TORQUE, FUEL CONSUMPTION (CALCULATED) 103 ft lbs, 17 lbs/hour at maximum PTO hp		
FUEL FILTER, OIL FILTER Replaceable Cartridge Type Fuel Filter Sheet Net and Replaceable Treated Paper Element		
THROTTLE, MUFFLER Hand and Foot Throttles (Hand Throttle Only on HST) Enclosed Muffler With Low Exit Exhaust		
ENGINE COMPARTMENT, ENGINE SHUTOFF Enclosed Engine Compartment With Easy-Open Hood Electric With Key		
CAPACITIES		
FUEL TANK, COOLING SYSTEM, ENGINE OIL 13.2 gal, 7.9 qts, 8.7 qts		
TRANSMISSION, DIFFERENTIAL & HYDRAULIC SYSTEM 11.4 gal		
FRONT AXLE CASE 9.5 qts		
DRIVE TRAIN		
SPEEDS, CONTROL TYPE 3 Range (Low-Medium-High) x 2 (Hi-Lo) Hydraulic Servo Control		
FOOT CONTROL, CRUISE CONTROL Single Pedal, Toe/Heel or Toe/Toe Fwd/Rev Operation Lever Type, Infinite Speed Control		
HST FEATURES Load Sensing HST Hi-Lo With Manual or Auto Shift		

HST Response Control Auto-Throttle Advance Rear Differential Lock Standard Mechanical Wet Disk		
PTO SYSTEM		
REAR PTO- SHAFT 1 3/8" SAE 6-Spline Shaft		
REAR PTO- FST/GST Hydraulic Independent PTO: 540 rpm @ 2550 Eng. rpm		
REAR PTO- HST Hydraulic Independent PTO: 540 rpm @ 2640 Eng. rpm		
HYDRAULICS		
TYPE Open Center		
PUMP, PUMP OUTPUT, POWER STEERING PUMP OUTPUT 2/ Gear 14.7 gpm 4.9 gpm		
HYDRAULIC REAR REMOTES, THREE-POINT PITCH 9.8 gpm- Up To (3)- Stackable Category 1		
DRAFT CONTROL, POSITION CONTROL Optional, Standard		
LIFT CAPACITY (AT LIFT POINTS, 24" BEHIND LIFT POINTS) 3860 lbs, 2760 lbs		
POWER STEERING, STEERING WHEEL, HYDRAULIC OIL FILTER Balanced Hydrostatic Power Steering Foot Operated Easy-Step Tilt Steering Wheel Spin-On Hydraulic Oil Filter		
ELECTRICAL		
ELECTRICAL SYSTEM 12 Volt Electrical System		
BATTERY (MAINTENANCE- FREE) 12 Volt Battery, 582 CCA		
ALTERNATOR 40 Amp Alternator/ 60 Amp Alternator on Cab Models		
COLD TEMPERATURE STARTING AID, BLOCK HEATER Automatic Super Glow Pre-Heat System Optional Block Heater		
INTELLIPANEL DISPLAY Interactive Diagnostic Information System Analog Tachometer Digital Travel/PTO Speed, Fuel Gauge, Hour/Trip Meter, Temp. Gauge, Transmission Speed, Maintenance Indicator Tractor Operation, Warning, Turn Signal Indicators		
LIGHTS (2) Halogen Head Lights (2) Tail Lights With Hazard Flashers and Turn Signals		
SAFTEY EQUIPMENT		
ROPS, SEAT BELT, SAFTEY START SWITCHES Foldable ROPS Retractable Seat Belt		

PTO/Shuttle (F/DT/GST) / HST Pedal (HST) Neutral Switches		
OPC, PARKING BRAKES Operator Presence Control System Parking Brakes on Master Brake Pedal		
SMV SIGN, PAINT Slow Moving Vehicle Sign Standard High Visibility Paint		
DIMENSIONS		
HEIGHT (TO TOP OF ROPS, TO TOP OF CAB) 97.4 in (-1 models) / 94.4 in (-2/-3 models) 90.2 in		
LENGTH WITH 3-POINT HITCH, WIDTH 129.5 in 65.5 in		
WHEELBASE 74.6 in		
TURNING RADIUS WITH/WITHOUT BRAKE With- 8.9 ft Without- 11.8 ft		
CROP CLEARANCE, GROUND CLEARANCE 15.9 in 14.6 in		
WEIGHT (WITH STD. TIRES) ROPS AND CAB ROPS- DT 3527 lbs, GST 3571 lbs, HST 3671 lbs Cab- 4001 lbs		
WHEELS AND TIRES		
OPTION 1 F- 10- 16.5 INDUSTRIAL R- 17.5L-24 INDUSTRIAL		
TRAVEL SPEEDS (MPH)		
LOW RANGE Forward- Low 2.2 High 3.7 Reverse- Low 2.0 High 3.4		
MEDIUM RANGE Forward- Low 4.5 High 7.5 Reverse- Low 4.0 High 6.8		
HIGH RANGE Forward- Low 9.6 High 16.0 Reverse- Low 8.6 High 14.4		
OTHER		
INSTRUCTION IDENTIFICATION Permanently installed English instructions, diagrams, and warning decals, where required by law, to ensure operation and servicing with maximum safety.		
PRODUCT SUPPORT Parts and Service Manuals		
NEW 2011 LA854 Front Loader with L2226 quick-attach coupler, L2296 72" quick-attach bucket & TL1748 bolt on cutting edge or equivalent		
NEW 2011 LANDPRIDE PFL2042 42" Pallet Forks with quick-attach skid-steer frame, 2100 lbs rated lift capacity or equivalent		

