



Request for Quote

STATE OF RHODE ISLAND AND PROVIDENCE PLANTATIONS
 ONE CAPITOL HILL
 PROVIDENCE RI 02908

CREATION DATE : 02-AUG-12
 BID NUMBER: 7457938
 TITLE: PROVIDE AND DELIVER SODIUM HYPOCHLORITE

BLANKET START : 15-AUG-12
 BLANKET END : 30-JUN-14
 BID CLOSING DATE AND TIME: 23-AUG-2012 10:00:00

BUYER: Melillo, Charlotte A
 PHONE #: 401-574-8110

**B
I
L
L
T
O**
 URI ACCOUNTS PAYABLE
 CARLOTTI ADMINISTRATION BLDG
 75 LOWER COLLEGE ROAD, SUITE 1
 KINGSTON, RI 02881
 US

**S
H
I
P
T
O**
 URI SPECIAL INSTRUCTIONS
 SEE BELOW
 SEE BELOW, RI N/A
 US

Requisition Number: 1272014

Line	Description	Quantity	Unit	Unit Price	Total
1	8/15/12 - 6/30/14 PROVIDE AND DELIVER SODIUM HYPOCHLORITE FOR THE UNIVERSITY'S WATER SYSTEM. BUYER EMAIL: charlotte.melillo@purchasing.ri.gov Emailed Questions will be entertained until 8/14/12. * BID MUST BE DELIVERED IN PERSON OR BY MAIL TO: DEPT. OF ADMINISTRATION, DIVISION OF PURCHASES, ONE CAPITOL HILL, 2ND FLOOR, PROVIDENCE, RI 02908 * Contact for Delivery: DAVE LAMB, ASSISTANT DIRECTOR FACILITIES SERVICES - UTILITIES SHERMAN BUILDING 523 PLAINS ROAD KINGSTON, RI 02881 TEL: 874-7896 * 8/15/12-6/30/13 Provide and deliver sodium hypochlorite for the University's water system per attached specifications	33.00	Carboy		
2	7/1/13-6/30/14 Provide and deliver sodium hypochlorite for the University's water system per attached specifications * * * CONTAINER DEPOSIT: IF A CONTAINER DEPOSIT IS REQUIRED, PLEASE SPECIFY THE AMOUNT PER CONTAINER: \$ _____ VENDOR SHALL BE RESPONSIBLE TO CREDIT THE DEPOSIT AMOUNT ON EACH CONTAINER ON THE NEXT BILLED INVOICE AFTER EACH RETURN. *	36.00	Carboy		

It is the Vendor's responsibility to check and download any and all addenda from the RIVIP. This offer may not be considered unless a signed RIVIP generated Bidder Certification Cover Form is attached and the Unit Price column is completed. The signed Certification Cover Form must be attached to the front of the offer

8/1/12-6/30/14 PROVIDE AND DELIVER SODIUM HYPOCHLORITE AS FOLLOWS:

PROVIDE AND DELIVER SODIUM HYPOCHLORITE FOR THE UNIVERSITY OF RHODE ISLAND WATER SYSTEM IN KINGSTON, RI 12.5%, SIMILAR TO UNIVAR LIQUICHLOR. PER THE ATTACHED CERTIFICATE OF ANALYSIS

SHEET. MUST CONFORM TO THE REQUIREMENTS OF NSF/ANSI STANDARD 60 - DRINKING WATER TREATMENT CHEMICALS- HEATH AFFECTS ALL MATERIAL MEETS OR EXCEEDS FOOD CHEMICALS CODE AWWA STANDARD B300-04.

CURRENTLY THE UNIVERSITY PURCHASES THESE IN 15 GALLON CARBOYS AT AN AVERAGE OF 3 CARBOYS PER MONTH.

PLEASE PROVIDE PRICING TO INCLUDE DELIVERY OF AN ESTIMATED 3 CARBOYS PER MONTH FOR THE PERIOD SPECIFIED.
ESTIMATED ANNUAL QUANTITY = 36

VENDOR IS RESPONSIBLE FOR PICKING UP THE EMPTY CONTAINERS UPON DELIVERY OF NEW EACH MONTH OR AS REQUESTED.

QUANTITIES ARE ESTIMATES ONLY, ORDERS WILL BE PLACED AS NEEDED EACH MONTH.

CONTAINER DEPOSIT:

IF A CONTAINER DEPOSIT IS REQUIRED, PLEASE SPECIFY THE AMOUNT PER CONTAINER:

\$ _____ /PER CONTAINER

Vendor shall be responsible to credit the deposit amount on each container on the next billed invoice after each return.

ProductNo:714702
Annotation:

LotNo:RP120830823

Univar USA Inc. - New England
www.univarusa.com

175 Terminal Road
Providence, RI 02940
(401) 781-5600

Colonial Road
P. O. Box 730
Salem, MA 01970
(978) 745-3700



714702

Customer:
Date Shipped:
Customer Order No.:
Shipment No.:
Book No.: B28-157
Attn:
Fax:

Material: Sodium Hypochlorite - Storage Tank Number: 77
Date of Manufacture: 12/2/10
Lot Number: RP120830823

CERTIFICATE OF ANALYSIS

PROPERTY	RESULTS	Univar USA Inc. SPECIFICATIONS	TEST METHOD
Appearance	OK	Clear greenish, yellow liquid	Visual
Available chlorine, trade %	15.7	14.5-16.0	GMC-100-A-1
Available chlorine, gpl	156.8	145-160*	GMC-100-A-1
Excess alkalinity, % by weight	0.39	0.15-0.83	GMC-100-A-2
Excess alkalinity, gpl	4.7	2-10	GMC-100-A-2
Specific Gravity @ 60° F	1.212	1.18-1.22	GMC-100-A-3
Suspended Solids	PASS	<3 minutes	Vacuum Test (1 liter)
pH	13.0	11.5-13.5**	GMC-200-J-1

**pH is not a formal specification. Typical value will range from 11.5-13.5
*sodium hypochlorite solutions degrade with time. The rate of degradation depends upon temperature
and other storage conditions.

Analysis Date: 12/03/10

Questions on shipments should be directed to the Inside Sales Department.

Certificates of Analysis are valid without a signature.

Analysis reflects assay on date of manufacture. Proper storage and handling are required to maintain
strength. Follow the EPA approved labeling. See label and product bulletin for additional information.



Conforms to the Requirements of NSF/ANSI Standard 60
Drinking Water Treatment Chemicals - Health Effects
All material meets or exceeds Food Chemicals Code AWWA Standard B300-04

REQUEST FOR RFQ # 7457938

BIDDING (a) A single price shall be quoted for each item against which a proposal is submitted. This price will be the maximum in effect during the agreement period. Any price decline at the manufacturer's level shall be reflected in a reduction of the agreement price to the State. (b) Quantities, if any, are estimated only. The agreement shall cover the actual quantities ordered during the period. Deliveries will be billed at the single, firm, awarded unit price quoted regardless of the quantities ordered. (c) Bid price is net F.O.B. destination and shall include inside delivery at no extra cost. (d) Bids for single items and/or a small percentage of total items listed, may, at the State's sole option, be rejected as being non-responsive to the intent of this request. **ORDERING** (a) The User Agency(s) will submit individual orders for the various items and various quantities as may be required during the agreement period. (b) Exception - Regardless of any agreement resulting from this bid, the State reserves the right to solicit prices separately for any extra large requirements for delivery to specific destinations.

MULTI YEAR

THIS IS A MULTI-YEAR BID/CONTRACT. PER RHODE ISLAND STATE LAW 37-2-33, CONTRACT OBLIGATIONS BEYOND THE CURRENT FISCAL YEAR ARE SUBJECT TO AVAILABILITY OF FUNDS. CONTINUATION OF THE CONTRACT BEYOND THE INITIAL FISCAL YEAR WILL BE AT THE DISCRETION OF THE STATE. TERMINATION MAY BE EFFECTED BY THE STATE BASED UPON DETERMINING FACTORS SUCH AS UNSATISFACTORY PERFORMANCE OR THE DETERMINATION BY THE STATE TO DISCONTINUE THE GOODS/SERVICES, OR TO REVISE THE SCOPE AND NEED FOR THE TYPE OF GOODS/SERVICES; ALSO MANAGEMENT OWNER DETERMINATIONS THAT MAY PRECLUDE THE NEED FOR GOODS/SERVICES.

INSURANCE

AN INSURANCE CERTIFICATE IN COMPLIANCE WITH PROVISIONS OF ITEM 31 (INSURANCE) OF THE GENERAL CONDITIONS OF PURCHASE IS REQUIRED FOR COMPREHENSIVE GENERAL LIABILITY, AUTOMOBILE LIABILITY, AND WORKERS' COMPENSATION AND MUST BE SUBMITTED BY THE SUCCESSFUL BIDDER(S) TO THE DIVISION OF PURCHASES PRIOR TO AWARD. THE INSURANCE CERTIFICATE MUST NAME THE STATE OF RHODE ISLAND AS CERTIFICATE HOLDER AND AS AN ADDITIONAL INSURED. FAILURE TO COMPLY WITH THESE PROVISIONS MAY RESULT IN REJECTION OF THE OFFEROR'S BID. ANNUAL RENEWAL CERTIFICATES MUST BE SUBMITTED TO THE AGENCY IDENTIFIED ON THE PURCHASE ORDER. FAILURE TO DO SO MAY BE GROUNDS FOR CANCELLATION OF CONTRACT.

RIVIP

IT IS THE VENDOR'S RESPONSIBILITY TO CHECK AND DOWNLOAD ANY AND ALL ADDENDA FROM RIVIP. THIS OFFER MAY NOT BE CONSIDERED UNLESS A SIGNED RIVIP GENERATED BIDDER CERTIFICATION COVER FORM IS ATTACHED AND THE UNIT PRICE COLUMN IS COMPLETE. THE SIGNED CERTIFICATION COVER FORM MUST BE ATTACHED TO THE FRONT OF THE OFFER. WHEN DELIVERING OFFERS IN PERSON TO ONE CAPITOL HILL, VENDORS ARE ADVISED TO ALLOW AT LEAST ONE HOUR ADDITIONAL TIME FOR CLEARANCE THROUGH SECURITY CHECKPOINTS.

THIS OFFER MAY NOT BE CONSIDERED UNLESS BIDDER CERTIFICATION COVER FORM IS ATTACHED AND THE UNIT PRICE COLUMN IS COMPLETED. THE SIGNED CERTIFICATION COVER FORM MUST BE ATTACHED TO THE FRONT OF THE OFFER. WHEN DELIVERED OFFERS ON PERSON TO ONE CAPITOL HILL, VENDORS ARE ADVISED TO ALLOW AT LEAST ONE HOUR ADDITIONAL TIME FOR CLEARANCE THROUGH SECURITY CHECKPOINTS.

DELIVERY

DELIVERY OF GOODS OR SERVICES AS REQUESTED BY AGENCY.

VENDOR SPEC

ALL VENDORS MUST INCLUDE SPECIFICATIONS WITH BID PROPOSAL (EVEN THOSE BIDDING BRAND SPECIFIED). FAILURE TO SUBMIT SPECIFICAATIONS WITH BID PROPOSAL MAY RESULT IN DISQUALIFICATION OF BID. ITEMS IN CATALOGS MUST BE CLEARLY MARKED AND PAGES TABBED.

IF SAMPLES ARE REQUESTED, THEY MUST BE PROVIDEDN WITHIN TEN (10) WORKING DAYS OF REQUEST DATE. FAILURE TO DO SO MAY RESULT IN DISQUALIFICATION OF BID.