



Request for Quote

STATE OF RHODE ISLAND AND PROVIDENCE PLANTATIONS
 ONE CAPITOL HILL
 PROVIDENCE RI 02908

CREATION DATE : 26-SEP-12
 BID NUMBER: 7458119
 TITLE: 2013 POLICE VEHICLES - RHODE ISLAND STATE POLICE
 BID CLOSING DATE AND TIME: 26-OCT-2012 11:00:00

BUYER: Hill, Lisa
 PHONE #: 401-574-8118

B DOA CONTROLLER
I ONE CAPITOL HILL, 4TH FLOOR
L SMITH ST
L PROVIDENCE, RI 02908
T US
O

S DPS STATE POLICE HEADQUARTERS
H 311 DANIELSON PIKE
I NORTH SCITUATE, RI 02857
P US
T
O

Requisition Number: 1278384

Line	Description	Quantity	Unit	Unit Price	Total
1	2013 DODGE CHARGER POLICE PATROL VEHICLES FOR RI STATE POLICE, PER ATTACHED SPECIFICATIONS ANTICIPATED DELIVERY: _____	10.00	Each		
2	2013 FORD INTERCEPTOR UTILITY ADMINISTRATOR POLICE VEHICLES FOR RI STATE POLICE, PER ATTACHED SPECIFICATIONS ANTICIPATED DELIVERY: _____	10.00	Each		
3	2013 FORD INTERCEPTOR UTILITY POLICE VEHICLES FOR RI STATE POLICE, PER ATTACHED SPECIFICATIONS ANTICIPATED DELIVERY: _____ AWARDED VENDORS MUST PROVIDE WRITTEN CONFIRMATION FROM MANUFACTURER THAT THE ORDER HAS BEEN PLACED. RECEIPT OF THE CONFIRMATION MUST BE SENT TO LT. MICHAEL GILL, RI STATE POLICE, 311 DANIELSON PIKE, NORTH SCITUATE, RI 02857. YEAR _____ MAKE _____ MODEL _____ ANTICIPATED _____	30.00	Each		

Delivery: _____

Terms of Payment: _____

It is the Vendor's responsibility to check and download any and all addenda from the RIVIP. This offer may not be considered unless a signed RIVIP generated Bidder Certification Cover Form is attached and the Unit Price column is completed. The signed Certification Cover Form must be attached to the front of the offer

RHODE ISLAND STATE POLICE

2013 Dodge Charger Pursuit Police Vehicles

Quantity: 10

ENGINE: 5.7 liter V8 gasoline engine with heavy-duty cooling system and engine oil cooler.

REAR WHEEL DRIVE

REAR AXLE RATIO: 3.06 to 1

TRANSMISSION: Five speed automatic with overdrive, heavy duty for police operation. Column shifter and external oil cooler.

STEERING: Heavy duty power rack and pinion steering with oil cooler.

TILT STEERING WHEEL: Manufacturer's standard required.

BRAKES: Heavy duty fade resistant four wheel anti-lock disc brakes with power booster.

SUSPENSION SYSTEM: Four wheel independent suspension. Suspension system must be designed for heavy duty police use.

TIRES: Four (4), Goodyear P225/60R18 BSW "W" speed rated.

WHEELS: Five (5), 18" x 7.5" steel wheels.

SPARE TIRE / WHEEL: Full size spare

WHEEL COVERS: Manufacturer's optional 18" full wheel covers required.

ALTERNATOR: 220 ampere

BATTERY: Heavy duty for police use, 800 CCA minimum.

SPEED CONTROL: Factory installed.

AIR CONDITIONING: Factory air conditioning system with integral heater and defroster.

ELECTRIC REAR WINDOW DEFROSTER: Manufacturer's standard required.

POWER DECK LID RELEASE: Electric to unlock the deck lid from the driver's position inside the vehicle. Ignition powered.

SPEEDOMETER: Police type certified 0-160 MPH.

RADIO: AM/FM stereo, minimum.

RADIO NOISE SUPPRESSION: Vehicle shall be equipped with police radio noise suppression package. The vehicle shall not interfere with signals received or transmitted by the Missouri State Highway Patrol mobile police radio system and the vehicle shall not be affected by the operation of police mobile radio transmitters operated by the Missouri State Highway Patrol. If the vehicle

manufacturer has determined that optional police radio noise suppression is not necessary, this must be indicated on your bid.

AIR BAGS: Driver and passenger front air bags, driver and passenger side curtain air bags, driver and front passenger seat mounted thorax air bags, minimum. Inflatable driver's knee blocker.

POWER WINDOWS AND DOOR LOCKS: Manufacturer's standard required. Rear power windows must be inoperable from rear seat. System must include a rear window lockout switch controllable from the driver's position.

FRONT SEATS: Heavy duty bucket seats, reinforced for increased support and covered with heavy duty cloth fabric. No center console. Power adjusting driver seat required.

REAR SEAT: Heavy duty vinyl rear bench seat.

FLOOR COVERING: Heavy duty rubber flooring front and rear. Vinyl trunk floor cover.

FRONT LICENSE BRACKET: Manufacturer's standard required.

SPOTLIGHT PROVISION/SPOTLIGHT, LEFT HAND: Left (driver side) factory spotlight provision with 6" halogen spotlight installed.

FACTORY DOME LAMP DELETE: Factory dome/map lamp delete required.

AUXILIARY DOME LAMP: Factory installed overhead high intensity white/red auxiliary dome lamp, wired and switched independently.

OUTSIDE REAR VIEW MIRRORS: Manufacturer optional heated power adjusting outside rear view mirrors.

FLEET KEY: Each vehicle keyed alike.

KEYLESS ENTRY SYSTEM: Proximity entry system with push button start and police strategy. (2) keys/fobs to be included.

COLORS: Standard production solid color exterior and standard interior trim. Colors will be selected by Department after award.

DEALER'S:

- Dealer's name or emblem are not be placed on the vehicle
- The dealer/ vendor may have the vehicle delivered to the emergency package vendor for convenience. If this is not possible, the dealer will be responsible for transportation of the vehicle from the vendor's establishment to the emergency package vendor's establishment.
- It will be the responsibility of the emergency package vendor to perform the new vehicle cleaning, install emergency equipment and transport the vehicle from the emergency package vendor's location to the delivery destination. The delivery destination will be: *Rhode Island State Police Public Safety Complex, 311 Danielson Pike North Scituate, RI 02857, (401) 444-1048.*
-

DELIVERY:

- Pre-delivery, prior to delivery, the vehicle shall be serviced and inspected by the emergency package vendor. The vendor shall be responsible for the complete new vehicle delivery inspection. The engine, transmission, differential and cooling system shall be filled to the

manufacturer's recommended capacity and the gas tank filled to capacity prior to delivery. The vehicle will receive a new vehicle cleaning and preparation prior to delivery. All equipment shall be completely installed and adjustments made prior to delivery to make this vehicle available for immediate use. The vehicle shall be free of any defects when delivered.

- A representative from the Rhode Island State Police will inspect the vehicle at delivery for workmanship and appearance before acceptance.
- If any deficiencies are observed and cannot be corrected within two (2) business days, the vehicle will be deleted from the invoice and payment will not be made until corrective action is taken and the vehicle is re-inspected and accepted. It shall be the responsibility of the vendor for the pickup and delivery of the vehicle for re-inspection.

RHODE ISLAND STATE POLICE

2013 Ford Police Utility Interceptor Purchase

Quantity: 30

ENGINE: 3.7 Liter V6 normally aspirated gasoline engine with heavy-duty cooling system and engine oil cooler.

ALL WHEEL DRIVE

TRANSMISSION: Six speed automatic, heavy duty police calibration. Column mounted gear selector and auxiliary oil cooler.

STEERING: Heavy duty electric power assist steering.

TILT STEERING WHEEL: Manufacturer's standard required.

BRAKES: Heavy duty fade resistant four wheel anti-lock disc brakes with power booster.

SUSPENSION SYSTEM: Independent front and rear suspension. Front and rear stabilizer bars.

TIRES: Five (5) tires, 245/55R18 BSW "W" speed rated (includes spare).

WHEELS: Five (5), 18" x 8" heavy duty steel wheels (includes spare).

WHEEL COVERS: Manufacturer's optional 18" full wheel covers required.

ALTERNATOR: 220 ampere heavy duty.

BATTERY: 750 cca minimum.

SPEEDOMETER: Police type, certified for accuracy.

SPEED CONTROL: Factory installed required.

AIR CONDITIONING: Factory installed air conditioning with integral heater and defroster.

ELECTRIC REAR WINDOW DEFROSTER: Manufacturer's standard required.

RADIO: AM/FM stereo minimum.

RADIO NOISE SUPPRESSION: Vehicle shall be equipped with optional AM and police radio noise suppression package. The vehicle shall not interfere with signals received or transmitted by the mobile police radio system and the vehicle shall not be affected by the operation of a police mobile transmitter. If the vehicle manufacturer has determined that optional police radio noise suppression is not necessary, this must be indicated on your bid.

POWER WINDOWS AND DOOR LOCKS: Manufacturer's standard required. Rear power windows must be inoperable from rear seat as well as from the driver's seat. System must include a rear window lockout switch controllable from the driver's position.

DOOR LOCK CYLINDERS: Lift gate key lock cylinder required. Driver door key lock cylinders required.

FLEET KEY: All vehicles keyed alike-1435x (59E), 2 keys per vehicle.

GLASS: Privacy glass required for second and third row.

FRONT SEATS: Heavy duty bucket seats without center console, designed for police usage and covered with heavy duty cloth fabric. 6-way power adjusting driver seat.

REAR SEAT: Heavy duty vinyl rear bench seat.

AIR BAGS: Driver and passenger front air bags, driver and passenger side curtain air bags, driver and front passenger seat mounted thorax air bags, minimum.

FLOOR COVERING: Full heavy duty rubber flooring on both first and second rows.

FRONT LICENSE BRACKET: Manufacturer's standard required.

SPOTLIGHT PROVISION/SPOTLIGHT, LEFT HAND: Left (driver side) factory spotlight provision with 6" halogen spotlight installed.

POLICE POWER PIGTAIL: Power pigtail harness required.

COURTESY LAMP DISABLE: Courtesy lamps disabled when any door is opened.

AUXILIARY DOME LAMP: Factory installed overhead high intensity auxiliary dome lamp.

CARGO AREA DOME LIGHT: Red/white dome light installed in cargo area.

PRE DRILLED HOLES: Front headlamp assembly – predrilled LED holes

COLORS: Vehicles to be delivered Rhode Island State Police Grey(Ford Code #W2323C11R90).

PILOT VEHICLE: The Department will be provided with a pilot vehicle for inspection at the factory before the order is approved. This will be at no expense to the Department and will be sufficient for two members of the Department's Fleet Administration Section to attend.

DEALER'S:

- Dealer's name or emblem are not be placed on the vehicle
- The dealer/ vendor may have the vehicle delivered to the emergency package vendor for convenience. If this is not possible, the dealer will be responsible for transportation of the vehicle from the vendor's establishment to the emergency package vendor's establishment.
- It will be the responsibility of the emergency package vendor to perform the new vehicle cleaning, install emergency equipment and transport the vehicle from the emergency package vendor's location to the delivery destination. The delivery destination will be: *Rhode Island State Police Public Safety Complex, 311 Danielson Pike North Scituate, RI 02857, (401) 444-1048.*

DELIVERY:

- Pre-delivery, prior to delivery, the vehicle shall be serviced and inspected by the emergency package vendor. The vendor shall be responsible for the complete new vehicle delivery

inspection. The engine, transmission, differential and cooling system shall be filled to the manufacturer's recommended capacity and the gas tank filled to capacity prior to delivery. The vehicle will receive a new vehicle cleaning and preparation prior to delivery. All equipment shall be completely installed and adjustments made prior to delivery to make this vehicle available for immediate use. The vehicle shall be free of any defects when delivered.

- A representative from the Rhode Island State Police will inspect the vehicle at delivery for workmanship and appearance before acceptance.
- If any deficiencies are observed and cannot be corrected within two (2) business days, the vehicle will be deleted from the invoice and payment will not be made until corrective action is taken and the vehicle is re-inspected and accepted. It shall be the responsibility of the vendor for the pickup and delivery of the vehicle for re-inspection.

RHODE ISLAND STATE POLICE

2013 Ford Interceptor Utility Administrator Model Purchase

Quantity: 10

ENGINE: 3.7 Liter V6 normally aspirated gasoline engine with heavy-duty cooling system and engine oil cooler.

ALL WHEEL DRIVE

TRANSMISSION: Six speed automatic, heavy duty police calibration. Column mounted gear selector and auxiliary oil cooler.

STEERING: Heavy duty electric power assist steering.

TILT STEERING WHEEL: Manufacturer's standard required.

BRAKES: Heavy duty fade resistant four wheel anti-lock disc brakes with power booster.

SUSPENSION SYSTEM: Independent front and rear suspension. Front and rear stabilizer bars.

TIRES: Five (5) tires, 245/55R18 BSW "W" speed rated (includes spare).

WHEELS: Five (5), 18" x 8" heavy duty steel wheels (includes spare).

WHEEL COVERS: Manufacturer's optional 18" full wheel covers required.

ALTERNATOR: 220 ampere heavy duty.

BATTERY: 750 cca minimum.

SPEEDOMETER: Police type, certified for accuracy.

SPEED CONTROL: Factory installed required.

AIR CONDITIONING: Factory installed air conditioning with integral heater and defroster.

ELECTRIC REAR WINDOW DEFROSTER: Manufacturer's standard required.

RADIO: AM/FM stereo minimum.

RADIO NOISE SUPPRESSION: Vehicle shall be equipped with optional AM and police radio noise suppression package. The vehicle shall not interfere with signals received or transmitted by the mobile police radio system and the vehicle shall not be affected by the operation of a police mobile transmitter. If the vehicle manufacturer has determined that optional police radio noise suppression is not necessary, this must be indicated on your bid.

POWER WINDOWS AND DOOR LOCKS: Manufacturer's standard required. Rear power windows must be operable from rear seat as well as from the driver's seat. System must include a rear window lockout switch controllable from the driver's position.

DOOR LOCKS AND HANDLES: Rear inside door locks and handles must be operable.

8/14/12

2013 Ford Interceptor Utility Administrator Police Vehicle

Page 1 of 3

DOOR LOCK CYLINDERS: Lift gate key lock cylinder required. Driver door key lock cylinders required.

SINGLE KEY/ KEYLESS ENTRY: each vehicle keyed separately (595), 2 key fobs per vehicle.

GLASS: Privacy glass required for second and third row.

FRONT SEATS: Heavy duty bucket seats with center console, designed for police usage and covered with heavy duty cloth fabric. 6-way power adjusting driver seat.

REAR SEAT: Heavy duty cloth rear bench seat.

AIR BAGS: Driver and passenger front air bags, driver and passenger side curtain air bags, driver and front passenger seat mounted thorax air bags, minimum.

FLOOR COVERING: Full heavy duty carpet flooring on both first and second rows with factory installed floor mats both first and second rows.

FRONT LICENSE BRACKET: Manufacturer's standard required.

POLICE POWER PIGTAIL: Power pigtail harness required.

WIRING: Pre-wiring for grill lamp, siren and speaker.

CARGO AREA DOME LIGHT: Red/white dome light installed in cargo area.

PRE DRILLED HOLES: Front headlamp assembly – predrilled LED holes

POLICE INTERCEPTOR UPGRADE PACKAGE TO INCLUDE: First and second row carpet floor covering, floor mats front and rear, cloth seats, center floor console less shifter with unique police console finish and 2 cup holders (65U).

COLORS: Standard production solid color exterior and standard interior trim. Colors will be selected after award by the Department.

DEALER'S:

- Dealer's name or emblem are not be placed on the vehicle
- The dealer/ vendor may have the vehicle delivered to the emergency package vendor for convenience. If this is not possible, the dealer will be responsible for transportation of the vehicle from the vendor's establishment to the emergency package vendor's establishment.
- It will be the responsibility of the emergency package vendor to perform the new vehicle cleaning, install emergency equipment and transport the vehicle from the emergency package vendor's location to the delivery destination. The delivery destination will be: *Rhode Island State Police Public Safety Complex, 311 Danielson Pike North Scituate, RI 02857, (401) 444-1048.*

DELIVERY:

- Pre-delivery, prior to delivery, the vehicle shall be serviced and inspected by the emergency package vendor. The vendor shall be responsible for the complete new vehicle delivery inspection. The engine, transmission, differential and cooling system shall be filled to the manufacturer's recommended capacity and the gas tank filled to capacity prior to delivery. The

vehicle will receive a new vehicle cleaning and preparation prior to delivery. All equipment shall be completely installed and adjustments made prior to delivery to make this vehicle available for immediate use. The vehicle shall be free of any defects when delivered.

- A representative from the Rhode Island State Police will inspect the vehicle at delivery for workmanship and appearance before acceptance.
- If any deficiencies are observed and cannot be corrected within two (2) business days, the vehicle will be deleted from the invoice and payment will not be made until corrective action is taken and the vehicle is re-inspected and accepted. It shall be the responsibility of the vendor for the pickup and delivery of the vehicle for re-inspection.

CAMPAIGN INCLUDING ARRA SUPPLEMENTAL TERMS AND CONDITIONS

EVERY PERSON OR BUSINESS ENTITY PROVIDING GOODS OR SERVICES AT A COST OF \$5000 CUMULATED VALUE IS REQUIRED TO FILE AN AFFIDAVIT REGARDING POLITICAL CAMPAIGN CONTRIBUTIONS WITH THE RI STATE BOARD OF ELECTIONS EVEN IF NO REPORTABLE CAMPAIGN CONTRIBUTIONS HAVE BEEN MADE. (RI GENERAL LAW 17-27) FORMS OBTAINED AT BOARD OF ELECTIONS, CAMPAIGN FINANCE DIVISION, 50 BRANCH AVENUE PROVIDENCE 02904 (401-222-2056).

ARRA SUPPLEMENTAL TERMS AND CONDITIONS

For contracts and sub-awards funded in whole or in part by the American Recovery and Reinvestment Act of 2009, Pub.L.No. 111-5 and any amendments thereto, such contracts and sub-awards shall be subject to the Supplemental Terms and Conditions For Contracts and Sub-awards Funded in Whole or in Part by the American Recovery and Reinvestment Act of 2009, Pub.L.No. 111-5 and any amendments thereto located on the Division of Purchases website at www.purchasing.ri.gov."

VENDOR SPEC

ALL VENDORS MUST INCLUDE SPECIFICATIONS WITH BID PROPOSAL (EVEN THOSE BIDDING BRAND SPECIFIED). FAILURE TO SUBMIT SPECIFICATIONS WITH BID PROPOSAL MAY RESULT IN DISQUALIFICATION OF BID. ITEMS IN CATALOGS MUST BE CLEARLY MARKED AND PAGES TABBED.

AUTO

THE FOLLOWING ADDITIONAL TERMS AND CONDITIONS APPLY TO THIS PURCHASE ORDER: 1. ALL VEHICLES MUST BE DELIVERED WITHOUT DEALER'S NAME OR ADVERTISING OF ANY TYPE VISIBLE ON THE BODY. 2. EACH VEHICLE DELIVERED TO THE STATE MUST BE ACCOMPANIED BY A "CERTIFICATE OF ORIGIN" CONTAINING THE MANUFACTURER'S VEHICLE IDENTIFICATION NUMBER (VIN), THE NUMBER OF ENGINE CYLINDERS AND ENGINE TYPE, A GENERAL DESCRIPTION OF THE BODY, AND THE MODEL NAME OR NUMBER. CERTIFICATE OF ORIGIN MUST BE ASSIGNED TO STATE OF RI/FLEET OPERATIONS, ONE CAPITOL HILL, PROVIDENCE, RI 02908 UNLESS THE VEHICLE IS BEING PURCHASED BY THE RHODE ISLAND STATE POLICE. IF SO, CERTIFICATE OF ORIGIN MUST BE ASSIGNED TO RHODE ISLAND STATE POLICE, 311 DANIELSON PIKE, NORTH SCITUATE, RI 02857. 3. THE VENDOR MUST WARRANT FULL AND UNENCUMBERED TITLE TO THE VEHICLE(S) AS OF THE DATE OF DELIVERY TO THE STATE. 4. TITLE CERTIFICATES MUST BE PROVIDED AT THE TIME OF DELIVERY TO THE STATE.