

# Request for Quote

STATE OF RHODE ISLAND AND PROVIDENCE PLANTATIONS  
 ONE CAPITOL HILL  
 PROVIDENCE RI 02908

BUYER: Melillo, Charlotte A  
 PHONE #: 401-574-8110

CREATION DATE: 23-OCT-12  
 BID NUMBER: 7458224  
 TITLE: EQUIPMENT INSTALLATION ON (2) NEW 2012 CHEVY EQUINOX POLICE CRUISERS - CCRI  
 BLANKET START : 15-NOV-12  
 BLANKET END : 15-MAR-13  
 BID CLOSING DATE AND TIME: 16-NOV-2012 10:30:00


B  
I  
L  
L  
L  
T  
O  
 CCRI CONTROLLER'S OFFICE  
 ACCOUNTS PAYABLE  
 400 EAST AVENUE  
 WARWICK, RI 02886  
 US

S  
H  
I  
P  
T  
O  
 CCRI KNIGHT CAMPUS  
 400 EAST AVE  
 WARWICK, RI 02886-1807  
 US

Requisition Number: 1283782

Line	Description	Quantity	Unit	Unit Price	Total
1	11/15/12 - 3/15/13 EQUIPMENT INSTALLATION ON (2) NEW 2012 CHEVY EQUINOX POLICE CRUISERS AT THE LINCOLN CAMPUS OF CCRI PER ATTACHED SPECIFICATIONS BUYER EMAIL: charlotte.melillo@purchasing.ri.gov for questions on this bid. Questions will be entertained until 11/7/12. BIDDERS MUST BE AN AUTHORIZED DISTRIBUTOR INSTALLER FOR THIS EQUIPMENT. BIDDERS WILL SUBMIT MFG SPEC SHEETS WITH BIDS. VEHICLE'S INSTALLATIONS WILL BE INSPECTED FOR WORKMANSHIP AND APPEARANCE. * WHELEN JE4RBRB R/B LIGHTBAR W/TD & AL 44" 44 WHELEN JUSTICE "JE" COMPETITOR SERIES SUPER LED LIGHTBAR W/360 LED COVERAGE AND TD/ALLEY LIGHTS. LIGHTBAR: JERBRB X 1 FILL-IN LED: JDLR X 5 & JDLB X 5, TD/ALLEY: JHTDALLI X 1	2.00	Each		
2	WHELEN TX609C CLEAR HIDE-A-WAY LED	8.00	Each		
3	SA315P 123DB SPEAKER	2.00	Each		
4	SAK9 SPEAKER BRACKET	2.00	Each		
5	PAP112 AIR HORN/PUBLIC ADDRESS 100W	2.00	Each		
6	PAPEXT15 15' MICROPHONE EXTENSION CABLE	2.00	Each		
7	WHELEN DOMINATOR D2RB 2-LIGHT R/B. SEE ATTACHED PRODUCT SPECIFICATIONS	4.00	Each		

It is the Vendor's responsibility to check and download any and all addenda from the RIVIP. This offer may not be considered unless a signed RIVIP generated Bidder Certification Cover Form is attached and the Unit Price column is completed. The signed Certification Cover Form must be attached to the front of the offer



# Request for Quote

STATE OF RHODE ISLAND AND PROVIDENCE PLANTATIONS  
 ONE CAPITOL HILL  
 PROVIDENCE RI 02908

BUYER: Melillo, Charlotte A  
 PHONE #: 401-574-8110

CREATION DATE : 23-OCT-12  
 BID NUMBER: 7458224  
 TITLE: EQUIPMENT INSTALLATION ON (2) NEW 2012 CHEVY EQUINOX POLICE CRUISERS - CCRI  
 BLANKET START : 15-NOV-12  
 BLANKET END : 15-MAR-13  
 BID CLOSING DATE AND TIME: 16-NOV-2012 10:30:00

**B  
I  
L  
L  
T  
O**  
 CCRI CONTROLLER'S OFFICE  
 ACCOUNTS PAYABLE  
 400 EAST AVENUE  
 WARWICK, RI 02886  
 US

**S  
H  
I  
P  
T  
O**  
 CCRI KNIGHT CAMPUS  
 400 EAST AVE  
 WARWICK, RI 02886-1807  
 US

Requisition Number: 1283782

Line	Description	Quantity	Unit	Unit Price	Total
8	PCC6W 6 SWITCH PANEL 25A SWITCHES	2.00	Each		
9	HINT TA-2015 PERIPHERALS LAPTOP STAND. SEE ATTACHED PRODUCT SPECIFICATIONS.	2.00	Each		
10	ALT-LT103 HINT LAPTOP LOCKING TRAY	2.00	Each		
11	RPCIK4 INSTALL KIT	2.00	Each		
12	LABOR 2 STATE RATE (@RPC)	11.00	Hour		

Delivery: \_\_\_\_\_

Terms of Payment: \_\_\_\_\_

It is the Vendor's responsibility to check and download any and all addenda from the RIVIP. This offer may not be considered unless a signed RIVIP generated Bidder Certification Cover Form is attached and the Unit Price column is completed. The signed Certification Cover Form must be attached to the front of the offer

EQUIPMENT INSTALLATION ON (2) NEW 2012 CHEVY EQUINOX POLICE CRUISERS AT THE LINCOLN CAMPUS OF CCRI TO INCLUDE BUT NOT BE LIMITED TO THE ATTACHED PRODUCT SPECIFICATIONS AND AS FOLLOWS:

1. VENDOR MUST PICK-UP VEHICLES AT AND DELIVER BACK TO THE CCRI LINCOLN CAMPUS LOCATED AT 1762 LOUISQUISSET PIKE, LINCOLN, RI 02865. .

2. ALL POWER DISTRIBUTION AND LIGHT HOOK-UPS MUST USE POWER POLE/RIGRUNNER PRODUCTS. .


3. LINE ITEMS 1 ,2, 7, 9, ARE NO SUBSTITUTION

ALL OTHER ITEMS ARE EQUAL TO OR BETTER

# WHELEN<sup>®</sup>

# JUSTICE<sup>®</sup>

Super-LED<sup>®</sup> SERIES  
LIGHTBARS



*WheLEN products are proudly  
manufactured in the USA*



Form# JUST0312


# WHELEN® JUSTICE® SERIES

High performance, cost competitive Super-LED® lightbar with a range of options, designed for ease of operation, upgrade and serviceability. Available in Competitor™ and programmable WeCan® Series, plus NFPA certification.



## ALL JUSTICE SERIES FEATURE:

- Clear outer lens standard with a moisture resistant compression fit gasket. Optional color lenses available.
- Four corner Linear Super-LED modules provide full 360 degree coverage, for SAE J845 Class 1 certification.
- Corners are available with 6 or 9 diode Super-LED modules.
- Optional LIN6™ or CON3™ lighthouse modules. CON3 has removable optic spreading filters for outer sections.
- Center section available with optional single LIN6, CON3 or two LTR3™s (for split color center section).
- Black polycarbonate base on an extruded aluminum platform for added strength.
- Adjustable mount foot allows the lightbar to be mounted parallel to the street surface, no matter the shape of the vehicle roof.
- Standard passenger side cable, driver side optional.
- Service oriented lightbar allows easy access:
  - Upgrade or service lightbar right in the field
  - Remove four screws to access any section of the lightbar
  - Change Colors
  - Lighthouse replacement is as simple as removing one screw and single connector
- Five year HDP® Heavy-Duty Professional warranty on LEDs.
- All Justice models are 12" wide and only 2-1/4" high (without mounting feet) in three standard lengths of: 44", 50-1/8" and 56-1/4", plus a 62" Wrecker Bar.
- Optional LED brake/tail/turn and Traffic Advisors™ with or without control head available.



**JC & JE Competitor Series** with four corner Linear-LED® modules offering front, rear and all-bar operational control of lightbar.

**Justice JC Extended corner module with 9 diodes per module.**

**Justice JE Standard corner module with 6 diodes per module.**

- Standard current switching with Scan-Lock™ flash patterns and pattern override feature.
- Choose from LIN6, LTR3 or CON3 lighthouse modules with removable optic spreading filters, for your inboard lighthoods.
- Optional LR11 Super-LED alley or take-down lights with 15° horizontal adjustment.
- Optional flasher to allow take-down lights to steady burn or flash.
- Competitor Series also offers a 62" wrecker bar with standard rear work and brake/tail/turn lights.
- Optional Traffic Advisor cable for use with CenCom™ Sapphire or CanTrol, or cable with Traffic Advisor control head.



**SCANLOCK**

## WE CAN JV/JY Series Programmable Lightbars

An external interface unit, the WeCan Electronic Control Module (ECM), communicates all lightbar operating functions via a 2-conductor, 20-gauge cable. This small cable provides easier overall wiring and lightbar installation. Up to eighteen different programmed warning configurations can be operated using customer supplied switching to each of eighteen input wires to the ECM (default program pre-installed).

**Justice JV Extended corner module with 9 diodes per module.**


**Justice JY Standard corner module with 6 diodes per module.**

All functions are programmed easily by your computer via simple "pick & click, or drag" screens. Windows® based 2000, XP or later operating system required. USB input to the ECM from PC or laptop makes programming easy. Once the ECM is programmed, selection of these wires will allow:

- Complete independent flash pattern and "On" or "Off" phase control of each individual lighthouse.
- Low current switching with multiple flash patterns.
- Four phases for alternating, simultaneous and combination flash patterns.
- Cruise light control with multiple adjustable intensity levels.
- Independent Hi/Low control is available to any inboard Super-LED warning lighthouse.
- WeCan offers built-in Traffic Advisor with independent (sequential) control of the traffic arrow functions (left, right, split) without a dedicated Traffic Advisor control head.
- **New** Optional WCC9 WeCan 6-button and slide switch control head with 10-dip switch selectable switching configuration.
- Optional 15° horizontal adjustable LR11 Super-LED flashing take-downs and alley lights.
- Choose from LIN6, LTR3 or CON3 lighthouse modules with removable optic spreading filters, for your inboard lighthoods.

Optional WCC9 WeCan Controller


Electronic Control Module



"No one can control your lightbar like"


**WE CAN**

# LIGHTBARS



**Proud to be an American!**  
The Justice lightbar is designed, manufactured and assembled in America.

JUSTICE DIMENSIONS & LIGHTHEAD POSITION DIAGRAM



## NFPA Justice® Super-LED® Series, ZONE "A" UPPER

Same features as Justice Series but NFPA 1901 compliant. Contact us for our "NFPA 1901 Specification Lighting Packages" booklet. This booklet details complete packages and zone packages meeting NFPA 1901 requirements. Each lighting package includes a "Certificate of Compliance with NFPA 1901". Contact the factory for more information.


- JE2NFPA 56"** Four red corner Linear-LEDs, six front CON3s (4 red & 2 white)
- JE0NFPA 62"** Four red corner Linear-LEDs, six front CON3s (4 red & 2 white)

**Mini Justice JY Series**, This is a compact, low-profile design, 22" version of the popular Justice lightbar has 4 corner Linear6™ Super-LEDs. Ideal for applications where full-size lightbars just won't work!

- Four corner modules standard. Options include: four CON3™ Super-LED modules with optical spreaders, LTR3™ Super-LED modules & LR11 take-down/alley lights.
- Magnetic and magnetic/suction mount has ten-foot cord, cigar plug with On/Off switch and LED "On" Indicator plus Scan-Lock™ flash pattern switch.
- Permanent mount models include 15' cable.
- Multiple Scan-Lock flash patterns.
- Weight: 20 lbs.

- MJY\*\*\*\*P 22" Permanent mount**
- MJY\*\*\*\*M 22" Magnetic mount**
- MJY\*\*\*\*V 22" Magnetic/suction mount**

The use of any magnetic or magnetic/suction mounted warning beacon on the outside of a moving vehicle is not recommended and is at the sole risk of the user.



Model MJYBRRM shown with four optional CON3 Super-LED modules.  
Ten foot straight cord with cigar plug with switches for On/Off function and Scan-Lock flash pattern control.

WeCan Models	Compatible Models	NFPA	Mini Justice	Voltage	Amp Draw (base model)	Number of Type/Corner Modules	Super-LEDs per Corner Module	Maximum Number of Additional Modules	Mounts	Dimensions in inches (mm/cm) 2-1/4" (57) Height x 12" (305) Depth x L (below) Note: 4" (101) H with lens
JV4 / JY4	-	-	-	12.8	3.2 @ 13.6	4 Linear-LED®	9 on JV Series	18	Requires Optional Mounting Kits	44 (112cm)
JV8 / JY8	-	-	-				6 on JY Series	22		50-1/8 (127cm)
JV2 / JY2	-	-	-				9 on JC Series	18		56-1/4 (143cm)
-	JC4 / JE4	-	-				6 on JE Series	22		44 (112cm)
-	JC8 / JE8	-	-				9 on corners / 3 on Inboards (6 each standard)	10		50-1/8 (127cm)
-	JC2 / JE2	-	-				6	12		56-1/4 (143cm)
-	-	JE2NFPA	-				6	4		56-1/4 (143cm)
-	-	JE0NFPA	-				6	4		62 (156cm)
-	-	-	MJY****P				22 (56cm)			
-	-	-	MJY****M							
-	-	-	MJY****V							

\* Replace symbol (\*) in color code on all models with lens or LED color desired: A=Amber; B=Blue; C=Clear; G=Green; R=Red

# JUSTICE® LIGHTBAR OPTIONS


All the options you need to customize your lightbar. With Justice's modular design, you can add options now, and more at a later date.

JUSTICE Super-LED® LIGHTBARS OPTIONS	Justice Option Model	WeCan® JV & JY Series			Competitor™ JE & JC Series			NFAA		Mini Justice MJY Series							
		JV4***	JV6***	JV2***	JY4***	JY8***	JY2***	JE4***	JE8***	JE2***	JC4***	JC8***	JC2***	JE2NFAA	JE0NFAA	MJY1	MJY2
One CON3™	JDC*	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	-	✓	✓	✓
One LTR3™ for use in center section, with take-down lights only	JDH*	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	-	✓	✓	✓
One LIN6™	JDL*	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	-	✓	✓	✓
Four LR11 Super-LEDs, two steady-burn take-downs and two steady-burn alley lights, for permanent models only*	MJTDALL1	-	-	-	-	-	-	-	-	-	-	-	-	-	✓	✓	✓
Two LR11 Super-LED flashing take-down lights*	JTLS1	✓	✓	✓	✓	✓	-	-	-	-	-	-	-	-	✓	✓	✓
Two LR11 Super-LED flashing alley lights*	JALF1	✓	✓	✓	✓	✓	-	-	-	-	-	-	-	-	✓	✓	✓
Two red, blue and/or amber flashing LR11 Super-LED in alley light positions*	JDLF**	✓	✓	✓	✓	✓	-	-	-	-	-	-	-	-	✓	✓	✓
One LR11 Super-LED flashing take-down lights, for single center section*	JCTLS1	-	✓	-	-	✓	-	-	-	-	-	-	-	-	✓	✓	✓
Two LR11 Super-LED flashing take-down lights, for two center sections*	JCTLS12	-	✓	-	-	✓	-	-	-	-	-	-	-	-	✓	✓	✓
One Dual LR11 Super-LED Flashing Take-Down Lights, for Single Center Section*	JCTLS1D	-	✓	-	-	✓	-	-	-	-	-	-	-	-	✓	✓	✓
Two super high intensity LED take-down lights	JTDLED2	✓	✓	✓	✓	✓	-	-	-	-	-	-	-	-	✓	✓	✓
Two super high intensity LED work lights	JWLED2	✓	✓	✓	✓	✓	-	-	-	-	-	-	-	-	✓	✓	✓
Two Super-LED external alley lights, for standard end section	JXALF1L	✓	✓	✓	✓	✓	-	-	-	-	-	-	-	-	✓	✓	✓
Two colored Super-LED modules in external alley light positions, for standard end section	JXALF**L	✓	✓	✓	✓	✓	-	-	-	-	-	-	-	-	✓	✓	✓
Two LED brake/turn/taillights	JBTTLED	✓	✓	✓	✓	✓	-	-	✓	-	✓	-	-	-	✓	✓	✓
Two wire control Traffic Advisor™, standard feature if appropriate number of lighthead are purchased	JTA2W	✓	✓	✓	✓	✓	-	-	-	-	-	-	-	-	✓	✓	✓
Delete WeCan Control Point	DELWCCP	✓	✓	✓	✓	✓	-	-	-	-	-	-	-	-	✓	✓	✓
Custom Length, 62.375"	JLLTH62	-	-	✓	-	✓	-	-	✓	-	-	-	-	-	✓	✓	✓
Substitute WCC9 WeCan Controller for WeCan Electronic Control Point module, when purchased with Liberty SW WeCan Lightbars only	WCC9SUB	✓	✓	✓	✓	✓	-	-	-	-	-	-	-	-	✓	✓	✓
Two LR11 Super-LED steady-burn alley lights*	JHALF1	-	-	-	-	-	✓	✓	✓	✓	✓	✓	-	-	✓	✓	✓
Two LR11 Super-LED steady-burn take-down lights*	JHTLS2	-	-	-	-	-	✓	✓	✓	✓	✓	✓	-	-	✓	✓	✓
Two LR11 Super-LED center mount steady-burn take-down lights*	JHCTLS1	-	-	-	-	-	✓	✓	-	✓	✓	-	-	-	✓	✓	✓
One Dual LR11 Super-LED Take-Down Light, for Single Center Section*	JHCTLS1D	-	-	-	-	-	✓	✓	-	✓	✓	-	-	-	✓	✓	✓
Four LR11 Super-LED, two steady-burn take-downs and two steady-burn alley lights*	JHTDALL1	-	-	-	-	-	✓	✓	✓	✓	✓	✓	-	-	✓	✓	✓
Four LR11 Super-LED, two center mounted steady-burn take-downs and two steady-burn alley lights*	JHCTAL1	-	-	-	-	-	✓	✓	✓	✓	✓	✓	-	-	✓	✓	✓
Four LR11 Super-LED, one dual LR11 center-mounted steady-burn take-down light, for single center section and two steady-burn alley lights*	JHCTAL1D	-	-	-	-	-	✓	✓	-	✓	✓	-	-	-	✓	✓	✓
Flasher for flashing take-down or flashing work lights, please specify	JHFLASH	-	-	-	-	-	✓	✓	✓	✓	✓	✓	-	-	✓	✓	✓
Two LED brake/turn/taillights	JHBTTLED	-	-	-	-	-	✓	✓	✓	✓	✓	✓	-	-	✓	✓	✓
Traffic Advisor, with internal/external harness, for use with TACTALD1. With lightbar purchase and used with CON3 center module only (lighthead purchased separately)	JTACNTL	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	-	✓	✓	✓
Traffic Advisor with internal/external harness, for use with CCSRNATA3. With lightbar purchase and used with CON3 center module only (lighthead purchased separately)	JTACBL	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	-	✓	✓	✓
Driver side cable exit, in place of passenger side	JDSCBL	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	-	✓	✓	✓
18 lightbars bulk package (instead of standard individually boxed lightbars)	JBULK18	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	-	✓	✓	✓

LEGEND: ✓ = Available

\* Replace symbol (\*) in color code on all models with lens color desired: A=amber; B=blue; C=clear; G=green; R=red

† LR11 with 15° horizontal adjustment



# WHELEN®

ENGINEERING COMPANY, INC.




51 Winthrop Road, Chester, CT 06412-0684

860-526-9504 • Fax 860-526-4078

www.whelen.com



Whelen products are proudly manufactured in the U.S.A.



Whelen Engineering Company, Inc. and may be used only as set forth in the Guidelines for Use of Whelen Trademarks available at www.whelen.com. Unauthorized use of Whelen Trademarks for commercial purposes may constitute trademark infringement and unfair competition in violation of federal and state laws.

Whelen Engineering reserves the right to upgrade and improve products without prior notice.

NASCAR® is a registered trademark of the National Association for Stock Car Auto Racing, Inc.

© 2012 Whelen Engineering Company, Inc. Printed In U.S.A. Code 12224B 032712

Follow us on

# Dominator™ & Dominator Plus™ Series


TIR3™ AND LINZ6™ Super-LED® TRAFFIC ADVISOR™ AND WARNING MODULES



Dominator D2RC



Dominator Plus DP4AAA




Dominator Plus DP633000



Dominator D800800 / TAD8

*Small size and fully waterproof design make the "Dominator Series" the versatile answer to all your secondary warning and signalling needs. Choose Dominator or Dominator Plus with twice the warning light power.*

Available as a six or eight light array Traffic Advisor, or in two, four, six or eight light array flashing model. Compact enough for special use vehicles, motorcycles, quads and marine applications. This small but powerful light array is the solution to your unique warning light requirements.



Available in 4 safety colors

Form# DOMP0909

## FEATURES

- Bright TIR3 (3-diode) or super bright LINZ6 (6-diode) Super-LED modules.
- Low profile aluminum extrusion.
- Internal self-contained electronics.
- Fully encapsulated, fully waterproof.
- Internal Molex® waterproof connectors.
- Multiple Scan-Lock™ flash patterns.
- Small diameter 4 or 6 conductor, #20 AWG wires.
- 12 VDC.
- Slide bolt mount, standard.

## FLASHING MODELS


- Two, four, six and eight light flashing arrays.
- Seven flash patterns and a steady-on mode.
- Pairs may be synchronized to each other or to other Whelen synchronizing products.

## DIMENSIONS

- Height 1-1/2" (63.5mm) x Width 2-5/16" (58.7mm). Length determined by model selected.

## TRAFFIC ADVISOR MODELS

- Six or eight lamp light array.
- Six lamp light array with two end flashing lamps.
- Four directional sequences and seven Scan-Lock flash patterns.
- Low power (intensity) mode.
- Requires customer supplied switches or Whelen's optional control head (with blanks for optional switches available for other warning light requirements).



Slide Bolt mounting



Whelen products are proudly made in the U.S.A.

# WHELEN®

Engineers for the Emergency Warning Industry

TIR3™ & LINZ6™ Super-LED® - Dominator™ & Dominator Plus™ Series

# DOMINATOR™ & DOMINATOR PLUS™ SERIES SPECIFICATIONS

## FLASHER MODELS

- Waterproof design
- Low profile aluminum extrusion
- Self-contained electronics
- TIR3™ or LINZ6™ Super-LED® lamp modules
- 2, 4, 6 and 8 lamp array models
- Four safety colors
- Scan-Lock™ flash patterns
- Synchronizable
- Thin 4-conductor #20 AWG 12' cable
- 12 VDC, Ground, Sync

## FLASH PATTERNS

- 2, 4, 6, & 8 LAMP UNITS**
- SignalAlert™ 75 ■ CometFlash® 75 ■ SingleFlash 75;
  - SingleFlash 150 ■ SingleFlash 375 ■ ActionFlash™
  - ActionScan™

## MODELS

### DOMINATOR

- D2\*\*** ..... Two TIR3™ modules, 7-1/16" (179mm) L.  
**D4\*\*\*\*** ..... Four TIR3 modules, 14-3/16" (360mm) L.  
**D6\*\*\*\*\*** ..... Six TIR3 modules, 23-1/4" (584mm) L.  
**D8§§§§0**.... Eight TIR3 modules, 30-3/8" (764mm) L.

### DOMINATOR PLUS

- DP2\*\*** ..... Two LINZ6™ modules, 7-1/16" (179mm) L.  
**DP4\*\*\*\*** ..... Four LINZ6 modules, 14-3/16" (360mm) L.  
**DP6§§§§0**.. Six LINZ6 modules, 23-1/4" (584mm) L.  
**DP8§§§§0**.. Eight LINZ6 modules, 30-3/8" (764mm) L.

\* Replace symbol \* in model number with letter indicating lens color desired:  
 A=Amber; B=Blue; C=White; R=Red


§ Replace § symbol with number of color lightheads required.  
 Order of colors are red, blue, amber and white.

## MOUNTING OPTIONS *(customer installed)*


- DBKT1**..... Suction cup mount bracket and cigar plug cord kit for D2 and DP2  
**DBKT3**..... Swivel mount bracket kit for D2/DP2 and D4/DP4s  
**DBKT4**..... "L" angle mounting bracket kit (2 brackets) customer installed  
**DBKT5**..... Upper rear window mounting bracket kit for 2008-2009 Chevy Tahoe



DBKT1



DBKT3



DBKT4

## TRAFFIC ADVISOR™ MODELS

- Waterproof design
- Low profile aluminum extrusion
- Self-contained electronics
- TIR3™ or LINZ6™ Super-LED lamp array modules
- 6 and 8 lamp array models
- Scan-Lock™ flash patterns
- Low power control
- Thin 6-conductor #20 AWG 15' cable
- Requires customer supplied switches or TADCTL1 optional control head (with blanks for optional switches)

## PATTERNS

- Flash\* ■ Left TA ■ Right TA ■ Split TA
- \* TA Flash mode uses same Scan-Lock flash patterns as flashing models
- Sequence**
- Sequence On Solid ■ Sequence On/Sequence Off
  - One Lamp Triple Flash ■ Two Lamp Triple Flash

## MODELS

### DOMINATOR

- TAD6** .....Six amber TIR3™ modules, 23-1/4" (584mm) L.  
**TAD8** .....Eight amber TIR3 modules, 30-3/8" (764mm) L.  
**TAD8\*\***....Six amber TIR3 modules with two end flashing modules, 30-3/8" (764mm) L.


### DOMINATOR PLUS

- TADP6**....Six amber LINZ6™ modules, 23-1/4" (584mm) L.  
**TADP8**....Eight amber LINZ6 modules, 30-3/8" (764mm) L.  
**TADP8\*\***..Six amber LINZ6 modules with two end flashing modules, 30-3/8" (764mm) L.

\* Replace symbol \* in model number with letter indicating lens color desired:  
 A=Amber; B=Blue; R=Red

## OPTIONS

- TADCTL1** .. Control head only.  
**TADSW1**.... On/Off  
**TADSW2**.... On/Off/On  
**TADSW3**.... Momentary  
 (TAD Non-lighted SPDT 20 amp switches, may be used individually or with 3 slots on TADCTL1)  
**DBKT4**: ..... "L" angle mounting bracket kit (2 brackets), customer installed  
**DBKT5**: ..... Upper rear window mounting bracket kit for 2008-2009 Chevy Tahoe



DBKT5



TADCTL1



TADSW1



TADSW2



TADSW3

**WHELEN**®  
 ENGINEERING COMPANY, INC.

51 Winthrop Road  
 Chester, Connecticut 06412-0684  
 (860) 526-9504 • Fax: (860) 526-4078  
 www.whelen.com




Whelen Engineering reserves the right to upgrade and improve products without notice.

© 2009 Whelen Engineering Company, Inc. Printed in U.S.A.  
 NASCAR® is a registered trademark of the National Association for Stock Car Auto Racing, Inc.  
 Code No. 11558E-0909

## **HINT**

### **PART# TA-2015**

**Twin Arm System with Telescopic Post, G.R.I.P. Tilt/Swivel and Universal Base**



**Triple swivel**

**Only 3 knobs control the entire mount**

- 1 knob controls tilt and swivel below laptop tray
- 1 knob controls 2 pivoting axes
- 1 knob controls telescopic height adjustment

**U-Joint with "G.R.I.P. Power"™  
90° Tilt and 360° swivel**

**Main Arm with "G.R.I.P. Power"™  
2.75" W x 1" H x 11" L**

**Telescopic Main Post with Spring Load 1.25" x 1.25" x 8"**

**Swivel base**

**Adjustable Supports**

**All steel construction**

## REQUEST FOR QUOTE # 7458224

**BIDDING** (a) A single price shall be quoted for each item against which a proposal is submitted. This price will be the maximum in effect during the agreement period. Any price decline at the manufacturer's level shall be reflected in a reduction of the agreement price to the State. (b) Quantities, if any, are estimated only. The agreement shall cover the actual quantities ordered during the period. Deliveries will be billed at the single, firm, awarded unit price quoted regardless of the quantities ordered. (c) Bid price is net F.O.B. destination and shall include inside delivery at no extra cost. (d) Bids for single items and/or a small percentage of total items listed, may, at the State's sole option, be rejected as being non-responsive to the intent of this request. **ORDERING** (a) The User Agency(s) will submit individual orders for the various items and various quantities as may be required during the agreement period. (b) Exception - Regardless of any agreement resulting from this bid, the State reserves the right to solicit prices separately for any extra large requirements for delivery to specific destinations.

### **INSURANCE**

AN INSURANCE CERTIFICATE IN COMPLIANCE WITH PROVISIONS OF ITEM 31 (INSURANCE) OF THE GENERAL CONDITIONS OF PURCHASE IS REQUIRED FOR COMPREHENSIVE GENERAL LIABILITY, AUTOMOBILE LIABILITY, AND WORKERS' COMPENSATION AND MUST BE SUBMITTED BY THE SUCCESSFUL BIDDER(S) TO THE DIVISION OF PURCHASES PRIOR TO AWARD. THE INSURANCE CERTIFICATE MUST NAME THE STATE OF RHODE ISLAND AS CERTIFICATE HOLDER AND AS AN ADDITIONAL INSURED. FAILURE TO COMPLY WITH THESE PROVISIONS MAY RESULT IN REJECTION OF THE OFFEROR'S BID. ANNUAL RENEWAL CERTIFICATES MUST BE SUBMITTED TO THE AGENCY IDENTIFIED ON THE PURCHASE ORDER. FAILURE TO DO SO MAY BE GROUNDS FOR CANCELLATION OF CONTRACT.

### **LICENSE**

VENDOR (OWNER OF COMPANY) IS RESPONSIBLE TO COMPLY WITH ALL LICENSING OR STATE PERMITS REQUIRED FOR THIS TYPE OF SERVICE. A COPY OF LICENSE/PERMIT SHOULD BE SUBMITTED WITH THIS BID. IN ADDITION TO THESE LICENSE REQUIREMENTS, BIDDER, BY SUBMISSION OF THIS BID, CERTIFIES THAT ANY/ALL WORK RELATED TO THIS BID, AND ANY SUBSEQUENT AWARD WHICH REQUIRES A RHODE ISLAND LICENSE(S), SHALL BE PERFORMED BY AN INDIVIDUAL(S) HOLDING A VALID RHODE ISLAND LICENSE.

## **RIVIP**

IT IS THE VENDOR'S RESPONSIBILITY TO CHECK AND DOWNLOAD ANY AND ALL ADDENDA FROM RIVIP. THIS OFFER MAY NOT BE CONSIDERED UNLESS A SIGNED RIVIP GENERATED BIDDER CERTIFICATION COVER FORM IS ATTACHED AND THE UNIT PRICE COLUMN IS COMPLETE. THE SIGNED CERTIFICATION COVER FORM MUST BE ATTACHED TO THE FRONT OF THE OFFER. WHEN DELIVERING OFFERS IN PERSON TO ONE CAPITOL HILL, VENDORS ARE ADVISED TO ALLOW AT LEAST ONE HOUR ADDITIONAL TIME FOR CLEARANCE THROUGH SECURITY CHECKPOINTS.

THIS OFFER MAY NOT BE CONSIDERED UNLESS BIDDER CERTIFICATION COVER FORM IS ATTACHED AND THE UNIT PRICE COLUMN IS COMPLETED. THE SIGNED CERTIFICATION COVER FORM MUST BE ATTACHED TO THE FRONT OF THE OFFER. WHEN DELIVERED OFFERS ON PERSON TO ONE CAPITOL HILL, VENDORS ARE ADVISED TO ALLOW AT LEAST ONE HOUR ADDITIONAL TIME FOR CLEARANCE THROUGH SECURITY CHECKPOINTS.

## **VENDOR SPEC**

**ALL VENDORS MUST INCLUDE SPECIFICATIONS WITH BID PROPOSAL (EVEN THOSE BIDDING BRAND SPECIFIED). FAILURE TO SUBMIT SPECIFICAATIONS WITH BID PROPOSAL MAY RESULT IN DISQUALIFICATION OF BID. ITEMS IN CATALOGS MUST BE CLEARLY MARKED AND PAGES TABBED.**

**IF SAMPLES ARE REQUESTED, THEY MUST BE PROVIDEDN WITHIN TEN (10) WORKING DAYS OF REQUEST DATE. FAILURE TO DO SO MAY RESULT IN DISQUALIFICATION OF BID.**

## **DELIVERY**

DELIVERY OF GOODS OR SERVICES AS REQUESTED BY AGENCY.