

# Request for Quote



STATE OF RHODE ISLAND AND PROVIDENCE PLANTATIONS  
 ONE CAPITOL HILL  
 PROVIDENCE RI 02908

**CREATION DATE :** 16-NOV-12  
**BID NUMBER:** 7458289  
**TITLE:** STATE POLICE VEHICLES (CHEVROLET) - MPA 470  
**BLANKET START :** 01-JAN-13  
**BLANKET END :** 30-SEP-13  
**BID CLOSING DATE AND TIME:** 20-DEC-2012 11:00:00

**BUYER:** Hill, Lisa  
**PHONE #:** 401-574-8118

**B  
I  
L  
L  
T  
O** MASTER PRICE AGREEMENT  
 SEE BELOW  
 RELEASE AGAINST, RI MPA  
 US

**S  
H  
I  
P  
T  
O** MASTER PRICE AGREEMENT  
 SEE BELOW  
 RELEASE AGAINST, RI MPA  
 US

**Requisition Number:**  
 Note to Bidders: THIS AGREEMENT WILL REMAIN IN EFFECT UNTIL SUCH TIME AS THE MANUFACTURER DETERMINES THAT ORDERS WILL NO LONGER BE ACCEPTABLE FOR THE MODEL YEAR.

Line	Description	Quantity	Unit	Unit Price	Total
1	MPA 470- 2013 CHEVROLET TAHOE PPV, PER ATTACHED SPECIFICATIONS	20.00	Each		
2	MPA 470- 2013 CHEVROLET CAPRICE PPV, PER ATTACHED SPECIFICATIONS	20.00	Each		
3	MPA 470- 2013 CHEVROLET TAHOE SSV, PER ATTACHED SPECIFICATIONS	20.00	Each		

Delivery: \_\_\_\_\_

Terms of Payment: \_\_\_\_\_

It is the Vendor's responsibility to check and download any and all addenda from the RIVIP. This offer may not be considered unless a signed RIVIP generated Bidder Certification Cover Form is attached and the Unit Price column is completed. The signed Certification Cover Form must be attached to the front of the offer

STATE OF RHODE ISLAND  
DIVISION OF PURCHASES  
BID 7458289

A copy of the bid specifications must be returned with the bid and must indicate compliance or exception to each aspect of the specification. All exceptions must be specifically identified. The specification must have the corresponding bid item number identified.

Bidder must be an authorized manufacturer's representative/dealer.

Bidder must submit a detailed specification of the model offered including vehicle confirmation.

**DELIVERY INFORMATION:**

SUCCESSFUL VENDOR(S) MUST CONTACT LT. MICHAEL GILL NDES AT THE RHODE ISLAND STATE POLICE, (401-444-1048) AT LEAST (2) TWO DAYS PRIOR TO DELIVERY


**THE FOLLOWING ADDITIONAL TERMS AND CONDITIONS APPLY TO THIS INVITATION TO BID:**

1. All vehicles must be delivered without dealer's name or advertising of any type visible on the body.
2. Each vehicles delivered to the State must be accompanied by a "Certificate of Origin" with owner listed as: STATE OF RI/FLEET OPERATIONS, ONE CAPITOL HILL, PROVIDENCE, RI 02908, CONTAINING THE MANUFACTURER'S VEHICLE IDENTIFICATION NUMBER (VIN), THE NUMBER OF ENGINE CYLINDERS AND ENGINE TYPE, A GENERAL DESCRIPTION OF THE BODY GVW #, AND THE MODEL NAME/NUMBER. ODOMETER DISCLOSURE MUST BE COMPLETED ON THE VENDOR'S SIDE OF "CERTIFICATE OF ORIGIN".
3. Bids must be predicated on the basis of the bidder's full and unencumbered title to the vehicle(s) as of the date of delivery to the State. Bids subject to lien or assignment at the time of delivery to the State, or which stipulate third party or joint payment, will be rejected.
4. Title certificates must be provided at the time of delivery to the State.
5. The successful vendor(s) will be required to provide the following:

STATE OF RHODE ISLAND  
DIVISION OF PURCHASES  
BID 7458289

- A. A completed application for registration and Title Certificate (TR-1) **with the exception of Sections G and H.** Owner to be listed as: State of RI/Fleet Operations, One Capitol Hill, Providence, RI 02908.
  - B. A completed Sales or Use Tax Exemption Certification - Motor Vehicles. Purchaser to be listed as: State of RI/Fleet Operations, One Capitol Hill, Providence, RI 02908.
6. To insure timely deliveries, vendor is required to supply confirmation of order to Connie Resendes, State Fleet Operations, 1 Capitol Hill, Providence, RI 02908 AND Lt. Michael Gill at 401-444-1048 indicating anticipated delivery date. This must be received within 30 days of award.
7. A copy of specification, labeled by bid item number, must be submitted with each offer. Failure to provide specifications as required may result in disqualification.

END



STATE OF RHODE ISLAND DIVISION OF PURCHASES  
MPA 470 POLICE VEHICLES (CHEVROLET)

2013 CHEVROLET TAHOE PPV SPECIFICATIONS

<b>ENGINE:</b> 5.3 liter V8 gasoline engine with heavy-duty cooling system and engine oil cooler.
<b>REAR WHEEL DRIVE</b>
<b>TRANSMISSION:</b> Six speed automatic, heavy duty for police operation. Column mounted gear shift lever and auxiliary oil cooler.
<b>REAR AXLE RATIO:</b> 3.08 to 1.
<b>G.V.W.R.:</b> 6,700 lbs.
<b>STEERING:</b> Heavy duty power rack and pinion with auxiliary oil cooler.
<b>TILT STEERING WHEEL:</b> Manufacturer's standard required.
<b>BRAKES:</b> Heavy duty fade resistant four wheel anti-lock disc brakes with power booster.
<b>SUSPENSION SYSTEM:</b> Heavy-duty front and rear suspension equipped with heavy-duty front and rear stabilizer bars.
<b>TIRES:</b> Five (5), P265/60R17 BSW "V" speed rated (includes spare).
<b>WHEELS:</b> Five (5), 17" x 7.5" heavy duty steel wheels (includes spare).
<b>WHEEL COVERS:</b> Metal bolt-on chrome center caps.
<b>ALTERNATOR:</b> 160 ampere
<b>BATTERY:</b> Heavy duty 730 c.c.a.
<b>SPEEDOMETER:</b> Police type, 0-140 MPH, certified.
<b>AIR BAGS:</b> Driver and passenger front air bags, driver and passenger side curtain air bags,

driver and front passenger seat mounted thorax air bags, minimum.
<b>RADIO:</b> AM/FM stereo, minimum.
<b>RADIO NOISE SUPPRESSION:</b> Vehicle shall be equipped with optional AM and police radio noise suppression package. The vehicle shall not interfere with signals received or transmitted by the mobile police radio system and the vehicle shall not be affected by the operation of a police mobile transmitter. If the vehicle manufacturer has determined that optional police radio noise suppression is not necessary, this must be indicated on your bid.
<b>POWER WINDOWS AND DOOR LOCKS:</b> Manufacturer's standard required. Rear power windows must be inoperable from rear seat. System must include a rear window lockout switch controllable from the driver's position.
<b>DOOR LOCKS AND HANDLES:</b> Rear inside door locks and handles must be inoperable.
<b>KEY LOCK CYLINDERS:</b> Driver front door and lift gate lock cylinder required.
<b>SINGLE KEY LOCKING SYSTEM:</b> Single key system for each vehicle with three(3) keyless entry key fobs. Each vehicle keyed differently
<b>CRUISE CONTROL:</b> Factory installed required.
<b>AIR CONDITIONING:</b> Factory installed manual temperature controlled front and rear air conditioning with integral heater and defroster.
<b>ELECTRIC REAR WINDOW DEFROSTER:</b> Manufacturer's standard required.
<b>FRONT SEATS:</b> Heavy duty high back bucket seats, reinforced for increased support and covered with heavy duty cloth fabric. No center console. Power driver and front passenger seats.
<b>REAR SEAT:</b> Heavy duty vinyl bench seat.
<b>FLOOR COVERING:</b> Full heavy duty rubber flooring.
<b>MOLDINGS:</b> Protective body side moldings required. All moldings shall be factory installed.
<b>GLASS:</b> Deep tinted, all windows except windshield and front door windows which shall be a light tinted glass.
<b>MIRRORS:</b> Outside heated and power adjustable required.
<b>FRONT LICENSE BRACKET:</b> Manufacturer's standard required.
<b>SPOTLIGHT PROVISION/SPOTLIGHT, LEFT HAND:</b> Left (driver side) factory spotlight provision with 6" halogen spotlight installed.
<b>AUXILIARY DOME LAMP:</b> Factory installed overhead high intensity auxiliary dome lamp with white/red light(s).
<b>WIRING:</b> Optional horn/siren wiring circuit for connection of agency furnished switch, required.


**COLORS:** Standard production solid color exterior and standard interior trim. Colors will be selected by the Department after the award.

**DEALER'S:**

- Dealer's name or emblem are not be placed on the vehicle
- The dealer/ vendor may have the vehicle delivered to the emergency package vendor for convenience. If this is not possible, the dealer will be responsible for transportation of the vehicle from the vendor's establishment to the emergency package vendor's establishment.
- It will be the responsibility of the emergency package vendor to perform the new vehicle cleaning, install emergency equipment and transport the vehicle from the emergency package vendor's location to the delivery destination. The delivery destination will be: *Rhode Island State Police Public Safety Complex, 311 Danielson Pike North Scituate, RI 02857, (401) 444-1048.*
- Bidders must be an authorized manufacturer's representative.

**DELIVERY:**

- Pre-delivery, prior to delivery, the vehicle shall be serviced and inspected by the emergency package vendor. The vendor shall be responsible for the complete new vehicle delivery inspection. The engine, transmission, differential and cooling system shall be filled to the manufacturer's recommended capacity and the gas tank filled to capacity prior to delivery. The vehicle will receive a new vehicle cleaning and preparation prior to delivery. All equipment shall be completely installed and adjustments made prior to delivery to make this vehicle available for immediate use. The vehicle shall be free of any defects when delivered.
- A representative from the Rhode Island State Police will inspect the vehicle at delivery for workmanship and appearance before acceptance.
- If any deficiencies are observed and cannot be corrected within two (2) business days, the vehicle will be deleted from the invoice and payment will not be made until corrective action is taken and the vehicle is re-inspected and accepted. It shall be the responsibility of the vendor for the pickup and delivery of the vehicle for re-inspection.
- Vehicles will not be accepted with more than 125 miles on the odometer. If the bidder is located beyond a 125 mile radius of the Rhode Island State Police Headquarters in Scituate, RI, an alternate delivery method must be submitted and approved by the Division of Purchases.



STATE OF RHODE ISLAND  
DIVISION OF PURCHASES

MPA 470 POLICE VEHICLES (CHEVROLET)

2013 CHEVROLET CAPRICE PPV (9C1)

**ENGINE:** 6.0 liter V8 gasoline engine with heavy-duty cooling system and auxiliary engine oil cooler.

**REAR WHEEL DRIVE**

**TRANSMISSION:** Six speed, automatic, heavy duty for police operation. Floor mounted shift lever without console.

**REAR AXLE RATIO:** 2.92 to 1, limited slip.

**STEERING:** Heavy duty power rack and pinion with auxiliary oil cooler.

**BRAKES:** Heavy duty fade resistant four wheel anti-lock disc brakes with power booster.

**SUSPENSION SYSTEM:** Heavy-duty 4 wheel independent front and rear suspension equipped with heavy-duty front and rear stabilizer bars.

**STEERING WHEEL:** Tilt and telescoping steering wheel.

**TIRES:** Five (5), Goodyear P235/50R18 BSW "W" speed rated (includes full size spare).

**WHEELS:** Five (5), 18" x 8" heavy duty steel wheels (includes full size spare).

**WHEEL COVERS:** Full wheel covers required.

**ALTERNATOR:** 170 ampere

**BATTERY:** Heavy duty 700 c.c.a.

**BATTERY, AUXILIARY EQUIPMENT:** Auxiliary battery required, 600 c.c.a., located in trunk. Must include isolator to prevent main battery rundown.

**CRUISE CONTROL:** Factory installed required.

**AIR CONDITIONING:** Factory installed air conditioning with integral heater and defroster.

**ELECTRIC REAR WINDOW DEFROSTER:** Manufacturer's standard required.

**SPEEDOMETER:** Police type, 0-160 MPH, certified for accuracy.

**SPEED LIMITER:** 130 MPH top speed(SGT)

**FLEET KEY:** Entire fleet coded alike(6E3), Single key system for ignition, door and deck lid with two (2) keyless entry key fobs.

**RADIO:** AM/FM stereo, minimum.

**RADIO NOISE SUPPRESSION:** Vehicle shall be equipped with optional AM and police radio noise suppression package. The vehicle shall not interfere with signals received or transmitted by the mobile police radio system and the vehicle shall not be affected by the operation of a police mobile transmitter. If the vehicle manufacturer has determined that optional police radio noise suppression is not necessary, this must be indicated on your bid.

**POWER WINDOWS AND DOOR LOCKS:** Manufacturer's standard required. Rear power windows must be inoperable from rear seat. System must include a rear window lockout switch controllable from the driver's position.

**KEY LOCK CYLINDERS:** Deck lid key lock cylinder required. Driver side front door lock cylinder required.

**AUTOMATIC DECK LID RELEASE:** Electric to unlock the deck lid from the driver's position inside the vehicle, ignition powered.

**OUTSIDE REAR VIEW MIRRORS:** Power, heated required.

**FRONT SEATS:** Heavy duty bucket seats, reinforced for increased support and covered with heavy duty cloth fabric. No center console. Power adjusting driver seat with manual fore-aft movement required.

**REAR SEAT:** Heavy duty vinyl rear bench seat.

**AIR BAGS:** Dual-stage frontal, thorax side-impact and knee, driver and front passenger, and head curtain side-impact, head curtain side-impact, front and rear outboard seating positions (AYG).

**FLOOR COVERING:** Full heavy duty rubber floor covering

**FRONT LICENSE BRACKET:** Manufacturer's standard required.

**SPOTLIGHT PROVISION/SPOTLIGHT, LEFT HAND:** Left (driver side) factory spotlight provision with 6" halogen spotlight installed.

**AUXILIARY DOME LAMP:** Factory installed overhead high intensity white/red auxiliary dome lamp, wired and switched independently from standard dome lamp.

**COURTESY LAMP DISABLE:** Dome and courtesy lamps will not operate when doors are opened. Lamps controlled by IP switch only.

**WIRING:** Optional grill lamp and siren speaker wiring provision required.


**COLORS:** Standard manufacturer colors will be selected upon bid award.

**DEALER'S:**

- Dealer's name or emblem are not be placed on the vehicle
- The dealer/ vendor may have the vehicle delivered to the emergency package vendor for convenience. If this is not possible, the dealer will be responsible for transportation of the vehicle from the vendor's establishment to the emergency package vendor's establishment.
- It will be the responsibility of the emergency package vendor to perform the new vehicle cleaning, install emergency equipment and transport the vehicle from the emergency package vendor's location to the delivery destination. The delivery destination will be: *Rhode Island State Police Public Safety Complex, 311 Danielson Pike North Scituate, RI 02857, (401) 444-1048.*

**DELIVERY:**

- Pre-delivery, prior to delivery, the vehicle shall be serviced and inspected by the emergency package vendor. The vendor shall be responsible for the complete new vehicle delivery inspection. The engine, transmission, differential and cooling system shall be filled to the manufacturer's recommended capacity and the gas tank filled to capacity prior to delivery. The vehicle will receive a new vehicle cleaning and preparation prior to delivery. All equipment shall be completely installed and adjustments made prior to delivery to make this vehicle available for immediate use. The vehicle shall be free of any defects when delivered.
- A representative from the Rhode Island State Police will inspect the vehicle at delivery for workmanship and appearance before acceptance.
- If any deficiencies are observed and cannot be corrected within two (2) business days, the vehicle will be deleted from the invoice and payment will not be made until corrective action is taken and the vehicle is re-inspected and accepted. It shall be the responsibility of the vendor for the pickup and delivery of the vehicle for re-inspection.
- Vehicles will not be accepted with more than 125 miles on the odometer. If the bidder is located beyond a 125 mile radius of the Rhode Island State Police Headquarters in Scituate, RI, an alternate delivery method must be submitted and approved by the Division of Purchases



**STATE OF RHODE ISLAND  
DIVISION OF PURCHASES**

**MPA 470 POLICE VEHICLES (CHEVROLET)  
2013 CHEVROLET TAHOE SSV**

**ENGINE:** 5.3 liter V8 gasoline engine with heavy-duty cooling system and engine oil cooler.

**FOUR WHEEL DRIVE:** 2 Speed Electronic Shift Transfer Case, capable of automatically engaging 4-wheel drive in response to road conditions.

**TRANSMISSION:** Six speed automatic, heavy duty for police operation. Column mounted gear shift lever and auxiliary oil cooler.

**REAR AXLE RATIO:** 3.08 to 1.

**G.V.W.R.:** 7,300 lbs.

**STEERING:** Heavy duty power rack and pinion with auxiliary oil cooler.

**TILT STEERING WHEEL:** Manufacturer's standard required.

**BRAKES:** Heavy duty fade resistant four wheel anti-lock disc brakes with power booster.

**SUSPENSION SYSTEM:** Coil over shock suspension, 3,925 lb front independent axle capacity. Rear multilink suspension with coil springs. 4,200 lb rear semi-floating rear axle HD 46 mm hydraulic shock absorbers. Front and rear stabilizer bars

**TIRES:** Five (5), P265/70R17 All season radial tires.

**WHEELS:** Five (5), 17" x 7" heavy duty steel wheels (includes spare).

**WHEEL COVERS:** Metal bolt-on chrome center caps.

**ALTERNATOR:** 160 ampere

**BATTERY:** Heavy duty 730 c.c.a.

**AUXILIARY BATTERY:** Heavy duty 730 c.c.a (6A6)

**SPEEDOMETER:** Police type, 0-140 MPH, certified.

**AIR BAGS:** Driver and passenger front air bags, driver and passenger side curtain air bags, driver and front passenger seat mounted thorax air bags, minimum.

**RADIO:** AM/FM stereo, minimum.

**RADIO NOISE SUPPRESSION:** Vehicle shall be equipped with optional AM and police radio noise suppression package. The vehicle shall not interfere with signals received or transmitted by the mobile police radio system and the vehicle shall not be affected by the operation of a police mobile transmitter. If the vehicle manufacturer has determined that optional police radio noise suppression is not necessary, this must be indicated on your bid.

**POWER WINDOWS AND DOOR LOCKS:** Manufacturer's standard required. Rear power windows must be inoperable from rear seat. System must include a rear window lockout switch controllable from the driver's position.

**KEY LOCK CYLINDERS:** Driver front door and lift gate lock cylinder required.

**SINGLE KEY LOCKING SYSTEM:** Single key system for each vehicle with three(3) keyless entry key fobs. Each vehicle keyed differently

**AIR CONDITIONING:** Factory installed manual temperature controlled front and rear air conditioning with integral heater and defroster.

**ELECTRIC REAR WINDOW DEFROSTER:** Manufacturer's standard required.

**FRONT SEATS:** Heavy duty high back bucket seats, reinforced for increased support and covered with heavy duty cloth fabric. No center console. Power driver and front passenger seats.

**REAR SEAT:** Heavy duty vinyl bench seat.

**FLOOR COVERING:** Full heavy duty rubber flooring.

**MOLDINGS:** Protective body side moldings required. All moldings shall be factory installed.

**GLASS:** Deep tinted, all windows except windshield and front door windows which shall be a light tinted glass.

**FRONT LICENSE BRACKET:** Manufacturer's standard required.

**SPOTLIGHT PROVISION/SPOTLIGHT, LEFT HAND:** Left (driver side) factory spotlight provision with 6" halogen spotlight installed.

**AUXILIARY DOME LAMP:** Factory installed overhead high intensity auxiliary dome lamp with white/red light(s).

**COLORS:** Standard production solid color exterior and standard interior trim. Colors will be selected by Department after award.

**Warranty:** 3 Year/36,000 Miles Bumper -to- Bumper  
5 Year/100,000 Miles Power train Coverage  
5 Year/100,000 Miles Roadside Assistance  
6 Year/100,000 Miles Corrosion Warranty

**DEALER'S:**

- Dealer's name or emblem are not be placed on the vehicle
- The dealer/ vendor will be responsible to ship the vehicles to the emergency package vendor
- Emergency package vendor will be identified before bid closing.
- It will be the responsibility of the emergency package vendor to perform the new vehicle cleaning, install emergency equipment and transport the vehicle from the emergency package vendor's location to the delivery destination. The delivery destination will be: *Rhode Island State Police Public Safety Complex, 311 Danielson Pike North Scituate, RI 02857, (401) 444-1048.*
- Bidders must be an authorized manufacturer's representative.

<b><u>DELIVERY:</u></b>
➤ Pre-delivery, prior to delivery, the vehicle shall be serviced and inspected by the emergency package vendor. The vendor shall be responsible for the complete new vehicle delivery inspection. The engine, transmission, differential and cooling system shall be filled to the manufacturer's recommended capacity and the gas tank filled to capacity prior to delivery. The vehicle will receive a new vehicle cleaning and preparation prior to delivery. All equipment shall be completely installed and adjustments made prior to delivery to make this vehicle available for immediate use. The vehicle shall be free of any defects when delivered.
➤ A representative from the Rhode Island State Police will inspect the vehicle at delivery for workmanship and appearance before acceptance.
➤ If any deficiencies are observed and cannot be corrected within two (2) business days, the vehicle will be deleted from the invoice and payment will not be made until corrective action is taken and the vehicle is re-inspected and accepted. It shall be the responsibility of the vendor for the pickup and delivery of the vehicle for re-inspection.
➤ Vehicles will not be accepted with more than 125 miles on the odometer. If the bidder is located beyond a 125 mile radius of the Rhode Island State Police Headquarters in Scituate, RI, an alternate delivery method must be submitted and approved by the Division of Purchases.

**Contract Terms and Conditions**

**Table of Contents**

Terms and Conditions.....VII  
    BID STANDARD TERMS AND CONDITIONS .....VII  
    TERMS AND CONDITIONS FOR THIS BID .....VII

**Terms and Conditions**

**BID STANDARD TERMS AND CONDITIONS**

**TERMS AND CONDITIONS FOR THIS BID**