



State of Rhode Island
Department of Administration / Division of Purchases
One Capitol Hill, Providence, Rhode Island 02908-5855
Tel: (401) 574-8100 Fax: (401) 574-8387

ADDENDUM #1

RFQ #7461244

TITLE: NON-ALTERNATE FUEL VEHICLES (MPA #478)

OPENING DATE AND TIME: 3/11/13 – 11:00 A.M.

Prospective bidders and all concerned are hereby advised of the attached changes/modifications for the above referenced RFQ and are hereby requested to change their copies accordingly.

Vehicle specifications and price sheets have been replaced for the following:

2013-40
2013-42
2013-43
2013-44

Please be sure to submit the correct pricing sheets with your bid response.

A handwritten signature in cursive script, appearing to read "Lisa Hill", written over a horizontal line.

**LISA HILL
CHIEF BUYER**

Bidders must include a signed copy of this addendum with their bid submission as acknowledgment.

Company Name (Print)

Signature of Authorized Representative

STATE OF RI
 BID 7461244
 2013-40 Truck - Pickup 3-4Ton 4wd Reg Cab Diesel

**MY2013 STANDARD SPECIFICATION – 2013-40.1through 2013-40.2
 TRUCK, PICKUP-3/4 TON, 4WD REG CAB DIESEL
 TO INCLUDE ALL MANUFACTURERS STANDARD FEATURES INCLUDING:**

VENDOR NAME: _____

	**** FOR VENDOR USE ONLY ****					
	↓	↓	↓	↓	↓	↓
	Indicate compliance YES/NO			Specify alternative if responding "NO"		
GROSS VEHICLE WEIGHT RATING: MINIMUM 9000LBS						
PICK UP BOX LENGTH: 8'STYLESIDE						
TRANSMISSION: AUTOMATIC						
BRAKES: POWER, ABS, ALL WHEEL						
STEERING: POWER						
AIR CONDITIONING: (FACTORY)						
TIRES: TYPE SHEEL/TIRE SIZE: ALL SEASON RADIAL, 16/LT235 WITH MATCHING SPARE						
AM/FM RADIO:						
SEATS- FRONT-BENCH: VINYL- 40-20-40 OR DRIVER'S SEAT & DUAL OCCUPANT FOLDING FORWARD REAR BENCH: VINYL MANUFACTURERS STANDARD WITH HEAD RESTRAINTS						
FLOOR: VINYL						
FLOOR MATS -- VINYL OR RUBBER (FRONT AND REAR)						
WIPERS, INTERMITTENT:						
MIRRORS: OUTSIDE R & L: LOW MOUNT MINIMUM 5" X 7"						
SUSPENSION 2WD & 4WD: HEAVIEST DUTY AVAILABLE CAPABLE OF ADDING A SNOW PLOW AT A LATER DATE						
HEAVY DUTY BATTERY: MINIMUM 500CCA						
HEAVY DUTY ALTERNATOR: MINIMUM 95 AMP						
AXLE RATIO: GAS: BETWEEN 3.42 AND 3.73:1 DIESEL: BETWEEN 3.31 AND 3.73:1						
AXLE:AUTO LOCKING FRONT HUBS (SHIFT ON THE FLY)4WD						
BUMPERS: FRONT: STANDARD PAINTED / REAR: STEP						
PAINT: MANUFACTURERS STANDARD						

SEE PAGE 2 FOR SPECIAL OPTIONS

STATE OF RI
 BID 7461244
 2013-40 Truck - Pickup 3-4Ton 4wd Reg Cab Diesel

**MY2013 STANDARD SPECIFICATION – 2013-40.1 through 2013-40.2
 TRUCK, PICKUP-3/4 TON, 4WD REG CAB DIESEL
 TO INCLUDE ALL MANUFACTURERS STANDARD FEATURES INCLUDING:**

VENDOR NAME: _____

SPECIAL OPTIONS 2013-40.1 through 2013-40.2	↓ VENDOR RESPONSE ↓
8' PICKUP BOX LENGTH - STYLESIDE	\$ _____
LOCKING DIFFERENTIAL – LIMITED SLIP	\$ _____
TRANSMISSION PTO PORT	\$ _____
POWER WINDOWS/POWER LOCKS	\$ _____
HEAVY DUTY TOW PACKAGE : COMPLETE CLASS III OR ABOVE, FACTORY INSTALLED 2" RECEIVER HITCH WITH FACTORY 7 PRONG RV STYLE WIRING HARNESS TO INCLUDE 4PIN CONVERTER & HEAVY DUTY COOLING	\$ _____
MINI 2LED STROBE LIGHTBAR (15" min) AMBER *permanent/hardwired to vehicle	\$ _____
FULL SIZE STROBE LIGHTBAR 8LED *permanent/hardwired to vehicle (4 red to rear/4 amber to front) NOTE: color may be changed at time of award	\$ _____
FULL SIZE STROBE LIGHTBAR 4LED*permanent/hardwired to vehicle (2 red to rear/2 amber to front) NOTE: color may be changed at time of award	\$ _____
ROUND ROOF STROBE /AMBER *permanent/hardwired to vehicle	\$ _____
BEDLINER- DROP IN WITH TAILGATE PROTECTION	\$ _____
PLOW PACKAGE FOR 4WD TO BE INSTALLED WITH ALL STANDARD ATTACHMENTS AND OPERATING CONTROLS, 8' POWER ANGLE TYPE EQUIPPED WITH COMBINATION DUAL BEAM LIGHTS AND TURN SIGNALS, CUTTING EDGE. MEETING FEDERAL SAFETY REGULATIONS	\$ _____
BACK-UP ALARM / MINIMUM 107dB	\$ _____

ADDENDUM 1

STATE OF RI
 BID 7461244
 2013-40 Truck - Pickup 3-4Ton 4wd Reg Cab Diesel

**MY2013 STANDARD SPECIFICATION – 2013-40.1through 2013-40.2
 TRUCK, PICKUP-3/4 TON, 4WD REG CAB DIESEL
 TO INCLUDE ALL MANUFACTURERS STANDARD FEATURES INCLUDING:**

VENDOR NAME: _____

↓ VENDOR RESPONSE ↓

2013-40.1 – PICKUP 3/4 TON, 4WD REG CAB DIESEL / 6 CYL

\$ _____

2013-40.1

LITER: _____
 MPG-CITY/HWY _____
 GVWR- LBS _____
 MANUFACTURER/MODEL: _____
 ANTICIPATED DELIVERY DATE FROM TIME OF AWARD: _____
 LAST AVAILABLE ORDER DATE: _____

2013-40.2 – PICKUP 3/4 TON, 4WD REG CAB DIESEL / 8 CYL

\$ _____

2013-40.2

LITER: _____
 MPG-CITY/HWY _____
 GVWR- LBS _____
 MANUFACTURER/MODEL: _____
 ANTICIPATED DELIVERY DATE FROM TIME OF AWARD: _____
 LAST AVAILABLE ORDER DATE: _____

STATE OF RI
 BID 7461244
 2013-42 Truck - Pickup 3-4Ton 4wd Ext Cab Diesel

**MY2013 STANDARD SPECIFICATION – 2013-42.1through 2013-42.2
 TRUCK, PICKUP-3/4 TON 4WD EXT CAB DIESEL
 TO INCLUDE ALL MANUFACTURERS STANDARD FEATURES INCLUDING:**

VENDOR NAME: _____

	**** FOR VENDOR USE ONLY ****					
	↓	↓	↓	↓	↓	↓
	Indicate compliance YES/NO			Specify alternative if responding "NO"		
GROSS VEHICLE WEIGHT RATING: MINIMUM 9000LBS						
PICK UP BOX LENGTH: 8' STYLE SIDE						
TRANSMISSION: AUTOMATIC						
BRAKES: POWER, ABS, ALL WHEEL						
STEERING: POWER						
AIR CONDITIONING: (FACTORY)						
TIRES: TYPE SHEEL/TIRE SIZE: ALL SEASON RADIAL, 16/LT235 WITH MATCHING SPARE						
AM/FM RADIO:						
SEATS- FRONT-BENCH: VINYL-- 40-20-40 OR DRIVER'S SEAT & DUAL OCCUPANT FOLDING FORWARD REAR BENCH: VINYL MANUFACTURERS STANDARD WITH HEAD RESTRAINTS						
FLOOR: VINYL						
FLOOR MATS – VINYL OR RUBBER (FRONT AND REAR)						
WIPERS, INTERMITTENT:						
MIRRORS: OUTSIDE R & L: LOW MOUNT MINIMUM 5" X 7"						
SUSPENSION 2WD & 4WD: HEAVIEST DUTY AVAILABLE CAPABLE OF ADDING A SNOW PLOW AT A LATER DATE						
HEAVY DUTY BATTERY: MINIMUM 500CCA						
HEAVY DUTY ALTERNATOR: MINIMUM 95 AMP						
AXLE RATIO: GAS: BETWEEN 3.42 AND 3.73:1 DIESEL: BETWEEN 3.31 AND 3.73:1						
AXLE:AUTO LOCKING FRONT HUBS (SHIFT ON THE FLY)4WD						
BUMPERS: FRONT: STANDARD PAINTED / REAR: STEP						
PAINT: MANUFACTURERS STANDARD						

SEE PAGE 2 FOR SPECIAL OPTIONS

STATE OF RI
 BID 7461244
 2013-42 Truck - Pickup 3-4Ton 4wd Ext Cab Diesel

**MY2013 STANDARD SPECIFICATION – 2013-42.1 through 2013-42.2
 TRUCK, PICKUP-3/4 TON 4WD EXT CAB DIESEL
 TO INCLUDE ALL MANUFACTURERS STANDARD FEATURES INCLUDING:**

VENDOR NAME: _____

<u>SPECIAL OPTIONS 2013-42.1 through 2013-42.2</u>	↓ VENDOR RESPONSE ↓
TRANSMISSION PTO PORT	\$ _____
LOCKING DIFFERENTIAL – LIMITED SLIP	\$ _____
8' PICKUP BOX LENGTH - STYLESIDE	\$ _____
POWER WINDOWS/POWER LOCKS	\$ _____
HEAVY DUTY TOW PACKAGE : COMPLETE CLASS III OR ABOVE, FACTORY INSTALLED 2" RECEIVER HITCH WITH FACTORY 7 PRONG RV STYLE WIRING HARNESS TO INCLUDE 4PIN CONVERTER & HEAVY DUTY COOLING	\$ _____
MINI 2LED STROBE LIGHTBAR (15" min) AMBER *permanent/hardwired to vehicle	\$ _____
FULL SIZE STROBE LIGHTBAR 8LED *permanent/hardwired to vehicle (4 red to rear/4 amber to front) NOTE: color may be changed at time of award	\$ _____
FULL SIZE STROBE LIGHTBAR 4LED*permanent/hardwired to vehicle (2 red to rear/2 amber to front) NOTE: color may be changed at time of award	\$ _____
ROUND ROOF STROBE /AMBER *permanent/hardwired to vehicle	\$ _____
RUNNING BOARDS- MANUFACTURERS STD FOR VEHICLE TYPE	\$ _____
BEDLINER- DROP IN WITH TAILGATE PROTECTION	\$ _____
PLOW PACKAGE FOR 4WD TO BE INSTALLED WITH ALL STANDARD ATTACHMENTS AND OPERATING CONTROLS, 8' POWER ANGLE TYPE EQUIPPED WITH COMBINATION DUAL BEAM LIGHTS AND TURN SIGNALS, CUTTING EDGE. MEETING FEDERAL SAFETY REGULATIONS	\$ _____
BACK-UP ALARM / MINIMUM 107dB	\$ _____

ADDENDUM 1

STATE OF RI
 BID 7461244
 2013-42 Truck - Pickup 3-4Ton 4wd Ext Cab Diesel

**MY2013 STANDARD SPECIFICATION – 2013-42.1through 2013-42.2
 TRUCK, PICKUP-3/4 TON 4WD EXT CAB DIESEL
 TO INCLUDE ALL MANUFACTURERS STANDARD FEATURES INCLUDING:**

VENDOR NAME: _____

↓ VENDOR RESPONSE ↓

2013-42.1 – PICKUP 3/4 TON EXT CAB 4WD DIESEL/ 6 CYL

LITER: _____
 MPG-CITY/HWY _____
 GVWR- LBS _____
 MANUFACTURER/MODEL: _____
 ANTICIPATED DELIVERY DATE FROM TIME OF AWARD: _____

\$ _____
 2013-42.1

2013-42.2 – PICKUP 3/4 TON EXT CAB 4WD DIESEL / 8 CYL

LITER: _____
 MPG-CITY/HWY _____
 GVWR- LBS _____
 MANUFACTURER/MODEL: _____
 ANTICIPATED DELIVERY DATE FROM TIME OF AWARD: _____

\$ _____
 2013-42.2

STATE OF RI
 BID 7461244
 2013-43 Truck - Pickup CrewCab-4 Full Doors-3-4Ton 4wd Diesel

**MY2013 STANDARD SPECIFICATION – 2013-43.1through 2013-43.2
 TRUCK, PICKUP- 3/4 TON 4WD CREW CAB-4FULL DOORS DIESEL
 TO INCLUDE ALL MANUFACTURERS STANDARD FEATURES INCLUDING:**

VENDOR NAME: _____

	**** FOR VENDOR USE ONLY ****						
	↓	↓	↓	↓	↓	↓	↓
	Indicate compliance YES/NO			Specify alternative if responding "NO"			
CAB: CREW CAB-SEATING FOR 6 FULL BACK SEAT							
GROSS VEHICLE WEIGHT RATING: MINIMUM 9200LBS							
PICK UP BOX LENGTH: 8'STYLESIDE							
TRANSMISSION: AUTOMATIC							
BRAKES: POWER, ABS, ALL WHEEL							
STEERING: POWER							
AIR CONDITIONING: (FACTORY)							
TIRES: TYPE SHEEL/TIRE SIZE: ALL SEASON RADIAL, 16/LT235 WITH MATCHING SPARE							
AM/FM RADIO:							
SEATS- FRONT-BENCH: VINYL- 40-20-40 OR DRIVER'S SEAT & DUAL OCCUPANT FOLDING FORWARD REAR BENCH: VINYL, BELTS AND HEAD RESTRAINTS							
FLOOR: VINYL							
FLOOR MATS – VINYL OR RUBBER (FRONT AND REAR)							
WIPERS, INTERMITTENT:							
MIRRORS: OUTSIDE R & L: LOW MOUNT MINIMUM 5" X 7"							
HEAVY DUTY BATTERY: MINIMUM 500CCA							
HEAVY DUTY ALTERNATOR: MINIMUM 95 AMP							
AXLE RATIO: GAS: BETWEEN 3.42 AND 3.73:1 DIESEL: BETWEEN 3.31 AND 3.73:1							
AXLE:AUTO LOCKING FRONT HUBS (SHIFT ON THE FLY)4WD							
BUMPERS: FRONT: STANDARD PAINTED / REAR: STEP							
FUEL CAPACITY: MINIMUM 26 GALLONS							
PAINT: MANUFACTURERS STANDARD							

SEE PAGE 2 FOR SPECIAL OPTIONS

ADDENDUM 1

STATE OF RI
 BID 7461244
 2013-43 Truck - Pickup CrewCab-4 Full Doors-3-4Ton 4wd Diesel

**MY2013 STANDARD SPECIFICATION – 2013-43.1through 2013-43.2
 TRUCK, PICKUP- 3/4 TON 4WD CREW CAB-4FULL DOORS DIESEL
 TO INCLUDE ALL MANUFACTURERS STANDARD FEATURES INCLUDING:**

VENDOR NAME: _____

<u>SPECIAL OPTIONS 2013-43.1 through 2013-43.2</u>	↓ VENDOR RESPONSE ↓
TRANSMISSION PTO PORT	\$ _____
LOCKING DIFFERENTIAL – LIMITED SLIP	\$ _____
8' PICKUP BOX LENGTH - STYLESIDE	\$ _____
POWER WINDOWS/POWER LOCKS	\$ _____
HEAVY DUTY TOW PACKAGE : COMPLETE CLASS III OR ABOVE, FACTORY INSTALLED 2" RECEIVER HITCH WITH FACTORY 7 PRONG RV STYLE WIRING HARNESS TO INCLUDE 4PIN CONVERTER & HEAVY DUTY COOLING	\$ _____
MINI 2LED STROBE LIGHTBAR (15" min) AMBER *permanent/hardwired to vehicle	\$ _____
FULL SIZE STROBE LIGHTBAR 8LED *permanent/hardwired to vehicle (4 red to rear/4 amber to front) NOTE: color may be changed at time of award	\$ _____
FULL SIZE STROBE LIGHTBAR 4LED*permanent/hardwired to vehicle (2 red to rear/2 amber to front) NOTE: color may be changed at time of award	\$ _____
ROUND ROOF STROBE /AMBER *permanent/hardwired to vehicle	\$ _____
RUNNING BOARDS- MANUFACTURERS STD FOR VEHICLE TYPE	\$ _____
BEDLINER- DROP IN WITH TAILGATE PROTECTION	\$ _____
PLOW PACKAGE FOR 4WD TO BE INSTALLED WITH ALL STANDARD ATTACHMENTS AND OPERATING CONTROLS, 8' POWER ANGLE TYPE EQUIPPED WITH COMBINATION DUAL BEAM LIGHTS AND TURN SIGNALS, CUTTING EDGE. MEETING FEDERAL SAFETY REGULATIONS	\$ _____
BACK-UP ALARM / MINIMUM 107dB	\$ _____

STATE OF RI
 BID 7461244
 2013-43 Truck - Pickup CrewCab-4 Full Doors-3-4Ton 4wd Diesel

**MY2013 STANDARD SPECIFICATION – 2013-43.1through 2013-43.2
 TRUCK, PICKUP- 3/4 TON 4WD CREW CAB-4FULL DOORS DIESEL
 TO INCLUDE ALL MANUFACTURERS STANDARD FEATURES INCLUDING:**

VENDOR NAME: _____

↓ VENDOR RESPONSE ↓

2013-43.1 – PICKUP-CREWCAB-4FULL DOORS - 3/4 TON, 4WD DIESEL/ 6 CYL

LITER: _____
 MPG-CITY/HWY _____
 GVWR- LBS _____
 MANUFACTURER/MODEL: _____
 ANTICIPATED DELIVERY DATE FROM TIME OF AWARD: _____
 LAST AVAILABLE ORDER DATE: _____

\$
2013-43.1

2013-43.2 – PICKUP-CREWCAB-4FULL DOORS - 3/4 TON, 4WD DIESEL / 8 CYL

LITER: _____
 MPG-CITY/HWY _____
 GVWR- LBS _____
 MANUFACTURER/MODEL: _____
 ANTICIPATED DELIVERY DATE FROM TIME OF AWARD: _____
 LAST AVAILABLE ORDER DATE: _____

\$
2013-43.2

STATE OF RI
 BID 7461244
 2013-44 Truck - Pickup One Ton, SRW 4wd Diesel

**MY2013 STANDARD SPECIFICATION – 2013-44.1 through 2013-44.2
 TRUCK, PICKUP- ONE TON, SRW 4WD DIESEL
 TO INCLUDE ALL MANUFACTURERS STANDARD FEATURES INCLUDING:**

VENDOR NAME: _____

	**** FOR VENDOR USE ONLY ****						
	↓	↓	↓	↓	↓	↓	↓
	Indicate compliance YES/NO			Specify alternative if responding "NO"			
CAB: REGULAR							
GROSS VEHICLE WEIGHT RATING: MINIMUM 10000LBS							
PICK UP BOX LENGTH: 8' STYLESIDE							
TRANSMISSION: AUTOMATIC							
BRAKES: POWER, ABS, ALL WHEEL							
STEERING: POWER							
AIR CONDITIONING: (FACTORY)							
TIRES: TYPE SHEEL/TIRE SIZE: ALL SEASON RADIAL, 16/LT235 WITH MATCHING SPARE							
AM/FM RADIO:							
SEATS- FRONT-BENCH: VINYL-- 40-20-40 OR DRIVER'S SEAT & DUAL OCCUPANT FOLDING FORWARD REAR BENCH: VINYL, BELTS AND HEAD RESTRAINTS							
FLOOR: VINYL							
FLOOR MATS – VINYL OR RUBBER (FRONT AND REAR)							
WIPERS, INTERMITTENT:							
MIRRORS: OUTSIDE R & L: LOW MOUNT MINIMUM 5" X 7"							
HEAVY DUTY BATTERY: MINIMUM 500CCA							
HEAVY DUTY ALTERNATOR: MINIMUM 95 AMP							
AXLE RATIO: GAS: BETWEEN 3.42 AND 3.73:1 DIESEL: BETWEEN 3.31 AND 3.73:1							
AXLE:AUTO LOCKING FRONT HUBS (SHIFT ON THE FLY)4WD							
BUMPERS: FRONT: STANDARD PAINTED / REAR: STEP							
FUEL CAPACITY: MINIMUM 26 GALLONS							
PAINT: MANUFACTURERS STANDARD							

SEE PAGE 2 FOR SPECIAL OPTIONS

STATE OF RI
 BID 7461244
 2013-44 Truck - Pickup One Ton, SRW 4wd Diesel

**MY2013 STANDARD SPECIFICATION – 2013-44.1 through 2013-44.2
 TRUCK, PICKUP- ONE TON, SRW 4WD DIESEL
 TO INCLUDE ALL MANUFACTURERS STANDARD FEATURES INCLUDING:**

VENDOR NAME: _____

<u>SPECIAL OPTIONS 2013-44.1 through 2013-44.2</u>	↓ VENDOR RESPONSE ↓
TRANSMISSION PTO PORT	\$ _____
LOCKING DIFFERENTIAL -- LIMITED SLIP	\$ _____
8' PICKUP BOX LENGTH - STYLESIDE	\$ _____
POWER WINDOWS/POWER LOCKS	\$ _____
HEAVY DUTY TOW PACKAGE : COMPLETE CLASS III OR ABOVE, FACTORY INSTALLED 2" RECEIVER HITCH WITH FACTORY 7 PRONG RV STYLE WIRING HARNESS TO INCLUDE 4PIN CONVERTER & HEAVY DUTY COOLING	\$ _____
MINI 2LED STROBE LIGHTBAR (15" min) AMBER *permanent/hardwired to vehicle	\$ _____
FULL SIZE STROBE LIGHTBAR 8LED *permanent/hardwired to vehicle (4 red to rear/4 amber to front) NOTE: color may be changed at time of award	\$ _____
FULL SIZE STROBE LIGHTBAR 4LED*permanent/hardwired to vehicle (2 red to rear/2 amber to front) NOTE: color may be changed at time of award	\$ _____
ROUND ROOF STROBE /AMBER *permanent/hardwired to vehicle	\$ _____
RUNNING BOARDS- MANUFACTURERS STD FOR VEHICLE TYPE	\$ _____
BEDLINER- DROP IN WITH TAILGATE PROTECTION	\$ _____
PLOW PACKAGE FOR 4WD TO BE INSTALLED WITH ALL STANDARD ATTACHMENTS AND OPERATING CONTROLS, 8' POWER ANGLE TYPE EQUIPPED WITH COMBINATION DUAL BEAM LIGHTS AND TURN SIGNALS, CUTTING EDGE. MEETING FEDERAL SAFETY REGULATIONS	\$ _____
BACK-UP ALARM / MINIMUM 107dB	\$ _____

STATE OF RI
BID 7461244
2013-44 Truck - Pickup One Ton, SRW 4wd Diesel

**MY2013 STANDARD SPECIFICATION – 2013-44.1 through 2013-44.2
TRUCK, PICKUP- ONE TON, SRW 4WD DIESEL
TO INCLUDE ALL MANUFACTURERS STANDARD FEATURES INCLUDING:**

VENDOR NAME: _____

↓ VENDOR RESPONSE ↓

2013-44.1 – PICKUP ONE TON SRW 4WD DIESEL/ 6 CYL

\$

LITER: _____
MPG-CITY/HWY _____
GVWR- LBS _____
MANUFACTURER/MODEL: _____
ANTICIPATED DELIVERY DATE FROM TIME OF AWARD: _____
LAST AVAILABLE ORDER DATE: _____

2013-44.1

2013-44.2 – PICKUP ONE TON SRW 4WD DIESEL / 8 CYL

\$

LITER: _____
MPG-CITY/HWY _____
GVWR- LBS _____
MANUFACTURER/MODEL: _____
ANTICIPATED DELIVERY DATE FROM TIME OF AWARD: _____
LAST AVAILABLE ORDER DATE: _____

2013-44.2