

Solicitation Information
4/25/2013

RFQ #7463384

TITLE: 2013-CH-018 TRESTLE TRAIL EAST SECTION

Submission Deadline: 5/17/13

1:00 p.m. (Eastern Time)

PRE-BID/ PROPOSAL CONFERENCE: YES

Mandatory: NO

**Location: RHODE ISLAND DEPARTMENT OF TRANSPORTATION
2CAPITOL HILL –
TRAFFIC MANAGEMENT CENTER CONFERENCE ROOM
PROVIDENCE, RI**

Date: 5/2/13

Time: 9:00 A.M.

SURETY REQUIRED: YES

BOND REQUIRED: YES

**Lisa Hill
Chief Buyer - DOT**

Vendors must register on-line at the State Purchasing Website at www.purchasing.ri.gov

NOTE TO VENDORS:

Offers received without the entire completed three-page RIVIP Generated Bidder Certification Form attached may result in disqualification.

THIS PAGE IS NOT A BIDDER CERTIFICATION FORM

**State of Rhode Island and Providence Plantations
Department of Transportation**

**Notice to Contractors
Special Provisions
Proposal
Contract Agreement
Contract Bond**

for the Performance of

Rhode Island Contract Number: 2013-CH-018

**Rhode Island Federal-Aid/State-Aid Project HPP-4865(001)
Numbers:**

Project: Trestle Trail - East Section

Limits: LOG BRIDGE ROAD (SUMMIT) TO TOWN FARM ROAD (NEAR)

City/Town: Coventry

County: KENT

Submitted By: _____

Address: _____

Name of Surety: _____

Total Bid: _____

(BIDDER MUST FILL IN ALL ABOVE SPACES)

The basis of award of the Contract will be the total bid for all quantities of work in the proposal subject to review and correction as provided for in the Rhode Island Department of Transportation Standard Specifications for Road and Bridge Construction and Standard Details.

NOTE: The State of Rhode Island Standard Specifications for Road and Bridge Construction and Standard Details consists of the following:

- The Rhode Island Standard Specifications for Road and Bridge Construction, Amended December 2010, with all revisions.
- The Rhode Island Standard Details, 1998 Edition, with all revisions.
- The Rhode Island Bridge Standard Details, 2010 Edition, with all revisions.
- The Division of Purchases Procurement Regulations Adopted December 2010.

*** Refer to Section 12.102.05 PREPARATION OF PROPOSAL of the STATE OF RHODE ISLAND PROCUREMENT REGULATIONS regarding the use of Quest Lite software for bid preparation.**

The above documents may be obtained at the Rhode Island Department of Transportation, Contracts and Specifications Office, upon request.

STATE OF RHODE ISLAND AND PROVIDENCE PLANTATIONS
DEPARTMENT OF ADMINISTRATION - DIVISION OF PURCHASES

NOTICE TO HIGHWAY AND BRIDGE CONTRACTORS

Sealed Proposals addressed to the State Purchasing Agent, Rhode Island Department of Administration, Division of Purchases, One Capitol Hill, Providence, Rhode Island 02903, will be opened and read in public on May 17, 2013 at 1:00PM. All bidders MUST register online at www.purchasing.ri.gov. A Bidder Certification Cover Sheet MUST accompany each bid. Bid item description and quantities estimated for this project will also be available online. Should you need assistance in registering or downloading a bid, call (401) 222-3766. Failure to comply will result in mandatory disqualification per Item 4 of Section 12.102.12 of the Division of Purchases Procurement Regulations Adopted December 2010 and RI General Law 37-2-17 which references the RI Vendor Information Program (RIVIP).

DESCRIPTION: Rhode Island Contract No. 2013-CH-018, FAP No. HPP-4865(001) County of Kent, Rhode Island, Trestle Trail Shared-Use Path East. The work encompassed by this contract shall include, but not be limited to the following: Construction of an 8 to 12 foot wide paved bicycle/pedestrian facility as well as a 4 to 8 foot wide unpaved equestrian trail with graded shoulders, cross culverts, extensive landscaping, post and rail fence. Bridge work shall include, but not be limited to the following: Quidnick Reservoir Bridge No. 1128 - remove vegetation and debris from existing granite stone abutment and wingwalls, new 8" reinforced concrete slab on grade with 3" minimum bituminous pavement, bridge railings and minor substructure repairs. Quidnick Brook Bridge No. 1127 - remove vegetation and debris from existing granite stone abutment and wingwalls, new 12" precast concrete deck slab with 3" minimum bituminous pavement and bridge railing. Coventry Center Pond Bridge No. 1125 - remove and dispose existing bituminous concrete decking and steel sheet plates, remove vegetation and debris from existing granite stone abutment and wingwalls. Modify existing abutment, replace missing or damaged rivets, replace damaged connection plates, new precast concrete deck slabs, install railing, prepare and paint all existing and new structural steel. Flat River Reservoir Bridge No. 1124 - remove vegetation and debris from existing granite stone abutment and wingwalls, abutment repairs, modify existing abutment back wall, new precast concrete deck slabs, replace damaged and missing rivets and connection plates. Clean existing girders and prepare and paint all existing and new structural steel included in this project; and all incidentals, complete in place, and accepted, as necessary to complete the work of this contract to the satisfaction of the engineer.

The Contractor will be required, in accordance with the provisions of the Disadvantaged Business Enterprise Affirmative Action Certification for Contractors and Consultants, to meet the established Race-Conscious Goal, or Contract Goal, of not less than 20.00 percent of the contract bid price, to the Contractors, Subcontractors, and/or suppliers which qualify as Disadvantaged Business Enterprises (DBE's). Failure by the Contractor to demonstrate every good faith effort in fulfilling its DBE commitment during the construction period will result in the reduction in contract payments by the amount determined by multiplying the awarded contract value by the established DBE percentage, and subtracting the dollar value of the work actually performed by DBE contractors. This action will not preclude RIDOT from imposing sanctions or other remedies available as specified in paragraph (I)(C) of the Disadvantaged Business Enterprise Affirmative Action Certification for Contractors and Consultants.

Computer Disks for competitive bidding for the above described work will be furnished by the Department of Transportation, Division of Administrative Services, Contracts & Specifications Office, Room 108, Two Capitol Hill, Providence, Rhode Island, 02903, Tel.Number (401) 222-2495. The Plans, Specifications and Special Provisions may also be examined on or after April 26, 2013 every weekday except holidays between the hours of 8:00 AM and 4:00 PM.

The Bid Package consists of a compact disk containing the RIDOT Standard Specifications for Road and Bridge Construction 2004 Edition, Compilation of approved Specifications 2004, Required Contract Provisions/Federal Aid Construction Contracts, Rhode Island Standard Details, Bridge Standard Details, General Provisions, Contract Specific Documents, Plans, Federal Wage Rates, Quest Lite Installations and User Manual, and Quest Lite bid file. Only complete bid packages will be provided.

Prospective Bidders are hereby notified that all questions pertaining to this Contract must be submitted to the Department of Transportation in writing through its website at <http://www.dot.ri.gov/contracting/bids/> by accessing the Questions & Answers Menu located within the "Contracting", then "Contract Opportunities" link. Responses to the submitted questions will also be posted under this link. PHONE CALLS WILL NOT BE ACCEPTED.

For help with RIDOT's Quest Lite bid preparation software, please contact the Contracts & Specifications Office, Room 108, Two Capitol Hill, Providence, Rhode Island, 02903, Tel. Number (401)-222-2495 or e-mail Quest@dot.ri.gov.

Please also note that all Bidding Documents required to be submitted and in fact submitted to the Purchasing Agent as part of a bid will be considered returned to the State and need not be returned to RIDOT.

A bid bond payable to the State of Rhode Island, in the amount of 5% of the total or gross sum of the bid must be furnished by each bidder. The Proposal Guaranty will be furnished by surety companies authorized/licensed to do business in the State of Rhode Island. The State reserves the right to retain the surety of all bidders until the successful bidder enters into the Contract or until such time as the award or cancellation of the Contract is announced at which point Sureties will be returned to all bidders by the State of Rhode Island. A performance bond of one hundred (100) percent of the contract price with a satisfactory surety company will be required of the successful bidder. All surety companies must be listed with The Department of the Treasury, Fiscal Services, Circular 570, (Latest Revision published by the Federal Register). The Department of Transportation reserves the right to reject any or all bids.

Required Contract Provisions - The attention of prospective bidders is called to the fact that this project is to be bid upon and the contract executed subject to all applicable federal laws and regulations for carrying out the provisions of the Federal-Aid Highway program..

Wages of labor on Federal -Aid Highway Projects - the prevailing rate of wages for laborers and mechanics employed by contractors or subcontractors on the initial construction of highway projects on the Federal - Aid Highway System, authorized under the Federal Highway Act of 1968, shall be paid wages at rates not less than those prevailing on the same type of work on similar construction in the immediate locality as determined by the United States Secretary of Labor, in accordance with the Act of August 30, 1935, known as the Davis - Bacon Act, under Decision Nos. 1 through 6 as applicable.

Prevailing wage rates and Davis - Bacon Wage Determination Reference Materials are available online at www.purchasing.ri.gov. It is advisable to print only the pages applicable to this bid; the rates active on the Rhode Island Vendor Information Program's bid solicitation date for this project are applicable for the duration of the contract resulting from this bid.

Work Hours Act of 1962 - This contract is subject to Work Hours Act of 1962, Public Law 87-581 and implementing regulations.

Pre-Bid Conference - A Pre-Bid Conference will be held in Providence, Rhode Island, at The RIDOT Traffic Management Center Conference Room on May 2, 2013 at 9:00AM, for the purpose of reviewing construction problems and/or operations concerning the project. Individuals requesting interpreter services for the hearing impaired must notify 401-222-4971 (T.D.D.) a minimum of at least three (3) business days, seventy-two (72) hours prior to the conference date.

SPECIAL NOTE

ANY REFERENCE TO THE RHODE ISLAND DEPARTMENT OF PUBLIC WORKS OR THE DIRECTOR OF PUBLIC WORKS SHOULD BE REVISED TO THE RHODE ISLAND DEPARTMENT OF TRANSPORTATION AND THE DIRECTOR OF TRANSPORTATION RESPECTIVELY.

NOTICE TO ALL BIDDERS

The Rhode Island Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 42 U.S.C. §§ 2000d - 2000d-4 and 49 C.F.R. Part 21, Nondiscrimination in Federally-Assisted Programs of the Department of Transportation - Effectuation of Title VI of the Civil Rights Act of 1964, issued pursuant to such Act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, Disadvantaged Business Enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, national origin, age, or disability in consideration for an award.

To report bid rigging activities call: **1-800-424-9071**

The U.S. Department of Transportation (DOT) operates the above toll-free hotline Monday through Friday, 8:00 a.m. to 5:00 p.m. eastern time. Anyone with knowledge of possible bid rigging, bidder collusion, or other fraudulent activities should use the hotline to report such activities.

The hotline is part of the DOT's continuing effort to identify, and investigate highway construction contract fraud and abuse and is operated under the direction of the DOT Inspector General. All information will be treated confidentially and caller anonymity will be respected.

Item List

Date: 4/16/2013

Estimate Name - Advertising
 Project Name - Trestle Trail - East Section
 R.I. Contract No. - 2013-CH-018
 FAP Nos. - HPP-4865(001)

Seq No.	Item Code	Description	Quantity	UM
001	201.0301	CUTTING AND DISPOSING ISOLATED TREES AND STUMPS (4"- 24")	3.00	EACH
002	201.0320	CLEARING AND GRUBBING	30.00	ACRE
003	201.0401	REMOVE AND DISPOSE GRANITE CURB	94.00	LF
004	201.0402	REMOVE AND DISPOSE CONCRETE CURB	111.00	LF
005	201.0403	REMOVE AND DISPOSE SIDEWALKS	323.00	SY
006	201.0409	REMOVE AND DISPOSE FLEXIBLE PAVEMENT	5,295.00	SY
007	201.0410	REMOVE AND DISPOSE CATCH BASINS	1.00	EACH
008	201.0414	REMOVE AND DISPOSE PIPE - ALL SIZES	23.00	LF
009	201.0415	REMOVE AND DISPOSE GUARDRAIL AND POST ALL TYPES	217.00	LF
010	201.0419	REMOVE AND DISPOSE FENCE	117.00	LF
011	201.0424	REMOVE AND DISPOSE RETAINING WALL	32.00	CY
012	201.0428	REMOVE AND DISPOSE FRAME AND GRATE OR FRAME AND COVER	1.00	EACH
013	201.9902	REMOVE AND DISPOSE CONCRETE OR STONE BLOCKS	4.00	EACH
014	201.9904	REMOVE AND DISPOSE WOODEN STEPS	1.00	LS
015	201.9905	REMOVE AND DISPOSE 8'X20' BOX CONTAINER	1.00	LS
016	201.9906	REMOVE AND DISPOSE 24' TRAILER	1.00	LS
017	201.9907	REMOVE AND DISPOSE WOOD POST	2.00	EACH
018	202.0100	EARTH EXCAVATION	20,502.00	CY
019	202.0201	ROCK EXCAVATION MECHANICAL	4,740.00	CY
020	202.0700	COMMON BORROW	13,960.00	CY
021	202.9901	STONE DUST 4" DEEP	1,247.00	CY
022	202.9902	HANDLING, HAULING, STOCKPILING AND MANAGEMENT OF CONTAMINATED SOILS	1.00	LS
023	203.0100	STRUCTURAL EXCAVATION EARTH	575.00	CY
024	203.0600	FILL GRAVEL BORROW UNDER STRUCTURES	38.00	CY
025	203.0700	PERVIOUS FILL	403.00	CY
026	204.0100	TRIMMING AND FINE GRADING	105,568.00	SY
027	205.0270	TRENCH ROCK EXCAVATION-MECHANICAL (0-7')	1,213.00	CY
028	206.9901	COMPOST FILTER SOCK	22,256.00	LF
029	207.0202	BALED HAY DITCH EROSION CHECK STANDARD 9.4.0	1,428.00	LF
030	211.0100	CONSTRUCTION ACCESSES STANDARD 9.9.0	1,330.00	SY
031	212.2000	CLEANING AND MAINTENANCE OF EROSION CONTROLS	1.00	LS
032	302.0100	GRAVEL BORROW SUBBASE COURSE	10,024.00	CY

Item List

Date: 4/16/2013

Estimate Name - Advertising
 Project Name - Trestle Trail - East Section
 R.I. Contract No. - 2013-CH-018
 FAP Nos. - HPP-4865(001)

Seq No.	Item Code	Description	Quantity	UM
033	401.9901	BITUMINOUS BASE COURSE, CLASS 19	7,144.00	TON
034	401.9902	BITUMINOUS SURFACE COURSE, CLASS 9.5	836.00	TON
035	401.9903	BITUMINOUS SURFACE COURSE, CLASS 4.75	2,152.00	TON
036	403.0300	ASPHALT EMULSION TACK COAT	5,217.00	SY
037	701.0412	REINFORCED CONCRETE PIPE M 170 CLASS III 12 INCH	134.00	LF
038	701.0418	REINFORCED CONCRETE PIPE M 170 CLASS III 18 INCH	358.00	LF
039	701.4312	12 INCH SMOOTH INTERIOR CORRUGATED POLYETHYLENE PIPE	239.00	LF
040	701.4318	18 INCH SMOOTH INTERIOR CORRUGATED POLYETHYLENE PIPE	104.00	LF
041	701.8003	PIPE BEDDING CLASS C	200.00	CY
042	701.9901	8 INCH SMOOTH INTERIOR CORRUGATED POLYETHYLENE PIPE	236.00	LF
043	701.9902	12 INCH HDPE PIPE FLARED END SECTION	13.00	EACH
044	701.9903	18 INCH HDPE PIPE FLARED END SECTION	1.00	EACH
045	702.0514	FRAME AND GRATE STANDARD 6.4.0	1.00	EACH
046	702.0517	FRAME AND GRATE, STANDARD 6.3.2	4.00	EACH
047	702.0522	FRAME AND COVER STANDARD 6.2.1	7.00	EACH
048	702.0541	GRANITE INLET STONE 38" STANDARD 7.3.6	1.00	EACH
049	702.0543	GRANITE APRON STONE 38" STANDARD 7.3.8	3.00	EACH
050	702.0630	PRECAST MANHOLE 4' DIAMETER STANDARD 4.2.0	5.00	EACH
051	702.0635	PRECAST MANHOLE 5' DIAMETER STANDARD 4.2.1	3.00	EACH
052	702.0703	CATCH BASIN TYPE 'F' ROUND STANDARD 3.4.2	3.00	EACH
053	702.0705	CATCH BASIN W/GUTTER INLET STANDARD 3.4.1	1.00	EACH
054	702.0840	ALTERNATE TOP COVER ROUND PRECAST MANHOLES AND CATCH BASINS STANDARD 4.7.2	1.00	EACH
055	702.9901	FURNISH AND INSTALL PVC DRAINAGE MANHOLE, 2' DIAMETER W/FRAME AND COVER	10.00	EACH
056	702.9902	FURNISH AND INSTALL PVC DRAINAGE BASIN, 1' DIAMETER W/FRAME AND GRATE	17.00	EACH
057	702.9903	FURNISH AND INSTALL PVC DRAINAGE STRUCTURE, 2' DIAMETER W/FRAME AND GRATE	2.00	EACH
058	702.9904	FURNISH AND INSTALL 3.5' X 40' WATER QUALITY UNIT W/PVC SUMP TEE, ACCESS RISERS, FRAME AND COVERS	1.00	EACH
059	702.9905	R.R. MONUMENT HANDHOLE	3.00	EACH
060	703.0608	8" PERFORATED CORRUGATED POLYETHYLENE PIPE M252 UNDERDRAIN WITH FILTER MATERIAL STANDARD 1.1.0	3,714.00	LF
061	703.0812	12" PERFORATED CORRUGATED POLYETHYLENE PIPE M294 COMBINATION DRAIN WITH FILTER MATERIAL STANDARD 1.2.0	916.00	LF

Item List

Date: 4/16/2013

Estimate Name - Advertising
 Project Name - Trestle Trail - East Section
 R.I. Contract No. - 2013-CH-018
 FAP Nos. - HPP-4865(001)

Seq No.	Item Code	Description	Quantity	UM
062	703.9901	18" PERFORATED CORRUGATED POLYETHYLENE PIPE M294 COMBINATION DRAIN WITH FILTER MATERIAL	538.00	LF
063	708.9901	CLEAN OUT DRAINAGE CULVERT	14.00	EACH
064	711.0300	SEEDED DITCH STANDARD 8.1.0	5,878.00	SY
065	800.9901	FLAT RIVER RESERVOIR BRIDGE NO. 1124	1.00	LS
066	800.9902	COVENTRY CENTER POND BRIDGE NO. 1125	1.00	LS
067	800.9903	QUIDNICK BROOK BRIDGE NO. 1127	1.00	LS
068	800.9904	QUIDNECK RESERVOIR BRIDGE NO. 1128	1.00	LS
069	803.0300	PARTIAL REMOVAL AND DISPOSAL OF EXISTING CONCRETE MASONRY	16.00	CY
070	803.0400	CLEANING BRIDGE BEAM SEATS	2.00	EACH
071	803.9901	REMOVE, REUSE, STOCKPILE AND OR DISPOSE EXISTING STONE MASONRY - FLAT RIVER RESERVOIR BRIDGE NO. 1124	28.00	CY
072	803.9902	REMOVE, REUSE, STOCKPILE AND OR DISPOSE EXISTING STONE MASONRY - COVENTRY CENTER POND BRIDGE NO. 1125	15.00	CY
073	803.9903	REMOVE, REUSE, STOCKPILE AND OR DISPOSE EXISTING STONE MASONRY - QUIDNICK BROOK BRIDGE NO. 1127	20.00	CY
074	803.9904	REMOVE, REUSE, STOCKPILE AND OR DISPOSE EXISTING STONE MASONRY - QUIDNICK RESERVOIR BRIDGE NO. 1128	12.00	CY
075	803.9912	REMOVE AND DISPOSE EXISTING BRIDGE DECK - COVENTRY CENTER POND BRIDGE NO. 1125	1.00	LS
076	807.9901	CLEANING, REPOINTING & GROUTING ASHLAR MASONRY - FLAT RIVER RESERVOIR BRIDGE NO. 1124	7,450.00	SF
077	807.9902	CLEANING, REPOINTING & GROUTING ASHLAR MASONRY - COVENTRY CENTER POND BRIDGE NO. 1125	1,060.00	SF
078	807.9903	CLEANING, REPOINTING & GROUTING ASHLAR MASONRY - QUIDNICK BROOK BRIDGE NO. 1127	860.00	SF
079	807.9904	CLEANING, REPOINTING & GROUTING ASHLAR MASONRY - QUIDNICK RESERVOIR BRIDGE NO. 1128	635.00	SF
080	817.2110	REPAIRS TO STRUCTURAL CONCRETE MASONRY (PATCHING MORTAR)	135.00	CF
081	820.0110	CONCRETE SURFACE TREATMENT (PROTECTIVE COATING)	3,500.00	SF
082	824.9901	STEEL GIRDER REPAIR - FLAT RIVER RESERVOIR BRIDGE NO. 1124	25,000.00	EACH
083	824.9902	STEEL GIRDER REPAIR - COVENTRY CENTER POND BRIDGE NO. 1125	10,000.00	EACH
S084	825.9901	REPAINTING EXISTING STRUCTURAL STEEL - FLAT RIVER RESERVOIR BRIDGE NO. 1124	1.00	LS
S085	825.9902	REPAINTING EXISTING STRUCTURAL STEEL - COVENTRY CENTER POND BRIDGE NO. 1125	1.00	LS
086	830.9912	BRIDGE INSPECTION HANDRAIL - FLAT RIVER RESERVOIR BRIDGE NO. 1124	385.00	LF

Item List

Date: 4/16/2013

Estimate Name - Advertising
 Project Name - Trestle Trail - East Section
 R.I. Contract No. - 2013-CH-018
 FAP Nos. - HPP-4865(001)

Seq No.	Item Code	Description	Quantity	UM
087	901.0151	TERMINAL END SECTION SINGLE FACE STANDARD 34.3.2	6.00	EACH
088	901.0193	GUARDRAIL STEEL BEAM SINGLE FACE STANDARD 34.2.0	171.00	LF
089	901.9901	FURNISH AND INSTALL VEHICLE BARRIER RAILING	451.00	LF
090	901.9902	FURNISH AND INSTALL METAL RAIL FENCE - WITH PROTECTIVE SCREEN FENCE	42.00	LF
091	901.9903	FURNISH AND INSTALL METAL RAIL FENCE - WITHOUT PROTECTIVE SCREEN FENCE	27.00	LF
092	902.0100	STEEL BACKED TIMBER GUARDRAIL STANDARD 34.4.0	850.00	LF
093	902.9901	FURNISH AND INSTALL PRECAST CONCRETE EQUESTRIAN MOUNTING BLOCK	3.00	EACH
094	902.9902	FURNISH AND INSTALL 6"X6"X8' WOOD EQUESTRIAN HITCHING POST	10.00	EACH
095	902.9903	FURNISH AND INSTALL WOODEN BOLLARD 1'X1'X8' PRESSURE TREATED	16.00	EACH
096	902.9904	METAL BOLLARD - FIXED	2.00	EACH
097	902.9905	METAL BOLLARD - HINGED	12.00	EACH
098	902.9906	CEDAR POST RAIL FENCE	21,647.00	LF
099	903.0110	WOVEN WIRE RIGHT-OF-WAY FENCE STANDARD 31.3.0	1,036.00	LF
100	903.9902	TEMPORARY ACCESS CONTROL FENCING	1,406.00	LF
101	905.0110	PORTLAND CEMENT SIDEWALK MONOLITHIC STANDARD 43.1.0	53.00	CY
102	905.0115	PORTLAND CEMENT CONCRETE DRIVEWAY STANDARD 43.5.0	26.00	CY
103	906.0110	GRANITE CURB, QUARRY SPLIT STRAIGHT, STANDARD 7.3.0	717.00	LF
104	906.0111	GRANITE CURB, QUARRY SPLIT CIRCULAR, STANDARD 7.3.0	495.00	LF
105	906.0118	6' GRANITE TRANSITION CURB, QUARRY SPLIT SPECIAL TRANSITION STANDARD 7.3.2	16.00	EACH
106	906.0119	3' GRANITE TRANSITION CURB STANDARD 7.3.1	8.00	EACH
107	906.0210	CEMENT CONCRETE CURB PRECAST STRAIGHT STANDARD 7.1.0	561.00	LF
108	906.0211	CEMENT CONCRETE CURB PRECAST CIRCULAR STANDARD 7.1.0	80.00	LF
109	906.0230	CEMENT CONCRETE SLOPE FACE CURB PRECAST STRAIGHT STANDARD 7.2.0	147.00	LF
110	906.0231	CEMENT CONCRETE SLOPE FACE CURB PRECAST CIRCULAR STANDARD 7.2.0	102.00	LF
111	906.0270	PRECAST CONCRETE TRANSITION CURB STANDARD 7.2.2	2.00	EACH
112	906.0271	PRECAST CONCRETE SLOPE FACE TRANSITION CURB STANDARD 7.2.1	2.00	EACH
113	906.0280	3' PRECAST CONCRETE TRANSITION CURB STANDARD 7.1.1	3.00	EACH
114	906.0602	BITUMINOUS BERM STANDARD 7.5.1	313.00	LF

Item List

Date: 4/16/2013

Estimate Name - Advertising
 Project Name - Trestle Trail - East Section
 R.I. Contract No. - 2013-CH-018
 FAP Nos. - HPP-4865(001)

Seq No.	Item Code	Description	Quantity	UM
115	906.0700	REMOVE, HANDLE, HAUL TRIM RESET CURB EDGING, STRAIGHT, CIRCULAR ALL TYPES	319.00	LF
116	906.9901	GRANITE CURB STEPS	1.00	LS
117	907.0100	WATER FOR DUST CONTROL	212.00	MGA L
118	911.9901	CONCRETE RETAINING WALL AND RAMP	1.00	LS
119	914.5010	FLAGPERSONS	2,880.00	MHRS
120	914.5020	FLAGPERSONS - OVERTIME	288.00	MHRS
121	917.0105	REMOVE AND REPLACE RURAL MAILBOX POST WITH STANDARD 15.1.0	3.00	EACH
122	917.0106	REMOVE AND REPLACE MULTIPLE MAILBOX MOUNTING WITH STANDARD 15.2.0	1.00	EACH
123	918.0100	RURAL MAILBOXES	6.00	EACH
124	920.0050	PLACED STONE RIPRAP R-1, R-2 STANDARD 8.3.0	213.00	SY
125	920.0055	PLACED STONE RIPRAP R-3, R-4, R-5 STANDARD 8.3.0	114.00	SY
126	920.0130	BEDDING FOR RIPRAP FS-1 STANDARD 8.3.0	213.00	SY
127	920.0135	BEDDING FOR RIPRAP FS-2 STANDARD 8.3.0	114.00	SY
128	920.9901	FILTER FABRIC FOR FILTER STONE	327.00	SY
129	922.0100	TEMPORARY CONSTRUCTION SIGNS STANDARD 29.1.0 AND 27.1.1	1,000.00	SF
130	923.0105	DRUM BARRICADE STANDARD 26.2.0	136,750.00	BDAY
131	923.0125	PLASTIC PIPE TYPE III BARRICADE STANDARD 26.3.1	19.00	EACH
132	923.0200	FLUORESCENT TRAFFIC CONES STANDARD 26.1.0	100.00	EACH
133	929.0110	FIELD OFFICE	18.00	PMO
134	932.0200	FULL-DEPTH SAWCUT OF BITUMINOUS PAVEMENT	738.00	LF
135	936.0110	MOBILIZATION	1.00	LS
136	937.0200	MAINTENANCE AND MOVEMENT TRAFFIC PROTECTION	1.00	LS
137	942.0100	DETECTABLE WARNING SYSTEMS STANDARD 48.1.0	16.00	SF
138	943.0200	TRAINEE MAN-HOURS	4,000.00	MHRS
139	L01.0102	LOAM BORROW 4 INCHES DEEP	50,022.00	SY
S140	L02.0102	RESIDENTIAL SEEDING (TYPE 2)	50,022.00	SY
141	L05.0502	ADHESIVE MULCH STABILIZER	10.00	ACRE
142	L05.9901	EQUESTRIAN TRAIL SLOPE STABILIZATION WITH GRID AND WOOD DEFLECTOR	6,260.00	SF
S143	L06.9901	AMELANCHIER GRANDIFLORA 'AUTUMN BRILLIANCE' #7 CONT.	38.00	EACH
S144	L06.9902	ACER RUBRUM 'RED SUNSET' 2/2.5" CAL.	46.00	EACH

Item List

Date: 4/16/2013

Estimate Name - Advertising
 Project Name - Trestle Trail - East Section
 R.I. Contract No. - 2013-CH-018
 FAP Nos. - HPP-4865(001)

Seq No.	Item Code	Description	Quantity	UM
S145	L06.9903	ACER SACCHARUM 'GREEN MOUNTAIN' 2.5/3' B&B	5.00	EACH
S146	L06.9904	CLETHRA ALNIFOLIA #3 CONT.	106.00	EACH
S147	L06.9905	CORNUS AMOMUM #2 CONT.	152.00	EACH
S148	L06.9906	EUPATORIUM MACULATUM #1 CONT.	18.00	EACH
S149	L06.9907	EUPATORIUM PERFOLIATUM #1 CONT.	18.00	EACH
S150	L06.9908	HAMAMELIS VIRGINIANA 3/4' B&B	108.00	EACH
S151	L06.9909	ILEX VERTICILLATA FEMALE 3/4' B&B	42.00	EACH
S152	L06.9910	ILEX VERTICILLATA MALE 3/4" B&B	6.00	EACH
S153	L06.9911	JUNIPERUS VIRGINIANA 6/7' B&B	57.00	EACH
S154	L06.9912	MYRICA PENNSYLVANICA 2.5/3' B&B	511.00	EACH
S155	L06.9913	NYSSA SYLVATICA 2/2.5" CAL.	3.00	EACH
S156	L06.9914	PICEA ABIES 7/8' B&B	7.00	EACH
S157	L06.9915	PINUS STROBUS 7/8' B&B	42.00	EACH
S158	L06.9917	QUERCUS BICOLOR 2.5/3" CAL.	4.00	EACH
S159	L06.9918	QUERCUS COCCINEA 2/2.5" CAL.	19.00	EACH
S160	L06.9919	RHUS COPALLINA #3 CONT.	34.00	EACH
S161	L06.9920	SOLIDAGO 'FIREWORKS' #1 CONT.	20.00	EACH
S162	L06.9921	ULMUS X 'HOMESTEAD' 2/2.5" CAL.	19.00	EACH
S163	L06.9922	VACCINIUM ANGUSTIFOLIUM #1 CONT.	277.00	EACH
S164	L06.9923	VACCINIUM CORYMBOSUM #5 CONT.	178.00	EACH
S165	L06.9924	VIBURNUM DETATUM 3/4' B&B	493.00	EACH
S166	L06.9925	VIBURNUM LENTAGO 3/4' B&B	20.00	EACH
167	L09.0106	SELECTIVE CLEARING	1.00	ACRE
168	L10.0101	MECHANICAL TREE AND SHRUB ROOT PRUNING	5,000.00	LF
169	L11.0104	DRIP-LINE TREE PROTECTION DEVICE STANDARD 51.1.1	250.00	LF
S170	L15.9901	FURNISH AND INSTALL 6' RECYCLED PLASTIC LUMBER BENCH	10.00	EACH
S171	T14.9901	FURNISH AND INSTALL EARLY WARNING SYSTEM	3.00	EACH
S172	T15.0100	DIRECTIONAL REGULATORY AND WARNING SIGNS	555.00	SF
S173	T15.1000	STREET SIGN ASSEMBLY STD. 24.6.1	10.00	EACH
S174	T15.9901	BIKEWAY AND EQUESTRIAN TRAIL ENTRANCE SIGN - RIDEM	2.00	EACH
S175	T15.9902	TRESTLE TRAIL EQUESTRIAN PARKING LOT SIGN - RIDEM	1.00	EACH
S176	T15.9903	CANOE PORTAGE PARKING ONLY SIGN	1.00	EACH
S177	T15.9904	CAR PARKING ONLY SIGN	2.00	EACH

Item List

Date: 4/16/2013

Estimate Name - Advertising
 Project Name - Trestle Trail - East Section
 R.I. Contract No. - 2013-CH-018
 FAP Nos. - HPP-4865(001)

Seq No.	Item Code	Description	Quantity	UM
S178	T15.9905	EQUESTRIAN PARKING ONLY SIGN	2.00	EACH
S179	T15.9906	HANDICAP PARKING ONLY	3.00	EACH
S180	T15.9908	YEILD TO SIGN	12.00	EACH
S181	T15.9909	TRAIL HEAD SIGN (SP-T1)	4.00	EACH
S182	T15.9910	WELCOME TO THE TRESTLE TRAIL SIGN	4.00	EACH
183	T19.9901	MILE POST MARKER 6" X 6" X 66"	10.00	EACH
S184	T20.2004	4 INCH EPOXY RESIN PAVEMENT MARKINGS WHITE	19,731.00	LF
S185	T20.2006	6 INCH EPOXY RESIN PAVEMENT MARKINGS WHITE	1,660.00	LF
S186	T20.2012	12 INCH EPOXY RESIN PAVEMENT MARKINGS WHITE	1,707.00	LF
S187	T20.2014	4 INCH EPOXY RESIN PAVEMENT MARKINGS YELLOW	10,064.00	LF
S188	T20.9901	EPOXY RESIN PAVEMENT MARKINGS WORD "STOP AHEAD"	10.00	EACH
S189	T20.9902	EPOXY RESIN PAVEMENT MARKINGS WORD 'YIELD'	2.00	EACH
S190	T20.9903	EPOXY RESIN PAVEMENT MARKING SYMBOL WHITE 'YIELD' (SHARK TEETH)	6.00	EACH
S191	T20.9904	EPOXY RESIN PAVEMENT MARKING "BIKE XING"	10.00	EACH
S192	T20.9905	EPOXY RESIN PAVEMENT MARKING HANDICAP PARKING SYMBOL	3.00	EACH
S193	T20.9906	EPOXY RESIN PAVEMENT MARKINGS "EQUESTRIAN XING"	4.00	EACH
S194	T20.9907	EPOXY RESIN PAVEMENT MARKING WORD "YIELD AHEAD"	2.00	EACH
S195	T20.9908	EPOXY RESIN PAVEMENT MARKING AT EQUESTRIAN CROSSING	176.00	SF





RHODE ISLAND DEPARTMENT OF TRANSPORTATION

*** THIS IS A DISK-BASED BID ***

**ELECTRONIC BIDDING
PROCEDURE NOTICE**

**ALL BID OFFERS MUST BE PREPARED USING THE QUEST LITE BID
PREPARATION SOFTWARE PACKAGE**

Bidders MUST register in person at the RIDOT Contract Administration office to obtain the necessary Bidder Registration and Digital ID codes for the Quest Lite software.

RIDOT Provides:		Bidder Must Submit:	
			
CD	Plans (on CD)	2 High-Density Compact Disks (CDs) w/Quest Lite Bid "zip" file**	Completed & Signed Proposal (Hard Copy)
			
Contract Documents (on CD)	DOQ Report (on CD)	Bid Surety (Hard Copy)	Completed & Signed (Hard Copy)

Contact the Contracts & Specifications Office at 222-2495 to request technical assistance on issues directly related to the Quest Lite software
Office Hours: 8:00 AM – 4:00 PM

****Refer to the RIDOA "Notice to Contractors" for additional information on the "Public Copy" submission requirements.**

NO BID OFFER WILL BE CONSIDERED
UNLESS ACCOMPANIED BY A COMPACT DISK (CD)
CONTAINING THE BID PROPOSAL FILE
GENERATED BY THE QUEST LITE BID PREPARATION SOFTWARE

*Failure to comply will result in a mandatory disqualification per Section 12.102.07 of the RI
Dept of Administration Division of Purchases Procurement Regulations*

Rhode Island Department of Transportation (RIDOT)

Notice to Contractors

THIS IS A DISK-BASED BID

Bid offers will be accepted *only on a CD generated by RIDOT-supplied software called Quest Lite; each CD must be accompanied by a hard copy signed offer printed from the software and submitted at the Bid Opening.* Minimum computer hardware and operating system requirements are listed here. *Training is strongly recommended for all new bidders and others unfamiliar with these procedures. SEE BELOW.*

CONTACT: RIDOT CONTRACTS & SPECIFICATIONS

Rm. 108, Two Capitol Hill, Providence, RI 02903

Phone: **401-222-2495**

Hours: **Mon – Fri, 8:00AM – 4:00PM**

1. Required Registration Codes for Each Bidder.

Registration Codes for RIDOT software are necessary to install and use the software; a firm only needs to register once to acquire secure, unique bidder identification codes to be used with all RIDOT disk-based construction project bids Bidders must retain these codes for future use.

2. The required Quest Lite installation software and all applicable Contract Documents are provided on a CD-ROM.

The Contract Documents include the RI DOA Division of Purchases Procurement Regulations, RI Standard Specifications, Amended December 2010 and all revisions, the RI Standard Details for Highway and Bridge Construction, Bridge Standard Details, General Provisions, Special Provisions, Distribution of Quantities and Engineering Plans, and all other applicable documents

3. Minimum Computer Hardware and Operating System Requirements.

- Windows XP SP2 w/Pentium IV processor
- CD-ROM Drive, Floppy Drive, Printer & 15" Monitor (17" recommended)
- 20GB Hard Disk with 1GB free (40 GB with 5 GB free recommended)
- 512 MB RAM (1 GB recommended)
- 32 MB Video Card (64 MB SVGA recommended)
- Internet Explorer 6 0 SP 2

4. Addenda, when necessary, are available on Purchases' RIVIP website.

at: <http://www.purchasing.ri.gov/RIVIP/BidSearch.asp>

RIDOT will make all necessary addenda available at Purchases' web site. It is the plan-holders responsibility to poll the RIVIP to keep up-to-date on addenda.

5. Training may be requested up to three days prior to the Bid Opening.

Training is provided on request. Arrangements must be made through the RIDOT Contracts & Specifications Office at least three (3) days prior to the Bid Opening of the project

6. Technical Support.

Assistance is available upon request by contacting the Contracts & Specifications office during work hours or emailing Quest@dot.ri.gov.

01/25/2011

NOTICE TO HIGHWAY AND BRIDGE CONTRACTORS

Rhode Island Department of Transportation (RIDOT)
Contracts and Specifications

ELECTRONIC BIDDING PROCEDURES QUEST LITE UPGRADE

Effective January 1, 2011, bid offers for all RIDOT Contracts requiring the use of the Department's Quest Lite bid preparation software **MUST** be prepared using **Quest Lite Version 040408 (2.8.4)**. Failure to comply with this requirement could result in the disqualification of your bid offer.

Full installation and upgrade-only software packages, including installation directions, for Quest Lite Version **040408 (2.8.4)** will be provided on the Project Advertising CD's, which are available to prospective bidders through the Contracts and Specifications office on or after the scheduled project advertising date.

Contractors presently using Quest Lite Version 040407 (2.8.3) need only install the upgrade package to complete the conversion, **UNLESS** a previous upgrade installation was used to upgrade from 2.8.2 to 2.8.3, in which case these installations must be removed and the full installation performed. Earlier versions (2.8.2 or lower) will require the full installation in all instances.

For technical assistance, contact the Contracts and Specifications office at 222-2495.

01/21/11

QUEST LITE VERSION 4.4.8 (2.8.4)

UPGRADE & FULL INSTALLATION

All bid offers prepared using the Department of Transportation's Quest Lite software must use the Quest Lite Version 040408 (2.8.4). If there is no Quest Lite installation, than the full installation must be completed. For earlier versions of Quest Lite, either the upgrade or full installation will be required to be completed. Both versions (upgrade and full installation) are provided on this project CD.

Before proceeding with any installations, note the following:

1. All users must register with the Department of Transportation in order to use Quest Lite. At the time of registration, users are provided with a set of unique company ID codes (Site Code, Bidder Code and company Short Name). Users **MUST RETAIN** these codes for future use.
2. Many users who currently have Quest Lite installed will only require the installation of the upgrade version. To determine if the upgrade installation is sufficient, the present version of the Quest Lite installation must be determined. This is accomplished in Quest Lite by clicking on Help/About. If the present version is 040407 (2.8.3) then the upgrade installation is sufficient **unless** an upgrade version has been previously used to upgrade version 2.8.2 to 2.8.3.
3. For earlier installations (versions below 2.8.3, and if an upgrade has been previously installed to upgrade to version 2.8.3), the full installation of Quest Lite is required. (Note: if the full installation is required, the upgrade installation **does not** need to be performed after the full installation is completed.)
4. To determine if an upgrade version of Quest Lite version is present, it is generally easiest to use the "Add or Remove Programs" function from the Control Panel to view the Quest Lite installations. Should both an installation and an upgrade version be installed, both programs must be removed using the "Remove" function and the new version 2.8.4 installed.
5. It is recommended that users consult the Quest Lite User Manual provided on this CD prior to attempting the installation of the upgrade or full program installation.
6. After completing the installation of the upgrade or full installation, it is recommended that a test bid be submitted to the Department to ensure the program is functioning correctly and that the Quest Lite bid files can be correctly imported into the Department's Quest program. **Test bids may be submitted on a CD to the Contracts office in Room 109 of the RIDOT Headquarters, or by e-mail to Quest@dot.ri.gov.**

Installation Instructions – Upgrade Version

Upgrade Quest Lite only if the current installed version is 2.8.3, and a previous upgrade has not been installed.

1. Close Quest Lite before attempting the installation.
2. Using the project CD, double-click on the “Upgrade Only” option provided on the Start page.
3. When prompted for a password, enter “ridot”.
4. Follow the instructions provided in the installation wizard to complete the installation.
5. When executing Quest Lite for the first time after installing the upgrade, users may be prompted to enter their company bidder codes.

Installation Instructions – Complete Installation

A complete Installation of the software is required only if Quest Lite is:

1. Not installed on the computer/laptop; or
2. The installed version of Quest Lite is older than 2.8.3, i.e. 2.8.2 or under; or
3. The 2.8.3 upgrade version of Quest Lite is installed.

If any of 1 through 3 above apply, follow these instructions:

1. If a Quest Lite version 2.8.2 or older, or a 2.8.3 upgrade are currently installed,
 - a. Close Quest Lite.
 - b. Remove all the existing installation(s) of Quest Lite. To accomplish this, follow the instructions provided on pages 19 – 25 of the Quest Lite User Manual provided with this project CD. Follow the installation removal directions for the operating system in use on the machine.
2. Using the project CD, double-click on the “Complete Installation” option provided on the Start page.
3. When prompted for a password, enter “ridot”.
4. Follow the instructions provided in the installation wizard to complete the installation.
5. When executing Quest Lite for the first time after completing the installation, the user will be prompted to enter the company bidder codes provided by the Department. Once this information is entered, the installation process will be complete.

For technical assistance, contact the Contracts & Specifications office at 222-2495.



State of Rhode Island Department of Administration
Division of Purchases

RHODE ISLAND DEPARTMENT OF TRANSPORTATION

REVISED

December 11, 2012

NOTICE TO HIGHWAY AND BRIDGE CONTRACTORS
BIDDING ON PUBLIC WORKS PROJECTS

Effective **January 1, 2013** all Public Works related project proposals exceeding Five Hundred Thousand (\$500,000) are required to include a “public copy”. All agency contract solicitations, invitations for bids, etc. shall state that any bid or proposal that exceeds Five Hundred Thousand (\$500,000) dollars must include a copy to be available for public inspection upon the opening of the bids. Any bid or proposal in excess of Five Hundred Thousand (\$500,000) dollars which does not include a copy for public inspection shall be deemed to be non-responsive. For further information see R.I. Gen. Laws § 37-2-18(j) and the State Procurement Regulations at www.purchasing.ri.gov. Regulation Section 5.13 entitled “Bids Governing Highway and Bridge Construction Projects” applies to all Department of Transportation public works projects exceeding Five Hundred Thousand (\$500,000) dollars and any combination of base bid plus all alternates.

Effective immediately all Rhode Island Department of Transportation Highway and Bridge contractors submitting proposals to the Division of Purchases shall submit a duplicate original of a vendor’s Quest Lite compatible electronic copy on a readable compact disc, which shall satisfy the statutory “public copy” requirement for Public Works related projects.

The following conditions are required:

5.13 BIDS GOVERNING HIGHWAY AND BRIDGE CONSTRUCTION PROJECTS

5.13.1 All proposals submitted in response to Rhode Island Department of Transportation solicitations for FHWA funded highway or bridge construction project shall include duplicate original compact disks (CD).

5.13.2 All bid proposals shall be opened publicly.

5.13.3 The Division of Purchases shall acknowledge, in the purchasing bid room, the submission by each bidder of both a paper copy of its proposal together with duplicate (2) copies of the

proposal on electronic compact disks (CD) which shall be compatible with software required the Rhode Island Department of Transportation pursuant to Section 12 of these regulations.

5.13.4 If the software program utilized by the Rhode Island Department of Transportation in accordance with Section 12 of these regulations is inoperable during the bid opening, then the Division of Purchases may read the bid price from the submitted hard copy and make the electronic version available for public inspection when the software program is online and properly functioning. Alternatively, the Purchasing Agent or his or her designee may document all proposals received and continue a bid opening for a date and time when the software is online and functioning. An addendum shall be posted for public viewing on the Rhode Island Vendor Information Program indicating the date and time for continuation of the bid opening.

5.13.5 All bids received at the initial bid opening shall be securely held within the Division of Purchases and no additional proposals, documents, or amendments thereto will be accepted by the Division of Purchases. The Division of Purchases shall not modify or amend a solicitation once bid opening has commenced.

5.13.6 An abstract copy of all responsive bid proposals which includes itemized pricing and total summary shall be posted for public viewing on the Rhode Island Vendor Information Program by the close of business on the day of bid opening.

NOTE: Contractor's must follow all instructions relating to Electronic bidding procedures Quest Lite Upgrade which are defined in the "Notice to Highway and Bridge Contractors" amended January 1, 2011.

NOTE: Failure to submit a duplicate original electronic file in high density (HD) compacted disk (CD) generated from the Quest Lite software marked "public copy", as required by R.I.Gen. Laws § 37-2-18(j), as amended, shall result in the disqualification of said bid.

For technical assistance, contact the Division of Purchases office at 574-8100.