



# Request for Quote

STATE OF RHODE ISLAND AND PROVIDENCE PLANTATIONS  
ONE CAPITOL HILL  
PROVIDENCE RI 02908

CREATION DATE : 30-APR-13  
BID NUMBER: 7464364  
TITLE: CHAIN LINK FENCE-JERUSALEM FISH LAB  
  
BID CLOSING DATE AND TIME:20-MAY-2013 01:00:00

BUYER: Cadoret, David  
PHONE #: N/A

**B**  
**I**  
**L**  
**L**  
**T**  
**O**  
DOA CONTROLLER  
ONE CAPITOL HILL, 4TH FLOOR  
SMITH ST  
PROVIDENCE, RI 02908  
US

**S**  
**H**  
**I**  
**P**  
**T**  
**O**  
DEM-GREAT SWAMP FIELD HEADQUARTERS  
277 GREAT NECK ROAD  
WEST KINGSTON, RI 02892  
US

Requisition Number: 1314293

Note to Bidders: THERE WILL BE A NON-MANDATORY PRE BID AS OUTLINED ON ATTACHED SHEETS

Line	Description	Quantity	Unit	Unit Price	Total
1	Installation of a Chain Link Fence at Jerusalem Fish Lab as per attached specifications	1.00	Each		

Delivery: \_\_\_\_\_

Terms of Payment: \_\_\_\_\_

It is the Vendor's responsibility to check and download any and all addenda from the RIVIP. This offer may not be considered unless a signed RIVIP generated Bidder Certification Cover Form is attached and the Unit Price column is completed. The signed Certification Cover Form must be attached to the front of the offer

# SOLICITATION INFORMATION

May 6, 2013

**RFQ #7464364**

**TITLE: CHAIN LINK FENCE-JERUSALEM FISH LAB,  
1231 SUCCOTASH RD, JERUSALEM, RI - DEM**

**CLOSING DATE AND TIME: 5/20/13 AT 1:00 PM**

**PRE-BID/ PROPOSAL CONFERENCE: YES      DATE: 5/13/13   TIME: 9:00 AM**

**MANDATORY: NO**

**LOCATION:    DEPARTMENT OF ENVIRONMENTAL MANAGEMENT  
              235 PROMENADE ST  
              PROVIDENCE, RI 02908**

**SURETY REQUIRED: NO**

**BOND REQUIRED: NO**

**DAVID A. CADORET  
CHIEF BUYER**

**Vendors register on-line at the State Purchasing Website at [www.purchasing.ri.gov](http://www.purchasing.ri.gov)**

**NOTE TO VENDORS:**

**Offers received without the entire completed four-page RIVIP Generated Bidder Certification Cover Form attached may result in offer disqualification.**

**THIS PAGE IS NOT A BIDDER CERTIFICATION FORM**

# SOLICITATION INFORMATION

May 6, 2013

**RFQ #7464364**

**TITLE: CHAIN LINK FENCE-JERUSALEM FISH LAB,  
1231 SUCCOTASH RD, JERUSALEM, RI - DEM**

**CLOSING DATE AND TIME: 5/20/13 AT 1:00 PM**

## **Specifications**

Furnish and install approximately 492 LF of 6' high chain link fence with (1) 14' opening double swing gates.

2 inch 9 gauge Chain Link Fabric

1-5/8 inch Top Rail SS40 weight

#7 gauge Bottom Cable

2-1/2 inch Intermediate Post SS40 weight

3 inch Terminal Post SS40 weight

4 inch Double Gate Post SS40 weight

All materials furnished shall be Hot Dipped Galvanized

**Materials** – Materials used shall be free from defects which would adversely affect the performance or maintainability of individual components or of the overall assembly. Materials not specified herein shall be of the same quality used for the intended purpose in commercial practice. Unless otherwise specified herein, all equipment, material and articles incorporated in the work covered by this specification are to be new and not used or rebuilt. Fence materials and installation shall meet or exceed the standards of the Chain Link Fence Manufacturers' Institute, New York, NY. Fence materials shall meet or exceed Federal Specification RR-R-00191e for Fencing, Wire, Post, Metal (and Gates, Chain Link Fabric and Accessories), and shall conform to the standard specifications of the American Society for Testing and Materials.

# SOLICITATION INFORMATION

May 6, 2013

**RFQ #7464364**

**TITLE: CHAIN LINK FENCE-JERUSALEM FISH LAB,  
1231 SUCCOTASH RD, JERUSALEM, RI - DEM**

**CLOSING DATE AND TIME: 5/20/13 AT 1:00 PM**

All steel parts shall be galvanized by the hot dip process in accordance with relevant ASTM Specification;

- |    |                    |            |
|----|--------------------|------------|
| 1. | Pipe               | ASTM A-120 |
| 2. | Hardware           | ASTM A-153 |
| 3. | Square and C-Posts | ASTM A-123 |

**Erector Qualifications** – Minimum of five (5) years experience installing similar fencing.

**Concrete** – Shall be 2,500 PSI, ASTM C94-72

**Posts** - Post locations shall be as required spaced equidistant at intervals not exceeding 10 feet. Measure the interval parallel to the grade of the proposed fence and in the line of the fence from center to center of the posts. Terminal posts shall be set at the beginning and end of each continuous length of fence and at abrupt changes in vertical and horizontal alignments.

**Line Post** – Shall be either approved galvanized steel pipe or galvanized steel roll formed “C” sections as listed below.

Fence Height	6 feet
Size	2 ½ inch OD
Weight	3.65 Pounds Per Foot

Posts shall be of sufficient length to allow for installation to a depth as specified

# SOLICITATION INFORMATION

May 6, 2013

**RFQ #7464364**

**TITLE: CHAIN LINK FENCE-JERUSALEM FISH LAB,  
1231 SUCCOTASH RD, JERUSALEM, RI - DEM**

**CLOSING DATE AND TIME: 5/20/13 AT 1:00 PM**

**Terminal Posts** – End, corner and pull posts shall be 3 inch OD steel tubing weighing 5.79 pounds per linear foot. Each post shall be of sufficient length to allow for a depth below ground level as indicated.

**Post Tops** – Tubular post tops shall be designed as to exclude moisture from post

**Top Rail** - Fence shall have a continuous top rail for its full length, of 1 5/8 inch OD galvanized tubing weighing 1.35 pounds per foot as per US Government Spec RR-F-191/3A. Top rail shall pass through openings provided in line post tops and each length shall be coupled with an internal swaged sleeve for a distance of 3 inches. Fabric shall be attached to the top rail by means of double wrapped 13 gauge (.091") zinc coated tie wires spaced at intervals of approximately 24 inches.

**Truss Braces** – A brace rail of 1 5/8 inch OD galvanized tubing weighing 1.35 pounds per linear foot, along with a 5/16 inch truss rod and turnbuckle attachment shall be installed between terminal post and each adjacent line post.

**Tension Bars, Bands and Fittings** – Fabric shall be attached to posts by means of a tension bar held in place by specially designed clips. Pipe gate posts fabric shall be attached to "C" section line posts by 9 gauge ties, intervals not to exceed 15 inches.

Due to sandy nature of soil all posts should be set in concrete.

REQUEST FOR QUOTE #7464364

**INSURANCE**

AN INSURANCE CERTIFICATE IN COMPLIANCE WITH PROVISIONS OF ITEM 31 (INSURANCE) OF THE GENERAL CONDITIONS OF PURCHASE IS REQUIRED FOR COMPREHENSIVE GENERAL LIABILITY, AUTOMOBILE LIABILITY, AND WORKERS' COMPENSATION AND MUST BE SUBMITTED BY THE SUCCESSFUL BIDDER(S) TO THE DIVISION OF PURCHASES PRIOR TO AWARD. THE INSURANCE CERTIFICATE MUST NAME THE STATE OF RHODE ISLAND AS CERTIFICATE HOLDER AND AS AN ADDITIONAL INSURED. FAILURE TO COMPLY WITH THESE PROVISIONS MAY RESULT IN REJECTION OF THE OFFEROR'S BID. ANNUAL RENEWAL CERTIFICATES MUST BE SUBMITTED TO THE AGENCY IDENTIFIED ON THE PURCHASE ORDER. FAILURE TO DO SO MAY BE GROUNDS FOR CANCELLATION OF CONTRACT

**WAGE**

BIDDERS ARE ADVISED THAT ALL PROVISIONS OF TITLE 37 CHAPTER 13 OF THE GENERAL LAWS OF RHODE ISLAND APPLY TO THE WORK COVERED BY THIS REQUEST, AND THAT PAYMENT OF THE GENERAL PREVAILING RATE OF PER DIEM WAGES AND THE GENERAL PREVAILING RATE FOR REGULAR, OVERTIME, AND OTHER WORKING CONDITIONS EXISTING IN THE LOCALITY FOR EACH CRAFT, MECHANIC, TEAMSTER, OR TYPE OF WORKMAN NEEDED TO EXECUTE THIS WORK IS A REQUIREMENT FOR BOTH CONTRACTORS AND SUBCONTRACTORS. THE PREVAILING WAGE TABLE MAY BE OBTAINED AT THE RI DIVISION OF PURCHASES HOME PAGE BY INTERNET AT [www.purchasing.state.ri.us](http://www.purchasing.state.ri.us) . SELECT "INFORMATION" AND THEN SELECT "PREVAILING WAGE TABLE". THE STATE OF RHODE ISLAND USES THE GENERAL DECISION NUMBER R120030001. PRINTING THE ENTIRE DOCUMENT AVERAGES APPROXIMATELY ONE MINUTE PER PAGE. YOU MAY WANT TO PRINT ONLY THE PAGES APPLICABLE TO YOUR BID. BIDDERS NOTE: IN THE EVENT THIS BID SPECIFIES PRICE OFFERS ON A TIME-AND-MATERIAL BASIS, ie., AN HOURLY RATE, ANY OR ALL BIDS SUBMITTED IN AN AMOUNT LESS THAN THE PREVAILING RATE IN EFFECT FOR WORK COVERED BY THIS REQUEST AS OF THE DATE OF BID ISSUANCE SHALL BE REJECTED BY THE DIVISION OF PURCHASES.

**DELIVERY**

DELIVERY OF GOODS OR SERVICES AS REQUESTED BY AGENCY.

### **FISCAL**

AWARDS EXTENDING BEYOND JUNE 30TH ARE SUBJECT TO AVAILABILITY OF FUNDS. CONTINUATION OF THE CONTRACT BEYOND THE INITIAL FISCAL YEAR WILL BE AT THE DISCRETION OF THE STATE. TERMINATION MAY BE EFFECTED BY THE STATE BASED UPON DETERMINING FACTORS SUCH AS UNSATISFACTORY PERFORMANCE OR THE DETERMINATION BY THE STATE TO DISCONTINUE THE GOODS/SERVICES, OR TO REVISE THE SCOPE AND NEED FOR THE TYPE OF GOODS/SERVICES; ALSO MANAGEMENT OWNER DETERMINATIONS THAT MAY PRECLUDE THE NEED FOR GOODS/SERVICES.

### **RIVIP**

IT IS THE VENDOR'S RESPONSIBILITY TO CHECK AND DOWNLOAD ANY AND ALL ADDENDA FROM RIVIP. THIS OFFER MAY NOT BE CONSIDERED UNLESS A SIGNED RIVIP GENERATED BIDDER CERTIFICATION COVER FORM IS ATTACHED AND THE UNIT PRICE COLUMN IS COMPLETE. THE SIGNED CERTIFICATION COVER FORM MUST BE ATTACHED TO THE FRONT OF THE OFFER. WHEN DELIVERING OFFERS IN PERSON TO ONE CAPITOL HILL, VENDORS ARE ADVISED TO ALLOW AT LEAST ONE HOUR ADDITIONAL TIME FOR CLEARANCE THROUGH SECURITY CHECKPOINTS.

THIS OFFER MAY NOT BE CONSIDERED UNLESS BIDDER CERTIFICATION COVER FORM IS ATTACHED AND THE UNIT PRICE COLUMN IS COMPLETED. THE SIGNED CERTIFICATION COVER FORM MUST BE ATTACHED TO THE FRONT OF THE OFFER. WHEN DELIVERED OFFERS ON PERSON TO ONE CAPITOL HILL, VENDORS ARE ADVISED TO ALLOW AT LEAST ONE HOUR ADDITIONAL TIME FOR CLEARANCE THROUGH SECURITY CHECKPOINTS.

NOTE: IF THIS COVERS CONSTRUCTION, SCHOOL BUSING, HAZARDOUS WASTE, OR VESSEL OPERATION, APPLICABLE COVERAGES FROM THE FOLLOWING LIST MUST ALSO BE SUBMITTED TO THE DIVISION OF PURCHASES PRIOR TO AWARD: \*PROFESSIONAL LIABILITY INSURANCE (AKA ERRORS & OMISSION) - \$1 MILLION OR 5% OF ESTIMATED PROJECT COST, WHICHEVER IS GREATER. \*BUILDER'S RISK INSURANCE – COVERAGE EQUAL TO FACE AMOUNT OF CONTRACT FOR CONSTRUCTION. \*SCHOOL BUSING – AUTO LIABILITY COVERAGE IN THE AMOUNT OF \$5 MILLION OF FACE AMOUNT OF CONTRACT, WHICHEVER IS GREATER. \*VESSEL OPERATION – (MARINE OR AIRCRAFT) – PROTECTION & INDEMNITY COVERAGE REQUIRED IN THE AMOUNT OF \$1 MILLION.

**VENDOR SPECIFICATIONS**

ALL VENDORS MUST INCLUDE SPECIFICATIONS WITH BID PROPOSAL (EVEN THOSE BIDDING BRAND SPECIFIED). FAILURE TO SUBMIT SPECIFICATIONS WITH BID PROPOSAL MAY RESULT IN DISQUALIFICATION OF BID. ITEMS IN CATALOGS MUST BE CLEARLY MARKED AND PAGES TABBED.

**AWARD**

THE STATE, AT ITS SOLE DISCRETION, SHALL RESERVE THE RIGHT TO MAKE ONE OR MULTIPLE AWARDS FOR THIS REQUIREMENT AND/OR TO REJECT ANY OR ALL BIDS.