Request for Quote

STATE OF RHODE ISLAND AND PROVIDENCE PLANTATIONS
ONE CAPITOL HILL
PROVIDENCE RI 02908

CREATION DATE : 07-MAY-13
BID NUMBER: 7464393
TITLE: FURNISH TOILET PARTITIONS STALLS - MURRAY CENTER - RHODE ISLAND COLLEGE

BLANKET START : 15-JUN-13
BLANKET END : 30-SEP-13
BID CLOSING DATE AND TIME:12-JUN-2013 10:30:00

BUYER: Mosca, Gary
PHONE #: 401-574-8124

BILL TO
RIC SPECIAL INSTRUCTIONS
SEE BELOW
SEE BELOW, RI N/A
US

SHIP TO
RIC-PURCHASING
600 MOUNT PLEASANT AVENUE
PROVIDENCE, RI 02908
US

Requistion Number: 1315472

Note to Bidders: Questions concerning this solicitation may be emailed to gary.mosca@purchasing.ri.gov no later than 5/24/13 @ 3:00 PM (EST). Questions should be submitted in a Microsoft word attachment. Please reference the RFQ # on all correspondence. Questions received if any, will be posted on the internet as an addendum to this solicitation. It is the responsibility of all interested parties to download this information.

Line	Description	Quantity	Unit	Unit Price	Total
1	FURNISH TOILET PARTITIONS STALLS - MURRAY CENTER - RIC PER ATTACHED SPECIFICATIONS - RIC WILL INSTALL THERE WILL BE A NON-MANDATORY PRE-BID HELD 5/22/13 @ 10:00 AM (ET) PLEASE REPORT TO: Murray Center Rhode Island College Campus 600 Mount Pleasant Ave. Providence, RI 02908 PLEASE REFERENCE BID TERMS & CONDITIONS FOR SUBMISSION OF SUBSTITUTE PRODUCT. SAMPLE(S) MAY BE ASKED TO BE SUBMITTED UPON REQUEST.	1.00	Each		

Delivery: _____

Terms of Payment: _____

It is the Vendor's responsibility to check and download any and all addenda from the RIVIP. This offer may not be considered unless a signed RIVIP generated Bidder Certification Cover Form is attached and the Unit Price column is completed. The signed Certification Cover Form must be attached to the front of the offer

STATE OF RHODE ISLAND AND PROVIDENCE PLANTATIONS

Department of Administration
DIVISION OF PURCHASES
One Capitol Hill
Providence, RI 02908-5855

Tel: (401) 574-8100
Fax: (401) 574-8387
Website:
www.purchasing.ri.gov

Bid #7464393

Furnish Toilet Partitions – Murray Center – Rhode Island College

VENDOR TO SUPPLY THE FOLLOWING MATERIAL **"OR EQUAL"** FOR (21) TOILET PARTITION STALLS AND (5) SCREENS PER SPECIFICATIONS.

TO SUPPLY MANUFACTURER BRAND GENERAL PARTITIONS , SOLID PHENOTIC COLOR THRU, COLOR: BRICK, FLOOR MOUNT/OVERHEAD BRACED SERIES 40, CONTINUOUS HINGE PER URINAL SCREENS PER ATTACHED DRAWINGS.

FIRST FLOOR – WOMEN'S RESTROOM PARTITIONS – 7 STALLS, SERIES 40, FLOOR SUPPORTED WITH HEADRAIL SOLID PHENOLIC CORE COLOR THRU, BRICK.

FIRST FLOOR – MEN'S RESTROOM PARTITIONS – 3 STALLS, 4 SCREENS, SERIES 40, FLOOR SUPPORTED WITH HEADRAIL SOLID PHENOLIC CORE COLOR THRU, BRICK

SECOND FLOOR – WOMEN'S RESTROOM PARTITIONS – 2 STALLS, SERIES 40, FLOOR SUPPORTED WITH HEADRAIL SOLID PHENOLIC CORE COLOR THRU, BRICK.

SECOND FLOOR – MEN'S RESTROOM PARTITIONS – 1 STALL, 1 SCREEN, SERIES 40, FLOOR SUPPORTED WITH HEADRAIL SOLID PHENOLIC CORE COLOR THRU, BRICK.

BASEMENT - WOMEN'S RESTROOM PARTITIONS – 3 STALLS, SERIES 40, FLOOR SUPPORTED WITH HEADRAIL SOLID PHENOLIC CORE COLOR THRU, BRICK.

BASEMENT - MEN'S RESTROOM PARTITIONS – 2 STALLS, SERIES 40, FLOOR SUPPORTED WITH HEADRAIL SOLID PHENOLIC CORE COLOR THRU, BRICK.

BASEMENT – COACHES LOCKEROOM - WOMEN'S RESTROOM PARTITIONS – 2 STALLS, SERIES 40, FLOOR SUPPORTED WITH HEADRAIL SOLID PHENOLIC CORE COLOR THRU, BRICK.

BASEMENT - COACHES LOCKEROOM - MEN'S RESTROOM PARTITIONS – 1 STALL, SERIES 40, FLOOR SUPPORTED WITH HEADRAIL SOLID PHENOLIC CORE COLOR THRU, BRICK.

End Document

BID #7464393
FURNISH TOILET PARTITION STALLS
Murray Center – Rhode Island College

PART 1 - GENERAL

SUMMARY

Section includes: Solid phenolic toilet compartments, urinal screens, privacy screens including required fittings, hardware, and accessories.

QUALITY ASSURANCE

Products and installation shall comply with [ADA Standards]

PART 2 - PRODUCTS

Toilet compartments: Series 40 - Floor Supported with Headrail as manufactured by General Partitions Manufacturing Corporation.

Maximum Flame spread requirements of 35. Maximum smoke generation of 100 [for 1/2" thicknes, 90 for 3/4", and 45 for 1" thickness.]

PANELS

Material: Solid phenolic core made of multiple layers of phenolic resin impregnated kraft paper compressed under heat and pressure. Face with high pressure melamine sheet fusion welded to surface of core. Phenolic core color shall be the same as the decorative surface sheets

Resistant to delamination, water, steam, corrosion, soaps, detergents, and mildew.

Edges: Phenolic core edge color shall be the same as the decorative surface sheets, radiused and polished.

Fire hazard: Class A in accordance with ASTM E84 with 20 maximum flame spread and 45 maximum smoke development.

Minimum thickness:

Panels: [1/2 inch] [13 mm].

Doors: [3/4 inch] [19 mm].

Pilasters: [3/4 inch] [25 mm].

Sizes: [As indicated on Drawings.]

Inswinging door: [24 inches] [610 mm] [_____] wide by 58 inches

Outswinging door for use by persons with physical handicaps: Width to provide [32 inches] [813 mm] clear opening by 58 inches.

FITTINGS

Headrail: Extruded aluminum channel with anti-grip shape, designed to fit over top of pilasters, [1-7/8 by 1-25/32 inches] [48 by 45 mm].

Attachment hardware: Chrome plated, one-way vandal proof sex bolts and No. 14 stainless steel metal screws of length recommended by manufacturer.

Connection brackets: Non-ferrous cast alloy, chrome plated.

Pilaster trim: Minimum [3 inches high 0.031 inch thick] [76 mm by 0.76 mm thick] stainless steel shoe.

HARDWARE

Hinges: [[8 inches] [203 mm] high extruded aluminum warp around pivot hinges with nylon cams and adjustable for door closing position

[Combination coat hook and rubber bumper] [Rubber tipped door bumper]: Cast alloy, chrome plated.

Latch: Surface mounted, extruded aluminum slide latch that does not require twisting or turning of wrist to operate.

Combination latch keeper and door stop with rubber bumper: Extruded aluminum.

Door pull: Cast alloy, chrome plated, straight loop design.

<u>End Document</u>

COLOR-THRU **PHENOLIC**



SAME COLOR THROUGHOUT

Color-Thru combines all of the advantages of our standard Phenolic partitions with the added advantage of color consistency throughout the entire product. Color-Thru is a great choice for high traffic areas offering scratch and grafitti resistance in a varity of colors.

STANDARD COLORS

The colors shown are lithographed swatches (not exact color or texture match). Because responsible manufacturers reserve the right of reasonable color variation, we must reserve the same right. Other colors are available. Check for complete selection.

*****PLEASE REQUEST ACTUAL SAMPLE FOR ABSOLUTE COLOR FIDELITY.*****

Scratch and Graffiti resistant finish.

STANDARD COLOR OPTIONS



BRICK



CLAY



OLIVE



SAND

PREMIUM COLOR OPTION

consult factory for additional pricing



TEAL

GENERAL PARTITIONS *Mfg. Corp.*

1702 Peninsula Drive • Erie, PA 16505-4243
P.O. Box 8370 • Erie, PA 16505-0370
Phone 814/833-1154 • Fax 814/838-3473
Website http://www.generalpartitions.com
email: info@generalpartitions.com



1st Floor
Men's Room
RIC
RHOD 11



1st Floor
Ladies Room
RIC
RHOD 11



2nd Floor
Mew's Room
RIC
RHOD 11



2nd Floor
Ladies
RIC
RMOD 11


Men's
Basement
Lockeroom
97 1/2
18
37 1/2
79
C
C
ADA
69



Ladies
Locker room
Basement



Mew's Coach's
Basement
Locker room



Lady Coach's
Locker room
Basement

BID STANDARD TERMS AND CONDITIONS

TERMS AND CONDITIONS FOR THIS BID

DELIVERY PER AGENCY
DELIVERY OF GOODS OR SERVICES AS REQUESTED BY AGENCY.

FISCAL YEAR
AWARDS EXTENDING BEYOND JUNE 30TH ARE SUBJECT TO AVAILABILITY OF FUNDS. CONTINUATION OF THE CONTRACT BEYOND THE INITIAL FISCAL YEAR WILL BE AT THE DISCRETION OF THE STATE. TERMINATION MAY BE EFFECTED BY THE STATE BASED UPON DETERMINING FACTORS SUCH AS UNSATISFACTORY PERFORMANCE OR THE DETERMINATION BY THE STATE TO DISCONTINUE THE GOODS/SERVICES, OR TO REVISE THE SCOPE AND NEED FOR THE TYPE OF GOODS/SERVICES; ALSO MANAGEMENT OWNER DETERMINATIONS THAT MAY PRECLUDE THE NEED FOR GOODS/SERVICES.

RIVIP INFO - BID SUBMISSION REQUIREMENTS
It is the Vendor's responsibility to check and download any and all addenda from the RIVIP. This offer may not be considered unless a signed RIVIP generated Bidder Certification Cover Form is attached and the Unit Price column is completed. The signed Certification Cover Form must be attached to the front of the offer. When delivering offers in person to One Capitol Hill, vendors are advised to allow at least one hour additional time for clearance through security checkpoints.

AWARD
THE STATE, AT ITS SOLE DISCRETION, SHALL RESERVE THE RIGHT TO MAKE ONE OR MULTIPLE AWARDS FOR THIS REQUIREMENT AND/OR TO REJECT ANY OR ALL BIDS.

INSPECTION REQUIREMENTS
BIDDERS ARE RESPONSIBLE FOR INSPECTION OF EQUIPMENT AND/OR LOCATION, TAKING MEASUREMENTS* WHEN REQUIRED, AND MAKING THEMSELVES AWARE OF THE TOTAL REQUIREMENT BEFORE SUBMITTING A BID. *MEASUREMENTS PROVIDED WITH ANY BID ARE FOR REFERENCE PURPOSES AND ARE NOT GUARANTEED TO BE COMPLETELY ACCURATE.

TERMS CONTINUED:

INSURANCE REQUIREMENTS

AN INSURANCE CERTIFICATE IN COMPLIANCE WITH PROVISIONS OF ITEM 31 (INSURANCE) OF THE GENERAL CONDITIONS OF PURCHASE IS REQUIRED FOR COMPREHENSIVE GENERAL LIABILITY, AUTOMOBILE LIABILITY, AND WORKERS' COMPENSATION AND MUST BE SUBMITTED BY THE SUCCESSFUL BIDDER(S) TO THE DIVISION OF PURCHASES PRIOR TO AWARD. THE INSURANCE CERTIFICATE MUST NAME THE STATE OF RHODE ISLAND AS CERTIFICATE HOLDER AND AS AN ADDITIONAL INSURED. FAILURE TO COMPLY WITH THESE PROVISIONS MAY RESULT IN REJECTION OF THE OFFEROR'S BID. ANNUAL RENEWAL CERTIFICATES MUST BE SUBMITTED TO THE AGENCY IDENTIFIED ON THE PURCHASE ORDER. FAILURE TO DO SO MAY BE GROUNDS FOR CANCELLATION OF CONTRACT.

NOTE: IF THIS BID COVERS CONSTRUCTION, SCHOOL BUSING, HAZARDOUS WASTE, OR VESSEL OPERATION, APPLICABLE COVERAGES FROM THE FOLLOWING LIST MUST ALSO BE SUBMITTED TO THE DIVISION OF PURCHASES PRIOR TO AWARD: * PROFESSIONAL LIABILITY INSURANCE (AKA ERRORS & OMISSIONS) - $1 MILLION OR 5% OF ESTIMATED PROJECT COST, WHICHEVER IS GREATER. * BUILDER'S RISK INSURANCE - COVERAGE EQUAL TO FACE AMOUNT OF CONTRACT FOR CONSTRUCTION. * SCHOOL BUSING - AUTO LIABILITY COVERAGE IN THE AMOUNT OF $5 MILLION. * ENVIRONMENTAL IMPAIRMENT (AKA POLLUTION CONTROL) - $1 MILLION OR 5% OF FACE AMOUNT OF CONTRACT, WHICHEVER IS GREATER. * VESSEL OPERATION - (MARINE OR AIRCRAFT) - PROTECTION & INDEMNITY COVERAGE REQUIRED IN THE AMOUNT OF $1 MILLION.

VENDOR SPECIFICATIONS

ALL VENDORS MUST INCLUDE SPECIFICATIONS WITH BID PROPOSAL (EVEN THOSE BIDDING BRAND SPECIFIED). FAILURE TO SUBMIT SPECIFICATIONS WITH BID PROPOSAL MAY RESULT IN DISQUALIFICATION OF BID. ITEMS IN CATALOGS MUST BE CLEARLY MARKED AND PAGES TABBED.

TERMS CONTINUED:

SUBSTITUTION TERMS

A) THE MATERIALS, PRODUCTS, AND EQUIPMENT DESCRIBED IN THE BIDDING DOCUMENTS ESTABLISH A STANDARD OF REQUIRED FUNCTION, DIMENSION, APPEARANCE, AND QUALITY TO BE MET BY ANY PROPOSED SUBSTITUTION. **B**) NO SUBSTITUTION WILL BE CONSIDERED PRIOR TO RECEIPT OF BIDS UNLESS WRITTEN REQUEST FOR APPROVAL HAS BEEN RECEIVED BY THE DIVISION OF PURCHASES **NO LATER THAN MAY 22, 2013 @ 8:00 AM (ET).** SUCH REQUESTS SHALL INCLUDE THE NAME OF THE MATERIAL OR EQUIPMENT FOR WHICH IT IS TO BE SUBSTITUTED AND A COMPLETE DESCRIPTION OF THE PROPOSED SUBSTITUTION INCLUDING DRAWINGS, PERFORMANCE, AND TEST DATA AND OTHER INFORMATION NECESSARY FOR AN EVALUATION. A STATEMENT SETTING FORTH CHANGES IN OTHER MATERIALS, EQUIPMENT, OR OTHER PORTIONS OF THE WORK, INCLUDING CHANGES IN THE WORK OF OTHER CONTRACTS THAT INCORPORATION OF THE PROPOSED SUBSTITUTION WOULD REQUIRE, SHALL BE INCLUDED. THE BURDEN OF PROOF OF THE MERIT OF THE PROPOSED SUBSTITUTION IS UPON THE PROPOSER. THE STATE OF RHODE ISLAND'S DECISION OF APPROVAL OR DISAPPROVAL OF A PROPOSED SUBSTITUTION SHALL BE FINAL. **C**) IF THE STATE APPROVES A PROPOSED SUBSTITUTION PRIOR TO RECEIPT OF BIDS, SUCH APPROVAL WILL BE SET FORTH IN AN ADDENDUM. BIDDERS SHALL NOT RELY UPON APPROVALS MADE IN ANY OTHER MANNER. **D**) NO SUBSTITUTIONS WILL BE CONSIDERED AFTER THE CONTRACT AWARD UNLESS SPECIFICALLY PROVIDED FOR IN THE CONTRACT DOCUMENTS.

END DOCUMENT