



# Request for Quote

STATE OF RHODE ISLAND AND PROVIDENCE PLANTATIONS  
ONE CAPITOL HILL  
PROVIDENCE RI 02908

CREATION DATE : 03-JUN-13  
BID NUMBER: 7470371  
TITLE: UTILITY VEHICLES - RI VETERANS CEMETERY

BID CLOSING DATE AND TIME: 18-JUN-2013 10:15:00

BUYER: Gill, Raymond E Jr  
PHONE #: 401-574-8466

**B  
I  
L  
L  
T  
O**  
DOA CONTROLLER  
ONE CAPITOL HILL, 4TH FLOOR  
SMITH ST  
PROVIDENCE, RI 02908  
US

**S  
H  
I  
P  
T  
O**  
DHS VETERANS CEMETERY  
301 SOUTH COUNTY TRAIL  
EXETER, RI 02822-9712  
US

Requisition Number: 1305493

Note to Bidders: 4WD UTILITY VEHICLES (2) PER ATTACHED SPECIFICATIONS OR EQUAL. VENDOR SHOULD COMPLETE AND SUBMIT A COPY OF THE ATTACHED SPECIFICATION AND SUBMIT A COPY OF THE MANUFACTURER'S SPECIFICATION WITH THEIR BID SUBMITTAL.


IN ORDER TO MAINTAIN TIMELY VEHICLE SERVICE, VENDORS MUST BE WITHIN A 50 MILE RADIUS OF 201 SOUTH COUNTY TRAIL, EXETER, RI 02822.

Line	Description	Quantity	Unit	Unit Price	Total
1	UTILITY VEHICLES FOR GROUNDS MAINTENANCE @ RI VETERANS MEMORIAL CEMETERY	2.00	Each		

Delivery: \_\_\_\_\_

Terms of Payment: \_\_\_\_\_

It is the Vendor's responsibility to check and download any and all addenda from the RIVIP. This offer may not be considered unless a signed RIVIP generated Bidder Certification Cover Form is attached and the Unit Price column is completed. The signed Certification Cover Form must be attached to the front of the offer




**State of Rhode Island**  
**Department of Administration / Division of Purchases**  
**One Capitol Hill, Providence, Rhode Island 02908-5855**  
**Tel: (401) 574-8100 Fax: (401) 574-8387**  
**RFQ 7470371 PAGE 1 OF 4**

Make and Model	Kubota, D1105-E3-UV
Engine Type	Indirect Injected, Liquid Cooled, 4-Cycle, diesel, OHV
Fuel Type	Diesel
SAE gross horsepower	24.8 hp @ 3000 rpm
Maximum torque	50.6 ft-lbs @ 2000-2400 rpm
Rated engine speed	3000 rpm
Number of cylinders	Three
Number of cycles	Four
Displacement volume of engine	68.5 cu in (1123 cc)
Bore x stroke of engine	3.07" x 3.09"
Compression ratio	23 to 1
Type of cooling system	Liquid Cooled w/ Pressurized Radiator
Type of air cleaner	Dry, Paper Filter w/ Cyclone Precleaner
Type of lubrication	Forced Lubrication
Type of oil pump	Trochoidal Pump
Type of oil filter	Replaceable Treated Paper Element
<b>TRANSMISSION</b>	
Transmission Type	Variable Hydro Transmission (VHT Plus)
Manufacturer	Kubota Corporation
Number of ranges available	Low / Medium / High
Maximum forward travel speed	Low: 0 - 10 mph
Note: General Purpose travel	Med: 0 - 18 mph
Speeds with 25x10-12 tires	High: 0 - 25 mph
Maximum reverse travel speed	0 - 15 mph
Rear differential lock available	Standard (foot operated)
Type of rear suspension	Semi-Independent, DeDion Axle with Leaf Springs and Hydraulic Shocks
Front Differential Lock Available	N/A
Type of front suspension	Independent, Macpherson Strut Type
Type of parking brake	Rear Wheel, Hand Brake
Type of brake system	Wet Disc Brakes
Wheel drive system	2WD or 4WD
<b>HYDRAULIC SYSTEM</b>	
Type of power steering system	Hydrostatic Power Steering
Hydraulic power source	Transmission
<b>ELECTRICAL SYSTEM</b>	
Type of charging system (dynamo)	Alternator
Charging system capacity	75 Amps
Battery voltage x capacity	12 volts x 650 cca
<b>WARRANTY</b>	
Non-commercial	12 Months
Commercial	



**State of Rhode Island**  
**Department of Administration / Division of Purchases**  
**One Capitol Hill, Providence, Rhode Island 02908-5855**  
**Tel: (401) 574-8100 Fax: (401) 574-8387**  
**RFQ 7470371 PAGE 2 OF 4**

FLUID CAPACITIES	
Fuel Tank Capacity	7.9 gal
Cooling System Capacity	1.4 gal
Engine Lubricant oil capacity	1.0 gal
Transmission oil capacity	3.2 gal
Hydraulic system capacity	4.6 gal
Front axle differential case capacity	0.2 gal
Brake system capacity	0.42 qts (0.40 liters) – DOT 3 Brake Fluid
DIMENSIONS	
Overall length of base vehicle	128.4"
Overall width of base vehicle	66.5"
Overall height to top of ROPS	82.8"
Wheelbase	77.4"
Front wheel tread width (center)	45.3"
Rear wheel tread width (center)	46.5"
Minimum ground clearance (front axle)	8.1"
Minimum ground clearance (rear axle)	7.5"
Minimum turning radius	26.2'
Noise level at operators ear	83 dB(A) @ max speed
Operating weight	2469 lbs
CARGO BOX	
Cargo box length	46.7"
Cargo box width	52.0"
Cargo box depth	11.4"
Cargo box height from ground	31.5"
Cargo box capacity (volume)	16.0 cu ft
Cargo box capacity (weight)	1102 lbs
PAYLOAD CAPACITIES	
Type of dump system	Hydraulic
Maximum payload capacity	1630 lbs
Maximum towing capacity	1300 lbs



**State of Rhode Island**  
**Department of Administration / Division of Purchases**  
**One Capitol Hill, Providence, Rhode Island 02908-5855**  
**Tel: (401) 574-8100 Fax: (401) 574-8387**  
**RFQ 7470371 PAGE 3 OF 4**

STANDARD FEATURES OR MANUFACTURE'S EQUIVALENT	FOR VENDOR USE ONLY TO INDICATE COMPLIANCE	
	Yes/ No	Specify Alternative (if responding no)
<b>CAB ACCESSORIES</b>		
ITEM # - V283 - WORKLIGHT KIT (1) REAR WORKLIGHT KIT		
ITEM # - V4257 - TURN SIGNAL / HAZARD LIGHTS		
ITEM # - V4258 - REAR UTILITY SCREEN - SNAP- IN REAR SCREEN		
ITEM # - V4286 - SUN VISOR – RTV1100 SUN VISOR		
ITEM # - V4359 - REARVIEW MIRROR (1) – BOLTS ONTO CAB DOOR HINGE		
ITEM # - V4292 - GRAY VINYL SEAT & HEADREST COVERS		
<b>HITCH</b>		
ITEM # - V4292 – 2" FRONT REAR TRAILER HITCH & PIN 2" STRAIGHT RECEIVER (FROM 2009 MODEL)		
<b>ACCESSORIES</b>		
ITEM # - V4229 - BED LINER – PLASTIC BEDLINER FOR ALL RTV MODELS		
ITEM # - V4232 - BACKUP ALARM KIT – WORKS ON ALL RTV MODELS		
ITEM # - V4227 - TAIL LAMP GUARD KIT – INCLUDES 2 PIECES		



State of Rhode Island  
Department of Administration / Division of Purchases  
One Capitol Hill, Providence, Rhode Island 02908-5855  
Tel: (401) 574-8100 Fax: (401) 574-8387  
RFQ 7470371 PAGE 4 OF 4

STANDARD FEATURES OR MANUFACTURE'S EQUIVALENT	FOR VENDOR USE ONLY TO INDICATE COMPLIANCE	
CAB ACCESSORIES	Yes/ No	Specify Alternative (if responding no)
ITEM # - V4275 – HIGH MOUNT AIR CLEANER KIT		
RTV TIRES		
ITEM # - 4206 - ARTV 4206 – TURF TIRE AND RIM 25 X 12 -12, 4 PLY		
IMPLEMENTS & ATTACHMENTS		
ITEM # - 4405 – CARGO BOX SALT/SAND SPREADER – 10.0 FT, CAPACITY, ELECTRIC AUGER DRIVE		

**Contract Terms and Conditions**

**Table of Contents**

Terms and Conditions.....VI  
  BID STANDARD TERMS AND CONDITIONS .....VI  
  TERMS AND CONDITIONS FOR THIS BID .....VI  
  INSURANCE REQUIREMENTS .....VI  
  RIVIP INFO - BID SUBMISSION REQUIREMENTS .....VI  
  VENDOR SPECIFICATIONS .....VI  
  AWARD .....VI  
  DELIVERY PER AGENCY .....VI

**Terms and Conditions**

**BID STANDARD TERMS AND CONDITIONS**

**TERMS AND CONDITIONS FOR THIS BID**

**INSURANCE REQUIREMENTS**

AN INSURANCE CERTIFICATE IN COMPLIANCE WITH PROVISIONS OF ITEM 31 (INSURANCE) OF THE GENERAL CONDITIONS OF PURCHASE IS REQUIRED FOR COMPREHENSIVE GENERAL LIABILITY, AUTOMOBILE LIABILITY, AND WORKERS' COMPENSATION AND MUST BE SUBMITTED BY THE SUCCESSFUL BIDDER(S) TO THE DIVISION OF PURCHASES PRIOR TO AWARD. THE INSURANCE CERTIFICATE MUST NAME THE STATE OF RHODE ISLAND AS CERTIFICATE HOLDER AND AS AN ADDITIONAL INSURED. FAILURE TO COMPLY WITH THESE PROVISIONS MAY RESULT IN REJECTION OF THE OFFEROR'S BID. ANNUAL RENEWAL CERTIFICATES MUST BE SUBMITTED TO THE AGENCY IDENTIFIED ON THE PURCHASE ORDER. FAILURE TO DO SO MAY BE GROUNDS FOR CANCELLATION OF CONTRACT.

NOTE: IF THIS BID COVERS CONSTRUCTION, SCHOOL BUSING, HAZARDOUS WASTE, OR VESSEL OPERATION, APPLICABLE COVERAGES FROM THE FOLLOWING LIST MUST ALSO BE SUBMITTED TO THE DIVISION OF PURCHASES PRIOR TO AWARD: \* PROFESSIONAL LIABILITY INSURANCE (AKA ERRORS & OMISSIONS) - \$1 MILLION OR 5% OF ESTIMATED PROJECT COST, WHICHEVER IS GREATER. \* BUILDER'S RISK INSURANCE - COVERAGE EQUAL TO FACE AMOUNT OF CONTRACT FOR CONSTRUCTION. \* SCHOOL BUSING - AUTO LIABILITY COVERAGE IN THE AMOUNT OF \$5 MILLION. \* ENVIRONMENTAL IMPAIRMENT (AKA POLLUTION CONTROL) - \$1 MILLION OR 5% OF FACE AMOUNT OF CONTRACT, WHICHEVER IS GREATER. \* VESSEL OPERATION - (MARINE OR AIRCRAFT) - PROTECTION & INDEMNITY COVERAGE REQUIRED IN THE AMOUNT OF \$1 MILLION.

**RIVIP INFO - BID SUBMISSION REQUIREMENTS**

It is the Vendor's responsibility to check and download any and all addenda from the RIVIP. This offer may not be considered unless a signed RIVIP generated Bidder Certification Cover Form is attached and the Unit Price column is completed. The signed Certification Cover Form must be attached to the front of the offer. When delivering offers in person to One Capitol Hill, vendors are advised to allow at least one hour additional time for clearance through security checkpoints.

**VENDOR SPECIFICATIONS**

ALL VENDORS MUST INCLUDE SPECIFICATIONS WITH BID PROPOSAL (EVEN THOSE BIDDING BRAND SPECIFIED). FAILURE TO SUBMIT SPECIFICATIONS WITH BID PROPOSAL MAY RESULT IN DISQUALIFICATION OF BID. ITEMS IN CATALOGS MUST BE CLEARLY MARKED AND PAGES TABBED.

**AWARD**

THE STATE, AT ITS SOLE DISCRETION, SHALL RESERVE THE RIGHT TO MAKE ONE OR MULTIPLE AWARDS FOR THIS REQUIREMENT AND/OR TO REJECT ANY OR ALL BIDS.

**DELIVERY PER AGENCY**

DELIVERY OF GOODS OR SERVICES AS REQUESTED BY AGENCY.