Request for Quote

STATE OF RHODE ISLAND AND PROVIDENCE PLANTATIONS
ONE CAPITOL HILL
PROVIDENCE RI 02908

CREATION DATE : 06-JUN-13
BID NUMBER: 7472365
TITLE: FREIGHT TRUCKS , NEW - DOC

BID CLOSING DATE AND TIME:20-JUN-2013 10:15:00

BUYER: Gill, Raymond E Jr
PHONE #: 401-574-8466

BILL TO
DOC CORRECTIONAL INDUSTRIES
33 POWER ROAD
CRANSTON, RI 02920
US

SHIP TO
DOA CONTROLLER
ONE CAPITOL HILL, 4TH FLOOR
SMITH ST
PROVIDENCE, RI 02908
US

Requistion Number: 1315017
Note to Bidders: TWO NEW TRUCKS PER ATTACHED 5 PAGE SPECIFICATION. BIDDERS MUST FILL OUT AND SUBMIT A COPY OF THE ATTACHED 5 PAGE SPECIFICATION. BIDDER SHOULD SUBMIT A COPY OF THE MANUFACTURER'S SPECIFICATIONS.

Line	Description	Quantity	Unit	Unit Price	Total
1	TWO NEW GENERAL FREIGHT TRUCK AS PER ATTACHED SPECIFICATION MODEL_____ YEAR_____ CORRECTION INDUSTRIES TRUCK: DESCRIPTION: GENERAL FREIGHT, MEDIUM SERVICE, EXTENDED CAB, 26,000 (NON-CDL) TRUCK. W/26' DRY VAN BODY 1/REAR MOUNTED TUCK-A-WAY LIFTGATE & HIDE-A-WAY LOADING RAMP (COMBO) (RAMP TO BE USED WITHOUT OPERATING THE LIFT)	2.00	Each		

Delivery: _____

Terms of Payment: _____

It is the Vendor's responsibility to check and download any and all addenda from the RIVIP. This offer may not be considered unless a signed RIVIP generated Bidder Certification Cover Form is attached and the Unit Price column is completed. The signed Certification Cover Form must be attached to the front of the offer

State of Rhode Island
Department of Administration / Division of Purchases
One Capitol Hill, Providence, Rhode Island 02908-5855
Tel: (401) 574-8100 Fax: (401) 574-8387

STANDARD FEATURES	FOR VENDOR USE ONLY TO INDICATE COMPLIANCE	
	Yes/No	Specify Alternative (if responding no)
ENGINE 6.7 - 250 Diesel		
ALTERNATOR 12V - 160 AMP		
BATTERY Maintenance Free 2250 CCA		
BRAKES Four Wheel ABS, Power		
HUB CAPS MANUFACTURERS STANDARD		
BUMPERS Three-Pc 14" Painted Steel with collapsible ends		
COOLING SYSTEM Manufacturers Standard		
FLOOR Manufacturers Standard		
FUEL TANK 50 gal. Rectangular Aluminum		
GVW 26,000		
GAUGES Manufacturers Standard		
GLASS Manufacturers Standard Tinted		
LIGHTS Manufacturers Standard		
HEATER/DEFROSTER Manufacturers Standard		
MIRRORS Dual West Coast Molded-in Color Heated, with 8" Convex Mirrors mounted under primary mirrors		
RADIO MANUFACTURERS STANDARD AM/FM		
AIR CONDITIONING Manufacturers Heavy Duty		
SEATING Basic High Back Vinyl Air Suspension Driver & Passenger with Mechanical Lumbar		

	Yes/No	Specify Alternative (if responding no)
WINDSHIELD WIPERS **Manufacturers Standard**		
HUB CAPS/WHEEL COVER **Manufacturers standard**		
STEERING POWER		
SUSPENSION SYSTEM **12,000 # Dual Taperleaf Front Suspension, 23,000 # Air Ride Rear Suspension**		
TIRES **11R22.5 14PLY Radial, front & rear**		
TRANSMISSION AUTO		
WHEELBASE **7350MM / 290 inch**		
WHEEL WRENCH AND JACK Factory issue		
STANDARD EQUIPMENT Vehicles shall be equipped with all standard features and accessories as noted in the manufacturer's literature for proposed model. No deletion of standard equipment and accessories will be allowed without approval of State Fleet Operations.		
SAFETY Vehicles shall be equipped with all safety standards as administered by the National Highway Traffic and Safety Administration. This is to include ABS if available in model bid. All vehicles will be required to have SRS on drivers side		
PRE-DELVIERY Vehicle shall be completely inspected, serviced and cleaned by the vendor in accordance with pre-delivery service standards. The manufacturer's warranty (minimum of 3 years of 36,000 miles), owner's manual and related information shall be delivered with each unit. Deliver window sticker with details of factory options with each vehicle. No dealer identification on delivered vehicle. Include front license plate bracket. **All fluids must be topped off.**		
• **Front License Plate Bracket** • **Two (2) sets of keys required**		
SPECIAL EQUIPMENT REQUIREMENTS		
6.7 - 250 HP @ 2300 RPM Diesel Engine		
Side-of-hood air intake with firewall mounted air cleaner		
12V 160 AMP Alternator		
12V maintenance free, 2250 CCA Batteries		
18.7 CFM Air Compressor with internal safety valve		
Standard Air Compressor Governor		

STANDARD FEATURES	FOR VENDOR USE ONLY TO INDICATE COMPLIANCE ↓	↓ ↓
	Yes/No	Specify Alternative (if responding no)
Air Compressor Discharge Line		
Electronic Engine Integral Warning and Derate Protection System		
Right Hand Standard Horizontal Tailpipe		
6 gal. Diesel Exhaust Fluid Tank		
Spin on Fuel Filter		
Full Flow Oil Filter		
950 square inch Aluminum Radiator		
Antifreeze to -34F, NOAT Extended Life Coolant		
Blue Stripe Coolant Hoses (or) equal		
Radiator Drain Valve		
Lower Radiator Guard		
750 watt / 115V Block Heater		
Engine Heater Receptacle mtd under LH door		
Aluminum Flywheel Housing		
Electric Grid Air Intake Warmer		
Delco 12V 38MT HD Starter with integrated magnetic switch		
5 speed Allison 2500 HS Automatic Transmission		
Detroit DA-F-10.0-3 10,000# Single Front Axle		
Meritor 15x4 Q+ Cam Front Brakes		
Non-Asbestos Front Break Lining		
Conmet Cast Iron Front Break Drums		
TRW THP-60 Power Steering Unit		
2qt see-through Power Steering Reservoir		
12,000# Dual Taperleaf Front Suspension		
Maintenance Free Rubber Bushings - front susp.		
HD Front Shock Absorbers		
MS-19-14X 19,000# R-Series Single Rear Axle		
5.13 Rear Axle Ratio		
Iron Rear Axle Carrier with standard axle housing		
Meritor 16.5x7 Q+ Cast Spider Cam Rear Brakes, Double Anchor, Fabricated Shoes		
Non-Asbestos rear Brale Lining		
Conmet Cast Iron Rear Brake Drums		
SKF Scotseal Plus XL Rear Oil Seals		
Synthetic 75W-90 Front & Rear Axle Lube		
Airliner 23,000# Rear Suspension with chain clearance		
Airliner High Position Height		
Single Air Rear Suspension Leveling Valve		

STANDARD FEATURES	FOR VENDOR USE ONLY TO INDICATE COMPLIANCE	
	Yes/No	Specify Alternative (if responding no)
Transverse Control Rods		
Rear Shock Absorbers - one axle - Air Ride Suspension		
Air Brake Package		
Wabco 4S/4M ABS without Traction Control		
Reinforced Nylon, Fabric Braid and Wire Chassis Air Lines		
BW AD-9 Brake Line Air Dryer with Heater		
Steel Air Brake Reservoirs		
7350MM (290 inch) Wheelbase		
Effective Back of Cab to Rear Suspension C/L (CA): 195.86"		
Frame Length - Overall: 429.39		
Space Available for Deckplate: 198:86		
Three-Pc 14" Painted Steel Bumper with collapsible ends		
Bumper Mounting for Single License Plate		
50 gal Rectangular Aluminum Fuel Tank		
High Temperature Reinforced Nylon Fuel Lines		
11R22.5 14 PLY Radial Front & Rear Tires		
Conmet Pre-set Bearing Iron Front & Rear Hubs		
Accuride 29637 Assu-lite 22.5X8 10 Hub Pilot 10-Hand Steel Disc Front & Rear Wheels, with nuts		
132" BBC High-Roof Extended Aluminum Conventional Cab		
Air Cab Mounts		
Non-removable Bugscreen (behind grille)		
Fiberglass Hood		
Single Air Horn under LH deck		
Dual Electric Horns		
Ignition Switch and Door Locks Keyed the Same		
Rear License Plate mounted end of frame		
LED Airodynamic Marker Lights		
Integral Stop / Tail / Backup lights		
Standard Front Turn signal Lamps		
Dual West Coast Molded-in Color Heated Mirrors		
8" Molded-in Color Convex Mirrors mounted under primary mirrors		
RH Down View Mirror		
Standard Side / Rear Reflectors		
"Omit" Rear Cab Windows		
Windshield and Window Glass Tinted		
Door Locks and Windows Powered		

STANDARD FEATURES	FOR VENDOR USE ONLY TO INDICATE COMPLIANCE ↓	↓ ↓
	Yes/No	Specify Alternative (if responding no)
2 gal Windshield Washer Reservoir, Frame Mtd.		
Opal Grey Vinyl Interior		
Grey / Charcoal Flat Dash		
Black Floor Mats, Front & Rear		
Two Cup Holders, Dash Mounted		
12V Power Supply in Dash		
Basic High Back Air Suspension Driver & Passenger Vinyl Seats with Mechanical Lumbar		
Full Width Rear Vinyl Bench Seat		
3 point Driver & Front Passenger, LH / RH Rear Passingers, 2 point Center Rear Passenger Seat Belts		
Adjustable Tilt & Telescoping Steering Column		
Driver & Passenger Sun Visors		
26' Morgan Dry Freight Van Body, Model # GVSD10326096, 103.12 (IH), 311.02 (IL), 91.91 (IW), 88W x 97.25H (rear door opening)		
1-1/8" Laminated Hardwood Floor Fastened to Subframe, 2 countersunk screws per floor board, per cross member, in staggered pattern, ship lapped and pre-undercoated for protection from the elements		
Steel Diamond Plate Threshold flush to rear, 1/8 x 24" routed edge into floor		
Scuff-side and front: Galvanized Steel, 12 ga. 16" high		
Series E-Track Recessed Side Wall, (1) located @ 26.50" from top of floor to center of track, (2) located @ 55.50" from top of floor to center of track		
Three Interior Dome Lights, Switch with Indicator mounted in cab dash		
Tuck-a-Way Liftgate with hide-a-way loading ramp (combo unit), mounted @ rear of truck. Loading ramp to be useable without activating the liftgate.		

Contract Terms and Conditions

Table of Contents

Terms and Conditions....VI
BID STANDARD TERMS AND CONDITIONS....VI
TERMS AND CONDITIONS FOR THIS BID....VI
INSURANCE REQUIREMENTS....VI
RIVIP INFO - BID SUBMISSION REQUIREMENTS....VI
AUTO / VEHICLE PURCHASE ORDER....VI
VENDOR SPECIFICATIONS....VII
AWARD....VII
DELIVERY PER AGENCY....VII

Terms and Conditions

BID STANDARD TERMS AND CONDITIONS

TERMS AND CONDITIONS FOR THIS BID

INSURANCE REQUIREMENTS

AN INSURANCE CERTIFICATE IN COMPLIANCE WITH PROVISIONS OF ITEM 31 (INSURANCE) OF THE GENERAL CONDITIONS OF PURCHASE IS REQUIRED FOR COMPREHENSIVE GENERAL LIABILITY, AUTOMOBILE LIABILITY, AND WORKERS' COMPENSATION AND MUST BE SUBMITTED BY THE SUCCESSFUL BIDDER(S) TO THE DIVISION OF PURCHASES PRIOR TO AWARD. THE INSURANCE CERTIFICATE MUST NAME THE STATE OF RHODE ISLAND AS CERTIFICATE HOLDER AND AS AN ADDITIONAL INSURED. FAILURE TO COMPLY WITH THESE PROVISIONS MAY RESULT IN REJECTION OF THE OFFEROR'S BID. ANNUAL RENEWAL CERTIFICATES MUST BE SUBMITTED TO THE AGENCY IDENTIFIED ON THE PURCHASE ORDER. FAILURE TO DO SO MAY BE GROUNDS FOR CANCELLATION OF CONTRACT.

NOTE: IF THIS BID COVERS CONSTRUCTION, SCHOOL BUSING, HAZARDOUS WASTE, OR VESSEL OPERATION, APPLICABLE COVERAGES FROM THE FOLLOWING LIST MUST ALSO BE SUBMITTED TO THE DIVISION OF PURCHASES PRIOR TO AWARD: * PROFESSIONAL LIABILITY INSURANCE (AKA ERRORS & OMISSIONS) - $1 MILLION OR 5% OF ESTIMATED PROJECT COST, WHICHEVER IS GREATER. * BUILDER'S RISK INSURANCE - COVERAGE EQUAL TO FACE AMOUNT OF CONTRACT FOR CONSTRUCTION. * SCHOOL BUSING - AUTO LIABILITY COVERAGE IN THE AMOUNT OF $5 MILLION. * ENVIRONMENTAL IMPAIRMENT (AKA POLLUTION CONTROL) - $1 MILLION OR 5% OF FACE AMOUNT OF CONTRACT, WHICHEVER IS GREATER. * VESSEL OPERATION - (MARINE OR AIRCRAFT) - PROTECTION & INDEMNITY COVERAGE REQUIRED IN THE AMOUNT OF $1 MILLION.

RIVIP INFO - BID SUBMISSION REQUIREMENTS

It is the Vendor's responsibility to check and download any and all addenda from the RIVIP. This offer may not be considered unless a signed RIVIP generated Bidder Certification Cover Form is attached and the Unit Price column is completed. The signed Certification Cover Form must be attached to the front of the offer. When delivering offers in person to One Capitol Hill, vendors are advised to allow at least one hour additional time for clearance through security checkpoints.

AUTO / VEHICLE PURCHASE ORDER

THE FOLLOWING ADDITIONAL TERMS AND CONDITIONS APPLY TO THIS PURCHASE ORDER: 1. ALL VEHICLES MUST BE DELIVERED WITHOUT DEALER'S NAME OR ADVERTISING OF ANY TYPE VISIBLE ON THE BODY. 2. EACH VEHICLE DELIVERED TO THE STATE MUST BE ACCOMPANIED BY A "CERTIFICATE OF ORIGIN" CONTAINING THE MANUFACTURER'S VEHICLE IDENTIFICATION NUMBER (VIN), THE NUMBER OF ENGINE CYLINDERS AND ENGINE TYPE, A GENERAL DESCRIPTION OF THE BODY, AND THE MODEL NAME OR NUMBER. CERTIFICATE OF ORIGIN MUST BE ASSIGNED TO STATE OF RI/FLEET OPERATIONS, ONE CAPITOL HILL, PROVIDENCE, RI 02908 UNLESS THE VEHICLE IS BEING PURCHASED BY THE RHODE ISLAND STATE POLICE. IF SO, CERTIFICATE OF ORIGIN MUST BE ASSIGNED TO RHODE ISLAND STATE POLICE, 311 DANIELSON PIKE, NORTH SCITUATE, RI 02857. 3. THE VENDOR MUST WARRANT FULL AND UNENCUMBERED TITLE TO THE VEHICLE(S) AS OF THE DATE OF DELIVERY TO THE STATE. 4. TITLE CERTIFICATES MUST BE PROVIDED AT THE TIME OF DELIVERY TO THE STATE.

VENDOR SPECIFICATIONS

ALL VENDORS MUST INCLUDE SPECIFICATIONS WITH BID PROPOSAL (EVEN THOSE BIDDING BRAND SPECIFIED). FAILURE TO SUBMIT SPECIFICATIONS WITH BID PROPOSAL MAY RESULT IN DISQUALIFICATION OF BID. ITEMS IN CATALOGS MUST BE CLEARLY MARKED AND PAGES TABBED.

AWARD

THE STATE, AT ITS SOLE DISCRETION, SHALL RESERVE THE RIGHT TO MAKE ONE OR MULTIPLE AWARDS FOR THIS REQUIREMENT AND/OR TO REJECT ANY OR ALL BIDS.

DELIVERY PER AGENCY

DELIVERY OF GOODS OR SERVICES AS REQUESTED BY AGENCY.