

Request for Quote

STATE OF RHODE ISLAND AND PROVIDENCE PLANTATIONS
ONE CAPITOL HILL
PROVIDENCE RI 02908

BUYER: Melillo, Charlotte A
PHONE #: 401-574-8110

CREATION DATE : 10-JUL-13
BID NUMBER: 7482364
TITLE: LEVOLOR MONACO 6, 1" HORIZONTAL WINDOW
AND DOOR BLINDS OR EQUAL

BLANKET START : 01-AUG-13
BLANKET END : 30-JUN-14
BID CLOSING DATE AND TIME:30-JUL-2013 10:15:00

B
I
L
L
T
O
URI ACCOUNTS PAYABLE
CARLOTTI ADMINISTRATION BLDG
75 LOWER COLLEGE ROAD, SUITE 1
KINGSTON, RI 02881
US

S
H
I
P
T
O
URI-CE-PROVIDENCE CENTER
SHEPARD BUILDING
80 WASHINGTON STREET
PROVIDENCE, RI 02903
US

Requisition Number: 1317714

Line	Description	Quantity	Unit	Unit Price	Total
1	<p>8/1/13 - 6/30/14</p> <p>LEVOLOR MONACO 6, 1" HORIZONTAL WINDOW AND DOOR BLINDS OR EQUAL PER BID SPECIFICATIONS</p> <p>FOR QUESTIONS REGARDING THIS BID, EMAIL: charlotte.melillo@purchasing.ri.gov</p> <p>*</p> <p>8/1/13 - 6/30/14 Levolor Monaco 6, 1 inch horizontal window and door blinds or EQUIVALENT per the attached</p>	1.00	Square Foot		

Delivery: _____

Terms of Payment: _____

It is the Vendor's responsibility to check and download any and all addenda from the RIVIP. This offer may not be considered unless a signed RIVIP generated Bidder Certification Cover Form is attached and the Unit Price column is completed. The signed Certification Cover Form must be attached to the front of the offer

BLANKET REQUIREMENTS: 8/1/13 - 6/30/14

REPLACEMENT OF DAMAGED/MISSING WINDOW/DOOR BLINDS OF VARIOUS SIZES
AT URI PROVIDENCE CAMPUS - LIST OF WINDOW SIZES IN ATTACHMENT

REPLACEMENT BLINDS ARE TO BE LEVOLOR MONACO 6, 1 - INCH HORIZONTAL OR EQUIVALENT

HEADRAIL 0.94 INCHES X 1.35 INCHES WIDE - NOMINAL 0.006 INCH SLAT THICKENSS -
21.5 MM LADDER SPACING

COLOR: ALABASTER 112

PRICING IS TO BE PREDICATED ON A SQUARE FOOT BASIS OF THE SPECIFIED LEVOLOR MONACO 6
1 - INCH HORIZONTAL OR EQUIVALENT BLINDS

ESTIMATED QUANTITY FOR REPLACEMENT IS 60 BLINDS

VENDOR WILL BE CALLED WHEN THERE IS A MINIMUM OF TEN (10) WINDOW/DOOR
BLINDS TO BE REPLACED, APPROXIMATELY 5 TIMES PER YEAR.

VENDOR IS RESPONSIBLE FOR REMOVING DAMAGED WINDOW/DOOR BLINDS
(INCLUDING HEADRAILS AND OTHER ASSOCIATED HARDWARE, ETC.) REPLACING WITH NEW
LEVOLOR MONACO 6, 1 INCH BLINDS AND HEADRAILS 0.94 INCHES X 1.35 INCHES AND ALSO
DISPOSE OFFSITE OF REMOVED/DAMAGED UNITS.

VENDOR WILL SUPPLY AND PROVIDE ALL TOOLS, EQUIPMENT, AND MATERIALS REQUIRED
TO MEET THE REQUIREMENTS REQUESTED IN THE SPECIFICATIONS

VENDOR IS RESPONSIBLE FOR ALL MEASUREMENTS, PROPER FIT AND APPEARANCE


NO MISCELLANEOUS CHARGES, NO TRAVEL, NO PORTAL-TO-PORTAL

LEVOLOR®

Monaco® 6

Model #MON6

Competitively positioned 1" horizontal aluminum window covering for commercial applications.



KEY FEATURES:

- Headrail: .94" high x 1.35" wide
- Nominal .006" slat thickness
- 21.5mm ladder spacing
- Limited lifetime warranty
- LightMaster®
- Integrated headrail
- Box brackets standard
- Integrated brackets available

PRODUCT OVERVIEW



The Monaco 6 1" Blind, considered the tenant standard, represents Levolor's competitively positioned horizontal blind backed by a lifetime limited warranty. Committed to both durability and aesthetics, the Monaco 6 1" blind provides the high quality economical choice.

The durable and slim headrail, made of roll-formed painted steel, offers the choice of an integrated headrail or an add on valance.


The nominal .006" thick slats are made of 5000 series magnesium aluminum alloy. This material provides overall strength and resiliency, assuring a quality look for the life of the blind. The Monaco 6 1" blind's 21.5mm ladder spacing ensures tight closure and optimum light control.

Monaco® 6 1" Blind


Box Brackets Standard
Integrated Brackets Available




Box Bracket Detail



Integrated Bracket Detail



Box Bracket



Hold-down Bracket

PRODUCT SPECIFICATIONS

For more detailed specifications please reference Monaco 6 1" Blind product Guide Specifications.

Part II - Products

- A. Monaco 6 1" Blind manufactured by Levolor
- B. Limited Lifetime Warranty
- C. Materials:

- Headrail** shall be of .02" thick painted steel, .94" high x 1.35" wide. All hardware shall be enclosed in the metal headrail.
- Tilter** mechanism shall be a sealed housing with lubricated worm and gear mechanism to prevent wear.
- Tilt Wand** shall be transparent with a round fluted cross section approximately $\frac{3}{16}$ " in diameter with 6 grooves for non-slip grip.
- Cord Lock** shall have steel shields with brass rollers and shall be crashproof.
- Drum and Cradle** shall be provided for each ladder. Drums and cradles shall be of engineering polymer.
- Installation Brackets/Box Brackets** shall be of at least .035" thick painted steel with a hinged safety locking front cover to permit removal of headrail without lateral movement.
- Ladders** (slat supports): Distance between slats shall not exceed 21.5mm.
- Slats** shall be of 5000 series magnesium aluminum alloy. Slats shall be nominally 1" wide and the thickness of the slats shall be nominally .006".
- Bottomrail** shall be of .023" thick painted steel.
- Options** shall include:
 - a. Cord Cleat
 - b. End Mount Adapter
 - c. Extension Brackets
 - d. Hidden Brackets
 - e. Hold-Down Brackets
 - f. Integrated Bracket
 - g. LightMaster™
 - h. 2 Slat Framed Vogue® Valance

LEVOLOR
A *NewellRubbermaid* Company

Levolor Kirsch Window Fashions
4110 Premier Drive
High Point, NC 27265

Contract Customer Service
1-800-826-8021
www.levolorcontract.com

©2009 Levolor. All rights reserved. US and non-US patents and patents pending. Product specifications are subject to change without notice. Printed in the USA.

TYPE	SIZE	DIMENSION W x H	DETAILS			REMARKS/ NUMBER OF WINDOWS
			HEAD	JAMB	SILL	
A	1	3'-6" x 9'-4 1/2"	1/A10.6 sm	1/A10.6	2/A10.6	9
A	2	3'-6" x 9'-4 1/2"	"	"	"	9
A	3	3'-8 1/2" x 9'-4 1/2"	"	"	"	1
B	1	2'-8 3/4" x 6'-5 1/2"	3/A10.6 sm	3/A10.6	8/A10.6	10
B	2	3'-11 3/4" x 6'-5 1/2"	"	"	"	5
B	3	3'-9 1/2" x 6'-4 1/4"	"	"	"	5
B	4	4'-9 1/2" x 6'-4 1/2"	"	"	"	1
B	5	2'-9 1/2" x 6'-4 1/2"	"	"	"	6
B	6	3'-4" x 6'-4 1/2"	"	"	"	1
B	7	3'-9 1/2" x 4'-3 1/2"	11/A10.6	7/A10.6	8/A10.6	3
B	8	3'-7" x 4'-3 1/4"	11/A10.6	7 1/2/A10.6	8/A10.6	8
B	9	4'-1" x 4'-3 1/4"	11/A10.6	12/A10.6	8/A10.6	4
B	10	3'-8 1/2" x 4'-1 1/2"	11/A10.6	7/A10.6	8/A10.6	1
B	12	2'-11 1/2" x 6'-9 1/2"	11/A10.6	7 1/2/A10.6	8/A10.6	8
B	121	4'-1 1/2" x 4'-1"	11/A10.6	7/A10.6	8/A10.6	11
B	13	3'-9 1/2" x 6'-9 1/2"	11/A10.6	12/A10.6	8/A10.6	4
B	14	3'-7 1/2" x 6'-9 1/2"	11/A10.6	7 1/2/A10.6	8/A10.6	16
B	15	4'-1 1/4" x 6'-9 1/2"	11/A10.6	12/A10.6	8/A10.6	8
B	16					0
B	17	4'-1 1/2" x 6'-9 1/4"	11/A10.6	7/A10.6	8/A10.6	11
B	18	3'-7 3/4" x 6'-9 1/2"		"	"	SEE NOTE [1] 40
B	19	4'-1 1/2" x 6'-10"	"	"	"	11
B	20	2'-11" x 8'-2"	17/A10.6	15/A10.6 sm	18/A10.6	8
B	21	3'-9 1/2" x 8'-2"	17/A10.6	15/A10.6	18/A10.6	4
B	22	3'-7" x 8'-2"	11/A10.6	7 1/2/A10.6	8/A10.6	8
B	23	4'-1 1/4" x 8'-2"	11/A10.6	12/A10.6	8/A10.6	4
B	24	3'-7 3/4" x 7'-9 3/4"	11/A10.6	7/A10.6	8/A10.6	7
B	25	4'-1 1/2" x 7'-8 3/4"	"	"	"	11
B	28	1'-9" x 4'-10"				SEE NOTE [2] 1
B	29	3'-4" x 3'-4"	11/A10.6 sm	7/A10.6 sm	8/A10.6 sm	2
B	30	3'-7 3/4" x 4'-1"	11/A10.6	7/A10.6	8/A10.6	SEE NOTE [1] 15
B	31	3'-5 1/2" x 7'-8 1/2"	"	"	"	2
C	1	3'-4" x 5'-9"	5/A10.6	7/A10.6	8/A10.6	SEE NOTE [2] 59
C	2	3'-4" x 7'-9 1/2"	1/A10.6 sm	1/A10.6	2/A10.6	18
C	3	3'-8 1/2" x 7'-9 1/2"	"	"	"	2
C	4	3'-6" x 7'-9 1/2"	"	"	"	18
C	5	3'-6" x 4'-1 1/2"	11/A10.6	7/A10.6	8/A10.6	10
C	6	4'-2 1/2" x 4'-1 1/2"	"	"	"	SEE NOTE [2] 3
C	7	3'-3" x 3'-11"	"	"	"	SEE NOTE [1] 4
C	8	3'-7 3/4" x 4'-1"	"	"	"	SEE NOTE [1] 9
C	9					0
C	10	3'-7 3/4" x 6'-10"	"	"	"	10
C	11	4'-4" x 6'-2"	5/A10.6	7/A10.6	8/A10.6	SEE NOTE [2] 10
C	12	3'-4 1/4" x 5'-8 1/2"	"	"	"	SEE NOTE [1] 15 [2]
C	13	3'-7 3/4" x 6'-9 1/2"	11/A10.6	7/A10.6	8/A10.6	SEE NOTE [1] 18
C	14					0
C	15	3'-8" x 6'-9 1/2"	"	"	"	1
C	17					0
C	18	3'-7 3/4" x 7'-11 1/2"	11/A10.6	7/A10.6	8/A10.6	3

TYPE	SIZE	DIMENSION W x H	DETAILS			REMARKS/ NUMBER OF WINDOWS
			HEAD	JAMB	SILL	
C	20					0
C	21					0
C	22					0
C	23	4'-4 1/2" x 7'-9"	11/A10.6	7/A10.6	8/A10.6	10
C	24	3'-4" x 5'-10"	5/A10.6	7/A10.6	5/A10.6	7 SEE NOTE ① ②
C	25	3'-7 1/2" x 7'-8 1/2"	11/A10.6	7/A10.6	5/A10.6	7
C	26	3'-7 3/4" x 4'-1"	1/SKB	2/SKB	3/SKB	6 SEE NOTE ③
C	27	3'-7 3/4" x 6'-9 1/2"	"	"	"	5 SEE NOTE ③
D	1	2'-9" x 6'-6"	3/A10.6SM	3/A10.6	4/A10.6	10
D	2	4'-0" x 6'-6"	"	"	"	5
D	3	3'-9 3/4" x 6'-5"	"	"	"	5
D	4	4'-10" x 6'-5"	"	"	"	1
D	5	2'-9 3/4" x 6'-5"	"	"	"	6
D	6	3'-4" x 6'-5"	"	"	"	1
E	1	5'-0" x 2'-1 1/4"	6/A10.7	8/A10.7SM	7/A10.7	1
E	2	3'-3" x 2'-1 1/4"	"	"	"	4
E	3	5'-10 1/2" x 2'-1 1/4"	"	"	"	2
E	4	3'-6 1/4" x 2'-1 1/4"	"	"	"	6
E	5	6'-1" x 2'-1 1/4"	"	"	"	1
E	6	4'-10 3/4" x 2'-1 1/4"	"	"	"	1
E	7	6'-2 1/2" x 2'-1 1/4"	"	"	"	2
E	8	3'-10 1/4" x 2'-1 1/4"	10/A10.7	12/A10.7SM	11/A10.7	2
E	9	7'-8" x 2'-2 3/4"	"	"	"	2
E	10	4'-9 1/2" x 2'-2 3/4"	6/A10.7	8/A10.7SM	7/A10.7	4
E	11	6'-11 1/4" x 2'-2 3/4"	"	"	"	1
E	12	7'-4" x 2'-2 3/4"	"	"	"	1
E	13	3'-11" x 2'-9 3/4"	1/A10.7	3/A10.7SM	2/A10.7	2
E	14	5'-1 3/4" x 2'-9 3/4"	"	"	"	2
E	15	6'-6" x 2'-9 3/4"	"	"	"	1
E	16	5'-1" x 2'-9 3/4"	"	"	"	2
E	17	5'-6 1/2" x 2'-9 3/4"	1/A10.7	3-4/A10.7	2/A10.7	3
E	18	5'-11 1/2" x 2'-9 3/4"	"	"	"	2
E	19	4'-11" x 2'-9 3/4"	"	"	"	3
E	20	4'-7" x 2'-9 3/4"	1/A10.7	3/A10.7	2/A10.7	9
F	0	3'-6" x 4'-0"	7/A10.7SM	8/A10.7SM	9/A10.7SM	2
F	1	5'-0" x 7'-3 1/4"	7/A10.7	8/A10.7SM	9/A10.7	1
F	2	3'-3" x 7'-3 1/4"	"	"	"	4
F	3	5'-10 1/2" x 7'-3 1/4"	"	"	"	2
F	4	3'-6 1/4" x 7'-3 1/4"	"	"	"	6
F	5	6'-1" x 7'-3 1/4"	"	"	"	1
F	6	4'-10 3/4" x 7'-3 1/4"	"	"	"	1
F	7	6'-2 1/2" x 7'-3 1/4"	"	"	"	2
F	8	3'-10 1/4" x 7'-1"	11/A10.7	12/A10.7SM	13/A10.7	2
F	9	7'-8" x 7'-1"	"	"	"	2
F	10	4'-9 1/2" x 7'-3 1/4"	7/A10.7	8/A10.7SM	9/A10.7	4
F	11	6'-11 1/4" x 7'-3 1/4"	"	"	"	1
F	12	7'-4" x 7'-3 1/4"	"	"	"	1
F	13	3'-11" x 5'-9 3/4"	2/A10.7	3/A10.7	5/A10.7	2
F	14	5'-1 3/4" x 5'-9 3/4"	"	"	"	2
F	15	6'-6" x 5'-9 3/4"	"	"	"	1

TYPE	SIZE	DIMENSION W x H	DETAILS			REMARKS/ NUMBER OF WINDOWS
			HEAD	JAMB	SILL	
F	16	5'-1" x 5'-9 ³ / ₄ "	2/A10.7	3/A10.7	5/A10.7	2
F	17	5'-6 ¹ / ₂ " x 5'-9 ³ / ₄ "	2/A10.7	3 ¹ / ₄ /A10.7	5/A10.7	3
F	18	5'-11 ¹ / ₂ " x 5'-9 ³ / ₄ "	"	"	"	2
F	19	4'-11" x 5'-9 ³ / ₄ "	"	"	"	3
F	20	4'-7" x 5'-9 ³ / ₄ "	2/A10.7	3/A10.7	5/A10.7	9
F	21	5'-0" x 3'-1 ¹ / ₂ "	1/A10.5	1/A10.8 sm	2/A10.8	1 SEE NOTE 3
F	22	3'-3" x 3'-1 ¹ / ₂ "	"	"	"	2 SEE NOTE 4
F	23	5'-10 ¹ / ₂ " x 3'-1 ¹ / ₂ "	"	"	"	2 SEE NOTE 4
F	24	3'-6" x 3'-1 ¹ / ₂ "	"	"	"	6 SEE NOTE 4
F	25	6'-1" x 3'-1 ¹ / ₂ "	"	"	"	3 SEE NOTE 4
F	26	5'-8" x 3'-1 ¹ / ₂ "	"	"	"	4 SEE NOTE 4
F	27	8'-2 ¹ / ₂ " x 3'-1 ¹ / ₂ "	"	"	"	2 SEE NOTE 4
F	28	3'-10 ¹ / ₂ " x 3'-1"	5/A10.8	5/A10.8 sm	6/A10.8	18 SEE NOTE 4
F	29	3'-3" x 3'-1"	"	"	"	1 SEE NOTE 4
F	30	2'-7 ³ / ₄ " x 3'-1"	1/A10.9	3 ¹ / ₄ /A10.9 sm	2/A10.9	11 SEE NOTE 4
F	31	3'-2" x 3'-1"	"	"	"	12 SEE NOTE 4
F	32	3'-9" x 3'-3"	1/A10.9	1/A10.9	2/A10.9	1 SEE NOTE 4
F	33	3'-1" x 2'-9"	1/A10.9	3 ¹ / ₄ /A10.9 sm	2/A10.9	3 SEE NOTE 4
F	34	6'-1" x 2'-9"	"	"	"	3 SEE NOTE 4
F	35	6'-6" x 2'-9"	"	"	"	2 SEE NOTE 4
F	36	4'-7" x 2'-9"	"	"	"	9 SEE NOTE 4
F	36'	4'-7" x 4'-0"	"	"	"	3 SEE NOTE 4
G	1	4'-2" x 7'-8"	11/A10.6	7/A10.6	3/A10.6	5 SEE NOTE 1
G	2	3'-7 ¹ / ₂ " x 7'-8"	"	"	"	14
H	1	2'-6" x 2'-7 ³ / ₄ "	13/A10.6	15 ¹ / ₄ /A10.6	14/A10.6	4
H	2	3'-6 ¹ / ₂ " x 3'-1"	13/A10.6	15/A10.6	14/A10.6	4
H	3	2'-6" x 2'-7 ³ / ₄ "	13/A10.6	15 ¹ / ₄ /A10.6	14/A10.6	4
H	4	2'-9 ¹ / ₄ " x 4'-6 ³ / ₄ "	14/A10.6	15 ¹ / ₄ /A10.6	16/A10.6	4
H	5	3'-9 ¹ / ₂ " x 4'-6 ³ / ₄ "	14/A10.6	15/A10.6	16/A10.6	4
H	6	2'-9 ¹ / ₄ " x 4'-6 ³ / ₄ "	14/A10.6	15 ¹ / ₄ /A10.6	16/A10.6	4
I	1	6'-0" x 8'-4"	2/A10.8	3/A10.8	4/A10.8	1
I	2	3'-3" x 6'-11"	6/A10.8	7/A10.8	8/A10.8	1
I	3	3'-8" x 7'-2"	2/A10.9	5/A10.9	6/A10.9	1
J	1	15'-10" x 6'-6"	2/A10.9	5/A10.9	6/A10.9	2
J	2	8'-5" x 7'-6"	"	"	"	1
J	3	10'-0" x 7'-6"	"	"	"	4
J	4	11'-3" x 7'-8"	"	"	"	1
J	5	13'-8" x 8'-2"	2/A10.9	4/A10.9	6/A10.9	1
K	1	15'-2" x 8'-4"	2/A10.8	3/A10.8	4/A10.8	1
K	2	15'-10" x 8'-4"	"	"	"	1
K	3	16'-6" x 8'-4"	"	"	"	1
K	4	20'-1" x 8'-4"	"	"	"	2
K	5	11'-11" x 6'-11"	6/A10.8	7/A10.8	8/A10.8	3
K	6	11'-5" x 6'-11"	"	"	"	3
K	7	19'-3" x 8'-2"	2/A10.9	4 ¹ / ₂ /A10.9	6/A10.9	1
K	8	16'-0" x 8'-2"	"	"	"	2
K	8'	16'-0" x 7'-2"	"	"	"	1
K	9	15'-9" x 8'-2"	"	"	"	1
L	1	23'-0" x 8'-4"	2/A10.8	3/A10.8	4/A10.8	1

SEE ATTACHED
DRAWG "H"

Contract Terms and Conditions

Table of Contents

Terms and Conditions.....VI
 BID STANDARD TERMS AND CONDITIONSVI
 TERMS AND CONDITIONS FOR THIS BIDVI
 VENDOR SPECIFICATIONSVI
 CHARGES PERMITTEDVI
 PURCHASE AGREEMENT BIDVI
 RIVIP INFO - BID SUBMISSION REQUIREMENTSVI
 DELIVERY PER AGENCYVI
 INSURANCE REQUIREMENTSVI

Terms and Conditions

BID STANDARD TERMS AND CONDITIONS

TERMS AND CONDITIONS FOR THIS BID

VENDOR SPECIFICATIONS

ALL VENDORS MUST INCLUDE SPECIFICATIONS WITH BID PROPOSAL (EVEN THOSE BIDDING BRAND SPECIFIED). FAILURE TO SUBMIT SPECIFICATIONS WITH BID PROPOSAL MAY RESULT IN DISQUALIFICATION OF BID. ITEMS IN CATALOGS MUST BE CLEARLY MARKED AND PAGES TABBED.

CHARGES PERMITTED

NO CHARGES OTHER THAN PARTS AND LABOR ON THE JOB - NO TRAVEL, NO MILEAGE, NO MISCELLANEOUS CHARGES, NO PORTAL TO PORTAL.

PURCHASE AGREEMENT BID

BIDDING (a) A single price shall be quoted for each item against which a proposal is submitted. This price will be the maximum in effect during the agreement period. Any price decline at the manufacturer's level shall be reflected in a reduction of the agreement price to the State. (b) Quantities, if any, are estimated only. The agreement shall cover the actual quantities ordering during the period. Deliveries will be billed at the single, firm, awarded unit price quoted regardless of the quantities ordered. (c) Bid price is net F.O.B. destination and shall include inside delivery at no extra cost. (d) Bids for single items and/or a small percentage of total items listed, may, at the State's sole option, be rejected as being non-responsive to the intent of this request. ORDERING (a) The User Agency(s) will submit individual orders for the various items and various quantities as may be required during the agreement period. (b) Exception - Regardless of any agreement resulting from this bid, the State reserves the right to solicit prices separately for any extra large requirements for delivery to specific destinations.

RIVIP INFO - BID SUBMISSION REQUIREMENTS

It is the Vendor's responsibility to check and download any and all addenda from the RIVIP. This offer may not be considered unless a signed RIVIP generated Bidder Certification Cover Form is attached and the Unit Price column is completed. The signed Certification Cover Form must be attached to the front of the offer. When delivering offers in person to One Capitol Hill, vendors are advised to allow at least one hour additional time for clearance through security checkpoints.

DELIVERY PER AGENCY

DELIVERY OF GOODS OR SERVICES AS REQUESTED BY AGENCY.

INSURANCE REQUIREMENTS

AN INSURANCE CERTIFICATE IN COMPLIANCE WITH PROVISIONS OF ITEM 31 (INSURANCE) OF THE GENERAL CONDITIONS OF PURCHASE IS REQUIRED FOR COMPREHENSIVE GENERAL LIABILITY, AUTOMOBILE LIABILITY, AND WORKERS' COMPENSATION AND MUST BE SUBMITTED BY THE SUCCESSFUL BIDDER(S) TO THE DIVISION OF PURCHASES PRIOR TO AWARD. THE INSURANCE CERTIFICATE MUST NAME THE STATE OF RHODE ISLAND AS CERTIFICATE HOLDER AND AS AN ADDITIONAL

INSURED. FAILURE TO COMPLY WITH THESE PROVISIONS MAY RESULT IN REJECTION OF THE OFFEROR'S BID. ANNUAL RENEWAL CERTIFICATES MUST BE SUBMITTED TO THE AGENCY IDENTIFIED ON THE PURCHASE ORDER. FAILURE TO DO SO MAY BE GROUNDS FOR CANCELLATION OF CONTRACT.

NOTE: IF THIS BID COVERS CONSTRUCTION, SCHOOL BUSING, HAZARDOUS WASTE, OR VESSEL OPERATION, APPLICABLE COVERAGES FROM THE FOLLOWING LIST MUST ALSO BE SUBMITTED TO THE DIVISION OF PURCHASES PRIOR TO AWARD: * PROFESSIONAL LIABILITY INSURANCE (AKA ERRORS & OMISSIONS) - \$1 MILLION OR 5% OF ESTIMATED PROJECT COST, WHICHEVER IS GREATER. * BUILDER'S RISK INSURANCE - COVERAGE EQUAL TO FACE AMOUNT OF CONTRACT FOR CONSTRUCTION. * SCHOOL BUSING - AUTO LIABILITY COVERAGE IN THE AMOUNT OF \$5 MILLION. * ENVIRONMENTAL IMPAIRMENT (AKA POLLUTION CONTROL) - \$1 MILLION OR 5% OF FACE AMOUNT OF CONTRACT, WHICHEVER IS GREATER. * VESSEL OPERATION - (MARINE OR AIRCRAFT) - PROTECTION & INDEMNITY COVERAGE REQUIRED IN THE AMOUNT OF \$1 MILLION.