



STATE OF RHODE ISLAND AND PROVIDENCE PLANTATIONS

Department of Administration
DIVISION OF PURCHASES
One Capitol Hill
Providence, RI 02908-5855

Tel: (401) 574-8100
Fax: (401) 574-8387
Website: www.purchasing.ri.gov

August 7, 2013

ADDENDUM NUMBER ONE
RFQ # 7484367

TITLE: State House Parking Lot Paving and Resurfacing-Legislator's Lot

Closing Date and Time: 8/20/2013 at 11:00am

Per the issuance of this ADDENDUM #1 (18 pages, including cover sheet and one file on disc) the following change(s) are noted:

Specification Change /Addition / Clarification

This addendum clarifies some points in the original bid posting and answers questions which were submitted on line (accepted until 5pm on 8/6/2013).

This addendum includes a letter from the Department of Environmental Management.

This addendum includes the Physical Alteration Permit Application (from the Department of Transportation).

Please take note of the instructions attached to this addendum, as they relate to submitting bids for Public Works Projects in excess of \$500,000.00. (This is NOT related to the Quest Lite System that the Department of Transportation uses). Failure to comply with these instructions will result in your bid being deemed non-responsive.

No further questions will be accepted.

*****ADDENDUM ONE*****

**BID NUMBER 7484367
Legislator's Parking Lot Replacement
Rhode Island State House
82 Smith Street
Providence, RI**

August 7, 2013

NOTICE:

This Addendum modifies, amends and supplements designated part of the CONTRACT DOCUMENTS for the project identified as "Legislator's Parking Lot Replacement, Rhode Island State House", 82 Smith Street, Providence, Rhode Island, dated June 14, 2013 is hereby made a part thereof by reference, and shall be as binding as though inserted in its entirety in the locations designated hereunder. It shall be the responsibility of the Contractor to notify all subcontractor and suppliers he proposes to use for the various parts of the work of any changes or modifications contained in this Addendum. No claim for additional compensation due to lack of knowledge of the contents of this Addendum will be considered.

SPECIFICATIONS

1. Section 00 42 13 Bid Form
Delete Section in its entirety and insert new Section 00 42 13 (see attached).

2. Section 01 10 00 Summary
Article 1.05 Contractor Use of the Premises

Paragraph A
Delete sentence in its entirety, as follows:
"The owner has made the contractor aware that other site work (South Plaza Work) will be performed on site during this project and must coordinate their work schedule around other contractors work on site."

Sub-paragraph 2)
Delete in its entirety and insert as follows:
"2) Electronic Entry Gate assembly relocated within 21 calendar days."

3. Section 32 12 00 Bituminous Paving

Article 3.6 Special Instructions
Add the following:
"B. The placement of the final finish pavement layer shall be performed during one continuous operation such that the entire parking area is started and completed in one continuous paving operation and under no circumstances is the process to cease once it has been initiated."

RFI Questions:

1. Question: There are references in the specifications to Town of Cumberland Requirements. Is there an error?

Response: Yes, delete all reference to "Town of Cumberland" from Specification Section 32 13 00, Concrete Sidewalks.

2. Question: I see there is a specification for a segmented wall for the tree wells. I do not see any of these tree wells called out on the plans. We would need elevations and locations etc. if this is the case.

Response: Delete all reference to segmented wall for tree wells. Tree wells were removed prior to bid.

3. Question: In the specifications for ledge removal there is supposed to be a \$750.00 allowance carried in the bid. Is this correct? There is no other mention of this in the Bid Documents.

Response: Delete all reference to ledge removal allowance.

4. Question: Temporary erosion controls mentions the A/E can add additional erosion controls to the jobsite. Will these be paid on a force account basis?

Response: Any additional erosion control above and beyond required by construction documents shall be by change order approved by Architect and Owner.

5. Question: There are references to an electronic gate and assembly. Could you please provide a plan, details and specification illustrating this gate?

Response: The electronic gate and assembly is new and existing and shall be relocated as indicated on drawings.

6. Question: Is there any boring information pertaining to the existing material below the asphalt?

Response: See attached soil borings and refer to locations on Drawing C2.0.

NOTICE TO ALL CONTRACTORS:

Contractors shall call our office to verify number of Addendum issued at least 24 hours in advance of bid submission. Failure to acknowledge receipt of this addendum on the bid form may, at the sole discretion of the Owner, serve as justification to reject bid.

END OF WRITTEN ADDENDUM

Furnish the required bonds in compliance with amended provisions of the Instructions to Bidders.

Commence work within seven (7) days after receipt of a Purchase Order.

If this bid is accepted within 90 days, and we fail to commence the work, or we fail to provide the required bond (s), the security deposit shall be forfeited as damages to the Owner by reason of our failure, limited to the amount of lesser of the value of the security deposit, or of the difference between this Bid and the Bid upon which the Contract is signed.

In the event our Bid is not accepted within 90 days, the required security deposit shall be returned to the undersigned, in compliance with provisions of the "Instructions to Bidders"; unless a mutually satisfactory arrangement is made in writing for its retention and validity for an extended period of time.

4. CONTRACT TIME

If this bid is accepted, we will complete the work in Base Bid No. One in 60 calendar days from receipt of a Purchase Order. Contract time will be mutually extended if additional work is included.

5. UNIT PRICES: BIDDER agrees to be bound by the following unit prices.

The following Unit Prices, if accepted in the award of this Contract, shall be used in establishing the adjustment of Contract Price for additions to or deductions from the Work in accordance with the applicable section of the General Conditions. Unit Prices listed shall include all costs, profit and overhead, and no further surcharges are to be added to any Unit Price item of Work that may be order done. Work omitted from the contract will be calculated at 100 percent of the additional work unit prices.

Unit prices for fabricated items shall include all necessary connections and fastenings required to produce complete framing assemblies.

BIDDER agrees that the below listed unit prices will not contain anything to alter or void the Lump Sum Proposal and that applicable contents of this Proposal shall be binding on the unit prices and the work involved whether or not it be specifically stated.

All work covered by the unit prices enumerated below shall be performed in accordance with requirements of the specifications.

ITEMS OF WORK	UNIT PRICE
1. Engineered Fill	\$ _____ /c.y.

REQUIREMENT FOR LICENSE NUMBER:

In compliance with the requirements of Rhode Island General Law, Section 5-65-23, my Rhode Island license number for the work to be performed by this firm as prime contractor is:

LICENSE NUMBER: _____

6. BID FORM SIGNATURES

(Bidder's printed name)

CORPORATE SEAL

By: _____
(Signature)

Title: _____

END OF SECTION 00 42 13

HAMMER

Allstate Drilling Co.

EAST PROVIDENCE, R.I. 02915

SHEET 1 OF 1
 LOCATION PROVIDENCE
 HOLE NO. B-1
 LINE & STA. _____
 OFFSET _____

CASING: WT. FALL

SAMPLER: WT. 140 FALL 30

CLIENT: CAPUTO & WICK, LTD.
 PROJECT: STATE HOUSE - PARKING LOT

Inspector _____
 Driller: R. COOK, JR.
 Helper: S. TEALER

SAMPLER I. D. 1 3/8"
 CASING I. D.

ALLSTATE NO. Y-136
 DATE, START 02/03/10
 DATE, FINISH 02/03/10

GROUND ELEVATION _____
 GROUND WATER DEPTH DRY

DEPTH BELOW SURFACE	CASING BLOWS PER FOOT	SAMPLE NO DEPTHS ELEV.FT.	TYPE OF SAMPLE	PENETRATION BLOWS PER 6 INCHES	DENSITY OR CONSIST	PROFILE CHANGE DEPTH	FIELD IDENTIFICATION OF SOILS, REMARKS	
							Moisture	Elev.
0		0-2.0	D-1	27*-23-18-15	DENSE	0.3	ASPHALT	
		A					F-M LT-DK BR SAND, TR OF F-C GRAVEL, TR OF C SAND, tr of silt-fill	
		U						
		G						
		E						
		R	D-2	5-4-4-7	LOOSE			
		S						
-10		10-12.0	D-3	4-3-2-2	LOOSE	9.7	F-MLT BR SAND, tr of silt-fill	
		15-17.0	D-4	1-0-0-2	VERY LOOSE			
-20		20-22.0	D-5	5-6-9-10	MED. DENSE	19.0	F LT BR SAND, tr of silt with 6" layer of silt	
		25-27.0	D-6	10-15-18-21	DENSE	27.0		
-30							END OF BORING - 27.0'	
-40								

*DENOTES 300 # HAMMER

GROUND SURFACE TO 25.0 FT. USED AUGER CASING: THEN SAMPLE SPOON

HOLE NO. B-2

Type of Sample
 D = Dry C = Corod W = Washed
 UP = Undisturbed Piston
 TP = Test Pit A = Auger
 US = Undisturbed Shelby
 V = Vane Test

Proportions Used
 trace 0 to 10%
 little 11 to 20%
 some 21 to 35%
 and 36 to 50%

Penetration Resistance
 140 lb. Wt. Falling 30" on 2" O.D. Sampler
 Cohesionless Density
 0-4 Very Loose
 5-9 Loose
 10-29 Med Dense
 30-49 Dense
 50+ Very Dense

Cohesive Consistency
 0-2 Very Soft
 3-4 Soft
 5-8 M/Stiff
 9-15 Stiff
 16-30 V/Stiff
 31+ Hard

Summary
 Earth Boring 27.0'
 Rock Coring
 Samples D-6

HAMMER

Allstate Drilling Co.

EAST PROVIDENCE, R.I. 02915

SHEET 1 OF 1
 LOCATION PROVIDENCE
 HOLE NO. B-2
 LINE & STA. _____
 OFFSET _____

CASING: WT. ___ FALL ___

SAMPLER: WT. 140 FALL 30

CLIENT: CAPUTO & WICK, LTD.
 PROJECT: STATE HOUSE - PARKING LOT

Inspector _____
 Driller R. COOK, JR.
 Helper S. TEALER

SAMPLER I.D. 1 3/8"
 CASING I.D. _____

ALLSTATE NO. Y-136
 DATE, START 02/03/10
 DATE, FINISH 02/03/10

GROUND ELEVATION _____
 GROUND WATER DEPTH DRY

DEPTH BELOW SURFACE	CASING BLOWS PER FOOT	SAMPLE NO DEPTHS ELEV. FT.	TYPE OF SAMPLE	PENETRATION BLOWS PER 6 INCHES	DENSITY OR CONSIST	PROFILE CHANGE DEPTH	FIELD IDENTIFICATION OF SOILS, REMARKS REMARKS INCLUDE COLOR, GRADATION, TYPE OF SOIL, ETC. ROCK COLOR, TYPE, CONDITION, HARDNESS, DRILLING TIME, SEAMS, ETC.
					Moisture	Elev.	
0		0-2.0	D-1	21*-23*-27-31	VERY DENSE	0.3	ASPHALT
	A						F-M DK-LT BR SAND, LITTLE F-M GRAVEL, little silt, TR OF LOAM-FILL
	U						
	G						
	E						
	R	5-7.0	D-2	10-9-10-12	MED. DENSE		
	S						
-10		10-12.0	D-3	1-2-3-3	LOOSE	10.0	F-M LT BR SAND, TR OF C SAND, TR OF F GRAVEL, tr of silt-fill
						13.8	
		15-17.0	D-4	10-12-13-16	MED. DENSE		F-M LT BR SAND, TR OF C SAND, TR OF C GRAVEL, tr of silt
-20		20-22.0	D-5	14-14-14-21	MED. DENSE	25.1	F LT BR SAND, tr of silt
						27.0	
		25-27.0	D-6	14-13-15-18	DENSE		END OF BORING - 27.0'
-40							

*DENOTES 300 # HAMMER

GROUND SURFACE TO 25.0 FT. USED AUGER CASING: THEN SAMPLE SPOON HOLE NO. B-2

Type of Sample D = Dry C = Cored W = Washed UP = Undisturbed Platen TP = Test Pit A = Auger US = Undisturbed Shelby V = Vane Test	Proportions Used trace 0 to 10% little 11 to 20% some 21 to 35% and 36 to 50%	Cohesionless Density 0-4 5-9 10-29 30-49 50+	Penetration Resistance 140 lb. Wt. Falling 30" on 2" O.D. Sampler Cohesive Consistency Very Loose Loose Med Dense Dense Very Dense	Cohesive Consistency 0-2 Very Soft 3-4 Soft 5-8 M/Stiff 9-15 Stiff 16-30 V/Stiff 31+ Hard	Summary Earth Boring <u>27.0'</u> Rock Coring <u>--</u> Samples <u>D-6</u>



RHODE ISLAND
DEPARTMENT OF ENVIRONMENTAL MANAGEMENT
235 Promenade Street, Providence, RI 02908-5767 TDD 401-222-4462

July 11, 2013

Marco Schiappa, P.E. Associate Director
Department of Administration
Division of Facilities Management
One Capitol Hill
Providence RI 02908

RE: Rhode Island Pollutant Discharge Elimination System (RIPDES) General Permit for Stormwater Discharge Associated with Construction Activity (CGP)
RI State House Legislator's Parking Lot,
130 Smith Street Providence, RI
RIPDES Application No.: RIR100856
UIC No.: 001494

Dear Mr. Schiappa:

Enclosed is your final amended authorization to discharge stormwater associated with construction activity under the Rhode Island Pollutant Discharge Elimination System (RIPDES) Program. The Authorization to Discharge should be attached to your copy of the 2008 RIPDES General Permit for Stormwater Discharge Associated with Construction Activity (2008 Construction General Permit), which you already have on file, and be kept on-site as verification of authorization to discharge. All terms and conditions outlined in the 2008 Construction General Permit must be met. Any permit non-compliance constitutes a violation of Chapter 46-12 of the Rhode Island General Laws of 1956, as amended, and is grounds for enforcement. For future references and inquiry, your permit authorization number is **RIPDES No. RIR100856**.

Your project application, including plans dated June 24, 2013, has been reviewed for compliance with the RIDEM Groundwater Discharge Program. This correspondence serves as official notification that the project as designed, and which is subject to the conditions below, is in compliance with the Groundwater Discharge Program.

Please note the following conditions:

- 1) Any alterations or modifications to the stormwater system from that approved herein, including permanent closure, must be reviewed and approved by RIDEM prior to being effected.
- 2) The property owner/applicant shall periodically inspect, clean, and maintain the stormwater collection and disposal system to ensure proper performance of all components as specified in the approved O & M document dated June 2013.
- 3) This Groundwater Discharge/UIC Program registration to construct and install the stormwater system is subject to tolling pursuant to RI General Laws 42-17.1-2.5 and shall expire on July 1,

Mr. Marco Schiappa
July 11, 2013
Page 2 of 2

2019.

RIDEM strongly recommends that you obtain written assurances from contractors or subcontractors retained to undertake construction activity that they will comply with all applicable requirements of the 2008 Construction General Permit. Owners and operators of construction sites authorized to discharge under the 2008 Construction General Permit are encouraged to participate in the RIDEM's Voluntary CONSTRUCTION SITE STORMWATER COMPLIANCE PROGRAM. More detailed information about the program can be found on the RIDEM's Office of Customer and Technical Assistance (OCTA) website:

<http://www.dem.ri.gov/programs/benviron/assist/ms4/index.htm>.

Participation in this program will ensure that your construction site is less likely to cause environmental impacts due to erosion or impact the local drainage system and is prepared for regulatory compliance inspections. If you would like to discuss how you might participate in the voluntary program, please call Michelle McCaughey from the RIDEM – Office of Technical and Customer Assistance at (401) 222-6822 ext. 7269 or Brian Lafaille from the RIDEM – Office of Water Resources RIPDES Permitting Program at (401) 222-4700 ext. 7731.

If you have any questions regarding the 2008 Construction General Permit or the contents of this letter, you may contact me at (401) 222-4700, ext. 7202.

Sincerely,



Eric A. Beck, P.E.
Supervising Sanitary Engineer
RIPDES Permitting Program
Office of Water Resources

Enclosure

cc: Scott Hobson, Caputo and Wick LTD
Traci Pena, RIDEM
Annie McFarland, DEM/OWR
Ernie Panciera, Groundwater/ UIC

Permit No. RIR100856

AUTHORIZATION TO DISCHARGE UNDER THE
RHODE ISLAND POLLUTANT DISCHARGE ELIMINATION SYSTEM
2008 General Permit for Stormwater Discharge Associated with Construction Activity

In compliance with the provisions of Chapter 46-12 of the Rhode Island General Laws, as amended,

Department of Administration
Division of Facilities Management
One Capitol Hill
Providence RI 02908

is authorized to discharge Stormwater Associated with Construction Activity from a facility located at

RI State House Legislator's Parking Lot,
130 Smith Street Providence, RI

to receiving waters named

Moshassuck River &
Woonasquatucket River

in accordance with the conditions and requirements set forth in the 2008 General Permit for Stormwater Discharge Associated with Construction Activity.

In accordance with Part I.C.2 of the 2008 General Permit for Stormwater Discharge Associated with Construction Activity, coverage shall become effective on the date of signature.

Coverage under the General Permit for Stormwater Discharge Associated with Construction Activity and the authorization to discharge should expire at midnight, on September 25, 2013.

The issuance of this authorization does not relieve the permittee from compliance with any other applicable laws or regulations administered by the Department of Environmental Management or any other governmental entity.

Signed this 11th day of July, 2013



Eric A. Beck, P.E.
Supervising Sanitary Engineer
RIPDES Permitting Program, Office of Water Resources
Rhode Island Department of Environmental Management
Providence, Rhode Island

JUL - 8 2013

DO NOT WRITE IN THIS BOX

APPLICATION NUMBER	130709
DATE	7/29/2013



STATE OF RHODE ISLAND AND PROVIDENCE PLANTATIONS
 Department of Transportation
PHYSICAL ALTERATION PERMIT APPLICATION
 (PLEASE PRESS FIRMLY YOU ARE MAKING 5 COPIES)

APPLICANT: State of Rhode Island, c/o Marco Schiappa, PE
(PERMITTEE) PRINT NAME SIGNATURE AND DATE
Department of Administration, One Capitol Hill, Providence, RI 02908
APPLICANT'S ADDRESS PHONE NUMBER (401) 222-5717

PROPERTY OWNER: State of Rhode Island
PRINT NAME SIGNATURE AND DATE
One Capitol Hill, Providence, RI 02908
PROPERTY OWNER'S ADDRESS PHONE NUMBER (401) 222-5717

DEVELOPER: State of Rhode Island
PRINT NAME (IF BUSINESS, PRINT NAME OF OWNER OR PRINCIPAL) SIGNATURE AND DATE
One Capitol Hill, Providence, RI 02908
DEVELOPER'S ADDRESS PHONE NUMBER (401) 222-5717

ENGINEER: Caputo and Wick Ltd., c/o Allan L. Shear, PE
PRINT NAME SIGNATURE AND DATE
1150 Pawtucket Avenue, Rumford, RI 02916
ENGINEER'S ADDRESS PHONE NUMBER (401) 434-8880

TYPE OF APPLICATION: SINGLE FAMILY MULTIPLE UNIT RESIDENTIAL COMMERCIAL OTHER

LOCATION OF WORK RI State House, AP 4, Lot 231, 130 Smith Street, Legislator's Parking Lot, Providence, RI
(BE SPECIFIC - HIGHWAY, MUNICIPALITY, STATION, POLE NUMBER, ADDRESS, ETC.)

DIRECT TIE-IN TO STATE DRAINAGE SYSTEM? YES / NO: "Yes" (Existing drain line and structure present)
 IF YES, provide coordinates: 41.831550 -71.413990 COORDINATE SYSTEM (CIRCLE ONE):
LATITUDE LONGITUDE RI STATE PLANE/NAD 83 DECIMAL DEGREE/WGS84

PURPOSE OF PERMIT To widen existing driveway opening at Smith Street.
ATTACH SEPARATE SHEET IF NECESSARY

I HEREBY CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION UNDER THE AUTHORITY OF THE RHODE ISLAND GENERAL LAWS OF 1956.

APPLICANT SIGNATURE: [Signature] DATE 7-3-13
 DO NOT WRITE BELOW THIS LINE

STATE OF RHODE ISLAND AND PROVIDENCE PLANTATIONS
 DEPARTMENT OF TRANSPORTATION
 PHYSICAL ALTERATION PERMIT

This permit valid for one year from the date of approval, subject to the conditions listed below and attached:
CONDITIONS OF APPROVAL:

THIS PERMIT'S INTENT IS ONLY TO GIVE PERMISSION FOR DRAINAGE TIE-INS & DRIVEWAY CURB CUTS. ANY OTHER WORK PERFORMED ON STATE PROPERTY SUCH AS GAS, WATER, OR SEWER LINES WILL REQUIRE A UTILITY PERMIT FROM THIS OFFICE @ (401) 222-6765, EXT. 4879. ANY DAMAGE TO STATE PROPERTY CAUSED BY CONSTRUCTION SHALL BE REPAIRED OR REPLACED TO THE SATISFACTION OF THE DEPARTMENT.

HIGHWAY & BRIDGE MAINTENANCE	TRANSPORTATION DEVELOPMENT
APPROVED <input checked="" type="checkbox"/>	APPROVED <input checked="" type="checkbox"/>
DENIED <input type="checkbox"/>	DENIED <input type="checkbox"/>
<u>[Signature]</u> ADMINISTRATOR	<u>[Signature]</u> CHIEF ENGINEER

COMMERCIAL REQUIREMENTS

Traffic Control Requirements for Permits

The permittee is required to protect workmen, motorists, and pedestrians at all times. Traffic control must be in place at any time work is being performed on or adjacent to the roadway. The traffic control must conform to the latest edition of the Manual on Uniform Traffic Control Devices (MUTCD). The Director or his designee will order a suspension of any work on the state roadways which does not conform to the MUTCD until a traffic control plan is submitted, approved, and implemented.

PHYSICAL ALTERATION PERMIT CONDITIONS

ALL CONSTRUCTION AND FURNISHINGS OF MATERIALS ARE THE RESPONSIBILITY OF THE APPLICANT.

THE SUPERVISOR AT THE East Providence MAINTENANCE FACILITY MUST BE NOTIFIED 48 HOURS BEFORE COMMENCING OPERATIONS. THE TELEPHONE NUMBER IS 431-5401. NO WORK IS TO BE DONE ON WEEKENDS WITHOUT THE WRITTEN PERMISSION OF THIS DEPARTMENT.

THE PERMITTEE HAS ONE YEAR FROM THE DATE OF APPROVAL TO COMPLETE THE PHYSICAL ALTERATION(S) PERMITTED HEREIN. APPROVAL IS GIVEN SUBJECT TO THE FOLLOWING TERMS AND CONDITIONS.

During the progress of work, the permittee shall protect all structures under and above the ground from damage. The permittee is responsible to safeguard the traveling public from injury caused by the physical alteration provided herein, both during the alteration process and thereafter. The permittee is responsible for all injuries to persons and damages to property due to or resulting from any work done under this permit or any condition caused thereby. The permittee shall maintain public liability insurance (death, personal injury, and property damage) in amounts not less than five hundred thousand dollars (\$500,000.00) per person and one million dollars (1,000,000.00) per accident or occurrence, while work authorized hereunder is being performed, and shall name Rhode Island Department of Transportation as a co-insured on said policy, which policy it shall make available to RIDOT for examination upon request. In the event that the permittee has said work done by a contractor, then and in that event it shall be permissible for the permittee to require the contractor to provide said insurance, subject to the same requirements outlined above. After the work permitted under this permit has been performed, the permittee, his heirs and assigns shall remain liable for all injuries to persons and damages to property resulting from any work done under this permit or any condition caused thereby, and the permittee, his heirs and assigns shall indemnify and hold harmless the State of Rhode Island in the event that any claims are brought against the State therefore. All areas affected by permittee's work hereunder shall be repaired by permittee so as to meet with the approval of RIDOT's Road Maintenance Supervisor.

The permittee hereby ensures that in no event shall the State of Rhode Island or RIDOT be held liable for damage to property or injury to persons resulting from the work to alter or subsequent existence of physical alteration authorized hereunder. In the event that the physical alteration authorized hereunder causes unforeseen problems not specifically addressed herein, then, and in that event, the permittee shall so notify RIDOT in writing without delay, or RIDOT shall so notify the permittee in writing without delay, depending on which party first gains knowledge thereof, and RIDOT will direct the permittee to correct such problem(s) in the manner in which RIDOT in its sole discretion deems appropriate. This approval does not constitute approval by any agency or governmental entity other than RIDOT. It is the responsibility of the applicant to request and obtain any other approvals necessary for lawful performance of work described herein. Failure to obtain, any such approvals shall result in denial of this application or, if RIDOT fails to learn of such omission by the applicant until after the application is approved, RIDOT shall have the right to revoke its approval hereof immediately. Any costs or damages resulting from the applicant's failure to obtain other necessary approvals shall be the responsibility of the applicant, and the applicant further agrees to indemnify and save harmless RIDOT from all claims, costs, and damages resulting from the applicant's failure to obtain necessary approvals. The terms of this permit shall apply to the heirs, successors, or assigns of the permittee in ownership and/or control of the subject property. The within authorization of physical alteration(s) is based on the information submitted by the applicant, now permittee. The approval of this physical alteration shall not be construed as final approval, and RIDOT reserves the right, in its sole discretion, to revise, modify, amend, or retract its approval in the event that RIDOT determines that conditions so warrant. This reservation of right to revise, modify, amend, or retract its approval exists despite the fact that the permittee has incurred costs in its actions hereunder.

The permittee acknowledges that any money expended by him hereunder is so expended at its own risk of future modification or revocation of the permission granted herein. Furthermore, the permittee acknowledges that it has given no consideration for the rights granted hereunder. The permittee understands that in the event that the rights of others are adversely affected hereby or if other conditions arise which RIDOT determines to adversely affect the best interests of the public, then, this permit may be unilaterally modified or revoked at RIDOT's option. If within four (4) years from the date of issuance of the permit, should a traffic signal be required at the development's access to the state highway as a result of the traffic generated by the development, the developer/owner shall be responsible for the installation of the traffic signal and shall bear all costs associated with the design and construction of the signal.



State of Rhode Island Department of Administration
Division of Purchases

REVISED
December 7, 2012

NOTICE TO CONTRACTORS
AND VENDORS BIDDING
ON PUBLIC WORKS PROJECTS

Effective **January 1, 2013** all Public Works related project proposals exceeding Five Hundred Thousand (\$500,000) dollars are required to include a "public copy." All agency contract solicitations, requests for proposals, invitations for bids, etc. shall state that any bid or proposal that exceeds Five Hundred Thousand (\$500,000) dollars must include a copy to be available for public inspection upon the opening of the bids. Any bid or proposal in excess of Five Hundred Thousand (\$500,000) dollars which does not include a copy for public inspection shall be deemed to be non-responsive. Additionally, proposals submitted for a Master Price Agreement, when the total amount potentially may exceed Five Hundred Thousand (\$500,000) and the solicitation expressly requires any or all vendors to submit a public copy, must include a copy to be available for public inspection.

For further information, please see R.I. Gen. Laws Section 37-2-18(j) and State Procurement Regulations at www.purchasing.ri.gov. This requirement applies to all public works projects (vertical and horizontal) exceeding Five Hundred Thousand (\$500,000) dollars and any combination of base bid plus all alternates.

In accordance to the State Procurement Regulations that became effective January 2, 2012 the following conditions are required:

1. All bid proposals shall be opened publicly and read aloud.
2. Each bid, together with the name of the bidder, shall be recorded and an abstract made available "immediately" for public inspection.

3. Copy of the redacted bid proposal shall be available for public inspection by the close of the business the day the subject bid(s) and/or contract(s) is opened by the Division of Purchases.
4. The burden to identify and withhold from the public copy that is released at the bid opening any trade secrets, commercial or financial information, or other information the bidder deems not subject to public disclosure pursuant to Chapter 38-2, the Access to Public Records Act, shall rest solely and exclusively with the bidder submitting the bid proposal.
5. At the time that a proposal is submitted, a bidder must submit a redacted copy of the bid proposal in a PDF (Portable Document File) file format on a read only CD-R Media Disk (hereinafter referred to as a "CD"). Vendors are required to provide all documents submitted in response to the bid solicitation on the CD.
 - a. The acceptable media is a CD-R. Media that is read/writable (CD RW) will not be accepted.
 - b. Only readable, not writeable media is acceptable.
 - c. Vendor is responsible for supplying their own CD-R media.
 - d. Vendor is responsible for the integrity of the CD.
6. Failure of the bidder to submit a public copy on a readable CD, as required by RIGL 37-2-18 as amended, shall result in the disqualification of said bid.
7. CD must be enclosed in a protective cover and the protective cover clearly labeled with the following:
 - a. Marked "Public Copy"
 - b. Title of Solicitation as it appears on the RIVIP cover letter.
 - c. Name of Company and Vendor ID as it appears on the RIVIP cover letter.
 - d. Bid Response Number as it appears on the RIVIP cover letter.
 - e. Date of Bid as it appears on the RIVIP cover letter.
8. Bid response on CD-R to be in a PDF (Portable Document Format).
 - a. One PDF file will be on the CD-R. File to meet the following requirements:
 - i. Only one file will contain all documents in response to the bid. If you have more than one document for the response, the documents must be concatenated or merged into one PDF document. Failure to submit only one PDF file may result in disqualification of bid.
 - ii. File should be named in the following manner:
 1. BidNumber_DateofBid_VendorName_VendorID.pdf. Where:
 1. Bid Number is the bid number for which the response is for as it appears on the RIVIP cover sheet.
 2. Dateofbid is date of bid using the format (mm-dd-yyyy).
 3. VendorName is the name of the vendor as one word – no spaces or punctuation.
 4. Vendor ID as it appears on the RIVIP vendor cover sheet.

Note: you must use underscores in separating the fields. Do not use underscores anywhere else in the filename other than to separate the fields.

Example: 1234567_06-01-2011_Vendor1_9876.pdf

9. Purchasing staff will officially conclude the bid opening and all loaded proposals will be posted to the Purchasing web site. All proposals will be available immediately after bid opening www.purchasing.ri.gov.

For technical assistance, contact the Division of Purchases office at 574-8100.