



Request for Quote

STATE OF RHODE ISLAND AND PROVIDENCE PLANTATIONS
 ONE CAPITOL HILL
 PROVIDENCE RI 02908

BUYER: Gill, Raymond E Jr
 PHONE #: 401-574-8466

CREATION DATE : 03-SEP-13
 BID NUMBER: 7487365,2
 TITLE: BACKHOE FOR THE VETERAN'S CEMETERY - DHS
 BID CLOSING DATE AND TIME: 17-SEP-2013 10:15:00

B
I
L
L
T
O
 DOA CONTROLLER
 ONE CAPITOL HILL, 4TH FLOOR
 SMITH ST
 PROVIDENCE, RI 02908
 US

S
H
I
P
T
O
 DHS VETERANS CEMETERY
 301 SOUTH COUNTY TRAIL
 EXETER, RI 02822-9712
 US

Requisition Number:
 Note to Bidders: ONE BACKHOE PER ATTACHED SPECIFICATIONS.

VENDORS SHOULD FILL OUT AND SUBMIT THE ATTACHED 3 PAGE SPECIFICATION FORM AND A COPY OF THE MANUFACTURER'S SPECIFICATIONS WITH THEIR BID.
 Amendment Description: AMENDMENT 2 DELETES THE ORIGINAL FOUR PAGE INCORRECT SPECIFICATION AND REPLACES IT WITH THE ATTACHED CORRECT THREE PAGE SPECIFICATION POSTED AS PART OF THIS AMENDMENT.

Line	Description	Quantity	Unit	Unit Price	Total
1	BACKHOE FOR RI VETERANS MEMORIAL CEMETERY, EXETER, RI ALTERNATE 1: Cost for additional bucket Quick Connect Cemetery Bucket. Size _____ Cost: _____ ALTERNATE 2: Cost for an additional 1 year warranty extension: \$ _____ ALTERNATE 3: Cost for an additional 2 year warranty extension: \$ _____ The State reserves the right to award to award one or more or none of the alternates. Delivery time frame from receipt of Purchase Order should not exceed 90 days. Can you meet this delivery time frame? Yes _____ No _____ NOTE: The Backhoe must be a new or current production model. (Backhoe cannot be used.). Provide Brand, Model Number and Year of the Backhoe.	1.00	Each		

It is the Vendor's responsibility to check and download any and all addenda from the RIVIP. This offer may not be considered unless a signed RIVIP generated Bidder Certification Cover Form is attached and the Unit Price column is completed. The signed Certification Cover Form must be attached to the front of the offer



Request for Quote

STATE OF RHODE ISLAND AND PROVIDENCE PLANTATIONS
 ONE CAPITOL HILL
 PROVIDENCE RI 02908

BUYER: Gill, Raymond E Jr
 PHONE #: 401-574-8466

CREATION DATE : 03-SEP-13
 BID NUMBER: 7487365,2
 TITLE: BACKHOE FOR THE VETERAN'S CEMETERY - DHS
 BID CLOSING DATE AND TIME: 17-SEP-2013 10:15:00

**B
I
L
L
T
O**
 DOA CONTROLLER
 ONE CAPITOL HILL, 4TH FLOOR
 SMITH ST
 PROVIDENCE, RI 02908
 US

**S
H
I
P
T
O**
 DHS VETERANS CEMETERY
 301 SOUTH COUNTY TRAIL
 EXETER, RI 02822-9712
 US

Requisition Number:
 Note to Bidders: ONE BACKHOE PER ATTACHED SPECIFICATIONS.

VENDORS SHOULD FILL OUT AND SUBMIT THE ATTACHED 3 PAGE SPECIFICATION FORM AND A COPY OF THE MANUFACTURER'S SPECIFICATIONS WITH THEIR BID.

Amendment Description: AMENDMENT 2 DELETES THE ORIGINAL FOUR PAGE INCORRECT SPECIFICATION AND REPLACES IT WITH THE ATTACHED CORRECT THREE PAGE SPECIFICATION POSTED AS PART OF THIS AMENDMENT.

Line	Description	Quantity	Unit	Unit Price	Total
	Backhoe must meet or exceed the bid specifications. Vendor must list local certified warranty repair locations below: _____ _____ _____ _____ Vendor bid must include a minimum warranty of 12 months at NO COST to the State of RI.				

Delivery: _____

Terms of Payment: _____

It is the Vendor's responsibility to check and download any and all addenda from the RIVIP. This offer may not be considered unless a signed RIVIP generated Bidder Certification Cover Form is attached and the Unit Price column is completed. The signed Certification Cover Form must be attached to the front of the offer

Contract Terms and Conditions

Table of Contents

Terms and Conditions.....VI
 BID STANDARD TERMS AND CONDITIONSVI
 TERMS AND CONDITIONS FOR THIS BIDVI
 DELIVERY PER AGENCYVI
 FISCAL YEAR - AWARD EXTENDING PAST FISCAL YR ENDVI
 VENDOR SPECIFICATIONSVI
 RIVIP INFO - BID SUBMISSION REQUIREMENTSVI
 BID ALL ITEMSVI
 CHARGES PERMITTEDVI

Terms and Conditions

BID STANDARD TERMS AND CONDITIONS

TERMS AND CONDITIONS FOR THIS BID

DELIVERY PER AGENCY

DELIVERY OF GOODS OR SERVICES AS REQUESTED BY AGENCY.

FISCAL YEAR - AWARD EXTENDING PAST FISCAL YR END

AWARDS EXTENDING BEYOND JUNE 30TH ARE SUBJECT TO AVAILABILITY OF FUNDS. CONTINUATION OF THE CONTRACT BEYOND THE INITIAL FISCAL YEAR WILL BE AT THE DISCRETION OF THE STATE. TERMINATION MAY BE EFFECTED BY THE STATE BASED UPON DETERMINING FACTORS SUCH AS UNSATISFACTORY PERFORMANCE OR THE DETERMINATION BY THE STATE TO DISCONTINUE THE GOODS/SERVICES, OR TO REVISE THE SCOPE AND NEED FOR THE TYPE OF GOODS/SERVICES; ALSO MANAGEMENT OWNER DETERMINATIONS THAT MAY PRECLUDE THE NEED FOR GOODS/SERVICES.

VENDOR SPECIFICATIONS

ALL VENDORS MUST INCLUDE SPECIFICATIONS WITH BID PROPOSAL (EVEN THOSE BIDDING BRAND SPECIFIED). FAILURE TO SUBMIT SPECIFICATIONS WITH BID PROPOSAL MAY RESULT IN DISQUALIFICATION OF BID. ITEMS IN CATALOGS MUST BE CLEARLY MARKED AND PAGES TABBED.

RIVIP INFO - BID SUBMISSION REQUIREMENTS

It is the Vendor's responsibility to check and download any and all addenda from the RIVIP. This offer may not be considered unless a signed RIVIP generated Bidder Certification Cover Form is attached and the Unit Price column is completed. The signed Certification Cover Form must be attached to the front of the offer. When delivering offers in person to One Capitol Hill, vendors are advised to allow at least one hour additional time for clearance through security checkpoints.

BID ALL ITEMS

BIDDERS MUST BID ALL ITEMS TO BE CONSIDERED. AWARD WILL BE BASED ON TOTAL LOW.

CHARGES PERMITTED

NO CHARGES OTHER THAN PARTS AND LABOR ON THE JOB - NO TRAVEL, NO MILEAGE, NO MISCELLANEOUS CHARGES, NO PORTAL TO PORTAL.



State of Rhode Island
Department of Administration / Division of Purchases
One Capitol Hill, Providence, Rhode Island 02908-5855
Tel: (401) 574-8100 Fax: (401) 574-8387

BID 7487365, 2
RI VETERANS CEMETERY-BACKHOE

Acknowledgement of addendum(2):

**I have received and reviewed the following amendment (2) that pertains to this bid.
This sheet must be submitted with your bid proposal. Failure to do so may result in your bid
being considered NON-RESPONSIVE.**

Addendum Number 2 _____ Dated 09/03/2013 _____

Signed _____ Dated _____

Title _____

DESCRIPTION:BACKHOE

Quantity:	1			Vendor Indicate Compliance Yes/No
Department:	DHS	Fuel Type:	DIESEL	
Division:	RI VETERAN'S CEMETERY	Color:	N/A	
		*if not offered may be changed at award		
RI-FANS Requisition Number:				

STANDARD FEATURES	FOR VENDOR USE ONLY TO INDICATE COMPLIANCE	
	Yes/No	Specify Alternative (if responding no)
ENGINE Diesel, 4 cylinder, turbocharged, direct injection, 95HP @ 2000 rpm, 276 CID, 300 lb. ft. torque @ 1400RPM, from same manufacturer as unit bid and meet interim Tier IV EPA certification. 110 volt coolant heater, fuel/water separator, and under hood muffler with chrome exhaust extension. Tilt away coolers for fast radiator clean-out.		
BRAKES Hydraulically actuated inboard wet disk brakes, self adjusting, self-equalizing, and fully enclosed to prevent contamination when operating in water, mud, or other adverse conditions without encountering brake fade. Manuel parking/secondary brake system to be independent of the service brakes and be of sufficient design to hold the weight of the machine on a slope.		
STEERING Hydraustatic power with emergency "dead engine steering". Maximum turning radius with front wheel drive to outside of the bucket clearance shall be no more than 36ft. 3 in. without brakes being applied.		
TIRES Front: 12-16.5 Rear: 19.5, 10PR R4 tread		
TRANSMISSION Full powershift, 4 speed forward/3 speed reverse w/electrically activated twist grip F/N/R. Torque Converter- Single stage, dual phase, 11 inch diameter, overrunning stator, and stall torque ratio. 2:53:1 The machine is to have a dial throttle.		
AXLES Mechanical front wheel drive with limited slip differentials, engageable on the go with console mounted electric rocker switch Driveshaft to be protected with MFWD guard.		
FINAL DRIVE Outboard mounted planetary type with differetial lock.		

RI-FANS Requisition Number: _____

STANDARD FEATURES	FOR VENDOR USE ONLY TO INDICATE COMPLIANCE	
	Yes/No	Specify Alternative (if responding no)
<p>HYDRAULIC SYSTEMS: Open center, dual gear type pumps with unloader, 40GPM with system relief pressure of 3000 PSI and single lever control of loader functions and separate lever for auxiliary functions.</p> <p>System to have an oil cooler allowing the installation of optional equipment without overheating the hydraulic system.</p> <p>All hydraulic hose connections shall be ORFS (O-ring flat face seal type).</p> <p>Hydraulic filter to be no more than 6 micron and vertically mounted.</p>		
<p>LOADER Loader shall have a hinge pin height of 11 feet 4 inches and be equipped with a pin-on 1.3 cubic yard bucket with bolt on cutting edge.</p> <p>Loader shall have third function hydraulics with single lever control of loader and auxiliary functions.</p> <p>Lifting capacity to full height of 11,118 lbs, and breakout of 10,200 lbs.</p> <p>2 bucket cylinders, 3 bucket level indicator, return to dig feature, be selfleveling, and intergral loader boom service lock to be standard equipment.</p>		
<p>BACKHOE Single piston with "Power Curve" boom, extendable dipper-stick, providing a digging depth of up to 18 feet 5 inches.</p> <p>Two lever (joy stick) pilot controlled functions with electrically operated in-cab pattern changer for backhoe (SAE) or excavator (ISO) style controls.</p> <p>Digging Force bucket cylinder 15,00 lbs minimum</p> <p>Dipperstick lift at full height to be 4,300 lbs. with boom holding.</p> <p>Extendable dipper-stick will be greaseless with 36" Standard Duty Wayne Ray Quick connect bucket.</p> <p>Stabilizer pads shall be reversible. Front counterweight for stability and maximum performance shall be minimum of 1,250 lbs.</p> <p>The backhoe shall be equipped with a rubber bumper/linkage style boom lock to keep boom secure and keep backhoe from vibrating on the swing frame during travel.</p>		
<p>RIDE CONTROL Factory ride control to provide smoother ride in over-the -road travel</p>		

RI-FANS Requisition Number: _____

STANDARD FEATURES	FOR VENDOR USE ONLY TO INDICATE COMPLIANCE	
	Yes/No	Specify Alternative (if responding no)
and help maintain bucket material in load and carry operations.		
ELECTRICAL SYSTEM 12 volt with 100 amp alternator, two 12 volt batteries with minimum 950 CCa each, and one volt power port in cab. Unit shall have four front halogen driving/working lights, four rear halogen lights, and two cab rear corner lights providing 360 degree lighting. Other lights to include 2 front and 2 rear turn and flashing lights, stop and tail LED lights, lighted license plate bracket, lighted instrumenta panel and 4-way flashers.		
CAB Shall be ROPS/FOPS certified, fully enclosed cab, isolation mounted, include fabric covered air suspension seat, seat belt with retractors, front and rear windshield wipers, front windshield washer, heater, defroster, air conditioning, tinted safety glass, latched windows, pressurizer, interior and dual exterior mirrors,tilit steering wheel, AM/FM/WB radio with clock, and locakable cab doors.		
GENERAL Unitized frame with componentized power train. Electronic Monitoring system or gauges to monitor machine functions. Monitoring systemshall provide both visual and audible warnings. Air restriction indicator, fuel gauge, muffler, horn, rear fenders, lighted license plate bracket, and SMV emblem. Vandal protection, all service fill points and access panels to be lockable, reverse warning alarm, hand and foot throttle, key ignition, tool box, and extended grill for radiator protection.		
OPERATION WEIGHT 17,250 lbs maximun as described.		
WARANTY Waranty shall be a minimum of 12 months/ unlimited hours on entire machine with no charge for travel, parts, and labor. waranty inforamation to be supplied with the bid.		
SERVICE Locatin of nearest "FULL SERVICE FACILITY".		
MANUALS Operator, parts, and repair manuals shall be supplied, and parts manual shall be made available in electronic format.		
Delivery: State delivery time frame.		
Two (2) sets of keys required		
Pre-Delivery: Equipment shall be completely inspected, serviced and cleaned by the vendor in accordance with pre-delivery service standards. The manufacturer's standard warranty must apply, owner's manual and related information shall be delivered with each unit. ALL FLUIDS MUST BE TOPPED OFF.		