

Request for Quote

STATE OF RHODE ISLAND AND PROVIDENCE PLANTATIONS
 ONE CAPITOL HILL
 PROVIDENCE RI 02908

BUYER: Mosca, Gary
 PHONE #: 401-574-8124

**B
I
L
L
T
O**
 THE OFFICE OF HIGHER EDUCATION
 THE SHEPARD BUILDING
 80 WASHINGTON STREET, SUITE 524
 PROVIDENCE, RI 02903
 US

CREATION DATE : 28-OCT-13
 BID NUMBER: 7533364
 TITLE: EQUIPMENT INSTALLATION ON POLICE VEHICLE
 BLANKET START : 01-DEC-13
 BLANKET END : 30-JUN-14
 BID CLOSING DATE AND TIME: 25-NOV-2013 10:45:00


**S
H
I
P
T
O**
 CCRI KNIGHT CAMPUS
 400 EAST AVE
 WARWICK, RI 02886-1807
 US

Requisition Number: 1342896

Note to Bidders: Questions concerning this solicitation may be emailed to gary.mosca@purchasing.ri.gov no later than 11/06/13 @ 2:00 PM (ET). Questions should be submitted in a Microsoft word attachment. Please reference the RFQ # on all correspondence. Questions received if any, will be posted on the internet as an addendum to this solicitation. It is the responsibility of all interested parties to download this information.

Line	Description	Quantity	Unit	Unit Price	Total
1	EQUIPMENT INSTALLATION ON (6) SIX 2013 TOYOTA HIGHLANDER NO PLUG HYBRID; (4) FOUR POLICE VEHICLES AND (2) TWO OPERATION VEHICLES TO INCLUDE BUT NOT LIMITED TO THE ATTACHED SPECIFICATIONS. BIDDERS MUST BE AUTHORIZED INSTALLERS OF EQUIPMENT. PLEASE SUBMIT MFG SPEC SHEETS WITH BID. ONE DUAL WHELEN PART # LR11 CENTER MOUNTED STEADY-BURN TAKE-DOWN LIGHT FOR SINGLE CENTER SECTION AND TWO STEADY-BURN ALLEY LIGHTS WITH 15 DEGREE HORIZONTAL ADJUSTMENT. WHELEN PART # JHCTAL1D	6.00	Each		
2	INSTALL POLICE ONLY TWO (2) REAR DECK, RED/BLUE WHELEN PART # D2RB	4.00	Each		
3	INSTALL POLICE ONLY TWO (2) WHELEN PART # LINZ6 BLUE WITH BLACK BEZEL (1) IN FRONT GRILL, (1) SURFACE MOUNT NEXT TO REAR LICENSE PLATE.	8.00	Each		
4	INSTALL POLICE ONLY TWO (2) WHELEN PART # LINZ6 RED WITH BLACK BEZEL (1) IN FRONT GRILL, (1) SURFACE MOUNT NEXT TO REAR LICENSE PLATE.	8.00	Each		
5	INSTALL ALL VEHICLES WHELEN VTX609 CLEAR CORNER HIDE-A-WAYS	24.00	Each		
6	INSTALL POLICE ONLY WHELEN VTX609 RED/BLUE WITH BEZEL SURFACE MOUNT ON FRONT AND REAR QUARTER PANELS	16.00	Each		
7	INSTALL POLICE ONLY HINT PART # ALT-LT103 ADJUSTABLE LOCKING TRAY	4.00	Each		
8	INSTALL POLICE ONLY HINT PART # TA-2015 TWIN ARM SYSTEM W/TELE SCOPE POST, G.R.I.P. TITL/SWIVEL UNIVERSAL BASE	4.00	Each		
9	INSTALL POLICE ONLY 100 WATT SIREN-SPEAKER WHELEN PART SA315P	4.00	Each		

It is the Vendor's responsibility to check and download any and all addenda from the RIVIP. This offer may not be considered unless a signed RIVIP generated Bidder Certification Cover Form is attached and the Unit Price column is completed. The signed Certification Cover Form must be attached to the front of the offer



Request for Quote

STATE OF RHODE ISLAND AND PROVIDENCE PLANTATIONS
ONE CAPITOL HILL
PROVIDENCE RI 02908

CREATION DATE : 28-OCT-13
BID NUMBER: 7533364
TITLE: EQUIPMENT INSTALLATION ON POLICE VEHICLE

BLANKET START : 01-DEC-13
BLANKET END : 30-JUN-14
BID CLOSING DATE AND TIME: 25-NOV-2013 10:45:00

BUYER: Mosca, Gary
PHONE #: 401-574-8124

**B
I
L
L
T
O**
HE OFFICE OF HIGHER EDUCATION
THE SHEPARD BUILDING
80 WASHINGTON STREET, SUITE 524
PROVIDENCE, RI 02903
US

**S
H
I
P
T
O**
CCRI KNIGHT CAMPUS
400 EAST AVE
WARWICK, RI 02886-1807
US

Requisition Number: 1342896

Note to Bidders: Questions concerning this solicitation may be emailed to gary.mosca@purchasing.ri.gov no later than 11/06/13 @ 2:00 PM (ET). Questions should be submitted in a Microsoft word attachment. Please reference the RFQ # on all correspondence. Questions received if any, will be posted on the internet as an addendum to this solicitation. It is the responsibility of all interested parties to download this information.

Line	Description	Quantity	Unit	Unit Price	Total
10	INSTALL POLICE ONLY WHELEN 100 WATT AIR HORN TONE PLUS PA INCLUDE MICROPHONE AND PART # PAPEXT15 AND # PAP112KIT.	4.00	Each		
11	INSTALL ALL VEHICLES WHELEN PART # PCC8R, 8 POSITION KEYPAD W/REMOTE RELAY MODULE, (3) 20 AMP, (5) TEN AMP RELAYS	6.00	Each		
12	INSTALL ALL VEHICLES RIG RUNNER 4008 PLUS (10) SETS OF 30 AMP POWERPOLES & 25 FEET OF 12 GAUGE RED/BLACK ZIP CORD.	6.00	Each		
13	LABOR RATE ALL VEHICLES	44.00	Hour		

Delivery: _____

Terms of Payment: _____

It is the Vendor's responsibility to check and download any and all addenda from the RIVIP. This offer may not be considered unless a signed RIVIP generated Bidder Certification Cover Form is attached and the Unit Price column is completed. The signed Certification Cover Form must be attached to the front of the offer



STATE OF RHODE ISLAND AND PROVIDENCE PLANTATIONS

Department of Administration
DIVISION OF PURCHASES
One Capitol Hill
Providence, RI 02908-5855

Tel: (401) 574-8100
Fax: (401) 574-8387
Website:
www.purchasing.ri.gov

Bid #7533364

**SCOPE OF WORK: INSTALL FOR ALL VEHICLES. IN THE EXISTING
FACTORY INSTALLED WHELEN LIGHT BAR**

- A. EQUIPMENT INSTALLATION ON (6) 2013 TOYOTA HIGHLANDER NO PLUG HYBRID; (4) POLICE VEHICLES AND (2) OPERATION VEHICLES TO INCLUDE BUT NOT LIMITED TO THE ATTACHED SPECIFICATIONS.
- B. BIDDERS MUST BE AUTHORIZED INSTALLERS OF EQUIPMENT.
- C. BIDDERS ARE ASKED TO SUBMIT MFG SPEC SHEETS WITH BIDS.
- D. SUCCESSFUL BIDDER RESPONSIBLE FOR ENSURING THAT ALL INSTALLATIONS COMPLY WITH TOYOTA NO PLUG HYBRID ACCESSORY INSTALLATION GUIDELINES AND THAT NO INSTALLATION VOIDS TOYOTA ORIGINAL MFG WARRANTY.
- E. VEHICLE INSTALLATIONS WILL BE INSPECTED BY CCRI FOR WORKMANSHIP AND APPEARANCE.
- F. BIDDER MUST SCHEDULE WORK IN ADVANCE WITH CCRI.
- G. VEHICLE(S) TO BE PICKED UP AND RETURNED TO EITHER THE CCRI WARWICK OR LINCOLN CAMPUSES.
- H. ALL POWER DISTRIBUTION AND EQUIPMENT HOOK-UPS MUST USE POWER POLE/RIGRUNNER PRODUCTS.

I. ALL EQUIPMENT AND INSTALLATION TO CARRY FULL FIVE (5) YEAR WARRANTY PARTS AND LABOR.

J. LINE ITEMS 1, 2, 7, 8, 10, 11, AND 12 ARE NO SUBSTITUTION.


ALL OTHER ITEMS ARE EQUAL TO OR BETTER.

End Document

Dominator™ and Dominator Plus™ Series

DASH
DECK
VISORS

1/2" AND LINZ6™ Super-LED® TRAFFIC ADVISOR AND WARNING MODULES



Small size and fully waterproof design make the "Dominator Series" the versatile answer to all your secondary warning and signalling needs. Choose Dominator or Dominator Plus with twice the warning light power.

Available as a six or eight lamp array Traffic Advisor, or in two, four, six or eight lamp array flashing model. Compact enough for special use vehicles, motorcycles, quads and marine applications. This small but powerful light array is the solution to your unique warning light requirements.



FEATURES

- Bright TIR3 (3-diode) or super bright LINZ6 (6-diode) Super-LED modules.
- Low profile aluminum extrusion.
- Internal self-contained electronics.
- Fully encapsulated, fully waterproof.
- Internal Molex® waterproof connectors.
- Multiple Scan-Lock™ flash patterns.
- Small diameter 4 or 6 conductor, #20 AWG wires.
- 12 VDC.
- Slide bolt mount, standard.
- Size: 1-1/2" (38mm) H x 2-5/16" (59mm) W. Length determined by model selected.

FLASHING MODELS

- Two, four, six and eight lamp flashing arrays.
- Seven flash patterns and a steady-on mode.
- Pairs may be synchronized to each other or to other Whelen synchronizing products.

TRAFFIC ADVISOR MODELS

- Six or eight lamp light array.
- Six lamp light array with two end flashing lamps.
- Four directional sequences and seven Scan-Lock flash patterns.
- Low power (Intensity) mode.
- Requires customer supplied switches or Whelen's optional control head (with blanks for optional switches available for other warning light requirements).



Slide Bolt mounting

WHELEN®

DOMINATOR™ & DOMINATOR PLUS™ SERIES SPECIFICATIONS

FLASHER MODELS

DOMINATOR with TIR3™ MODULES

- D2**Two lamps, 7-1/16" (179mm) L.
- D4****Four lamps, 14-3/16" (360mm) L.
- D6*****Six lamps, 23-1/4" (591mm) L.
- D8\$\$\$\$0Eight lamps, 30-3/8" (772mm) L.

DOMINATOR PLUS with LINZ6™ MODULES

- DP2**Two lamps, 7-1/16" (179mm) L.
- DP4****Four lamps, 14-3/16" (360mm) L.
- DP6\$\$\$\$0Six lamps, 23-1/4" (591mm) L.
- DP8\$\$\$\$0Eight lamps, 30-3/8" (772mm) L.

* Replace symbol * In model number with letter indicating lens color desired:
A=Amber; B=Blue; C=White; R=Red


§ Replace § symbol with number of color lightheads required.
Order of colors are red, blue, amber and white.

MOUNTING OPTIONS (customer installed)

- DBKT3Swivel mount bracket kit for D2/DP2 and D4/DP4s customer installed
- DBKT4 "L" angle mounting bracket kit (2 brackets) customer installed
- DBKT5Upper rear window mounting bracket kit for 2008-2013 Chevy Tahoe and 2013 Police Interceptor Utility
- DBKT6New hatch mount bracket for 2008-2013 Chevy Tahoe, Interior mount, D8/DP8 series only

FLASH PATTERNS

- SignalAlert™ 75
- CometFlash® 75
- SingleFlash 75
- SingleFlash 150
- SingleFlash 375
- ActionFlash™
- ActionScan™



DBKT3

DBKT4

DBKT5

DBKT6

TRAFFIC ADVISOR™ MODELS

DOMINATOR with TIR3 MODULES

- TAD6Six Amber lamps, 23-1/4" (591mm) L.
- TAD8Eight Amber lamps, 30-3/8" (772mm) L.
- TAD0**Six Amber lamps with two end flashing modules, 30-3/8" (772mm) L.

DOMINATOR PLUS with LINZ6™ MODULES

- TADP6Six Amber lamps, 23-1/4" (591mm) L.
- TADP8Eight Amber lamps, 30-3/8" (772mm) L.
- TADP6**Six Amber lamps, with two end flashing modules, 30-3/8" (772mm) L.

* Replace symbol * In model number with letter indicating lens color desired:
A=Amber; B=Blue; R=Red

OPTIONS


- TADCTL1Control head only
- TADSW1On/Off
- TADSW2On/Off/On
- TADSW3Momentary
(TAD Non-litghted SPDT 20 amp switches, may be used individually or with 3 slots on TADCTL1)
- DBKT4: "L" angle mounting bracket kit (2 brackets), customer installed
- DBKT5Upper rear window mounting bracket kit for 2008-2013 Chevy Tahoe and 2013 Police Interceptor Utility
- DBKT6New hatch mount bracket for 2008-2013 Chevy Tahoe, Interior mount, TAD8/TADP8 series only

TRAFFIC ADVISOR FLASH PATTERNS

- Flash (Uses same Scan-Lock patterns as flashing models)
- Left TA
- Right TA
- Split TA

SEQUENCE

- Sequence On Solid
- Sequence On/Sequence Off
- One Lamp Triple Flash
- Two Lamp Triple Flash



TADCTL1

TADSW1
TADSW2
TADSW3



WHELEN
ENGINEERING COMPANY, INC.

51 Wintthrop Road
Chester, Connecticut 06412-0884
(860) 526-9504 • Fax: (860) 526-4078
www.whelen.com

Whelen Engineering reserves the right to upgrade and improve products without notice.
© 2013 Whelen Engineering Company, Inc. Printed in U.S.A.
NASCAR is a registered trademark of the National Association for Stock Car Auto Racing, Inc.
Cord No. 115582 - 02/13

PRODUCT UPDATE

NEW PRODUCT!


Super-LED® Take-Down & Alley Lights

Super-LED take-down, alley, work and warning lights provide "Super" bright illumination and durability, so you may never need to service any of these lamps ever again!

FEATURES

- All LR11 Super-LED lights have 15° horizontal adjustment.
- LEDs are rated for 100,000 hours.
- Steady-burn or flashing.
- Most Whelen lightbars may be easily upgraded with Internal LR11 LED take-downs or alleys.
- 5 year warranty.
- LR11 and LED flashing modules available in red, blue and amber.

JUSTICE® SERIES



LFL LIBERTY™ SERIES



EDGE® ULTRA FREEDOM™



* Replace asterisk in model number with color desired.
A=Amber, B=Blue, R=Red

Form# LTDA0609

Whelen reserves the right to upgrade products without notice.
© 2009 Whelen Engineering Co., Inc. Printed in U.S.A. Code No. 121978-0609
NASCAR® is a registered trademark of the National Association for Stock Car Auto Racing, Inc.



Whelen Products
are proudly
made in the U.S.A.



Officially Licensed
Warning Lights Of
NASCAR®

WHELEN®
ENGINEERING COMPANY, INC.

51 Winthrop Road
Chester, Connecticut 06412-1036
(860) 526-9504 • Fax: (860) 526-4078
www.whelen.com

Engineers for the Emergency Warning Industry

SUPER-LED TAKE-DOWN & ALLEY LIGHTS

Vertex™ Super-LED® Light



SINGLE, SELF-CONTAINED, HEMISPHERIC LIGHT

LIGHTHEADS


Only 7/8" in height, this small hemispheric LED lighthead is perfect for most applications where size and intensity are critically important.

Self-contained unit using an in-line combination lamp driver/flasher.


This new self-contained Super-LED Hide-A-Way requires only a one inch hole in any composite headlight, cornering light or taillight assembly to deliver true wide-angle warning to the front, side and rear of your vehicle... without interference to your vehicle computer and warning equipment! Less than 1" tall, it may also be surface mounted to outside surfaces anywhere on the vehicle!



VTXFB



VTXFC



Split Lighthead
VTX609J

FEATURES

- Ultra small, self-contained, hemispheric LED light, for surface mount or internal mount within composite head-light, cornering lights and taillight assemblies.
- Flange kit options in Black or Chrome allow easy surface mounting anywhere on your vehicle.
- 25 Scan-Lock™ flash patterns, includes synchronize feature for alternating and synchronous flashing of multiple lamps.
- New lens technology enhances light distribution for optimum dispersion and intensity of the warning signal at critical angles.
- Includes pre-wired and sealed 4-C/22 gauge 9' cable to the lighthead and lamp driver, with power, pattern and synchronize wires.
- Lamp and in-line lamp driver are fully encapsulated for moisture and vibration resistance.
- Omni-directional lighthead mounts in any position (orientation), vertically or horizontally.
- Available in Red, Amber, White and Blue and split colors. LED color must match color of the lens it is installed behind, except for Clear lens and split colors.
- 10-16 VDC.
- Virtually no RFI/EMI noise emitted, meets SAE J1113-41 Class 5.
- Two screws hold the lamp securely in place.
- 1" hole makes this LED module backwards compatible to HA238 and standard 1" Hide-A-Way style lamps.
- Simple installation with no separate lamp drivers, flashers, ballast or power supplies to install.
- Five year HDP® Heavy-Duty Professional warranty.



WHELEN®

Vertex™ Super-LED Light

MODELS

VTX609*Single lamp with 9' cable.

VTX609#Split color



* Replace asterisk in model number with desired color:
A=Amber, B=Blue, R=Red, C=White

OPTIONS


VTXFBBlack flange kit, surface mount

VTXFCChrome flange kit, surface mount




FLASH PATTERN	PHASE
SignalAlert™ 75	1
SignalAlert™ 75	2
CometFlash® 75	1
CometFlash® 75	2
DoubleFlash 75	1
DoubleFlash 75	2
SingleFlash 75	1
SingleFlash 75	2
ComAlert™	1
ComAlert™	2
LongBurst™	1
LongBurst™	2
PingPong™	1
PingPong™	2
Non-SYNC Patterns	
SingleFlash 90	
SingleFlash 120	
SingleFlash 300	
DoubleFlash 150	
ComAlert™ 150	
ActionFlash™ 1	
ActionFlash™ 2	
ModuFlash™	
ActionScan™	
Steady	



Lighthead



Lighthead with flange



WHELEN®

ENGINEERING COMPANY, INC.

51 Winthrop Road
Chesler, Connecticut 06412-0884
(860) 526-9504 • Fax: (860) 526-4078
www.whelen.com


Whelen Engineering reserves the right to upgrade and improve products without notice.
© 2012 Whelen Engineering Company, Inc. Printed in U.S.A.
NASCAR® is a registered trademark of the National Association for Stock Car Auto Racing, Inc.
Code No. 121877 - 11/12

American Employees, American Manufacturing, American Pride!

HINT

PART# TA-2015

Twin Arm System with Telescopic Post, G.R.I.P. Tilt/Swivel and Universal Base



Triple swivel

Only 3 knobs control the entire mount

- 1 knob controls tilt and swivel below laptop tray
- 1 knob controls 2 pivoting axes
- 1 knob controls telescopic height adjustment

**U-Joint with "G.R.I.P. Power"[™]
90° Tilt and 360° swivel**

**Main Arm with "G.R.I.P. Power"[™]
2.75" W x 1" H x 11" L**

Telescopic Main Post with Spring Load 1.25" x 1.25" x 8"

Swivel base

Adjustable Supports

All steel construction





Projector™ Series SA315P Speaker

SUPERCOMPACT, MULTIPORT 100 WATT RMS SPEAKER

SIRENS
SPEAKERS
SWITCHES

Smaller size speaker with full size performance will mount in more locations than ever before.

The SA315P installs easily and delivers traffic clearing warning where it's needed: down and in front of your vehicle.




FEATURES

- All weather nylon composite black housing with front loaded, powder coated speaker driver.
- Superior performance in a very small profile package. Only 2-7/8" in depth.
- Exceeds California Title XIII, Class A and S.A.E. J1849 requirements with most 100 watt sirens.
- Optimum performance assured when used with all Whelen high-power electronic sirens.
- Easily installs to the radiator cross member in just a few minutes (without dismantling the front grille of the vehicle).
- Truer tone quality and wider/higher frequency response than speakers of comparable size.
- Universal mounting bracket, plus vehicle specific brackets available.
- Compact size is ideal for concealed installations in any type vehicle.
- Two year standard Whelen warranty.

WHELEN®

Projector™ Series SA315P Speaker



Weight: 4 lbs. 11 oz. (2.12kg)

MODELS

SA315P Speaker, nylon composite

UNIVERSAL MOUNTING

SAK1 Universal mount bracket

SAK9 Universal/swivel ball type mount bracket

VEHICLE SPECIFIC MOUNTING

SAK1 Ford Explorer, 2002-2010, Chevy Suburban Tahoe, 2004-2006

SAK5 Chevy Suburban/Tahoe, 2000-2003, Chevrolet Avalanche, 2002-2009, GMC Envoy, 2004-2011

SAK9 Heavy-Duty Universal/Swivel Ball Type Mounting Bracket

SAK11 Chevy Trail Blazer, 2002-2011

SAK17 Ford Crown Victoria, 2003-2011, Quick Installation

SAK20 Ford Escape, 2011-2012

SAK23 Ford Expedition, 2007-2013

SAK24 Chevy Suburban, 2007-2013, and Chevy Tahoe/Silverado, 2007-2013

SAK25 Chevy Express Van, 2006-2011

SAK32 Ford E350/E450, 2008-2013, Driver or Passenger Side

SAK34 Chevy Impala, 2006-2011, Howler Compatible, Replaces SAK21

SAK37 Dodge Charger, 2011-2013

SAK38 Ford Fusion, 2010-2012

SAK39 Ford Taurus, 2010-2014 and Police Interceptor, 2013-2014

SAK40 Ford F250/F350, 2011-2013, Passenger Side

SAK41 Ford F250/F350, 2011-2013, Driver side

SAK42 Dodge 4500, 2011-2013, Passenger Side

SAK43 Dodge 4500, 2011-2013, Driver Side


SAK44 Ford Explorer, 2011-2014 and 2013-2014 Ford Police Interceptor Utility

SAK45 Chevy Caprice, 2011-2013


SAK46 Chevy Impala, 2012

SAK47 Dodge Ram 1500, 2012-2013, Passenger Side


SAK48 Dodge Ram 1500, 2012-2013, Driver Side




SAK1




SAK9



SAK17



SAK32



SAK37

WHELEN®

ENGINEERING COMPANY, INC.

51 Winthrop Road
Chester, Connecticut 06412-0684
(860) 526-9504 • Fax: (860) 526-4078
www.whelen.com

Whelen Engineering reserves the right to upgrade and improve products without notice.
© 2013 Whelen Engineering Company, Inc. Printed in U.S.A.
Code No. 120190 - 05/13

American Employees, American Manufacturing, American Pride!

Power Airhorn™ & Power Airhorn Plus™

MODEL PAH112 AND PAP112



PAH112
Power Airhorn™




PAP112
Power Airhorn Plus™

Perfect for volunteer fire personnel, security, escort and undercover vehicles.

FEATURES

- An inexpensive supplement to your car horn sound level with a legal* air horn tone.
- Delivers 100 watts of power to a 100-watt siren speaker.
- Can be wired remotely to the horn ring of the vehicle or to a (customer-supplied) switch.

- The same familiar airhorn sound used by Police, Fire & EMS.
- Sturdy amplifier housing mounts in the trunk, under the seat or other remote locations.
- Model PAP112 Power Airhorn Plus features a high gain microphone and public address capability with adjustment for PA volume.
- May be used with standard 100-watt siren speakers such as Whelen SP123DB and SA314P. See Whelen literature for a complete listing of appropriate speakers.
- Draws 8 amps at 12.8 VDC.
*In most states



PAH112 and PAP112

Form# AH0900

©2000 Whelen Engineering Company, Inc. Printed in U.S.A.
Whelen Engineering Inc. reserves the right to upgrade and improve products without notice.
Code No. 900-10950B

MODELS:

PAH112: Power Airhorn 100 watt amplifier, 12.8 VDC.

PAP112: Power Airhorn Plus 100 watt amplifier with microphone, 12.8 VDC.

Model PAPEXT15: Optional 15' extension cable for PAP112 microphone.

WHELEN[®]
ENGINEERING COMPANY, INC.

Route 145, Winthrop Road
Chester, Connecticut 06412-0684
(860) 526-9504 • Fax: (860) 526-4078
www.whelen.com

Engineers for the Emergency Warning Industry

POWER AIRHORN™ AND POWER AIRHORN PLUS™ AMPLIFIERS

BID STANDARD TERMS AND CONDITIONS

TERMS AND CONDITIONS FOR THIS BID

RIVIP INFO - BID SUBMISSION REQUIREMENTS

It is the Vendor's responsibility to check and download any and all addenda from the RIVIP. This offer may not be considered unless a signed RIVIP generated Bidder Certification Cover Form is attached and the Unit Price column is completed. The signed Certification Cover Form must be attached to the front of the offer. When delivering offers in person to One Capitol Hill, vendors are advised to allow at least one hour additional time for clearance through security checkpoints.

AWARD

THE STATE, AT ITS SOLE DISCRETION, SHALL RESERVE THE RIGHT TO MAKE ONE OR MULTIPLE AWARDS FOR THIS REQUIREMENT AND/OR TO REJECT ANY OR ALL BIDS.

VENDOR SPECIFICATIONS

ALL VENDORS MUST INCLUDE SPECIFICATIONS WITH BID PROPOSAL (EVEN THOSE BIDDING BRAND SPECIFIED). FAILURE TO SUBMIT SPECIFICATIONS WITH BID PROPOSAL MAY RESULT IN DISQUALIFICATION OF BID. ITEMS IN CATALOGS MUST BE CLEARLY MARKED AND PAGES TABBED.

FISCALYR

AWARDS EXTENDING BEYOND JUNE 30TH ARE SUBJECT TO AVAILABILITY OF FUNDS. CONTINUATION OF THE CONTRACT BEYOND THE INITIAL FISCAL YEAR WILL BE AT THE DISCRETION OF THE STATE. TERMINATION MAY BE EFFECTED BY THE STATE BASED UPON DETERMINING FACTORS SUCH AS UNSATISFACTORY PERFORMANCE OR THE DETERMINATION BY THE STATE TO DISCONTINUE THE GOODS/SERVICES, OR TO REVISE THE SCOPE AND NEED FOR THE TYPE OF GOODS/SERVICES; ALSO MANAGEMENT OWNER DETERMINATIONS THAT MAY PRECLUDE THE NEED FOR GOODS/SERVICES.

TERMS CONTINUED:

PURCHASE AGREEMENT BID

BIDDING (a) A single price shall be quoted for each item against which a proposal is submitted. This price will be the maximum in effect during the agreement period. Any price decline at the manufacturer's level shall be reflected in a reduction of the agreement price to the State. (b) Quantities, if any, are estimated only. The agreement shall cover the actual quantities ordered during the period. Deliveries will be billed at the single, firm, awarded unit price quoted regardless of the quantities ordered. (c) Bid price is net F.O.B. destination and shall include inside delivery at no extra cost. (d) Bids for single items and/or a small percentage of total items listed, may, at the State's sole option, be rejected as being non-responsive to the intent of this request. **ORDERING** (a) The User Agency(s) will submit individual orders for the various items and various quantities as may be required during the agreement period. (b) Exception - Regardless of any agreement resulting from this bid, the State reserves the right to solicit prices separately for any extra large requirements for delivery to specific destinations.

DELIVERY PER AGENCY

DELIVERY OF GOODS OR SERVICES AS REQUESTED BY AGENCY.

INSURANCE REQUIREMENTS

AN INSURANCE CERTIFICATE IN COMPLIANCE WITH PROVISIONS OF ITEM 31 (INSURANCE) OF THE GENERAL CONDITIONS OF PURCHASE IS REQUIRED FOR COMPREHENSIVE GENERAL LIABILITY, AUTOMOBILE LIABILITY, AND WORKERS' COMPENSATION AND MUST BE SUBMITTED BY THE SUCCESSFUL BIDDER(S) TO THE DIVISION OF PURCHASES PRIOR TO AWARD. THE INSURANCE CERTIFICATE MUST NAME THE STATE OF RHODE ISLAND AS CERTIFICATE HOLDER AND AS AN ADDITIONAL INSURED. FAILURE TO COMPLY WITH THESE PROVISIONS MAY RESULT IN REJECTION OF THE OFFEROR'S BID. ANNUAL RENEWAL CERTIFICATES MUST BE SUBMITTED TO THE AGENCY IDENTIFIED ON THE PURCHASE ORDER. FAILURE TO DO SO MAY BE GROUNDS FOR CANCELLATION OF CONTRACT.

NOTE: IF THIS BID COVERS CONSTRUCTION, SCHOOL BUSING, HAZARDOUS WASTE, OR VESSEL OPERATION, APPLICABLE COVERAGES FROM THE FOLLOWING LIST MUST ALSO BE SUBMITTED TO THE DIVISION OF PURCHASES PRIOR TO AWARD: * PROFESSIONAL LIABILITY INSURANCE (AKA ERRORS & OMISSIONS) - \$1 MILLION OR 5% OF ESTIMATED PROJECT COST, WHICHEVER IS GREATER. * BUILDER'S RISK INSURANCE - COVERAGE EQUAL TO FACE AMOUNT OF CONTRACT FOR CONSTRUCTION. * SCHOOL BUSING - AUTO LIABILITY COVERAGE IN THE AMOUNT OF \$5 MILLION. * ENVIRONMENTAL IMPAIRMENT (AKA POLLUTION CONTROL) - \$1 MILLION OR 5% OF FACE AMOUNT OF CONTRACT, WHICHEVER IS GREATER. * VESSEL OPERATION - (MARINE OR AIRCRAFT) - PROTECTION & INDEMNITY COVERAGE REQUIRED IN THE AMOUNT OF \$1 MILLION.

TERMS CONTINUED:

LICENSE REQUIREMENTS

VENDOR (OWNER OF COMPANY) IS RESPONSIBLE TO COMPLY WITH ALL LICENSING OR STATE PERMITS REQUIRED FOR THIS TYPE OF SERVICE. A COPY OF LICENSE/PERMIT SHOULD BE SUBMITTED WITH THIS BID. IN ADDITION TO THESE LICENSE REQUIREMENTS, BIDDER, BY SUBMISSION OF THIS BID, CERTIFIES THAT ANY/ALL WORK RELATED TO THIS BID, AND ANY SUBSEQUENT AWARD WHICH REQUIRES A RHODE ISLAND LICENSE(S), SHALL BE PERFORMED BY AN INDIVIDUAL(S) HOLDING A VALID RHODE ISLAND LICENSE.

END DOCUMENT