



Request for Quote

STATE OF RHODE ISLAND AND PROVIDENCE PLANTATIONS
ONE CAPITOL HILL
PROVIDENCE RI 02908

CREATION DATE : 14-MAR-14
BID NUMBER: 7548582
TITLE: OIL SPILL RESPONSE TRAILER - DOA STATE FLEET

BID CLOSING DATE AND TIME:24-APR-2014 10:00:00

BUYER: Mosca, Gary
PHONE #: 401-574-8124

B
I
L
L
T
O
DOA CONTROLLER
ONE CAPITOL HILL, 4TH FLOOR
SMITH ST
PROVIDENCE, RI 02908
US

S
H
I
P
T
O
DOA-CS STATE FLEET
ONE CAPITOL HILL, 2ND FLOOR
SMITH ST
PROVIDENCE, RI 02908
US

Requisition Number: 1358393

Note to Bidders: Questions concerning this solicitation may be emailed to gary.mosca@purchasing.ri.gov no later than 4/10/14 @ 3:00 PM (ET). Questions should be submitted in a Microsoft word attachment. Please reference the RFQ # on all correspondence. Questions received if any, will be posted on the internet as an addendum to this solicitation. It is the responsibility of all interested parties to download this information.

Line	Description	Quantity	Unit	Unit Price	Total
1	OIL SPILL RESPONSE TRAILER PER ATTACHED SPECIFICATIONS	1.00	Each		

Delivery: _____

Terms of Payment: _____

It is the Vendor's responsibility to check and download any and all addenda from the RIVIP. This offer may not be considered unless a signed RIVIP generated Bidder Certification Cover Form is attached and the Unit Price column is completed. The signed Certification Cover Form must be attached to the front of the offer

STATE OF RHODE ISLAND
DIVISION OF PURCHASES
BID NO. 7548579

A copy of the bid specifications must be returned with the bid and must indicate compliance or exception to each aspect of the specification. All exceptions must be specifically identified. The specification must have the corresponding bid item number identified.

The unit shall be newest current model, new and unused, under standard production by the manufacturer, and of which parts are stocked at one or more locations in Rhode Island and/or Southern New England region. All parts utilized on the unit shall be new and unused.

Bidder must be an authorized manufacturer's representative/dealer.

Bidder must submit detailed specification(s) and literature of the model offered including vehicle confirmation.

Bidders located beyond a 150 mile radius of the delivery destination must include a written plan for delivery.

DELIVERY SITE FOR ALL VEHICLES WILL BE THE FOLLOWING:

RI DEM
Coastal Resources Office
301 Great Island Road
Galilee, RI 02882

DELIVERY INFORMATION:

SUCCESSFUL VENDOR(S) MUST CONTACT CONNIE RESENDES AT STATE FLEET OPERATIONS, (401-222-6227) AT LEAST (2) TWO DAYS PRIOR TO DELIVERY.

THE FOLLOWING ADDITIONAL TERMS AND CONDITIONS APPLY TO THIS INVITATION TO BID:

1. All vehicles must be delivered without dealer's name or advertising of any type visible on the body.
2. Each vehicles delivered to the State must be accompanied by a "Certificate of Origin" with owner listed as: STATE OF RI/FLEET OPERATIONS, ONE

STATE OF RHODE ISLAND
DIVISION OF PURCHASES
BID NO. 7548579

CAPITOL HILL, PROVIDENCE, RI 02908, CONTAINING THE MANUFACTURER'S VEHICLE IDENTIFICATION NUMBER (VIN), A GENERAL DESCRIPTION OF THE BODY GVW # AND THE MODEL NAME/NUMBER.

3. Bids must be predicated on the basis of the bidder's full and unencumbered title to the vehicle(s) as of the date of delivery to the State. Bids subject to lien or assignment at the time of delivery to the State, or which stipulate third party or joint payment, will be rejected.
4. Title certificates must be provided at the time of delivery to the State.
5. The successful vendor(s) will be required to provide the following:
 - A. A completed application for registration and Title Certificate (TR-1) with the exception of Sections G and H. Owner to be listed as: State of RI/Fleet Operations, One Capitol Hill, Providence, RI 02908.
 - B. A completed Sales or Use Tax Exemption Certification - Motor Vehicles. Purchaser to be listed as: State of RI/Fleet Operations, One Capitol Hill, Providence, RI 02908.
6. To insure timely deliveries, vendor is required to supply confirmation of order to Connie Resendes, State Fleet Operations, 1 Capitol Hill, Providence, RI 02908 indicating anticipated delivery date. This must be received within 30 days of award.
7. A copy of specification, labeled by bid item number, must be submitted with each offer. Failure to provide specifications as required may result in disqualification.
8. Dealers located outside a 150 mile radius from Providence, Rhode Island must include a written plan of their proposed delivery method, including information regarding required dealer preparation.
9. Standard manufacturer's warranty and operator's manual shall accompany each vehicle.

All information requested must be included for each item bid. Failure to include all information requested may deem the offer as non-responsive.

Questions relative to the solicitation may be directed by email only to gary.mosca@purchasing.ri.gov until 4/10/14 @ 3:00 pm.

END DOCUMENT.

DESCRIPTION:Oil Response trailer

Quantity:	1		Vendor Indicate Compliance Yes/No
Department:	Environmental Management	Fuel Type:	na
Division:	Emergency Response	Color:	na
		*if not offered may be changed at award	
RI-FANS Requisition Number:	1358393		


STANDARD FEATURES	FOR VENDOR USE ONLY TO INDICATE COMPLIANCE	
	Yes/No	Specify Alternative (if responding no)
20' trailer		
20ft 10000lbs GVWR as per these specifications		
8ft Body Width (7'6" I.D.)		
Heavy-duty radius steel corner-posts for maximum strength (all corners).		
3 piece "A" frame with 2 5/16" top mount coupler with replaceable locking dog assembly. See image 5.		
2 5/16" top mounted ball coupler with replaceable locking dog. See image 5.		
D.O.T. compliant 5/16" safety chains with clevis hook and safety latch meeting all D.O.T. standards		
6" X 2" rectangular steel tube main rails with equal height "C" channel cross-members and square outriggers		
Chassis fully undercoated with rust preventative coating undercoating		
102" wide a beam torflex 4" drop tandem axle assembly, 6 stud hubs and drums with electric brakes **install fenderettes for wide track axles**		
ST225/75R15 load range 'D' radial tire with 6 bolt silver wheel		
6'6" inside height/ 72 3/4" HD vertical posts on 16" centers		
Swing down rear door with spring assist and aluminum anti-rack cam bar lock - 85 3/4"width X 68" height opening *includes stabilizing jacks on rear of trailer, see images 1 and 2.		
Bonded door with Styrofoam insulated door core bonded aluminum exterior sheet & interior plywood perimeter fabricated from heavy aluminum extrusions, injected molded corners & aluminum strap hinge auto type DR seal		
Heavy-duty security hasp for CAM lock with padlock on both side doors and ramp.		
30"width entry door, aluminum anti-rack CAM lock, right handed-hinge, locate on c/s front for entry into front command storage compartment, right side of trailer.		
30"W entry door, aluminum anti-rack CAM lock, right hand hinge, locate on m/s forward of fender well and full partition wall and in the middle storage compartment, left side of the trailer.		
3/4" wolmanized plywood deck with 20 year warranty		
Full partition wall without door start at 4ft back from front wall		

STANDARD FEATURES	FOR VENDOR USE ONLY TO INDICATE COMPLIANCE	
	Yes/No	Specify Alternative (if responding no)
4ft partition wall without door start at 8ft back from front wall		
12 volt dome light with optic lens, locate 1 per compartment		
Wall switch for 12 volt dome light, locate 1 per compartment		
Tandem axle L.E.D safety package (L.E.D. clearance lights, high profile brake lights, fender mounted turn indicators)		
L.E.D. wraparound tail light with integrated side rear marker light. See image 2.		
14" X 14" screened, crank up translucent roof vent, locate 1 in Front Command and 1 in Harbor Boom Storage compartments.		
0.030 pre-finished white high gloss smooth exterior aluminum installed vertically with non-corrosive mechanical fasteners		
Exterior Aluminum fastened with stal-guard coated fasteners (surpass military standards for rust resistant fasteners)		
Extruded anodized aluminum roof cove with formed drip rail provides (solid anchor) attachment of Roof sheet with structural strength designed to prevent leaks.		
D.O.T. "A" frame mounted 22 amp hr UI series battery, breakaway switch, aluminum mounting bracket, cover, battery "charge" indicator, and diode isolation, battery acid included. See image 5.		
Six year or greater warranty package/program		
***** Booming and Oil Sorbing Supplies		
Plastic covered metal wire shelves. (Profile number 32)		
3" to 4" plastic covered wall screw hooks for anchors, Towing Bridles, and buoys. See images 6 and 7. (Profile number 33)		
1 broom, 1 shovel, 2 sledgehammer wall storage devices. (Profile number 34)		
Clear 8"x11" Storage Pouch. See Images 6 and 7.		
5 Anchors Danforth "Quick Set" 25lbs or equivalent		
5 Chains for Anchor 3/8" 6' minimum per Anchor Minimum 3/8", 6,600lbs Tension Links		
10 Carabiner/clip for Towing Bridles, 2 per Bridle For 3/8" rope, 3" minimum Steel Auto-Lock		
5 Buoys (Anchor Buoys) Float Harbor Booms Polyform Model A-0 Red with Blue Rope-hold, inflatable		
8 Harbor Boom (Hard Boom, Same Universal Slide Connectors as 12") Bottom sleeve chain/cable, non-plastic slides, with upper tension member, a minimum of 22 oz. orange fabric, and "RI DEM" Stenciling every 20ft 100'x18" with Universal Slide Connectors Type I 100'x18" with Universal Slide Connectors Type I		
4 Harbor Boom (Hard Boom, Same Universal Slide Connectors as 18") Bottom sleeve chain/cable, non-plastic slides, with upper tension member, a minimum of 22 oz. orange fabric, and "RI DEM " Stenciling every 20ft 50'x12" with Universal Slide Connectors Type I 50'x12" with Universal Slide Connectors Type I		
10 Harbor Boom Pins (Spares/Extras) Universal Slide Connector Pins Type I Universal Slide Connector Pins		

REQ: 1338547

ATTACHMENT 2
20' Oil Spill Response Trailer and Supplies Specifications


Sheet A - Oil Spill Response Trailer Design: Plan View



REQ: 1558543

ATTACHMENT 2


Sheet B - Oil Spill Response Trailer Design: Section A Profile View




ATTACHMENT 2

Oil Spill Response Trailer and Supplies Specifications


Sheet C - Example Oil Spill Response Trailer Images



1) Left Side View of Spill Response Trailer




2) Left-Rear View of Spill Response Trailer




3) Ramp and Rear Harbor Boom Compartment View



4) Right Side View of Spill Response Trailer



5) Right-Front View of Spill Response Trailer



6) Left View of Front Command Compartment



7) Right View of Front Command Compartment

Contract Terms and Conditions

Table of Contents

Terms and Conditions.....VI
 BID STANDARD TERMS AND CONDITIONSVI
 TERMS AND CONDITIONS FOR THIS BIDVI
 RIVIP INFO - BID SUBMISSION REQUIREMENTSVI
 DELIVERY PER AGENCYVI
 VENDOR SPECIFICATIONSVI
 FISCAL YEAR - AWARD EXTENDING PAST FISCAL YR ENDVI
 VEHICLE / AUTO BIDVI

Terms and Conditions

BID STANDARD TERMS AND CONDITIONS

TERMS AND CONDITIONS FOR THIS BID

RIVIP INFO - BID SUBMISSION REQUIREMENTS

It is the Vendor's responsibility to check and download any and all addenda from the RIVIP. This offer may not be considered unless a signed RIVIP generated Bidder Certification Cover Form is attached and the Unit Price column is completed. The signed Certification Cover Form must be attached to the front of the offer. When delivering offers in person to One Capitol Hill, vendors are advised to allow at least one hour additional time for clearance through security checkpoints.

MAILING ADDRESS FOR BID PROPOSALS ISSUED BY THE STATE OF RHODE ISLAND,
DIVISION OF PURCHASES

All Bid Proposals must be submitted by mail or hand delivered to:

- State of Rhode Island
- Department of Administration
- Division of Purchases, Second floor
- One Capitol Hill
- Providence, RI 02908-5855

DIVESTITURE OF INVESTMENTS IN IRAN REQUIREMENT:

No vendor engaged in investment activities in Iran as described in R.I. Gen. Laws §37-2.5-2(b) may submit a bid proposal to, or renew a contract with, the Division of Purchases. Each vendor submitting a bid proposal or entering into a renewal of a contract is required to certify that the vendor does not appear on the list maintained by the General Treasurer pursuant to R.I. Gen. Laws §37-2.5-3.

DELIVERY PER AGENCY

DELIVERY OF GOODS OR SERVICES AS REQUESTED BY AGENCY.

VENDOR SPECIFICATIONS

ALL VENDORS MUST INCLUDE SPECIFICATIONS WITH BID PROPOSAL (EVEN THOSE BIDDING BRAND SPECIFIED). FAILURE TO SUBMIT SPECIFICATIONS WITH BID PROPOSAL MAY RESULT IN DISQUALIFICATION OF BID. ITEMS IN CATALOGS MUST BE CLEARLY MARKED AND PAGES TABBED.

FISCAL YEAR - AWARD EXTENDING PAST FISCAL YR END

AWARDS EXTENDING BEYOND JUNE 30TH ARE SUBJECT TO AVAILABILITY OF FUNDS. CONTINUATION OF THE CONTRACT BEYOND THE INITIAL FISCAL YEAR WILL BE AT THE DISCRETION OF THE STATE. TERMINATION MAY BE EFFECTED BY THE STATE BASED UPON DETERMINING FACTORS SUCH AS UNSATISFACTORY PERFORMANCE OR THE DETERMINATION BY THE STATE TO DISCONTINUE THE GOODS/SERVICES, OR TO REVISE THE SCOPE AND NEED FOR THE TYPE OF GOODS/SERVICES; ALSO MANAGEMENT OWNER DETERMINATIONS THAT MAY PRECLUDE THE NEED FOR GOODS/SERVICES.

VEHICLE / AUTO BID

THE FOLLOWING ADDITIONAL TERMS AND CONDITIONS APPLY TO THIS INVITATION FOR BIDS: 1. ALL VEHICLES MUST BE DELIVERED WITHOUT DEALER'S NAME OR ADVERTISING OF ANY TYPE VISIBLE ON THE BODY. 2. EACH VEHICLE DELIVERED TO THE STATE MUST BE ACCOMPANIED BY A "CERTIFICATE OF ORIGIN" CONTAINING THE MANUFACTURER'S VEHICLE IDENTIFICATION NUMBER (VIN), THE NUMBER OF ENGINE CYLINDERS AND ENGINE TYPE, A GENERAL DESCRIPTION OF THE BODY, AND THE MODEL NAME OR NUMBER. CERTIFICATE OF ORIGIN MUST BE ASSIGNED TO STATE OF RI/FLEET OPERATIONS, ONE CAPITOL HILL, PROVIDENCE, RI 02908, UNLESS THE VEHICLE IS BEING PURCHASED BY THE RHODE ISLAND STATE POLICE. IF SO, CERTIFICATE OF ORIGIN MUST BE ASSIGNED TO RHODE ISLAND STATE POLICE, 311 DANIELSON PIKE, NORTH SCITUATE, RI 02857. 3. BIDS MUST BE PREDICATED ON THE BASIS OF THE BIDDER'S FULL AND UNENCUMBERED TITLE TO THE VEHICLE(S) AS OF THE DATE OF DELIVERY TO THE STATE. BIDS SUBJECT TO LIEN OR ASSIGNMENT AT THE TIME OF DELIVERY TO THE STATE, OR WHICH STIPULATE THIRD PARTY OR JOINT PAYMENT, WILL BE REJECTED. 4. TITLE CERTIFICATES MUST BE PROVIDED AT THE TIME OF DELIVERY TO THE STATE. 5. WHERE THE FIRM SUBMITTING THE BID IS ACTING AS AN AGENT FOR ANOTHER CORPORATE ENTITY, (SPECIFICALLY WITH RESPECT TO LEASE ARRANGEMENTS), THE BID MUST IDENTIFY THE CORPORATION WHO WILL BE NAMED IN ANY SUBSEQUENT AWARD AS THE BIDDER OF RECORD. 6. UNLESS OTHERWISE INDICATED, ALL VEHICLES WILL BE DELIVERED TO STATE FLEET OPERATIONS AT ONE CAPITOL HILL, PROVIDENCE, R.I. THE STATE OF RHODE ISLAND RESERVES THE RIGHT TO MANDATE THE REPLACEMENT OF ALL VEHICLES IN ACCORDANCE WITH RHODE ISLAND STATE LEMON LAW 31-5.2-1 TO 31-5.2-13. REPLACEMENT EQUIPMENT MUST BE OF LIKE OR SUPERIOR SPECIFICATIONS TO THE VEHICLE IN QUESTION. COSTS ASSOCIATED WITH THE REMOVAL OF PROBLEMATIC EQUIPMENT AND DELIVERY AND INSTALLATION OF REPLACEMENT EQUIPMENT WILL BE SOLELY AT THE VENDOR'S EXPENSE.