



Request for Quote

STATE OF RHODE ISLAND AND PROVIDENCE PLANTATIONS
ONE CAPITOL HILL
PROVIDENCE RI 02908

CREATION DATE : 09-JUN-14
BID NUMBER: 7548809
TITLE: CI-NMF-GENERAL FREIGHT TRUCKS

BID CLOSING DATE AND TIME:20-JUN-2014 10:30:00

BUYER: Mosca, Gary
PHONE #: 401-574-8124

B
I
L
L
L
T
O
DOA CONTROLLER
ONE CAPITOL HILL, 4TH FLOOR
SMITH ST
PROVIDENCE, RI 02908
US

S
H
I
P
T
O
DOC CORRECTIONAL INDUSTRIES
33 POWER ROAD
CRANSTON, RI 02920
US

Requisition Number:

Note to Bidders: Questions concerning this solicitation may be emailed to questions3@purchasing.ri.gov no later than 6/12/14 @ 3:00 PM (ET). Questions should be submitted in a Microsoft word attachment. Please reference the RFQ # on all correspondence. Questions received if any, will be posted on the internet as an addendum to this solicitation. It is the responsibility of all interested parties to download this information.

Line	Description	Quantity	Unit	Unit Price	Total
1	NEW, NEWEST MODEL GENERAL FREIGHT TRUCK AS PER ATTACHED SPECS Line Note to Bidders: VEHICLE YEAR: _____ MAKE: _____ MODEL: _____ ANTICIPATED DELIVERY: _____	2.00	Each		

Delivery: _____

Terms of Payment: _____

It is the Vendor's responsibility to check and download any and all addenda from the RIVIP. This offer may not be considered unless a signed RIVIP generated Bidder Certification Cover Form is attached and the Unit Price column is completed. The signed Certification Cover Form must be attached to the front of the offer

STATE OF RHODE ISLAND
DIVISION OF PURCHASES
BID NO. 7548809

The State of Rhode Island Division of Purchases on behalf of the Department of Correctional Industries is seeking proposals for tow (2) General Freight, Medium Service Crew Cab, 26,000 (NON_CD L) with 24' Dry Van body, Rear mounted Tuck-A-Way lift gate & Hide A-Way loading ramp (Combo) (ramp to be used without operating the lift) in addition to all specified requirements of Bid Specification Sheet.

A copy of the bid specifications must be **returned with the bid and must indicate compliance or exception to each aspect of the specification.** All exceptions must be specifically identified. The specification must have the corresponding bid item number identified.

The unit shall be newest current model, new and unused, under standard production by the manufacturer, and of which parts are stocked at one or more locations in Rhode Island and/or Southern New England region. All parts utilized on the unit shall be new and unused.

Bidder must be an authorized manufacturer's representative/dealer.

Bidder must submit detailed specification(s) and literature of the model offered including vehicle confirmation.

Bidders located beyond a 150 mile radius of the delivery destination must include a written plan for delivery. Vehicles will odometer reading in excess of 150 miles will not be accepted without prior approval from the Division of Purchases.

Each vehicle is identified with a specification number. That number must be clearly marked on all invoices as well as on the sticker attached to window if each vehicle.

It is imperative that this number appears on the vehicle sticker since this will be the identification for distribution from the State Fleet parking facility to individual state agencies.

DELIVERY SITE FOR ALL VEHICLES WILL BE THE FOLLOWING:

Rhode Island Department of Correctional Industries
33 Power Road
Cranston, RI 02920

DELIVERY INFORMATION:

SUCCESSFUL VENDOR(S) MUST CONTACT CONNIE RESENDES AT STATE FLEET OPERATIONS, (401-222-6227) AT LEAST (2) TWO DAYS PRIOR TO DELIVERY.

STATE OF RHODE ISLAND
DIVISION OF PURCHASES
BID NO. 7548809

THE FOLLOWING ADDITIONAL TERMS AND CONDITIONS APPLY TO THIS INVITATION TO BID:

1. All vehicles must be delivered without dealer's name or advertising of any type visible on the body.
2. Each vehicles delivered to the State must be accompanied by a window sticker and "Certificate of Origin" with owner listed as: STATE OF RI/FLEET OPERATIONS, ONE CAPITOL HILL, PROVIDENCE, RI 02908, CONTAINING THE MANUFACTURER'S VEHICLE IDENTIFICATION NUMBER (VIN), THE NUMBER OF ENGINE CYLINDERS AND ENGINE TYPE, A GENERAL DESCRIPTION OF THE BODY GVW # AND THE MODEL NAME/NUMBER. ODOMETER DISCLOSURE **MUST** BE COMPLETED ON THE VENDOR'S SIDE OF "CERTIFICATE OF ORIGIN".
3. Bids must be predicated on the basis of the bidder's full and unencumbered title to the vehicle(s) as of the date of delivery to the State. Bids subject to lien or assignment at the time of delivery to the State, or which stipulate third party or joint payment, will be rejected.
4. Title certificates must be provided at the time of delivery to the State.
5. The successful vendor(s) will be required to provide the following:
 - A. A completed application for registration and Title Certificate (TR-1) with the exception of Sections G and H. Owner to be listed as: State of RI/Fleet Operations, One Capitol Hill, Providence, RI 02908.
 - B. A completed Sales or Use Tax Exemption Certification - Motor Vehicles. Purchaser to be listed as: State of RI/Fleet Operations, One Capitol Hill, Providence, RI 02908.
6. To insure timely deliveries, vendor is required to supply confirmation of order to Connie Resendes(401-222-6227), State Fleet Operations, 1 Capitol Hill, Providence, RI 02908 indicating anticipated delivery date. This must be received within 30 days of award.
7. A copy of specification, labeled by bid item number, must be submitted with each offer. Failure to provide specifications as required may result in disqualification.
8. All vehicles must be delivered with less than 150 miles on the odometer. Vehicles will odometer reading in excess of 150 miles will not be accepted without prior approval from the Division of Purchases.

STATE OF RHODE ISLAND
DIVISION OF PURCHASES
BID NO. 7548809

9. Dealers located beyond a 150 mile radius of the Rhode Island State police Headquarters in Scituate, Rhode Island, must submit a written plan of their proposed delivery method, including information regarding required dealer preparation and approved by the Division of Purchases.
10. Standard manufacturer's warranty and operator's manual shall accompany each vehicle. All written warranties and warranty cards are to be furnished in the glove compartment of each vehicle delivered.
11. All deliveries must include a minimum of ½ tank of fuel. Fuel gauges which fail to register a minimum of ½ tank of fuel will be charged for the actual cost of fuel (to reach ½ full) plus \$100 labor charge per vehicle. This amount, where applicable will be deducted from the invoice.

All information requested must be included for each item bid. Failure to include all information requested may deem the offer as non-responsive.

Questions relative to the solicitation may be directed by email only to questions3@purchasing.ri.gov until 6/12/14 @ 3:00 pm.

END DOCUMENT.

DESCRIPTION: 13-Ton General Freight Truck

Quantity:	TWO			Vendor Indicate Compliance Yes/No
Department:	CORRECTIONS	Fuel Type:	Diesel	
Division:	INDUSTRIES	Color:	Silver	
		*if not offered may be changed at award		

RI-FANS Requisition Number: 1315017

Page 1 of 5

STANDARD FEATURES	FOR VENDOR USE ONLY TO INDICATE COMPLIANCE	
	Yes/No	Specify Alternative (if responding no)
ENGINE 6.7 - 250 Diesel		No alternative accepted.
ALTERNATOR 12V - 160 AMP		
BATTERY Maintenance Free 2250 CCA		
BRAKES Four Wheel ABS, Power		
HUB CAPS MANUFACTURERS STANDARD		
BUMPERS Three-Pc 14" Painted Steel with collapsible ends		
COOLING SYSTEM Manufacturers Standard		
FLOOR Manufacturers Standard		
FUEL TANK 50 gal. Rectangular Aluminum		
GVW 26,000		
GAUGES Manufacturers Standard		
GLASS Manufacturers Standard Tinted		
LIGHTS Manufacturers Standard		
HEATER/DEFROSTER Manufacturers Standard		
MIRRORS Dual West Coast Molded-in Color Heated, with 8" Convex Mirrors mounted under primary mirrors		
RADIO MANUFACTURERS STANDARD AM/FM		
AIR CONDITIONING Manufacturers Heavy Duty		
SEATING Basic High Back Vinyl Air Suspension Driver & Passenger with Mechanical Lumbar		

STANDARD FEATURES	FOR VENDOR USE ONLY TO INDICATE COMPLIANCE	
	↓ Yes/No	↓ Specify Alternative (if responding no)
WINDSHIELD WIPERS Manufacturers Standard		
HUB CAPS/WHEEL COVER Manufacturers standard		
STEERING POWER		
SUSPENSION SYSTEM 12,000 # Dual Taperleaf Front Suspension, 23,000 # Air Ride Rear Suspension		
TIRES 11R22.5 14PLY Radial, front & rear		
TRANSMISSION AUTO		
WHEELBASE 7350MM / 290 inch		
WHEEL WRENCH AND JACK Factory issue		
STANDARD EQUIPMENT Vehicles shall be equipped with all standard features and accessories as noted in the manufacturer's literature for proposed model. No deletion of standard equipment and accessories will be allowed without approval of State Fleet Operations.		
SAFETY Vehicles shall be equipped with all safety standards as administered by the National Highway Traffic and Safety Administration. This is to include ABS if available in model bid. All vehicles will be required to have SRS on drivers side		
PRE-DELIVERY Vehicle shall be completely inspected, serviced and cleaned by the vendor in accordance with pre-delivery service standards. The manufacturer's warranty (minimum of 3 years or 36,000 miles), owner's manual and related information shall be delivered with each unit. Deliver window sticker with details of factory options with each vehicle. No dealer identification on delivered vehicle. Include front license plate bracket. All fluids must be topped off.		
<ul style="list-style-type: none"> • Front License Plate Bracket • Two (2) sets of keys required 		
SPECIAL EQUIPMENT REQUIREMENTS		
6.7 - 250 HP @ 2300 RPM Diesel Engine		
Side-of-hood air intake with firewall mounted air cleaner		
12V 160 AMP Alternator		
12V maintenance free, 2250 CCA Batteries		
18.7 CFM Air Compressor with internal safety valve		
Standard Air Compressor Governor		

STANDARD FEATURES	FOR VENDOR USE ONLY TO INDICATE COMPLIANCE	
	↓ Yes/No	↓ Specify Alternative (if responding no) ↓
Air Compressor Discharge Line		
Electronic Engine Integral Warning and Derate Protection System		
Right Hand Standard Horizontal Tailpipe		
6 gal. Diesel Exhaust Fluid Tank		
Spin on Fuel Filter		
Full Flow Oil Filter		
950 square inch Aluminum Radiator		
Antifreeze to -34F, NOAT Extended Life Coolant		
Blue Stripe Coolant Hoses (or) equal		
Radiator Drain Valve		
Lower Radiator Guard		
750 watt / 115V Block Heater		
Engine Heater Receptacle mtd under LH door		
Aluminum Flywheel Housing		
Electric Grid Air Intake Warmer		
Delco 12V 38MT HD Starter with integrated magnetic switch		
5 speed Allison 2500 HS Automatic Transmission		
Detroit DA-F-10.0-3 10,000# Single Front Axle		
Meritor 15x4 Q+ Cam Front Brakes		
Non-Asbestos Front Break Lining		
Conmet Cast Iron Front Break Drums		
TRW THP-60 Power Steering Unit		
2qt see-through Power Steering Reservoir		
12,000# Dual Taperleaf Front Suspension		
Maintenance Free Rubber Bushings - front susp.		
HD Front Shock Absorbers		
MS-19-14X 19,000# R-Series Single Rear Axle		
5.13 Rear Axle Ratio		
Iron Rear Axle Carrier with standard axle housing		
Meritor 16.5x7 Q+ Cast Spider Cam Rear Brakes, Double Anchor, Fabricated Shoes		
Non-Asbestos rear Brale Lining		
Conmet Cast Iron Rear Brake Drums		
SKF Scotseal Plus XL Rear Oil Seals		
Synthetic 75W-90 Front & Rear Axle Lube		
Airliner 23,000# Rear Suspension with chain clearance		
Airliner High Position Height		
Single Air Rear Suspension Leveling Valve		

RI-FANS Requisition Number:

1315017

Pg 4 of 5

STANDARD FEATURES	FOR VENDOR USE ONLY TO INDICATE COMPLIANCE	
	↓ Yes/No	↓ Specify Alternative (if responding no)
Transverse Control Rods		
Rear Shock Absorbers - one axle - Air Ride Suspension		
Air Brake Package		
Wabco 4S/4M ABS without Traction Control		
Reinforced Nylon, Fabric Braid and Wire Chassis Air Lines		
BW AD-9 Brake Line Air Dryer with Heater		
Steel Air Brake Reservoirs		
7350MM (290 inch) Wheelbase		
Effective Back of Cab to Rear Suspension C/L (CA): 195.86"		
Frame Length - Overall: 429.39		
Space Available for Deckplate: 198.86		
Three-Pc 14" Painted Steel Bumper with collapsible ends		
Bumper Mounting for Single License Plate		
50 gal Rectangular Aluminum Fuel Tank		
High Temperature Reinforced Nylon Fuel Lines		
11R22.5 14 PLY Radial Front & Rear Tires		
Conmet Pre-set Bearing Iron Front & Rear Hubs		
Accuride 29637 Assu-lite 22.5X8 10 Hub Pilot 10-Hand Steel Disc Front & Rear Wheels, with nuts		
132" BBC High-Roof Extended Aluminum Conventional Cab		
Air Cab Mounts		
Non-removable Bugscreen (behind grille)		
Fiberglass Hood		
Single Air Horn under LH deck		
Dual Electric Horns		
Ignition Switch and Door Locks Keyed the Same		
Rear License Plate mounted end of frame		
LED Airodynamic Marker Lights		
Integral Stop / Tail / Backup lights		
Standard Front Turn signal Lamps		
Dual West Coast Molded-in Color Heated Mirrors		
8" Molded-in Color Convex Mirrors mounted under primary mirrors		
RH Down View Mirror		
Standard Side / Rear Reflectors		
"Omit" Rear Cab Windows		
Windshield and Window Glass Tinted		
Door Locks and Windows Powered		

STANDARD FEATURES	FOR VENDOR USE ONLY TO INDICATE COMPLIANCE	
	Yes/No	Specify Alternative (if responding no)
2 gal Windshield Washer Reservoir, Frame Mtd.		
Opal Grey Vinyl Interior		
Grey / Charcoal Flat Dash		
Black Floor Mats, Front & Rear		
Two Cup Holders, Dash Mounted		
12V Power Supply in Dash		
Basic High Back Air Suspension Driver & Passenger Vinyl Seats with Mechanical Lumbar		
Full Width Rear Vinyl Bench Seat		
3 point Driver & Front Passenger, LH / RH Rear Passengers, 2 point Center Rear Passenger Seat Belts		
Adjustable Tilt & Telescoping Steering Column		
Driver & Passenger Sun Visors		
24' Morgan Dry Freight Van Body, Model # GVSD10326096, 103.12 (IH), 311.02 (IL), 91.91 (IW), 88W x 97.25H (rear door opening)		
1-1/8" Laminated Hardwood Floor Fastened to Subframe, 2 countersunk screws per floor board, per cross member, in staggered pattern, ship lapped and pre-undercoated for protection from the elements		
Steel Diamond Plate Threshold flush to rear, 1/8 x 24" routed edge into floor		
Scuff-side and front: Galvanized Steel, 12 ga. 16" high		
Series E-Track Recessed Side Wall, (1) located @ 26.50" from top of floor to center of track, (2) located @ 55.50" from top of floor to center of track		
Three Interior Dome Lights, Switch with Indicator mounted in cab dash		
Tuck-a-Way Liftgate with hide-a-way loading ramp (combo unit), mounted @ rear of truck. Loading ramp to be useable without activating the liftgate.		

Contract Terms and Conditions

Table of Contents

Terms and Conditions.....II
 BID STANDARD TERMS AND CONDITIONSII
 TERMS AND CONDITIONS FOR THIS BIDII
 RIVIP INFO - BID SUBMISSION REQUIREMENTSII
 AUTO / VEHICLE PURCHASE ORDERII
 VENDOR SPECIFICATIONSII
 AWARDIII
 DELIVERY PER AGENCYIII
 FISCAL YEAR - AWARD EXTENDING PAST FISCAL YR ENDIII

Terms and Conditions

BID STANDARD TERMS AND CONDITIONS

TERMS AND CONDITIONS FOR THIS BID

RIVIP INFO - BID SUBMISSION REQUIREMENTS

It is the Vendor's responsibility to check and download any and all addenda from the RIVIP. This offer may not be considered unless a signed RIVIP generated Bidder Certification Cover Form is attached and the Unit Price column is completed. The signed Certification Cover Form must be attached to the front of the offer. When delivering offers in person to One Capitol Hill, vendors are advised to allow at least one hour additional time for clearance through security checkpoints.

MAILING ADDRESS FOR BID PROPOSALS ISSUED BY THE STATE OF RHODE ISLAND,
DIVISION OF PURCHASES

All Bid Proposals must be submitted by mail or hand delivered to:

- State of Rhode Island
- Department of Administration
- Division of Purchases, Second floor
- One Capitol Hill
- Providence, RI 02908-5855

DIVESTITURE OF INVESTMENTS IN IRAN REQUIREMENT:

No vendor engaged in investment activities in Iran as described in R.I. Gen. Laws §37-2.5-2(b) may submit a bid proposal to, or renew a contract with, the Division of Purchases. Each vendor submitting a bid proposal or entering into a renewal of a contract is required to certify that the vendor does not appear on the list maintained by the General Treasurer pursuant to R.I. Gen. Laws §37-2.5-3.

AUTO / VEHICLE PURCHASE ORDER

THE FOLLOWING ADDITIONAL TERMS AND CONDITIONS APPLY TO THIS PURCHASE ORDER: 1. ALL VEHICLES MUST BE DELIVERED WITHOUT DEALER'S NAME OR ADVERTISING OF ANY TYPE VISIBLE ON THE BODY. 2. EACH VEHICLE DELIVERED TO THE STATE MUST BE ACCOMPANIED BY A "CERTIFICATE OF ORIGIN" CONTAINING THE MANUFACTURER'S VEHICLE IDENTIFICATION NUMBER (VIN), THE NUMBER OF ENGINE CYLINDERS AND ENGINE TYPE, A GENERAL DESCRIPTION OF THE BODY, AND THE MODEL NAME OR NUMBER. CERTIFICATE OF ORIGIN MUST BE ASSIGNED TO STATE OF RI/FLEET OPERATIONS, ONE CAPITOL HILL, PROVIDENCE, RI 02908 UNLESS THE VEHICLE IS BEING PURCHASED BY THE RHODE ISLAND STATE POLICE. IF SO, CERTIFICATE OF ORIGIN MUST BE ASSIGNED TO RHODE ISLAND STATE POLICE, 311 DANIELSON PIKE, NORTH SCITUATE, RI 02857. 3. THE VENDOR MUST WARRANT FULL AND UNENCUMBERED TITLE TO THE VEHICLE(S) AS OF THE DATE OF DELIVERY TO THE STATE. 4. TITLE CERTIFICATES MUST BE PROVIDED AT THE TIME OF DELIVERY TO THE STATE.

VENDOR SPECIFICATIONS

ALL VENDORS MUST INCLUDE SPECIFICATIONS WITH BID PROPOSAL (EVEN THOSE BIDDING BRAND SPECIFIED). FAILURE TO SUBMIT SPECIFICATIONS WITH BID PROPOSAL MAY RESULT IN DISQUALIFICATION OF BID. ITEMS IN CATALOGS MUST BE CLEARLY MARKED AND PAGES TABBED.

AWARD

THE STATE, AT ITS SOLE DISCRETION, SHALL RESERVE THE RIGHT TO MAKE ONE OR MULTIPLE AWARDS FOR THIS REQUIREMENT AND/OR TO REJECT ANY OR ALL BIDS.

DELIVERY PER AGENCY

DELIVERY OF GOODS OR SERVICES AS REQUESTED BY AGENCY.

FISCAL YEAR - AWARD EXTENDING PAST FISCAL YR END

AWARDS EXTENDING BEYOND JUNE 30TH ARE SUBJECT TO AVAILABILITY OF FUNDS. CONTINUATION OF THE CONTRACT BEYOND THE INITIAL FISCAL YEAR WILL BE AT THE DISCRETION OF THE STATE. TERMINATION MAY BE EFFECTED BY THE STATE BASED UPON DETERMINING FACTORS SUCH AS UNSATISFACTORY PERFORMANCE OR THE DETERMINATION BY THE STATE TO DISCONTINUE THE GOODS/SERVICES, OR TO REVISE THE SCOPE AND NEED FOR THE TYPE OF GOODS/SERVICES; ALSO MANAGEMENT OWNER DETERMINATIONS THAT MAY PRECLUDE THE NEED FOR GOODS/SERVICES.