



State of Rhode Island
Department of Administration / Division of Purchases
One Capitol Hill, Providence, Rhode Island 02908-5855
Tel: (401) 574-8100 Fax: (401) 574-8387

ADDENDUM # 2

11/25/14

Solicitation #7549198

Title: Passenger Commercial Shuttle Bus

Submission Deadline: 1/13/15 @ 10:00 AM

Per the issuance of ADDENDUM # 2 the following are noted:

Revised Specification Sheet (Attached)

Revised Answers to Vendor submitted questions

Prospective bidders and all concerned are hereby advised of the attached changes/modifications for the above referenced RFQ and are hereby requested to change their copies accordingly.

Bidders must include a signed copy of this addendum with their proposals submission as acknowledgement. Failure to acknowledge Addendum #2 may deem Bid Non-responsive.

Company Name (print)

Signature of Authorized Representative

Interested Parties should monitor this website on a regular basis, for any additional information that may be posted.

Gary P. Mosca
Senior Buyer

Quantity:	1			Vendor Indicate Compliance Yes/No
Department:	DHS	Fuel Type:	GAS	
Division:	VET AFFAIRS-RI VETS HOME	Color:	1White	
RI-FANS Requisition Number:		REVISED 1/2/2015		

STANDARD FEATURES	FOR VENDOR USE ONLY TO INDICATE COMPLIANCE	
	Yes/No	Specify Alternative (if responding no)
NEW 2015 Commercial Shuttle Bus for 1 driver and 14 Passengers		
CHASSIS:		
Engine - 10 Cylinder 6.8L gas		
Wheelbase - Minimum 158"		
5 Speed Automatic overdrive		
14,500 GVWR		
4-Wheel Disc Brakes		
All Season Tires		
Running Boards		
Spare Tire & Wheel		
4 S/S Wheel Inserts		
Rear Step Bumper		
MOR-Ryde Suspension		
Exterior Mirror Set, Remote, Heated		
Mud Flaps		
Valve Extender Rear Wheel, pair		
Exhaust Pipe Turn Down		
WIPERS - Intermittent: low & high settings.		
FLOORING:		
Grey ribbed in aisle and grey smooth rubber under seat		
Black rubber matting in the driver's area or similar		
DRIVER SEATING:		
Highback Driverseat, Shield, Recline, RH Armrest w/2way Lumbar W/lap and shoulder belt Driverseat Cover - Level 1 Newport Vinyl; Oxen Vinyl; Olefin or equivalent		
PASSENGER SEATING:		
Qty 14 seat cover - Level 1 Newport Vinyl; Oxen Vinyl; Olefin or equivalent		
SIDEWALL/REARWALL/CEILING:		
Driver area: Padded Vinyl		

Padded Vinyl interior (walls & ceiling) or Finished painted Aluminum skins will be accepted.		
AUDIO/VISUAL:		
Radio: AM/FM/CD with 4 speakers		
110V dual power outlet		
AIR CONDITIONING: (minimum) 67k BTU / (maximum) 75k BTU		
UNDERCOATING of the entire underside of the body, floor, skirts, wheel housings, sub-floor structure, rear bumper mounting brackets and braces, shall be coated with rust-proofing material that meets the requirements of MIL-C-62218-92 rev A for salt spray resistance, abrasion resistance and fire resistance.		
PAINT: Exterior, Interior - White		
EMERGENCY EXIT: Single center rear emergency exit door and provide an unobstructed opening of a minimum 53" (height) by 33" (width).		
The emergency door shall be equipped with smooth padding at the top edge of the door opening. Padding shall be easily removable.		
ENTRANCE DOOR: Electric double - opening doorl.		
The vertical closing edges on the entrance door shall be equipped with enough flexible material.		
STEPS: The first step shall be no greater than 14" and the ground clearance under the first step shall not be less than 10" unloaded.		
The entrance door shall lead to a two-step entrance.		
Steps grey with white nosing or similar contrasting color		
Heated entry step, electric		
GRAB RAIL/ STANCHION/ HANDRAILS: Padded Staanchion		
Grab rail both sides		
Grab rail at entrance		
Modesty Panel behind Driver		

<p>HEATER: Rear heater under seats (Minimum) 42,000 BTU / (Maximum) 65,000 BTU.</p> <p>Front heater and windshield defroster: Per Chassis Manufacturer.</p>		
<p>Rear heater under seats</p>		
<p>INTERIOR:</p> <p>Lap and shoulder belt seating</p> <p>FMVSS seat belt anchorage</p> <p>Luggage containment system</p> <p>Head Pads</p>		
<p>Sun visor installed on the left side above the driver's seated position.</p>		
<p>Storage Compartment</p>		
<p>Padding on all doors</p>		
<p>LIGHTS:</p> <p>LED Lights clearance</p> <p>Backup Lights LED</p> <p>Dome Lamps -Four (4) dome lamps mounted in the interior roof panels over the seats.</p> <p>Entrance Door Lamps -The entrance door lamps shall operate when the key is in the on position and the entrance door is open.</p> <p>LED Step well Lamp</p> <p>Identification Lamps</p> <p>License Plate Lamps</p> <p>Side Marker/Clearance LED</p> <p>Stop, Tail, Turn Lamps - LED</p>		
<p>MIRRORS:</p> <p>Interior Mirrors -A 2" x 10" interior mirror attached to windshield</p> <p>A 6" x 16" mirror, with padded edges, shall be installed immediately above the driver.</p> <p>Exterior Rearview Mirrors - equipped with FMVSS/CMVSS certified mirrors.</p>		
<p>REFLECTORS:</p> <p>Four (4) 3" red round reflectors, two (2) of which</p>		

shall be located on the lower rear corners of each side, and two (2) of which shall be located on each lower side corner of the rear, in order to meet FMVSS/CMVSS 108 requirements.		
WINDOWS: Side Windows shall be split-sash type and made with black aluminum frames or similar. Extra Wide Rear View Window Storm/Thermal Windows Dark Tint Panoramic Windows		
SAFETY: Back up Camera Back up sensors and alarm Red Light over each emergency exit White Standee Line Decal "Please Stand Behine White Line While Vehicle is in Motion" First aid kit Body fluid kit Emergency Triangle Kit Fire extinguisher Seat belt cutter Pair Chop blocks Rear door vandal lock with starter interrupt		
MISCELLANEOUS ACCESSORIES Decal Vehicle Height Decal Handicap (QTY 4)		
WARRANTY Minimum 3 YEAR/36,000 mile bumper to bumper and 5 year/60,000 mile structural		
DELIER TO: RI VETERANS HOME 480 METACOM AVENUE BRISTOL, RI 02809		

Bid Spec	Question
QUESTION: Passenger Seating	<p>Seat type is not specified. Typical spec is "Freedman Featherweight mid-high back rigid seats", but the spec is written in a way that a lesser seat would also meet spec (ie, low-back, bench, etc). Also, a minimum hip-to-knee measurement is not specified which could negatively impact passenger comfort if a manufacturer tries to squeeze more seats into a smaller body to save money. I would suggest 30" hip-to-knee, minimum.</p> <p>RESPONSE: SEAT TYPE=FREEDMAN FEATHERWEIGHT MID-HIGH BACK RIGID SEATS OR EQUIVALENT; 30" MINIMUM HIP-TO-KNEE</p>
QUESTION: 110V dual power outlet	<p>Please specify quantity and location(s)</p> <p>RESPONSE: MINIMUM 1 EACH LOCATED IN FRONT OF THE BUS (DASH BOARD OR CENTER CONSOLE AREA)</p>
QUESTION: Air Conditioning	<p>Please specify minimum BTU rating of A/C system. As the spec is currently written, a bidder could spec a very low BTU system that would be inadequate for our climate, but still, technically, meet the spec. I would suggest a 75k BTU, dual compressor system with a skirt mounted condenser (or roof mounted condenser, if you want to upgrade).</p> <p>RESPONSE: 75K BTU DUAL COMPRESSOR SYSTEM W/SKIRT MOUNTED CONDENSOR.</p> <p><u>REVISED RESPONSE:</u> Minimum 67K BTU / Maximum 75K BTU DUAL COMPRESSOR SYSTEM W/SKIRT MOUNTED CONDENSOR.</p>
QUESTION: Heater: rear heater under seats	<p>Please specify the BTU rating of the rear heater (I assume the 42k BTU number is the front, OEM heater's BTU rating). I would suggest a 65k BTU rear heater. I would also suggest adding a "cold weather package," which would include insulated heater hoses and a booster pump.</p> <p>RESPONSE: 65K BTU REAR HEATER W/COLD WEATHER PACKAGE</p> <p><u>REVISED RESPONSE:</u> Rear Heater under seats (Minimum) 42,000 BTU / (Maximum) 65,000 BTU.</p> <p>Front heater and windshield defroster per chassis manufacturer.</p>
QUESTION: Interior: storage compartment	<p>Please specify exactly where you would like this compartment.</p> <p>RESPONSE: FRONT DASH BOARD OR CENTER CONSOLE (GLOVE BOX OR EQUIVALENT)</p>
QUESTION: Lights	<p>Some lights are marked LED, some are not. I would ask that you add the verbiage "all interior/exterior lights shall be LED, wherever possible", if that is your preferred spec.</p> <p>RESPONSE: ALL INTERIOR/EXTERIOR LIGHTS SHALL BE LED WHEREVER POSSIBLE</p>

QUESTION: MISC:
Decal handicap This option is requested, but there isn't a wheelchair lift listed in the specifications. Please confirm that this bus should not have a wheelchair lift or any other ADA wheelchair entrance.
RESPONSE: NO WHEELCHAIR LIFT NOR ADA WHEELCHAIR ENTRANCE, VEHICLE INTENDED FOR HANDICAP NON-WHEELCHAIR BOUND PATIENTS

QUESTION: MISC:
Rigid corner luggage compartment Please specify the location and size of this compartment (front, back, X inches wide, etc). A floorplan showing exact seating layout and luggage rack would be ideal.
RESPONSE: LUGGAGE RACK IS NOT REQUIRED BUT IF THE BUS HAS A REAR STORAGE AREA, A RAIL/BARRIER (OR EQUIVALENT) TO KEEP LUGGAGE, WALKERS, CANES, ETC. FROM SHIFTING TOWARDS PASSENGERS WHILE THE BUS IS IN MOTION.

QUESTION: **Padding on all doors;** please clarify which doors you are referring to and [please specify where the padding would be applied?
RESPONSE: PLEASE DISREGARD "PADDING ON ALL DOORS". REQUIRED INTERIOR PADDING IS LISTED IN OTHER AREAS THROUGHOUT THE DOCUMENT (SIDEWALL/REARWALL/CEILING; EMERGENCY DOOR; GRAB RAIL/STANCHION/HANDRAILS FOR EXAMPLE)

QUESTION: **Air Conditioner:** Please clarify the minimum BTU requirement for AC unit.
RESPONSE: 75K BTU DUAL COMPRESSOR SYSTEM W/SKIRT MOUNTED CONDENSOR

REVISED RESPONSE: Minimum 67K BTU / Maximum 75K BTU DUAL COMPRESSOR SYSTEM W/SKIRT MOUNTED CONDENSOR.

End Document