



REQUEST FOR QUOTE (RFQ) – BID# 7549359

2013-CH-050 ADA IMPROVEMENTS TO SOUTH/NORTH MAIN STREETS

SUBMISSION DEADLINE: Friday, March 27, 2015 at 01:00 PM (ET)

PRE-BID CONFERENCE: [] NO [X] YES Thursday, March 12, 2015 at 9:00 AM (ET)
Mandatory: [X] NO [] YES: Any vendor who intends to submit a bid proposal in response to this solicitation must have its designated representative attend the mandatory pre-bid conference.
Location: RI DEPARTMENT OF TRANSPORTATION, TRAFFIC MANAGEMENT CENTER
2 CAPITOL HILL
PROVIDENCE, RI
Buyer Name: Lisa Hill
Title: Chief Buyer

QUESTIONS Prospective bidders are hereby notified that all questions pertaining to this contract must be submitted to the Department of Transportation in writing through its website at http://www.dot.ri.gov/contracting/bids by accessing the questions & answers menu located within the 'contracting', then 'bidding opportunities' link. Response to the submitted questions will also be posted under this link, phone calls will not be accepted.

SURETY REQUIRED: YES

BOND REQUIRED: YES

DISK BASED BID: [] NO [X] YES: See attached Disk Based Bidding Information

NOTE TO VENDORS: Vendors must register on-line at the Rhode Island Division of Purchases website at www.purchasing.ri.gov. Offers received without the completed three-page Rhode Island Vendor Information Program (RIVIP) Generated Bidder Certification Cover Form attached may result in disqualification.

THIS IS NOT A BIDDER CERTIFICATION FORM



State of Rhode Island Department of Administration
Division of Purchases

RHODE ISLAND DEPARTMENT OF TRANSPORTATION

REVISED
November 20, 2013

NOTICE TO VENDORS

Each bid proposal for a *public works project* must include a "public copy" to be available for public inspection upon the opening of bids. **Bid proposals that do not include a copy for public inspection will be deemed nonresponsive.**

To comply with this requirement, *in addition to* the Quest Lite compatible electronic copy and one hard copy, bid proposals for *highway and bridge public works projects* must also include a duplicate original of the Quest Lite compatible electronic copy on a *read-only* CD-R media disc as the "public copy."

The public copy disc must be separately enclosed in a protective cover clearly marked "Public Copy" and include the following information (all available from the Bidder Certification Cover Form): (1) title of solicitation; (2) name of bidder and RIVIP vendor ID number; (3) bid number; and (4) date of bid.

The public copy may redact any trade secrets or commercial or financial information which is of a privileged or confidential nature pursuant to the "Access to Public Records Act," R. I. Gen. Laws §§ 38-2-1 *et seq.*

For further information on how to comply with this statutory requirement, see R. I. Gen. Laws §§ 37-2-18(b) and (j). Also see Procurement Regulations 5.11, 5.13, and 12.102.05 accessible at www.purchasing.ri.gov.

**State of Rhode Island and Providence Plantations
Department of Transportation**

**Notice to Contractors
Special Provisions
Proposal
Contract Agreement
Contract Bond**

for the Performance of

Rhode Island Contract Number: 2013-CH-050

**Rhode Island Federal-Aid\State-Aid Project STP-AWDA(027)
Numbers:**

Project: South Main Street/North Main Street ADA Accessibility Improvements

Limits: South Main Street/North Main Street from James Street to Smith Street

City/Town: Providence

County: PROVIDENCE

Submitted By: _____

Address: _____

Name of Surety: _____

Total Bid: _____

(BIDDER MUST FILL IN ALL ABOVE SPACES)

The basis of award of the Contract will be the total bid for all quantities of work in the proposal subject to review and correction as provided for in the Rhode Island Department of Transportation Standard Specifications for Road and Bridge Construction and Standard Details.

NOTE: The State of Rhode Island Standard Specifications for Road and Bridge Construction and Standard Details consists of the following:

- The Rhode Island Standard Specifications for Road and Bridge Construction, Amended December 2010, with all revisions.
- The Rhode Island Standard Details, 1998 Edition, with all revisions.
- The Rhode Island Bridge Standard Details, 2010 Edition, with all revisions.
- The Division of Purchases Procurement Regulations Adopted December 2010.

*** Refer to Section 12.102.05 PREPARATION OF PROPOSAL of the STATE OF RHODE ISLAND PROCUREMENT REGULATIONS regarding the use of Quest Lite software for bid preparation.**

The above documents may be obtained at the Rhode Island Department of Transportation, Contracts and Specifications Office, upon request.

STATE OF RHODE ISLAND AND PROVIDENCE PLANTATIONS
DEPARTMENT OF ADMINISTRATION - DIVISION OF PURCHASES

NOTICE TO HIGHWAY AND BRIDGE CONTRACTORS

Sealed Proposals addressed to the State Purchasing Agent, Rhode Island Department of Administration, Division of Purchases, One Capitol Hill, Providence, Rhode Island 02903, will be opened and read in public on March 27, 2015 at 1:00PM. All bidders MUST register online at www.purchasing.ri.gov. A Bidder Certification Cover Sheet MUST accompany each bid. Bid item description and quantities estimated for this project will also be available online. Should you need assistance in registering or downloading a bid, call (401) 222-3766. Failure to comply will result in mandatory disqualification per Item 4 of Section 12.102.12 of the Division of Purchases Procurement Regulations Adopted December 2010 and RI General Law 37-2-17 which references the RI Vendor Information Program (RIVIP).

DESCRIPTION: R.I. Federal Aid Project No. STP-AWDA(027) and R.I. Contract No. 2013-CH-050 are for South Main Street/North Main Street Americans with Disabilities Act (ADA) Accessibility Improvements. The limits of the project are from James Street to Smith Street in the City of Providence, Providence County, Rhode Island. The project length is approximately 0.85 miles. The work associated with the accessibility improvements includes, but is not limited to, removal of existing concrete and bituminous sidewalk and driveways; removal and resetting of brick sidewalk; removal and resetting of slate sidewalk; repair of granite slab sidewalk joints; installation of new concrete sidewalk and driveways, wheelchair ramps, and detectable warning systems; removal and resetting of granite curb; removal of existing concrete, metal, and damaged granite curb and installation of new granite curb; removal of existing bituminous pavement and placement of new Class 9.5 bituminous pavement surface and leveling courses; repair of joints and cracks in the existing concrete base; adjusting necessary utility castings; installation of new decorative bollards; removal and disposal of existing signs and installation of new signs; removal and resetting/relocating of parking meters and posts; installation of pavement markings; removal and disposal of existing hydrants; installation of break-away hydrants; cleaning of existing catch basins; reconstruction of existing catch basins; removal and disposal of existing frames and grates and frames and covers and installation of new frames and grates and frames and covers; installation of reinforced concrete sidewalk above catch basins; removal and disposal of existing sanitary manhole covers and installation of new sanitary manhole covers; installation of new granite inlet stones; removal and disposal of existing water curb stops; installation of new water curb stops; replacement of loop detectors; planting of street trees; implementing landscaping treatments to existing trees; installation of steel bike hitches; installation of fiber optic conduit; modifications to the existing traffic signals, and all other incidentals necessary to execute the work complete in place and accepted within the limits of this contract to the satisfaction of the Engineer.

The Contractor will be required, in accordance with the provisions of the Disadvantaged Business Enterprise Affirmative Action Certification for Contractors and Consultants, to meet the established Race-Conscious Goal, or Contract Goal, of not less than 20.00 percent of the contract bid price, to the Contractors, Subcontractors, and/or suppliers which qualify as Disadvantaged Business Enterprises (DBE's). Failure by the Contractor to demonstrate every good faith effort in fulfilling its DBE commitment during the construction period will result in the reduction in contract payments by the amount determined by multiplying the awarded contract value by the established DBE percentage, and subtracting the dollar value of the work actually performed by DBE contractors. This action will not preclude RIDOT from imposing sanctions or other remedies available as specified in paragraph (I)(C) of the Disadvantaged Business Enterprise Affirmative Action Certification for Contractors and Consultants.

Computer Disks for competitive bidding for the above described work will be furnished by the Department of Transportation, Division of Administrative Services, Contracts & Specifications Office, Room 108, Two Capitol Hill, Providence, Rhode Island, 02903, Tel. Number (401) 222-2495. The Plans, Specifications and Special Provisions may also be examined on or after February 27, 2015 every weekday except holidays between the hours of 8:00 AM and 4:00 PM.

The Bid Package consists of a single compact disk (CD) containing the following items: Construction Plans, Standard Specifications for Road and Bridge Construction, Compilations of Approved Specifications, Required Contract Provisions for Federal-Aid Construction Contracts, RI Division of Purchases Procurement Regulations, General Provisions, Rhode Island Standard Details, Rhode Island Bridge Standard Details, Federal Wage Rates, Contract-Specific General Provisions, Job-Specific Specifications, Distribution of Quantities, Appendices (if applicable), Quest Lite bid file, Quest Lite installation software and a Quest Lite User Manual. Only complete bid packages will be issued.

Prospective Bidders are hereby notified that all questions pertaining to this Contract must be submitted to the Department of Transportation in writing through its website at <http://www.dot.ri.gov/contracting/bids/> by accessing the Questions & Answers Menu located within the "Contracting", then "Contract Opportunities" link. Responses to the submitted questions will also be posted under this link. PHONE CALLS WILL NOT BE ACCEPTED.

For help with RIDOT's Quest Lite bid preparation software, please contact the Contracts & Specifications Office, Room 108, Two Capitol Hill, Providence, Rhode Island, 02903, Tel. Number (401)-222-2495 or e-mail Quest@dot.ri.gov.

Please also note that all Bidding Documents required to be submitted and in fact submitted to the Purchasing Agent as part of a bid will be considered returned to the State and need not be returned to RIDOT.

A bid bond payable to the State of Rhode Island, in the amount of 5% of the total or gross sum of the bid must be furnished by each bidder. The Proposal Guaranty will be furnished by surety companies authorized/licensed to do business in the State of Rhode Island. The State reserves the right to retain the surety of all bidders until the successful bidder enters into the Contract or until such time as the award or cancellation of the Contract is announced at which point Sureties will be returned to all bidders by the State of Rhode Island. A performance bond of one hundred (100) percent of the contract price with a satisfactory surety company will be required of the successful bidder. All surety companies must be listed with The Department of the Treasury, Fiscal Services, Circular 570, (Latest Revision published by the Federal Register). The Department of Transportation reserves the right to reject any or all bids.

Required Contract Provisions - The attention of prospective bidders is called to the fact that this project is to be bid upon and the contract executed subject to all applicable federal laws and regulations for carrying out the provisions of the Federal-Aid Highway program..

Wages of labor on Federal -Aid Highway Projects - the prevailing rate of wages for laborers and mechanics employed by contractors or subcontractors on the initial construction of highway projects on the Federal - Aid Highway System, authorized under the Federal Highway Act of 1968, shall be paid wages at rates not less than those prevailing on the same type of work on similar construction in the immediate locality as determined by the United States Secretary of Labor, in accordance with the Act of August 30, 1935, known as the Davis - Bacon Act, under Decision Nos. 1 through 6 as applicable.

Prevailing wage rates and Davis - Bacon Wage Determination Reference Materials are available online at www.purchasing.ri.gov. It is advisable to print only the pages applicable to this bid; the rates active on the Rhode Island Vendor Information Program's bid solicitation date for this project are applicable for the duration of the contract resulting from this bid.

Work Hours Act of 1962 - This contract is subject to Work Hours Act of 1962, Public Law 87-581 and implementing regulations.

Pre-Bid Conference - A Pre-Bid Conference will be held in Providence, Rhode Island, at The RIDOT Traffic Management Center Conference Room on March 12, 2015 at 9:00AM, for the purpose of reviewing construction problems and/or operations concerning the project. Individuals requesting interpreter services for the hearing impaired must notify 401-222-4971 (T.D.D.) a minimum of at least three (3) business days, seventy-two (72) hours prior to the conference date.

SPECIAL NOTE

ANY REFERENCE TO THE RHODE ISLAND DEPARTMENT OF PUBLIC WORKS OR THE DIRECTOR OF PUBLIC WORKS SHOULD BE REVISED TO THE RHODE ISLAND DEPARTMENT OF TRANSPORTATION AND THE DIRECTOR OF TRANSPORTATION RESPECTIVELY.

NOTICE TO ALL BIDDERS

The Rhode Island Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 42 U.S.C. §§ 2000d - 2000d-4 and 49 C.F.R. Part 21, Nondiscrimination in Federally-Assisted Programs of the Department of Transportation - Effectuation of Title VI of the Civil Rights Act of 1964, issued pursuant to such Act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, Disadvantaged Business Enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, national origin, age, or disability in consideration for an award.

To report bid rigging activities call: **1-800-424-9071**

The U.S. Department of Transportation (DOT) operates the above toll-free hotline Monday through Friday, 8:00 a.m. to 5:00 p.m. eastern time. Anyone with knowledge of possible bid rigging, bidder collusion, or other fraudulent activities should use the hotline to report such activities.

The hotline is part of the DOT's continuing effort to identify, and investigate highway construction contract fraud and abuse and is operated under the direction of the DOT Inspector General. All information will be treated confidentially and caller anonymity will be respected.

Item List

Date: 2/17/2015

Estimate Name - Advertising
 Project Name - South Main Street/North Main Street ADA Accessibility Improvements
 R.I. Contract No. - 2013-CH-050
 FAP Nos. - STP-AWDA(027)

Seq No.	Item Code	Description	Quantity	UM
001	201.0407	REMOVE AND DISPOSE PAVEMENT AND RIGID BASE	500.00	SY
002	201.0409	REMOVE AND DISPOSE FLEXIBLE PAVEMENT	3,500.00	SY
003	201.0410	REMOVE AND DISPOSE CATCH BASINS	2.00	EACH
004	201.0414	REMOVE AND DISPOSE PIPE - ALL SIZES	6.00	LF
005	201.0418	REMOVE AND DISPOSE HYDRANT	20.00	EACH
006	201.0428	REMOVE AND DISPOSE FRAME AND GRATE OR FRAME AND COVER	82.00	EACH
007	201.0450	REMOVE AND STOCKPILE ON SITE GRANITE CURB	2,400.00	LF
008	201.0610	REMOVE AND DISPOSE DIRECTIONAL, WARNING, REGULATORY, SERVICE, AND STREET SIGNS	299.00	EACH
009	201.9901	REMOVE AND DISPOSE SIDEWALKS AND DRIVEWAYS	7,000.00	SY
010	201.9902	REMOVE, STOCKPILE, AND RESET PLANTER	12.00	EACH
011	201.9903	REMOVE, STOCKPILE, AND RESET TRASH CAN	14.00	EACH
012	201.9904	REMOVE, SALVAGE, AND DELIVER BIKE HITCH	3.00	EACH
013	201.9905	FILL UTILITY VAULT	2.00	EACH
014	201.9906	REMOVE, STOCKPILE, AND RELOCATE BIKE HITCH	2.00	EACH
015	201.9907	REMOVE, STOCKPILE, AND RESET NEWSPAPER BOX	1.00	EACH
016	201.9908	REMOVE AND DISPOSE METAL CURB	148.00	LF
017	201.9909	REMOVE AND DISPOSE CONCRETE FOUNDATION	1.00	EACH
018	201.9910	REMOVE, SALVAGE, AND DELIVER COBBLESTONES	3.00	SY
019	201.9911	REMOVE, STOCKPILE, AND RESET OR RELOCATE SIGN	25.00	EACH
020	201.9912	REMOVE AND DISPOSE FLEXIBLE PAVEMENT FROM RIGID BASE	23,493.00	SY
021	201.9913	REMOVE, SALVAGE, AND DELIVER TRAFFIC SIGNAL SYSTEMS	1.00	LS
022	201.9914	REMOVAL OF ABANDONED BICYCLES	30.00	EACH
023	201.9915	REMOVE, STOCKPILE, AND RESET BENCH	4.00	EACH
024	201.9916	REMOVE, SALVAGE, AND DELIVER GRANITE PAVERS	101.00	SY
025	201.9917	SAWCUT, REMOVE AND DISPOSE SIDEWALK BY HAND	5,000.00	LF
026	201.9918	REMOVE AND DISPOSE EXISTING CONCRETE SUBSTRUCTURE - FOOTINGS AND PIER WALLS	10.00	CY
027	201.9919	REMOVE AND DISPOSE EXISTING JOINT MATERIAL - ALL TYPES	600.00	LF
028	201.9920	REMOVE AND DISPOSE POST	8.00	EACH
029	202.0100	EARTH EXCAVATION	2,500.00	CY
030	204.0100	TRIMMING AND FINE GRADING	12,000.00	SY
031	209.9901	INLET SEDIMENT CONTROL	160.00	EACH

Item List

Date: 2/17/2015

Estimate Name - Advertising
 Project Name - South Main Street/North Main Street ADA Accessibility Improvements
 R.I. Contract No. - 2013-CH-050
 FAP Nos. - STP-AWDA(027)

Seq No.	Item Code	Description	Quantity	UM
032	212.2000	CLEANING AND MAINTENANCE OF EROSION CONTROLS	1.00	LS
033	302.0100	GRAVEL BORROW SUBBASE COURSE	2,400.00	CY
034	401.1005	CLASS 19.0 HMA FOR MISCELLANEOUS WORK	50.00	TON
035	401.2002	CLASS 12.5 HMA FOR LEVELLING	4,310.00	TON
036	401.3005	CLASS 9.5 HMA FOR MISCELLANEOUS WORK	200.00	TON
037	401.3110	MODIFIED CLASS 9.5 HMA WITH PAY ADJUSTMENTS	4,680.00	TON
038	401.4003	CLASS 4.75 HMA FOR PATCHING	1,500.00	TON
039	403.0300	ASPHALT EMULSION TACK COAT	72,000.00	SY
040	501.0100	PORTLAND CEMENT CONCRETE PAVEMENT (PLAIN)	245.00	SY
041	501.0103	PORTLAND CEMENT CONCRETE BASE	27.00	SY
042	501.9901	INTEGRALLY COLORED AND STAMPED PORTLAND CEMENT CONCRETE CROSSWALK	32.00	SY
043	502.1000	FULL DEPTH CLEANING AND SEALING OF JOINTS AND CRACKS 2-1/2" NOM. WIDTH OR LESS IN PCC PAVEMENT	8,100.00	LF
044	503.1010	REPAIRING DETERIORATED/DAMAGED JOINTS 2 1/2" TO 8" NOM. WIDTH IN FINISHED PCC PAVEMENT	950.00	CF
045	504.9901	SCARIFYING CONCRETE PAVEMENT	245.00	SY
046	601.0300	CLASS A PORTLAND CEMENT CONCRETE	250.00	CY
047	603.1000	CONTROLLED LOW STRENGTH MATERIAL	505.00	CY
048	701.0512	REINFORCED CONCRETE PIPE M 170 CLASS IV 12 INCH	168.00	LF
049	701.6012	12 INCH DUCTILE IRON SEWER SAFE PIPE CLASS 52	15.00	LF
050	701.8151	CURB STOP BOX	12.00	EACH
051	701.8170	8X6 TAPPING SLEEVE & TAPPING VALVE WITH GATE BOX	5.00	EACH
052	702.0510	HEAVY-DUTY SQUARE FRAME AND ROUND COVER STANDARD 6.1.1	10.00	EACH
053	702.0522	FRAME AND COVER STANDARD 6.2.1	1.00	EACH
054	702.0711	DROP INLET BRICK STANDARD 3.6.0	8.00	EACH
055	702.0800	CONCRETE COVER SHALLOW 4'-0" ROUND MANHOLES STANDARD 4.6.0	2.00	EACH
056	702.1500	CONCRETE COLLARS STANDARD 5.4.0	12.00	EACH
057	702.9901	PROVIDENCE STANDARD GRANITE INLET STONE, STANDARD P-17	108.00	LF
058	702.9902	PROVIDENCE STANDARD FRAME AND GRATE	30.00	EACH
S059	702.9903	PROVIDENCE STANDARD 32" LOCKING SANITARY MANHOLE FRAME AND COVER	45.00	EACH
060	702.9904	PROVIDENCE STANDARD GRANITE APRON STONE, STANDARD P-18	6.00	EACH

Item List

Date: 2/17/2015

Estimate Name - Advertising
 Project Name - South Main Street/North Main Street ADA Accessibility Improvements
 R.I. Contract No. - 2013-CH-050
 FAP Nos. - STP-AWDA(027)

Seq No.	Item Code	Description	Quantity	UM
061	702.9905	PROVIDENCE STANDARD CATCH BASIN FRAME AND COVER, STANDARDS P3 AND P4	17.00	EACH
062	702.9906	PROVIDENCE STANDARD GUTTER INLET, STANDARD P-13	3.00	EACH
063	702.9907	PROVIDENCE STANDARD INLET, STANDARD P-16	1.00	EACH
064	702.9908	4" TRENCH DRAIN	44.00	LF
065	702.9909	8" TRENCH DRAIN	88.00	LF
066	702.9910	12" TRENCH DRAIN	44.00	LF
067	704.0200	RECONSTRUCT MANHOLE/CORBEL CONES	45.00	EACH
068	704.0300	RECONSTRUCT CATCH BASIN/VERTICAL WALLS	100.00	VLF
069	705.1300	RECONSTRUCT CB TYPE 'D' TO CATCH BASIN WITH GUTTER INLET	8.00	EACH
070	705.9901	RECONSTRUCT GUTTER INLET	3.00	EACH
071	705.9902	RECONSTRUCT BRADLEY HEAD CATCH BASIN TO CATCH BASIN WITH GUTTER INLET	4.00	EACH
072	705.9903	RECONSTRUCT CATCH BASIN TO MANHOLE	8.00	EACH
073	705.9904	RECONSTRUCT MANHOLE TO CATCH BASIN	1.00	EACH
074	707.0900	ADJUST MANHOLES TO GRADE	16.00	EACH
075	707.0950	ADJUST TELEPHONE MANHOLE TO GRADE	94.00	EACH
076	707.0955	ADJUST ELECTRICAL MANHOLE TO GRADE	249.00	EACH
077	707.1000	ADJUST SANITARY MANHOLE	110.00	EACH
078	707.1900	ADJUST FRAME & COVER TO GRADE	38.00	EACH
079	707.2000	ADJUST FRAME AND GRATE TO GRADE	90.00	EACH
080	707.9901	ADJUST UTILITY VAULT TO GRADE	23.00	EACH
081	707.9902	FURNISH AND INSTALL ELECTRIC MANHOLE FRAME, RING, AND COVER	29.00	EACH
082	708.9040	CLEANING AND FLUSHING PIPE ALL SIZES	1,200.00	LF
083	708.9041	CLEANING CATCH BASINS ALL TYPES AND SIZES	168.00	EACH
084	708.9042	CLEANING MANHOLES ALL TYPES AND SIZES	2.00	EACH
085	712.0100	WATER GATE BOX	115.00	EACH
086	712.0200	GAS GATE BOX	49.00	EACH
087	713.8268	ADJUST CURB STOP BOX TO GRADE	41.00	EACH
088	713.8269	ADJUST WATER GATE BOXES TO GRADE	222.00	EACH
089	713.8300	ADJUST GAS GATE BOXES TO GRADE	119.00	EACH
090	713.9901	ADJUST MONITORING WELL TO GRADE	4.00	EACH
091	713.9902	ADJUST VENT TO GRADE	4.00	EACH

Item List

Date: 2/17/2015

Estimate Name - Advertising
 Project Name - South Main Street/North Main Street ADA Accessibility Improvements
 R.I. Contract No. - 2013-CH-050
 FAP Nos. - STP-AWDA(027)

Seq No.	Item Code	Description	Quantity	UM
092	713.9903	ADJUST CLEANOUT TO GRADE	1.00	EACH
093	713.9904	ADJUST OIL FILL TO GRADE	1.00	EACH
094	714.8163	POST TYPE HYDRANT	19.00	EACH
095	714.8263	REMOVE AND RELOCATE POST TYPE HYDRANT	1.00	EACH
096	804.9901	PRE- AND POST-CONSTRUCTION CONDITION SURVEY OF EXISTING STRUCTURES	1.00	LS
097	808.1670	POLYURETHANE JOINT SEALANT	10,500.00	CI
S098	817.9901	CONCRETE SIGNAL FOUNDATION REPAIRS	72.00	SF
099	900.9901	BASEMENT VAULT REPAIRS	50,000.00	EACH
100	903.9901	FURNISH AND INSTALL DECORATIVE BOLLARD	34.00	EACH
101	903.9902	TEMPORARY CONSTRUCTION FENCE	2,500.00	LF
102	904.9901	REMOVE, STOCKPILE, AND RESET PARKING METER AND POST	5.00	EACH
103	904.9902	REMOVE, STOCKPILE, AND RELOCATE PARKING METER AND POST	90.00	EACH
104	905.9901	REMOVE, STOCKPILE, AND RESET BRICK SIDEWALKS AND DRIVEWAYS	16,000.00	SF
105	905.9902	REMOVE, STOCKPILE, AND RESET EXISTING FLAGSTONE PAVERS	715.00	SF
106	905.9903	GRANITE SLAB CURB RAMP	1.00	EACH
107	905.9904	REINFORCED CONCRETE SIDEWALK OVER CATCH BASINS	37.00	CY
108	905.9905	BRICK SIDEWALK	11,500.00	SF
109	905.9906	SCARIFYING CONCRETE SIDEWALK	60.00	SY
110	905.9907	INTEGRALLY COLORED/EXPOSED AGGREGATE FINISH PORTLAND CEMENT CONCRETE PLAZA AT MEMORIAL PARK	130.00	SY
111	905.9908	PRESSURE WATER CLEANING OF STONE MASONRY SURFACES	200.00	SY
112	905.9909	PORTLAND CEMENT SIDEWALK MONOLITHIC STD 43.1.0	1,000.00	CY
113	905.9910	PORTLAND CEMENT CONCRETE DRIVEWAY STD 43.5.0	175.00	CY
114	905.9911	FLAGSTONE PAVERS FOR SIDEWALK	500.00	SF
115	906.0112	GRANITE CURB PROVIDENCE STANDARD 7" STRAIGHT	2,431.00	LF
116	906.0113	GRANITE CURB PROVIDENCE STANDARD 7" CIRCULAR	1,338.00	LF
117	906.0700	REMOVE, HANDLE, HAUL TRIM RESET CURB EDGING, STRAIGHT, CIRCULAR ALL TYPES	5,800.00	LF
118	906.9903	PROVIDENCE STANDARD GRANITE 2'-0" RADIUS CORNER, RI STD 7.3.4 MODIFIED (7")	9.00	EACH
119	906.9904	PROVIDENCE STANDARD GRANITE 3'-0" TRANSITION CURB, RI STD 7.3.1 MODIFIED (7")	2.00	EACH
120	907.0100	WATER FOR DUST CONTROL	200.00	MGA L

Item List

Date: 2/17/2015

Estimate Name - Advertising
 Project Name - South Main Street/North Main Street ADA Accessibility Improvements
 R.I. Contract No. - 2013-CH-050
 FAP Nos. - STP-AWDA(027)

Seq No.	Item Code	Description	Quantity	UM
121	914.5010	FLAGPERSONS	5,000.00	MHRS
122	914.5020	FLAGPERSONS - OVERTIME	1,000.00	MHRS
123	919.0101	TEST PITS	100.00	EACH
S124	919.9901	VACUUM EXCAVATION/TEST PIT	40.00	EACH
125	922.0100	TEMPORARY CONSTRUCTION SIGNS STANDARD 29.1.0 AND 27.1.1	1,600.00	SF
126	923.0105	DRUM BARRICADE STANDARD 26.2.0	75,000.00	BDAY
127	923.0125	PLASTIC PIPE TYPE III BARRICADE STANDARD 26.3.1	32.00	EACH
128	923.0200	FLUORESCENT TRAFFIC CONES STANDARD 26.1.0	200.00	EACH
129	924.0113	ADVANCE WARNING ARROW PANEL	150.00	PDAY
130	926.0121	UNANCHORED PRECAST CONCRETE BARRIER FOR TEMPORARY TRAFFIC CONTROL STANDARD 40.5.0	1,000.00	LF
131	929.0110	FIELD OFFICE	27.00	PMO
132	931.0110	CLEANING AND SWEEPING PAVEMENT	250.00	HSY
133	932.0110	TRANSVERSE PAVEMENT CUT AND MATCH STANDARD 47.1.1	1,000.00	LF
134	932.0210	FULL DEPTH SAWCUT OF BITUMINOUS PAVEMENT AND RIGID BASE	10,000.00	LF
135	932.0220	FULL DEPTH SAWCUT OF BITUMINOUS SIDEWALK/DRIVEWAY	1,100.00	LF
136	932.0230	FULL DEPTH SAWCUT OF PORTLAND CEMENT CONCRETE SIDEWALK/DRIVEWAY	7,000.00	LF
137	932.9901	FULL DEPTH SAWCUT OF BRICK SIDEWALK RIGID BASE	1,000.00	LF
138	936.0110	MOBILIZATION	1.00	LS
139	937.0200	MAINTENANCE AND MOVEMENT TRAFFIC PROTECTION	1.00	LS
140	942.9901	DETECTABLE WARNING PANEL - EMBEDDED	410.00	SF
141	942.9902	PRECAST CONCRETE DETECTABLE WARNING PAVERS	160.00	SF
142	943.0200	TRAINEE MAN-HOURS	4,000.00	MHRS
S143	L01.0102	LOAM BORROW 4 INCHES DEEP	680.00	SY
S144	L02.0102	RESIDENTIAL SEEDING (TYPE 2)	280.00	SY
S145	L06.9901	TILIA CORDATA 'GREENSPIRE' 3"-3.5" CAL. B&B	8.00	EACH
S146	L06.9902	GLEDITSIA TRIA. 'SKYCOLE' 3"-3.5" CAL. B&B	3.00	EACH
S147	L06.9903	PYRUS CAL. 'ARISTOCRAT' 3"-3.5" CAL. B&B	9.00	EACH
S148	L06.9904	ULMUS HYBRIDA 'HOMESTEAD' 3"-3.5" CAL. B&B	2.00	EACH
S149	L06.9905	ZELKOVA SERRATA 'GREEN VASE' 3"-3.5" CAL. B&B	13.00	EACH
S150	L06.9906	ACER RUBRUM 'FRANKSRED' 3"-3.5" CAL. B&B	2.00	EACH
S151	L06.9907	GINKGO BILOBA 'PRINCETON SENTRY' 3"-3.5" CAL. B&B	2.00	EACH

Item List

Date: 2/17/2015

Estimate Name - Advertising
 Project Name - South Main Street/North Main Street ADA Accessibility Improvements
 R.I. Contract No. - 2013-CH-050
 FAP Nos. - STP-AWDA(027)

Seq No.	Item Code	Description	Quantity	UM
S152	L06.9908	LIRIODENDRON TULIPIFERA 'TULIP TREE' 3"-3.5" CAL. B&B	1.00	EACH
S153	L08.0104	SHRUB OR VINE PRUNING	40.00	MHRS
154	L11.0102	TREE PLANT PROTECTION DEVICE STANDARD 51.1.0	66.00	EACH
155	L11.0103	SHRUB PLANT PROTECTION DEVICE STANDARD 51.2.0	526.00	LF
156	L11.0104	DRIP-LINE TREE PROTECTION DEVICE STANDARD 51.1.1	829.00	LF
157	L15.9901	FURNISH AND INSTALL BIKE HITCH	24.00	EACH
S158	L15.9902	FERTILIZATION OF EXISTING TREES	57.00	EACH
S159	L15.9904	PINE BARK MULCH FOR EXISTING TREES	250.00	SY
S160	L15.9905	ROOT COLLAR EXCAVATION	40.00	EACH
S161	L15.9907	TREE ROOT PRUNING	300.00	LF
S162	L15.9908	FUNGICIDE APPLICATION	11.00	EACH
S163	L15.9909	TREE IRRIGATION APPLICATIONS	300.00	MGA L
S164	L15.9910	CUT GIRDLED ROOTS	2.00	EACH
165	L15.9911	FURNISH AND INSTALL TWO-HUMP BIKE RACK	2.00	EACH
166	L15.9912	FURNISH AND INSTALL THREE-HUMP BIKE RACK	2.00	EACH
S167	T04.5303	14 AWG 3 CONDUCTOR CABLE	2,070.00	LF
S168	T04.5305	14 AWG 5 CONDUCTOR CABLE	35.00	LF
S169	T04.5307	14 AWG 7 CONDUCTOR CABLE	435.00	LF
S170	T04.9901	OPTICAL DETECTOR CABLE	1,970.00	LF
S171	T04.9902	#19 AWG 6 PAIR TRAFFIC COMMUNICATIONS CABLE	555.00	LF
S172	T05.0400	BREAK INTO EXISTING HANDHOLE	8.00	EACH
173	T05.1030	ADJUST HANDHOLE TO GRADE	67.00	EACH
S174	T05.9901	FURNISH AND INSTALL FIBER OPTIC SPLICE MANHOLE INCLUDING FRAME AND COVER	6.00	EACH
S175	T06.2020	2 IN. RIGID STEEL CONDUIT-OVERHEAD	45.00	LF
S176	T06.5130	3 INCH SCHEDULE 40 POLYVINYL CHLORIDE PLASTIC CONDUIT - UNDERGROUND	100.00	LF
S177	T06.5430	3 INCH SCHEDULE 80 POLYVINYL CHLORIDE PLASTIC CONDUIT - UNDER EXISTING PAVEMENT	65.00	LF
S178	T06.9991	TWO - 1-1/4 INCH HIGH DENSITY POLYETHYLENE CONDUITS - ARMORED UNDER NEW PAVEMENT	100.00	LF
S179	T06.9992	TWO - 1-1/4 INCH HIGH DENSITY POLYETHYLENE CONDUITS - ARMORED UNDER EXISTING PAVEMENT	4,700.00	LF
S180	T06.9993	TWO - 1-1/4 INCH HIGH DENSITY POLYETHYLENE CONDUITS - ARMORED BELOW 60 INCHES DEEP	200.00	LF

Item List

Date: 2/17/2015

Estimate Name - Advertising
 Project Name - South Main Street/North Main Street ADA Accessibility Improvements
 R.I. Contract No. - 2013-CH-050
 FAP Nos. - STP-AWDA(027)

Seq No.	Item Code	Description	Quantity	UM
S181	T11.9901	8 FOOT, 16 FLUTE STEEL TRAFFIC SIGNAL POST, BASE AND FOUNDATION	1.00	EACH
S182	T11.9902	RELOCATE TRAFFIC SIGNAL POST AND BASE ON NEW FOUNDATION	5.00	EACH
S183	T11.9903	4.5 FOOT, 16 FLUTE STEEL TRAFFIC SIGNAL POST, BASE, AND FOUNDATION	2.00	EACH
S184	T12.9150	METER SOCKET W/MANUAL BY-PASS	3.00	EACH
S185	T12.9901	ACTUATED CONTROLLER, TS-2, TYPE 1 WITH 8 PHASE ASSEMBLY, GROUND MOUNTED INCLUDING CABINET STANDARD 19.1.0 ON EXISTING MODIFIED FOUNDATION	3.00	EACH
S186	T12.9902	MODIFY EXISTING CENTRAL COMPUTER SYSTEM	1.00	LS
S187	T13.1000	TRAFFIC DETECTORS-LOOP, STANDARD 19.6.0	2,785.00	LF
S188	T13.1004	TRAFFIC DETECTOR RELAY-LOOP 4 CHANNEL	8.00	EACH
S189	T13.8210	ACCESSIBLE PEDESTRIAN DETECTOR - PUSHBUTTON WITH SIGN	30.00	EACH
S190	T13.8220	ACCESSIBLE PEDESTRIAN DETECTOR - CONFIGURATION DEVICE	1.00	EACH
S191	T13.9901	OPTICAL DETECTOR - SINGLE CHANNEL, ONE WAY	11.00	EACH
S192	T13.9902	OPTICAL DETECTOR PHASE SELECTOR AND CHASSIS	6.00	EACH
S193	T13.9903	OPTICAL DETECTOR CONFIRMATION BEACON	8.00	EACH
S194	T14.9901	1-WAY PEDESTAL MOUNTED L.E.D. PEDESTRIAN SIGNAL HEAD WITH COUNTDOWN TIMER, 12-INCH	3.00	EACH
S195	T14.9902	2-WAY PEDESTAL MOUNTED L.E.D. PEDESTRIAN SIGNAL HEAD WITH COUNTDOWN TIMER, 12-INCH	6.00	EACH
S196	T14.9903	3-WAY PEDESTAL MOUNTED L.E.D. PEDESTRIAN SIGNAL HEAD WITH COUNTDOWN TIMER, 12-INCH	1.00	EACH
S197	T14.9904	1-WAY BRACKET MOUNTED L.E.D. PEDESTRIAN SIGNAL HEAD WITH COUNTDOWN TIMER, 12-INCH	4.00	EACH
S198	T14.9905	2-WAY BRACKET MOUNTED L.E.D. PEDESTRIAN SIGNAL HEAD WITH COUNTDOWN TIMER, 12-INCH	4.00	EACH
S199	T14.9907	REMOVE AND RELOCATE TRAFFIC SIGNAL HEAD	10.00	EACH
200	T15.0100	DIRECTIONAL REGULATORY AND WARNING SIGNS	825.16	SF
201	T15.2000	PARKING SIGNS	253.50	SF
202	T15.9901	STREET NAME SIGNS - GROUND MOUNTED	18.00	EACH
203	T15.9902	STREET NAME SIGNS - MAST ARM MOUNTED	16.00	EACH
S204	T20.0006	6 INCH WHITE FAST - DRYING WATERBORNE PAVEMENT MARKING PAINT	33,100.00	LF
S205	T20.0012	12 INCH WHITE FAST - DRYING WATERBORNE PAVEMENT MARKING PAINT	10,500.00	LF
S206	T20.0024	24 INCH WHITE FAST - DRYING WATERBORNE PAVEMENT MARKING PAINT	3,050.00	LF

Item List

Date: 2/17/2015

Estimate Name - Advertising
 Project Name - South Main Street/North Main Street ADA Accessibility Improvements
 R.I. Contract No. - 2013-CH-050
 FAP Nos. - STP-AWDA(027)

Seq No.	Item Code	Description	Quantity UM
S207	T20.0104	4 INCH YELLOW FAST - DRYING WATERBORNE PAVEMENT MARKING PAINT	3,100.00 LF
S208	T20.0106	6 INCH YELLOW FAST - DRYING WATERBORNE PAVEMENT MARKING PAINT	1,900.00 LF
S209	T20.0820	FAST DRYING WATERBORNE PAVEMENT ARROW - STRAIGHT, LEFT, RIGHT, OR COMBINED STANDARD 20.1.0	11.00 EACH
S210	T20.0822	FAST DRYING WATERBORNE PAVEMENT MARKING WORD "ONLY" STANDARD 20.1.0	2.00 EACH
S211	T20.2006	6 INCH EPOXY RESIN PAVEMENT MARKINGS WHITE	10,043.00 LF
S212	T20.2012	12 INCH EPOXY RESIN PAVEMENT MARKINGS WHITE	1,148.00 LF
S213	T20.2013	24 INCH EPOXY RESIN PAVEMENT MARKINGS WHITE	3,050.00 LF
S214	T20.2014	4 INCH EPOXY RESIN PAVEMENT MARKINGS YELLOW	806.00 LF
S215	T20.2016	6 INCH EPOXY RESIN PAVEMENT MARKINGS YELLOW	1,059.00 LF
S216	T20.2019	12 INCH EPOXY RESIN PAVEMENT MARKINGS YELLOW	619.00 LF
S217	T20.2020	EPOXY RESIN PAVEMENT ARROW - STRAIGHT, LEFT, RIGHT, OR COMBINED STANDARD 20.1.0	11.00 EACH
S218	T20.2022	EPOXY RESIN PAVEMENT MARKING WORD "ONLY" STANDARD 20.1.0	2.00 EACH
S219	T20.2024	EPOXY RESIN PAVEMENT MARKING WORD "STOP"	5.00 EACH
S220	T20.9902	EPOXY RESIN PAVEMENT MARKING WORD "BUS"	5.00 EACH
S221	T20.9904	EPOXY RESIN PAVEMENT MARKING SHARED LANE SYMBOL	21.00 EACH







RHODE ISLAND DEPARTMENT OF TRANSPORTATION

*** THIS IS A DISK-BASED BID ***

**ELECTRONIC BIDDING
PROCEDURE NOTICE**

**ALL BID OFFERS MUST BE PREPARED USING THE QUEST LITE BID
PREPARATION SOFTWARE PACKAGE**

Bidders **MUST** register in person at the RIDOT Contract Administration office to obtain the necessary Bidder Registration and Digital ID codes for the Quest Lite software.

RIDOT Provides:	Bidder Must Submit:
 <p>CD</p>  <p>Plans (on CD)</p>  <p>Contract Documents (on CD)</p>  <p>DOQ Report (on CD)</p>	 <p>2 High-Density Compact Disks (CDs) w/Quest Lite Bid "zip" file**</p>  <p>NOTICE TO CONTRACTORS PROPOSAL CONTRACT AGREEMENT Date:-- Signature:</p> <p>Completed & Signed Proposal (Hard Copy)</p>  <p>Surety (Bid Bond)</p> <p>Bid Surety (Hard Copy)</p>  <p>RIVIP Certification Form</p> <p>Completed & Signed (Hard Copy)</p>

Contact the Contracts & Specifications Office at 222-2495 to request technical assistance on issues directly related to the Quest Lite software
Office Hours: 8:00 AM – 4:00 PM

****Refer to the RIDOA "Notice to Contractors" for additional information on the "Public Copy" submission requirements.**

NO BID OFFER WILL BE CONSIDERED

UNLESS ACCOMPANIED BY A COMPACT DISK (CD)

CONTAINING THE BID PROPOSAL FILE

GENERATED BY THE QUEST LITE BID PREPARATION SOFTWARE

*Failure to comply will result in a mandatory disqualification per Section 12.102.07 of the RI
Dept of Administration Division of Purchases Procurement Regulations*

Rhode Island Department of Transportation (RIDOT)

Notice to Contractors

THIS IS A DISK-BASED BID

Bid offers will be accepted *only on a CD generated by RIDOT-supplied software called Quest Lite; each CD must be accompanied by a hard copy signed offer printed from the software and submitted at the Bid Opening.* Minimum computer hardware and operating system requirements are listed here. *Training is strongly recommended for all new bidders and others unfamiliar with these procedures. SEE BELOW.*

CONTACT: RIDOT CONTRACTS & SPECIFICATIONS
Rm. 108, Two Capitol Hill, Providence, RI 02903
Phone: **401-222-2495**
Hours: **Mon – Fri, 8:00AM – 4:00PM**

1. Required Registration Codes for Each Bidder.

Registration Codes for RIDOT software are necessary to install and use the software; a firm only needs to register once to acquire secure, unique bidder identification codes to be used with all RIDOT disk-based construction project bids Bidders must retain these codes for future use.

2. The required Quest Lite installation software and all applicable Contract Documents are provided on a CD-ROM.

The Contract Documents include the RI DOA Division of Purchases Procurement Regulations, RI Standard Specifications, Amended December 2010 and all revisions, the RI Standard Details for Highway and Bridge Construction, Bridge Standard Details, General Provisions, Special Provisions, Distribution of Quantities and Engineering Plans, and all other applicable documents

3. Minimum Computer Hardware and Operating System Requirements.

- Windows XP SP2 w/Pentium IV processor
- CD-ROM Drive, Floppy Drive, Printer & 15" Monitor (17" recommended)
- 20GB Hard Disk with 1GB free (40 GB with 5 GB free recommended)
- 512 MB RAM (1 GB recommended)
- 32 MB Video Card (64 MB SVGA recommended)
- Internet Explorer 6 0 SP 2

4. Addenda, when necessary, are available on Purchases' RIVIP website.

at: <http://www.purchasing.ri.gov/RIVIP/BidSearch.asp>

RIDOT will make all necessary addenda available at Purchases' web site. It is the plan-holders responsibility to poll the RIVIP to keep up-to-date on addenda.

5. Training may be requested up to three days prior to the Bid Opening.

Training is provided on request. Arrangements must be made through the RIDOT Contracts & Specifications Office at least three (3) days prior to the Bid Opening of the project

6. Technical Support.

Assistance is available upon request by contacting the Contracts & Specifications office during work hours or emailing Quest@dot.ri.gov.

01/25/2011

NOTICE TO HIGHWAY AND BRIDGE CONTRACTORS

Rhode Island Department of Transportation (RIDOT)
Contracts and Specifications

ELECTRONIC BIDDING PROCEDURES QUEST LITE UPGRADE

Effective January 1, 2011, bid offers for all RIDOT Contracts requiring the use of the Department's Quest Lite bid preparation software **MUST** be prepared using **Quest Lite Version 040408 (2.8.4)**. Failure to comply with this requirement could result in the disqualification of your bid offer.

Full installation and upgrade-only software packages, including installation directions, for Quest Lite Version **040408 (2.8.4)** will be provided on the Project Advertising CD's, which are available to prospective bidders through the Contracts and Specifications office on or after the scheduled project advertising date.

Contractors presently using Quest Lite Version 040407 (2.8.3) need only install the upgrade package to complete the conversion, **UNLESS** a previous upgrade installation was used to upgrade from 2.8.2 to 2.8.3, in which case these installations must be removed and the full installation performed. Earlier versions (2.8.2 or lower) will require the full installation in all instances.

For technical assistance, contact the Contracts and Specifications office at 222-2495.

01/21/11

QUEST LITE VERSION 4.4.8 (2.8.4)

UPGRADE & FULL INSTALLATION

All bid offers prepared using the Department of Transportation's Quest Lite software must use the Quest Lite Version 040408 (2.8.4). If there is no Quest Lite installation, then the full installation must be completed. For earlier versions of Quest Lite, either the upgrade or full installation will be required to be completed. Both versions (upgrade and full installation) are provided on this project CD.

Before proceeding with any installations, note the following:

1. All users must register with the Department of Transportation in order to use Quest Lite. At the time of registration, users are provided with a set of unique company ID codes (Site Code, Bidder Code and company Short Name). Users **MUST RETAIN** these codes for future use.
2. Many users who currently have Quest Lite installed will only require the installation of the upgrade version. To determine if the upgrade installation is sufficient, the present version of the Quest Lite installation must be determined. This is accomplished in Quest Lite by clicking on Help/About. If the present version is 040407 (2.8.3) then the upgrade installation is sufficient **unless** an upgrade version has been previously used to upgrade version 2.8.2 to 2.8.3.
3. For earlier installations (versions below 2.8.3, and if an upgrade has been previously installed to upgrade to version 2.8.3), the full installation of Quest Lite is required. (Note: if the full installation is required, the upgrade installation **does not** need to be performed after the full installation is completed.)
4. To determine if an upgrade version of Quest Lite version is present, it is generally easiest to use the "Add or Remove Programs" function from the Control Panel to view the Quest Lite installations. Should both an installation and an upgrade version be installed, both programs must be removed using the "Remove" function and the new version 2.8.4 installed.
5. It is recommended that users consult the Quest Lite User Manual provided on this CD prior to attempting the installation of the upgrade or full program installation.
6. After completing the installation of the upgrade or full installation, it is recommended that a test bid be submitted to the Department to ensure the program is functioning correctly and that the Quest Lite bid files can be correctly imported into the Department's Quest program. **Test bids may be submitted on a CD to the Contracts office in Room 109 of the RIDOT Headquarters, or by e-mail to Quest@dot.ri.gov.**

Installation Instructions – Upgrade Version

Upgrade Quest Lite only if the current installed version is 2.8.3, and a previous upgrade has not been installed.

1. Close Quest Lite before attempting the installation.
2. Using the project CD, double-click on the “Upgrade Only” option provided on the Start page.
3. When prompted for a password, enter “ridot”.
4. Follow the instructions provided in the installation wizard to complete the installation.
5. When executing Quest Lite for the first time after installing the upgrade, users may be prompted to enter their company bidder codes.

Installation Instructions – Complete Installation

A complete Installation of the software is required only if Quest Lite is:

1. Not installed on the computer/laptop; or
2. The installed version of Quest Lite is older than 2.8.3, i.e. 2.8.2 or under; or
3. The 2.8.3 upgrade version of Quest Lite is installed.

If any of 1 through 3 above apply, follow these instructions:

1. If a Quest Lite version 2.8.2 or older, or a 2.8.3 upgrade are currently installed,
 - a. Close Quest Lite.
 - b. Remove all the existing installation(s) of Quest Lite. To accomplish this, follow the instructions provided on pages 19 – 25 of the Quest Lite User Manual provided with this project CD. Follow the installation removal directions for the operating system in use on the machine.
2. Using the project CD, double-click on the “Complete Installation” option provided on the Start page.
3. When prompted for a password, enter “ridot”.
4. Follow the instructions provided in the installation wizard to complete the installation.
5. When executing Quest Lite for the first time after completing the installation, the user will be prompted to enter the company bidder codes provided by the Department. Once this information is entered, the installation process will be complete.

For technical assistance, contact the Contracts & Specifications office at 222-2495.