



REQUEST FOR QUOTE (RFQ) – BID# 7549450

2015-CH-047 IMPROVEMENTS TO US ROUTE 1-S. KINGSTOWN

SUBMISSION DEADLINE: Wednesday, April 22, 2015 at 01:00 PM (ET)

PRE-BID CONFERENCE: **NO**
 YES _____

Mandatory: **NO**
 YES: Any vendor who intends to submit a bid proposal in response to this solicitation must have its designated representative attend the mandatory pre-bid conference. The representative must register at the pre-bid conference and disclose the identity of the vendor whom he/she represents. Because attendance at the pre-bid conference is mandatory, a vendor’s failure to attend and register at the pre-bid conference shall result in disqualification of the vendor’s bid proposal as non-responsive to the solicitation.

Lisa Hill

Buyer Name: Lisa Hill
Title: Chief Buyer

QUESTIONS Prospective bidders are hereby notified that all questions pertaining to this contract must be submitted to the Department of Transportation in writing through its website at <http://www.dot.ri.gov/contracting/bids> by accessing the questions & answers menu located within the ‘contracting’, then ‘bidding opportunities’ link. Response to the submitted questions will also be posted under this link, phone calls will not be accepted.

SURETY REQUIRED: **YES**

BOND REQUIRED: **YES**

DISK BASED BID: **NO**
 YES: See attached Disk Based Bidding Information

NOTE TO VENDORS:
Vendors must register on-line at the Rhode Island Division of Purchases website at www.purchasing.ri.gov. Offers received without the completed three-page Rhode Island Vendor Information Program (RIVIP) Generated Bidder Certification Cover Form attached may result in disqualification.

THIS IS NOT A BIDDER CERTIFICATION FORM



State of Rhode Island Department of Administration
Division of Purchases

RHODE ISLAND DEPARTMENT OF TRANSPORTATION

REVISED
November 20, 2013

NOTICE TO VENDORS

Each bid proposal for a *public works project* must include a "public copy" to be available for public inspection upon the opening of bids. **Bid proposals that do not include a copy for public inspection will be deemed nonresponsive.**

To comply with this requirement, *in addition to* the Quest Lite compatible electronic copy and one hard copy, bid proposals for *highway and bridge public works projects* must also include a duplicate original of the Quest Lite compatible electronic copy on a *read-only* CD-R media disc as the "public copy."

The public copy disc must be separately enclosed in a protective cover clearly marked "Public Copy" and include the following information (all available from the Bidder Certification Cover Form): (1) title of solicitation; (2) name of bidder and RIVIP vendor ID number; (3) bid number; and (4) date of bid.

The public copy may redact any trade secrets or commercial or financial information which is of a privileged or confidential nature pursuant to the "Access to Public Records Act," R. I. Gen. Laws §§ 38-2-1 *et seq.*

For further information on how to comply with this statutory requirement, see R. I. Gen. Laws §§ 37-18(b) and (j). Also see Procurement Regulations 5.11, 5.13, and 12.102.05 accessible at www.purchasing.ri.gov.

**State of Rhode Island and Providence Plantations
Department of Transportation**

**Notice to Contractors
Special Provisions
Proposal
Contract Agreement
Contract Bond**

for the Performance of

Rhode Island Contract Number: 2015-CH-047

**Rhode Island Federal-Aid\State-Aid Project NHS-0001(113), NHSG-0001(114)
Numbers:**

Project: Improvements to US Route 1 in South Kingstown

**Limits: US Route 1 STA 10+70.00 to STA 58+70.00 and Old Tower Hill Road On and Off Ramps and
northbound Government Center Off Ramp.**

City/Town: South Kingstown

County: WASHINGTON

Submitted By: _____

Address: _____

Name of Surety: _____

Total Bid: _____

(BIDDER MUST FILL IN ALL ABOVE SPACES)

The basis of award of the Contract will be the total bid for all quantities of work in the proposal subject to review and correction as provided for in the Rhode Island Department of Transportation Standard Specifications for Road and Bridge Construction and Standard Details.

NOTE: The State of Rhode Island Standard Specifications for Road and Bridge Construction and Standard Details consists of the following:

- The Rhode Island Standard Specifications for Road and Bridge Construction, Amended December 2010, with all revisions.
- The Rhode Island Standard Details, 1998 Edition, with all revisions.
- The Rhode Island Bridge Standard Details, 2010 Edition, with all revisions.
- The Division of Purchases Procurement Regulations Adopted December 2010.

*** Refer to Section 12.102.05 PREPARATION OF PROPOSAL of the STATE OF RHODE ISLAND PROCUREMENT REGULATIONS regarding the use of Quest Lite software for bid preparation.**

The above documents may be obtained at the Rhode Island Department of Transportation, Contracts and Specifications Office, upon request.

STATE OF RHODE ISLAND AND PROVIDENCE PLANTATIONS
DEPARTMENT OF ADMINISTRATION - DIVISION OF PURCHASES

NOTICE TO HIGHWAY AND BRIDGE CONTRACTORS

Sealed Proposals addressed to the State Purchasing Agent, Rhode Island Department of Administration, Division of Purchases, One Capitol Hill, Providence, Rhode Island 02903, will be opened and read in public on April 22, 2015 at 1:00PM. All bidders MUST register online at www.purchasing.ri.gov. A Bidder Certification Cover Sheet MUST accompany each bid. Bid item description and quantities estimated for this project will also be available online. Should you need assistance in registering or downloading a bid, call (401) 222-3766. Failure to comply will result in mandatory disqualification per Item 4 of Section 12.102.12 of the Division of Purchases Procurement Regulations Adopted December 2010 and RI General Law 37-2-17 which references the RI Vendor Information Program (RIVIP).

DESCRIPTION: The total length of construction of US Route 1 in Washington County. Town of South Kingstown, is approximately 1.5 miles which includes approximately 1.0 miles along US Route 1 (Tower Hill Road) and 0.5 miles along the Old Tower Hill Road on and off ramps and northbound off ramp to the Government Center. This project will include but is not limited to micro milling bituminous pavement and pavement overlay, removing and disposing concrete gore markers, sawcutting bituminous pavement, furnishing and installing pavement markings, furnishing and installing two new traffic monitoring stations (TMS) with CCTV cameras and traffic monitoring equipment, adjusting existing drainage structures, cleaning existing drainage structures, pipes, and paved waterways, adjusting existing handholes and manholes, disposing signs, furnishing and installing signs including overhead guide signs and structures, repainting concrete median barriers, installing reflectorized delineators to the existing concrete median barriers, replacing damaged guardrail sections and guardrail end treatments, loaming and seeding, installing tree and shrub protection, cleaning and sweeping pavement, maintenance and protection of traffic, and all other incidentals necessary to complete the project.

The Contractor will be required, in accordance with the provisions of the Disadvantaged Business Enterprise Affirmative Action Certification for Contractors and Consultants, to meet the established Race-Conscious Goal, or Contract Goal, of not less than 15.00 percent of the contract bid price, to the Contractors, Subcontractors, and/or suppliers which qualify as Disadvantaged Business Enterprises (DBE's). Failure by the Contractor to demonstrate every good faith effort in fulfilling its DBE commitment during the construction period will result in the reduction in contract payments by the amount determined by multiplying the awarded contract value by the established DBE percentage, and subtracting the dollar value of the work actually performed by DBE contractors. This action will not preclude RIDOT from imposing sanctions or other remedies available as specified in paragraph (D)(C) of the Disadvantaged Business Enterprise Affirmative Action Certification for Contractors and Consultants.

Computer Disks for competitive bidding for the above described work will be furnished by the Department of Transportation, Division of Administrative Services, Contracts & Specifications Office, Room 108, Two Capitol Hill, Providence, Rhode Island, 02903, Tel.Number (401) 222-2495. The Plans, Specifications and Special Provisions may also be examined on or after April 1, 2015 every weekday except holidays between the hours of 8:00 AM and 4:00 PM.

The Bid Package consists of a single compact disk (CD) containing the following items: Construction Plans, Standard Specifications for Road and Bridge Construction, Compilations of Approved Specifications, Required Contract Provisions for Federal-Aid Construction Contracts, RI Division of Purchases Procurement Regulations, General Provisions, Rhode Island Standard Details, Rhode Island Bridge Standard Details, Federal Wage Rates, Contract-Specific General Provisions, Job-Specific Specifications, Distribution of Quantities, Appendices (if applicable), Quest Lite bid file, Quest Lite installation software and a Quest Lite User Manual. Only complete bid packages will be issued.

Prospective Bidders are hereby notified that all questions pertaining to this Contract must be submitted to the Department of Transportation in writing through its website at <http://www.dot.ri.gov/contracting/bids/> by accessing the Questions & Answers Menu located within the "Contracting", then "Contract Opportunities" link. Responses to the submitted questions will also be posted under this link. PHONE CALLS WILL NOT BE ACCEPTED.

For help with RIDOT's Quest Lite bid preparation software, please contact the Contracts & Specifications Office, Room 108, Two Capitol Hill, Providence, Rhode Island, 02903, Tel. Number (401)-222-2495 or e-mail Quest@dot.ri.gov.

Please also note that all Bidding Documents required to be submitted and in fact submitted to the Purchasing Agent as part of a bid will be considered returned to the State and need not be returned to RIDOT.

A bid bond payable to the State of Rhode Island, in the amount of 5% of the total or gross sum of the bid must be furnished by each bidder. The Proposal Guaranty will be furnished by surety companies authorized/licensed to do business in the State of Rhode Island. The State reserves the right to retain the surety of all bidders until the successful bidder enters into the Contract or until such time as the award or cancellation of the Contract is announced at which point Sureties will be returned to all bidders by the State of Rhode Island. A performance bond of one hundred (100) percent of the contract price with a satisfactory surety company will be required of the successful bidder. All surety companies must be listed with The Department of the Treasury, Fiscal Services, Circular 570, (Latest Revision published by the Federal Register). The Department of Transportation reserves the right to reject any or all bids.

Required Contract Provisions - The attention of prospective bidders is called to the fact that this project is to be bid upon and the contract executed subject to all applicable federal laws and regulations for carrying out the provisions of the Federal-Aid Highway program..

Wages of labor on Federal -Aid Highway Projects - the prevailing rate of wages for laborers and mechanics employed by contractors or subcontractors on the initial construction of highway projects on the Federal - Aid Highway System, authorized under the Federal Highway Act of 1968, shall be paid wages at rates not less than those prevailing on the same type of work on similar construction in the immediate locality as determined by the United States Secretary of Labor, in accordance with the Act of August 30, 1935, known as the Davis - Bacon Act, under Decision Nos. 1 through 6 as applicable.

Prevailing wage rates and Davis - Bacon Wage Determination Reference Materials are available online at www.purchasing.ri.gov. It is advisable to print only the pages applicable to this bid; the rates active on the Rhode Island Vendor Information Program's bid solicitation date for this project are applicable for the duration of the contract resulting from this bid.

Work Hours Act of 1962 - This contract is subject to Work Hours Act of 1962, Public Law 87-581 and implementing regulations.

There will be no Pre-Bid Conference scheduled for this project.

SPECIAL NOTE

ANY REFERENCE TO THE RHODE ISLAND DEPARTMENT OF PUBLIC WORKS OR THE DIRECTOR OF PUBLIC WORKS SHOULD BE REVISED TO THE RHODE ISLAND DEPARTMENT OF TRANSPORTATION AND THE DIRECTOR OF TRANSPORTATION RESPECTIVELY.

NOTICE TO ALL BIDDERS

The Rhode Island Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 42 U.S.C. §§ 2000d - 2000d-4 and 49 C.F.R. Part 21, Nondiscrimination in Federally-Assisted Programs of the Department of Transportation - Effectuation of Title VI of the Civil Rights Act of 1964, issued pursuant to such Act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, Disadvantaged Business Enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, national origin, age, or disability in consideration for an award.

To report bid rigging activities call: **1-800-424-9071**

The U.S. Department of Transportation (DOT) operates the above toll-free hotline Monday through Friday, 8:00 a.m. to 5:00 p.m. eastern time. Anyone with knowledge of possible bid rigging, bidder collusion, or other fraudulent activities should use the hotline to report such activities.

The hotline is part of the DOT's continuing effort to identify, and investigate highway construction contract fraud and abuse and is operated under the direction of the DOT Inspector General. All information will be treated confidentially and caller anonymity will be respected.

Item List

Date: 3/27/2015

Estimate Name - Advertising Submission
 Project Name - Improvements to US Route 1 in South Kingstown
 R.I. Contract No. - 2015-CH-047
 FAP Nos. - NHS-0001(113), NHSG-0001(114)

| Seq No. | Item Code | Description | Quantity | UM |
|--------------------|----------------------|-----------------------------------------------------------------------------------|-----------------|-----------|
| 001 | 201.0402 | REMOVE AND DISPOSE CONCRETE CURB | 248.00 | LF |
| 002 | 201.0409 | REMOVE AND DISPOSE FLEXIBLE PAVEMENT | 835.00 | SY |
| 003 | 201.0415 | REMOVE AND DISPOSE GUARDRAIL AND POST ALL TYPES | 250.00 | LF |
| 004 | 201.0421 | REMOVE AND DISPOSE BITUMINOUS CURB | 53.00 | LF |
| 005 | 201.0601 | REMOVE AND DISPOSE GROUND MOUNTED SIGNS | 16.00 | EACH |
| 006 | 201.0604 | REMOVE AND DISPOSE GROUND MOUNTED SIGN POSTS | 21.00 | EACH |
| 007 | 201.0605 | REMOVE AND DISPOSE GROUND MOUNTED SIGN BASES | 21.00 | EACH |
| 008 | 201.0610 | REMOVE AND DISPOSE DIRECTIONAL, WARNING, REGULATORY, SERVICE, AND STREET SIGNS | 74.00 | EACH |
| 009 | 201.0623 | REMOVE AND DISPOSE OVERHEAD SIGN STRUCTURE | 2.00 | EACH |
| 010 | 201.0625 | REMOVE AND DISPOSE TRAFFIC SIGNAL EQUIPMENT | 1.00 | EACH |
| 011 | 201.9901 | CLEAN PAVED WATERWAYS | 530.00 | SY |
| 012 | 201.9902 | REMOVE AND DISPOSE CONCRETE MEDIAN MARKER | 705.00 | EACH |
| 013 | 202.0100 | EARTH EXCAVATION | 230.00 | CY |
| 014 | 204.0100 | TRIMMING AND FINE GRADING | 2,165.00 | SY |
| 015 | 206.0301 | COMPOST FILTER SOCK | 96.00 | LF |
| 016 | 209.9901 | CATCH BASIN INLET PROTECTION | 148.00 | EACH |
| 017 | 212.2000 | CLEANING AND MAINTENANCE OF EROSION CONTROLS | 1.00 | LS |
| 018 | 302.0100 | GRAVEL BORROW SUBBASE COURSE | 45.00 | CY |
| 019 | 401.3000 | CLASS 9.5 HMA | 820.00 | TON |
| 020 | 401.3003 | CLASS 9.5 HMA FOR PATCHING | 175.00 | TON |
| 021 | 401.4003 | CLASS 4.75 HMA FOR PATCHING | 105.00 | TON |
| 022 | 402.9901 | FRICITION COURSE | 5,275.00 | TON |
| 023 | 403.0300 | ASPHALT EMULSION TACK COAT | 54,615.00 | SY |
| 024 | 414.0100 | WARM MIX ADDITIVE | 6,375.00 | EACH |
| 025 | 601.0200 | CLASS XX PORTLAND CEMENT CONCRETE | 8.00 | CY |
| 026 | 702.0513 | FRAME AND GRATE STANDARD 6.3.1 | 15.00 | EACH |
| 027 | 707.0950 | ADJUST TELEPHONE MANHOLE TO GRADE | 3.00 | EACH |
| 028 | 707.1900 | ADJUST FRAME & COVER TO GRADE | 11.00 | EACH |
| 029 | 707.2000 | ADJUST FRAME AND GRATE TO GRADE | 172.00 | EACH |
| 030 | 708.9040 | CLEANING AND FLUSHING PIPE ALL SIZES | 9,485.00 | LF |
| 031 | 708.9041 | CLEANING CATCH BASINS ALL TYPES AND SIZES | 87.00 | EACH |
| 032 | 708.9042 | CLEANING MANHOLES ALL TYPES AND SIZES | 15.00 | EACH |

Item List

Date: 3/27/2015

Estimate Name - Advertising Submission
 Project Name - Improvements to US Route 1 in South Kingstown
 R.I. Contract No. - 2015-CH-047
 FAP Nos. - NHS-0001(113), NHSG-0001(114)

| Seq No. | Item Code | Description | Quantity | UM |
|---------|-----------|--------------------------------------------------------------------------|-----------|----------|
| 033 | 711.0300 | SEEDED DITCH STANDARD 8.1.0 | 8.00 | SY |
| 034 | 713.8300 | ADJUST GAS GATE BOXES TO GRADE | 3.00 | EACH |
| S035 | 820.0110 | CONCRETE SURFACE TREATMENT (PROTECTIVE COATING) | 31,880.00 | SF |
| 036 | 820.0200 | HIGH PRESSURE WATER CLEANING OF CONCRETE SURFACES | 31,880.00 | SF |
| S037 | 901.0193 | GUARDRAIL STEEL BEAM SINGLE FACE STANDARD 34.2.0 | 162.50 | LF |
| S038 | 901.0199 | GUARDRAIL END TREATMENT, ENERGY ABSORBING TERMINAL | 2.00 | EACH |
| 039 | 905.0110 | PORTLAND CEMENT SIDEWALK MONOLITHIC STANDARD 43.1.0 | 18.00 | CY |
| 040 | 906.0210 | CEMENT CONCRETE CURB PRECAST STRAIGHT STANDARD 7.1.0 | 35.00 | LF |
| 041 | 906.0211 | CEMENT CONCRETE CURB PRECAST CIRCULAR STANDARD 7.1.0 | 63.00 | LF |
| 042 | 906.0250 | PRECAST CONCRETE WHEELCHAIR RAMP CURB STANDARDS 7.1.3, 43.3.0 AND 43.3.1 | 18.00 | EACH |
| 043 | 906.0263 | PRECAST CONCRETE RAMP STONE 18-INCH CIRCULAR STANDARD 7.1.9 | 9.00 | EACH |
| 044 | 906.0602 | BITUMINOUS BERM STANDARD 7.5.1 | 53.00 | LF |
| 045 | 907.0100 | WATER FOR DUST CONTROL | 1.00 | MGA L |
| 046 | 907.0200 | CALCIUM CHLORIDE FOR DUST CONTROL (PROJECT WIDE) | 6.00 | TON |
| 047 | 914.5010 | FLAGPERSONS | 400.00 | MHRS |
| 048 | 914.5020 | FLAGPERSONS - OVERTIME | 100.00 | MHRS |
| 049 | 917.0105 | REMOVE AND REPLACE RURAL MAILBOX POST WITH STANDARD 15.1.0 | 3.00 | EACH |
| 050 | 922.0100 | TEMPORARY CONSTRUCTION SIGNS STANDARD 29.1.0 AND 27.1.1 | 600.00 | SF |
| 051 | 923.0105 | DRUM BARRICADE STANDARD 26.2.0 | 6,000.00 | BDAY |
| 052 | 923.0200 | FLUORESCENT TRAFFIC CONES STANDARD 26.1.0 | 125.00 | EACH |
| 053 | 924.0113 | ADVANCE WARNING ARROW PANEL | 270.00 | PDAY |
| 054 | 925.0112 | PORTABLE CHANGEABLE MESSAGE SIGN | 400.00 | PDAY |
| 055 | 928.0800 | TRUCK MOUNTED ATTENUATOR WITH TRUCK MOUNTED FLASHING ARROW BOARD | 80.00 | PDAY |
| 056 | 929.0110 | FIELD OFFICE | 12.00 | PMO |
| 057 | 931.0110 | CLEANING AND SWEEPING PAVEMENT | 1,095.00 | HSY |
| 058 | 932.0100 | CUTTING AND MATCHING ASPHALT | 825.00 | LF |
| 059 | 932.0200 | FULL-DEPTH SAWCUT OF BITUMINOUS PAVEMENT | 398.00 | LF |
| 060 | 932.9901 | SAW CUT PAVEMENT 4 INCH DEPTH | 1,110.00 | LF |
| 061 | 935.0400 | REMOVING BITUMINOUS PAVEMENT BY MICRO MILLING | 53,650.00 | SY |
| 062 | 936.0100 | MOBILIZATION AND DEMOBILIZATION | 1.00 | LS |

Item List

Date: 3/27/2015

Estimate Name - Advertising Submission
 Project Name - Improvements to US Route 1 in South Kingstown
 R.I. Contract No. - 2015-CH-047
 FAP Nos. - NHS-0001(113), NHSG-0001(114)

| Seq No. | Item Code | Description | Quantity | UM |
|---------|-----------|-------------------------------------------------------------------------------------------------|----------|------|
| 063 | 937.0200 | MAINTENANCE AND MOVEMENT TRAFFIC PROTECTION | 1.00 | LS |
| 064 | 942.0200 | DETECTABLE WARNING PANEL STANDARD 48.1.0 | 96.00 | SF |
| 065 | 943.0200 | TRAINEE MAN-HOURS | 1,000.00 | MHRS |
| 066 | L01.0102 | LOAM BORROW 4 INCHES DEEP | 45.00 | SY |
| 067 | L01.0104 | PLANTABLE SOIL 4 INCHES DEEP | 1,215.00 | SY |
| S068 | L02.0101 | GENERAL HIGHWAY SEEDING (TYPE 1) | 1,215.00 | SY |
| S069 | L02.0102 | RESIDENTIAL SEEDING (TYPE 2) | 45.00 | SY |
| 070 | L05.0505 | EROSION CONTROL BLANKET | 8.00 | SY |
| 071 | L11.0103 | SHRUB PLANT PROTECTION DEVICE STANDARD 51.2.0 | 315.00 | LF |
| 072 | L11.0104 | DRIP-LINE TREE PROTECTION DEVICE STANDARD 51.1.1 | 120.00 | LF |
| 073 | T03.9901 | FURNISH AND INSTALL HANDHOLE (COMPOSITE TYPE) | 4.00 | EACH |
| 074 | T04.5001 | 6 AWG SINGLE CONDUCTOR CABLE 600V INSULATION | 2,190.00 | LF |
| 075 | T04.5302 | 14 AWG 2 CONDUCTOR TWISTED SHIELDED CABLE | 7,205.00 | LF |
| 076 | T04.5303 | 14 AWG 3 CONDUCTOR CABLE | 205.00 | LF |
| 077 | T04.5305 | 14 AWG 5 CONDUCTOR CABLE | 2,060.00 | LF |
| 078 | T04.9901 | FURNISH AND INSTALL WEATHERPROOF CATEGORY 6 UTP - 4 PAIR 23 AWG CABLE AND CONNECTORS | 425.00 | LF |
| 079 | T04.9902 | FURNISH AND INSTALL 16 AWG 3 CONDUCTOR CABLE | 425.00 | LF |
| 080 | T05.0100 | PRECAST TYPE A HANDHOLE STANDARD 18.2.0 | 4.00 | EACH |
| 081 | T05.1030 | ADJUST HANDHOLE TO GRADE | 26.00 | EACH |
| 082 | T06.1020 | 2 IN. RIGID STEEL CONDUIT - UNDERGROUND | 37.00 | LF |
| 083 | T06.1030 | 3 IN. RIGID STEEL CONDUIT-UNDERGROUND | 11.00 | LF |
| 084 | T06.2020 | 2 IN. RIGID STEEL CONDUIT-OVERHEAD | 50.00 | LF |
| 085 | T06.5130 | 3 INCH SCHEDULE 40 POLYVINYL CHLORIDE PLASTIC CONDUIT - UNDERGROUND | 26.00 | LF |
| 086 | T06.9901 | DUAL 2 INCH HIGH DENSITY POLYETHYLENE DUCT - UNDERGROUND | 510.00 | LF |
| 087 | T06.9902 | FURNISH AND INSTALL 1" FLEXIBLE PVC CONDUIT (OVERHEAD) AND FITTINGS | 30.00 | LF |
| 088 | T11.0130 | TRAFFIC SIGNAL STANDARD, WOOD, 30 FT. CLASS 3 | 1.00 | EACH |
| 089 | T11.2008 | TRAFFIC SIGNAL STANDARD, 8 FOOT, STD 19.4.0 ALUMINUM PEDESTAL POLE AND FOUNDATION | 1.00 | EACH |
| 090 | T11.2010 | TRAFFIC SIGNAL STANDARD, 10 FT, STD 19.4.0 ALUMINUM PEDESTAL POLE AND FOUNDATION | 1.00 | EACH |
| 091 | T11.9902 | FURNISH AND INSTALL 60 FOOT GALVANIZED STEEL CAMERA POLE WITH LOWERING DEVICE AND FOUNDATION | 1.00 | EACH |

Item List

Date: 3/27/2015

Estimate Name - Advertising Submission
 Project Name - Improvements to US Route 1 in South Kingstown
 R.I. Contract No. - 2015-CH-047
 FAP Nos. - NHS-0001(113), NHSG-0001(114)

| Seq No. | Item Code | Description | Quantity | UM |
|---------|-----------|-----------------------------------------------------------------------------------------|-----------|------|
| 092 | T11.9903 | EXTENSION BRACKET FOR PEDESTRIAN DETECTOR – PUSHBUTTON W/SIGN | 2.00 | EACH |
| 093 | T12.9901 | REWIRE EXISTING CONTROLLER CABINET | 1.00 | EACH |
| 094 | T12.9912 | FURNISH AND INSTALL HARDENED ETHERNET SWITCH WITH SFP FIBER OPTIC TRANSCEIVERS | 1.00 | EACH |
| 095 | T12.9920 | CCVE /RVD SYSTEM PERFORMANCE TESTING AND DOCUMENTATION | 1.00 | EACH |
| 096 | T12.9982 | FURNISH AND INSTALL METER BACK BOX, SOCKET AND ACCESSORIES | 1.00 | EACH |
| 097 | T12.9993 | FURNISH AND INSTALL POWER CONDITIONER | 1.00 | EACH |
| 098 | T12.9994 | FURNISH AND INSTALL POLE MOUNTED CAMERA CONTROL CABINET | 1.00 | EACH |
| 099 | T12.9998 | FURNISH AND INSTALL CLOSED CIRCUIT TV CAMERA ASSEMBLY | 1.00 | EACH |
| 100 | T12.9999 | FURNISH AND INSTALL RADAR VEHICLE DETECTOR AND ANCILLARY COMPONENTS | 1.00 | EACH |
| 101 | T13.1000 | TRAFFIC DETECTORS-LOOP, STANDARD 19.6.0 | 1,515.00 | LF |
| 102 | T13.9901 | TRAFFIC MONITORING STATION LOOP STANDARD 17.7.1 | 510.00 | LF |
| 103 | T13.9902 | HEAVY DUTY PEDESTRIAN DETECTOR – PUSH BUTTON WITH SIGN AND AUDIBLE PEDESTRIAN EQUIPMENT | 2.00 | EACH |
| 104 | T14.3513 | 1 WAY 3 SECTION MAST ARM MOUNTED SIGNAL HEAD 12 INCH | 8.00 | EACH |
| 105 | T14.3713 | 1 WAY 3 SECTION PEDESTAL MOUNTED SIGNAL HEAD 12 INCH | 1.00 | EACH |
| 106 | T14.9901 | 1-WAY PEDESTAL MOUNTED LED PEDESTRIAN SIGNAL HEAD WITH COUNTDOWN TIMER-12 INCH | 2.00 | EACH |
| 107 | T15.0100 | DIRECTIONAL REGULATORY AND WARNING SIGNS | 665.00 | SF |
| 108 | T15.1000 | STREET SIGN ASSEMBLY STD. 24.6.1 | 4.00 | EACH |
| 109 | T16.0100 | GROUND MOUNTED PRIMARY DIRECTIONAL SIGN PANELS EXTRUDED ALUMINUM | 895.00 | SF |
| 110 | T16.0300 | GROUND MOUNTED PRIMARY DIRECTIONAL SIGN POST-STEEL BREAKAWAY | 30.00 | EACH |
| 111 | T17.0100 | OVERHEAD SIGN PANELS | 710.00 | SF |
| 112 | T17.0202 | OVERHEAD SIGN STRUCTURE 21-25 FOOT CANTILEVER- STEEL | 1.00 | EACH |
| 113 | T17.0217 | OVERHEAD SIGN STRUCTURE 96-100 FOOT SPAN - STEEL | 1.00 | EACH |
| 114 | T17.9901 | OVERHEAD SIGN PANELS - BRIDGE MOUNTED | 1.00 | EACH |
| 115 | T18.0201 | REFLECTOR UNIT-SINGLE WHITE DELINEATOR | 13.00 | EACH |
| 116 | T18.0212 | REFLECTOR UNIT-DOUBLE AMBER DELINEATOR 4X8" | 28.00 | EACH |
| 117 | T20.0006 | 6 INCH WHITE FAST - DRYING WATERBORNE PAVEMENT MARKING PAINT | 28,970.00 | LF |

Item List

Date: 3/27/2015

Estimate Name - Advertising Submission
 Project Name - Improvements to US Route 1 in South Kingstown
 R.I. Contract No. - 2015-CH-047
 FAP Nos. - NHS-0001(113), NHSG-0001(114)

| Seq No. | Item Code | Description | Quantity | UM |
|----------------|------------------|--------------------------------------------------------------------------------------------|-----------------|-----------|
| 118 | T20.0012 | 12 INCH WHITE FAST - DRYING WATERBORNE PAVEMENT MARKING PAINT | 6,660.00 | LF |
| 119 | T20.0104 | 4 INCH YELLOW FAST - DRYING WATERBORNE PAVEMENT MARKING PAINT | 1,055.00 | LF |
| 120 | T20.0106 | 6 INCH YELLOW FAST - DRYING WATERBORNE PAVEMENT MARKING PAINT | 20,730.00 | LF |
| 121 | T20.0820 | FAST DRYING WATERBORNE PAVEMENT ARROW - STRAIGHT, LEFT, RIGHT, OR COMBINED STANDARD 20.1.0 | 4.00 | EACH |
| 122 | T20.0828 | FAST-DRYING WATERBORNE PAINT PAVEMENT MARKING - YIELD LINE SYMBOL | 18.00 | EACH |
| 123 | T20.0900 | BI-DIRECTIONAL CONTROL DEVICE STANDARD 20.2.0 | 4.00 | EACH |
| 124 | T20.1000 | REMOVE EXISTING PAVEMENT MARKINGS | 645.00 | LF |
| 125 | T20.1010 | REMOVE EXISTING PAVEMENT MARKINGS | 6.00 | EACH |
| 126 | T20.2006 | 6 INCH EPOXY RESIN PAVEMENT MARKINGS WHITE | 13,310.00 | LF |
| 127 | T20.2012 | 12 INCH EPOXY RESIN PAVEMENT MARKINGS WHITE | 3,330.00 | LF |
| 128 | T20.2014 | 4 INCH EPOXY RESIN PAVEMENT MARKINGS YELLOW | 410.00 | LF |
| 129 | T20.2016 | 6 INCH EPOXY RESIN PAVEMENT MARKINGS YELLOW | 10,365.00 | LF |
| 130 | T20.2020 | EPOXY RESIN PAVEMENT ARROW - STRAIGHT, LEFT, RIGHT, OR COMBINED STANDARD 20.1.0 | 2.00 | EACH |
| 131 | T20.2042 | EPOXY RESIN PAVEMENT MARKING - YIELD LINE SYMBOL | 9.00 | EACH |




RHODE ISLAND DEPARTMENT OF TRANSPORTATION

*** THIS IS A DISK-BASED BID ***

**ELECTRONIC BIDDING
PROCEDURE NOTICE**

**ALL BID OFFERS MUST BE PREPARED USING THE QUEST LITE BID
PREPARATION SOFTWARE PACKAGE**

Bidders **MUST** register in person at the RIDOT Contract Administration office to obtain the necessary Bidder Registration and Digital ID codes for the Quest Lite software.

| RIDOT Provides: | | Bidder Must Submit: | |
|------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|  |  |  |  |
| CD | Plans (on CD) | 2 High-Density Compact Disks (CDs) w/Quest Lite Bid "zip" file** | Completed & Signed Proposal (Hard Copy) |
|  |  |  |  |
| Contract Documents (on CD) | DOQ Report (on CD) | Bid Surety (Hard Copy) | Completed & Signed (Hard Copy) |

Contact the Contracts & Specifications Office at 222-2495 to request technical assistance on issues directly related to the Quest Lite software
Office Hours: 8:00 AM – 4:00 PM

****Refer to the RIDOA "Notice to Contractors" for additional information on the "Public Copy" submission requirements.**

NO BID OFFER WILL BE CONSIDERED
UNLESS ACCOMPANIED BY A COMPACT DISK (CD)
CONTAINING THE BID PROPOSAL FILE
GENERATED BY THE QUEST LITE BID PREPARATION SOFTWARE

Failure to comply will result in a mandatory disqualification per Section 12.102.07 of the RI Dept. of Administration Division of Purchases Procurement Regulations

Rhode Island Department of Transportation (RIDOT)

Notice to Contractors

THIS IS A DISK-BASED BID

Bid offers will be accepted *only on a CD generated by RIDOT-supplied software called Quest Lite; each CD must be accompanied by a hard copy signed offer printed from the software and submitted at the Bid Opening.* Minimum computer hardware and operating system requirements are listed here. *Training is strongly recommended for all new bidders and others unfamiliar with these procedures. SEE BELOW.*

CONTACT: RIDOT CONTRACTS & SPECIFICATIONS
Rm. 108, Two Capitol Hill, Providence, RI 02903
Phone: **401-222-2495**
Hours: **Mon – Fri, 8:00AM – 4:00PM**

1. Required Registration Codes for Each Bidder.

Registration Codes for RIDOT software are necessary to install and use the software; a firm only needs to register once to acquire secure, unique bidder identification codes to be used with all RIDOT disk-based construction project bids Bidders must retain these codes for future use.

2. The required Quest Lite installation software and all applicable Contract Documents are provided on a CD-ROM.

The Contract Documents include the RI DOA Division of Purchases Procurement Regulations, RI Standard Specifications, Amended December 2010 and all revisions, the RI Standard Details for Highway and Bridge Construction, Bridge Standard Details, General Provisions, Special Provisions, Distribution of Quantities and Engineering Plans, and all other applicable documents

3. Minimum Computer Hardware and Operating System Requirements.

- Windows XP SP2 w/Pentium IV processor
- CD-ROM Drive, Floppy Drive, Printer & 15" Monitor (17" recommended)
- 20GB Hard Disk with 1GB free (40 GB with 5 GB free recommended)
- 512 MB RAM (1 GB recommended)
- 32 MB Video Card (64 MB SVGA recommended)
- Internet Explorer 6 0 SP 2

4. Addenda, when necessary, are available on Purchases' RIVIP website.

at: <http://www.purchasing.ri.gov/RIVIP/BidSearch.asp>

RIDOT will make all necessary addenda available at Purchases' web site It is the plan-holders responsibility to poll the RIVIP to keep up-to-date on addenda.

5. Training may be requested up to three days prior to the Bid Opening.

Training is provided on request Arrangements must be made through the RIDOT Contracts & Specifications Office at least three (3) days prior to the Bid Opening of the project

6. Technical Support.

Assistance is available upon request by contacting the Contracts & Specifications office during work hours or emailing Quest@dot.ri.gov.

01/25/2011

NOTICE TO HIGHWAY AND BRIDGE CONTRACTORS

Rhode Island Department of Transportation (RIDOT)
Contracts and Specifications

ELECTRONIC BIDDING PROCEDURES QUEST LITE UPGRADE

Effective January 1, 2011, bid offers for all RIDOT Contracts requiring the use of the Department's Quest Lite bid preparation software **MUST** be prepared using **Quest Lite Version 040408 (2.8.4)**. Failure to comply with this requirement could result in the disqualification of your bid offer.

Full installation and upgrade-only software packages, including installation directions, for Quest Lite Version **040408 (2.8.4)** will be provided on the Project Advertising CD's, which are available to prospective bidders through the Contracts and Specifications office on or after the scheduled project advertising date.

Contractors presently using Quest Lite Version 040407 (2.8.3) need only install the upgrade package to complete the conversion, **UNLESS** a previous upgrade installation was used to upgrade from 2.8.2 to 2.8.3, in which case these installations must be removed and the full installation performed. Earlier versions (2.8.2 or lower) will require the full installation in all instances.

For technical assistance, contact the Contracts and Specifications office at 222-2495.

01/21/11

QUEST LITE VERSION 4.4.8 (2.8.4)

UPGRADE & FULL INSTALLATION

All bid offers prepared using the Department of Transportation's Quest Lite software must use the Quest Lite Version 040408 (2.8.4). If there is no Quest Lite installation, then the full installation must be completed. For earlier versions of Quest Lite, either the upgrade or full installation will be required to be completed. Both versions (upgrade and full installation) are provided on this project CD.

Before proceeding with any installations, note the following:

1. All users must register with the Department of Transportation in order to use Quest Lite. At the time of registration, users are provided with a set of unique company ID codes (Site Code, Bidder Code and company Short Name). Users **MUST RETAIN** these codes for future use.
2. Many users who currently have Quest Lite installed will only require the installation of the upgrade version. To determine if the upgrade installation is sufficient, the present version of the Quest Lite installation must be determined. This is accomplished in Quest Lite by clicking on Help/About. If the present version is 040407 (2.8.3) then the upgrade installation is sufficient **unless** an upgrade version has been previously used to upgrade version 2.8.2 to 2.8.3.
3. For earlier installations (versions below 2.8.3, and if an upgrade has been previously installed to upgrade to version 2.8.3), the full installation of Quest Lite is required. (Note: if the full installation is required, the upgrade installation **does not** need to be performed after the full installation is completed.)
4. To determine if an upgrade version of Quest Lite version is present, it is generally easiest to use the "Add or Remove Programs" function from the Control Panel to view the Quest Lite installations. Should both an installation and an upgrade version be installed, both programs must be removed using the "Remove" function and the new version 2.8.4 installed.
5. It is recommended that users consult the Quest Lite User Manual provided on this CD prior to attempting the installation of the upgrade or full program installation.
6. After completing the installation of the upgrade or full installation, it is recommended that a test bid be submitted to the Department to ensure the program is functioning correctly and that the Quest Lite bid files can be correctly imported into the Department's Quest program. **Test bids may be submitted on a CD to the Contracts office in Room 109 of the RIDOT Headquarters, or by e-mail to Quest@dot.ri.gov.**

Installation Instructions – Upgrade Version

Upgrade Quest Lite only if the current installed version is 2.8.3, and a previous upgrade has not been installed.

1. Close Quest Lite before attempting the installation.
2. Using the project CD, double-click on the “Upgrade Only” option provided on the Start page.
3. When prompted for a password, enter “ridot”.
4. Follow the instructions provided in the installation wizard to complete the installation.
5. When executing Quest Lite for the first time after installing the upgrade, users may be prompted to enter their company bidder codes.

Installation Instructions – Complete Installation

A complete Installation of the software is required only if Quest Lite is:

1. Not installed on the computer/laptop; or
2. The installed version of Quest Lite is older than 2.8.3, i.e. 2.8.2 or under; or
3. The 2.8.3 upgrade version of Quest Lite is installed.

If any of 1 through 3 above apply, follow these instructions:

1. If a Quest Lite version 2.8.2 or older, or a 2.8.3 upgrade are currently installed,
 - a. Close Quest Lite.
 - b. Remove all the existing installation(s) of Quest Lite. To accomplish this, follow the instructions provided on pages 19 – 25 of the Quest Lite User Manual provided with this project CD. Follow the installation removal directions for the operating system in use on the machine.
2. Using the project CD, double-click on the “Complete Installation” option provided on the Start page.
3. When prompted for a password, enter “ridot”.
4. Follow the instructions provided in the installation wizard to complete the installation.
5. When executing Quest Lite for the first time after completing the installation, the user will be prompted to enter the company bidder codes provided by the Department. Once this information is entered, the installation process will be complete.

For technical assistance, contact the Contracts & Specifications office at 222-2495.