



REQUEST FOR QUOTE (RFQ) – BID# 7549692

2015-CB-032 REPAIRS TO HAMLET AVE. BRIDGE #500

SUBMISSION DEADLINE: Friday, July 17, 2015 at 01:00 PM (ET)

PRE-BID CONFERENCE: NO
 YES _____

Mandatory: NO
 YES: Any vendor who intends to submit a bid proposal in response to this solicitation must have its designated representative attend the mandatory pre-bid conference. The representative must register at the pre-bid conference and disclose the identity of the vendor whom he/she represents. Because attendance at the pre-bid conference is mandatory, a vendor's failure to attend and register at the pre-bid conference shall result in disqualification of the vendor's bid proposal as non-responsive to the solicitation.

Buyer Name: Lisa Hill
Title: Chief Buyer

QUESTIONS Prospective bidders are hereby notified that all questions pertaining to this contract must be submitted to the Department of Transportation in writing through its website at <http://www.dot.ri.gov/contracting/bids> by accessing the questions & answers menu located within the 'contracting', then 'bidding opportunities' link. Response to the submitted questions will also be posted under this link, phone calls will not be accepted.

SURETY REQUIRED: YES

BOND REQUIRED: YES

DISK BASED BID: NO
 YES: See attached Disk Based Bidding Information

NOTE TO VENDORS:
Vendors must register on-line at the Rhode Island Division of Purchases website at www.purchasing.ri.gov. Offers received without the completed three-page Rhode Island Vendor Information Program (RIVIP) Generated Bidder Certification Cover Form attached may result in disqualification.

THIS IS NOT A BIDDER CERTIFICATION FORM



State of Rhode Island Department of Administration
Division of Purchases

RHODE ISLAND DEPARTMENT OF TRANSPORTATION

REVISED
November 20, 2013

NOTICE TO VENDORS

Each bid proposal for a *public works project* must include a "public copy" to be available for public inspection upon the opening of bids. **Bid proposals that do not include a copy for public inspection will be deemed nonresponsive.**

To comply with this requirement, *in addition to* the Quest Lite compatible electronic copy and one hard copy, bid proposals for *highway and bridge public works projects* must also include a duplicate original of the Quest Lite compatible electronic copy on a *read-only* CD-R media disc as the "public copy."

The public copy disc must be separately enclosed in a protective cover clearly marked "Public Copy" and include the following information (all available from the Bidder Certification Cover Form): (1) title of solicitation; (2) name of bidder and RIVIP vendor ID number; (3) bid number; and (4) date of bid.

The public copy may redact any trade secrets or commercial or financial information which is of a privileged or confidential nature pursuant to the "Access to Public Records Act," R. I. Gen. Laws §§ 38-2-1 *et seq.*

For further information on how to comply with this statutory requirement, see R. I. Gen. Laws §§ 37-2-18(b) and (j). Also see Procurement Regulations 5.11, 5.13, and 12.102.05 accessible at www.purchasing.ri.gov.

State of Rhode Island and Providence Plantations
Department of Transportation

Notice to Contractors
Special Provisions
Proposal
Contract Agreement
Contract Bond

for the Performance of

Rhode Island Contract Number: 2015-CB-032

Rhode Island Federal-Aid/State-Aid Project BHO-0500(002)
Numbers:

Project: Repairs to Hamlet Ave Bridge No. 500

Limits: Hamlet Avenue Bridge No. 500 carrying Hamlet Avenue over the Blackstone River

City/Town: Woonsocket

County: PROVIDENCE

Submitted By: _____

Address: _____

Name of Surety: _____

Total Bid: _____

(BIDDER MUST FILL IN ALL ABOVE SPACES)

The basis of award of the Contract will be the total bid for all quantities of work in the proposal subject to review and correction as provided for in the Rhode Island Department of Transportation Standard Specifications for Road and Bridge Construction and Standard Details.

NOTE: The State of Rhode Island Standard Specifications for Road and Bridge Construction and Standard Details consists of the following:

- The Rhode Island Standard Specifications for Road and Bridge Construction, Amended December 2010, with all revisions.
- The Rhode Island Standard Details, 1998 Edition, with all revisions.
- The Rhode Island Bridge Standard Details, 2010 Edition, with all revisions.
- The Division of Purchases Procurement Regulations Adopted December 2010.

*** Refer to Section 12.102.05 PREPARATION OF PROPOSAL of the STATE OF RHODE ISLAND PROCUREMENT REGULATIONS regarding the use of Quest Lite software for bid preparation.**

The above documents may be obtained at the Rhode Island Department of Transportation, Contracts and Specifications Office, upon request.

STATE OF RHODE ISLAND AND PROVIDENCE PLANTATIONS
DEPARTMENT OF ADMINISTRATION - DIVISION OF PURCHASES

NOTICE TO HIGHWAY AND BRIDGE CONTRACTORS

Sealed Proposals addressed to the State Purchasing Agent, Rhode Island Department of Administration, Division of Purchases, One Capitol Hill, Providence, Rhode Island 02903, will be opened and read in public on July 17, 2015 at 1:00PM. All bidders MUST register online at www.purchasing.ri.gov. A Bidder Certification Cover Sheet MUST accompany each bid. Bid item description and quantities estimated for this project will also be available online. Should you need assistance in registering or downloading a bid, call (401) 222-3766. Failure to comply will result in mandatory disqualification per Item 4 of Section 12.102.12 of the Division of Purchases Procurement Regulations Adopted December 2010 and RI General Law 37-2-17 which references the RI Vendor Information Program (RIVIP).

DESCRIPTION: Rhode Island Contract No. 2015-CB-032, R.I. Federal-Aid Project No. BHO-0500(002) County of Providence, City of Woonsocket, Rhode Island, for Repairs to Hamlet Avenue Bridge No. 500. The work under this contract shall include, but not limited to, Furnishing, fabricating and installing proposed temporary steel shoring at girder ends at abutments; Temporary jacking and shoring of girders at west pier; Removing and disposing – bituminous pavement, a portion of existing concrete superstructure and substructure, existing steel bearing assemblies at abutments, steel rocker bearing assemblies at west pier, and existing steel cross frames at abutments and west pier; Furnishing, fabricating and installing new disc bearings at the abutments and west pier; Furnishing, fabricating and installing new steel diaphragms at abutments and west pier; Furnishing, fabricating and installing new steel gas main support; Constructing new reinforced concrete backwall, beam seat, approach slab, bearing pedestals at pier, deck slab, and sidewalk; Install new deck expansion joint at abutments; Removing and disposing existing steel shoring systems at abutments upon completion of work; waterproofing membrane; Installing riprap slope protection; Rebuilding catch basins; guardrail; bituminous pavement; and maintenance & protection of traffic and all other incidentals necessary to complete the work under this Contract, completed and accepted within the project limits. The work shall be performed in two phases of construction on Hamlet Avenue.

The Contractor will be required, in accordance with the provisions of the Disadvantaged Business Enterprise Affirmative Action Certification for Contractors and Consultants, to meet the established Race-Conscious Goal, or Contract Goal, of not less than 5.00 percent of the contract bid price, to the Contractors, Subcontractors, and/or suppliers which qualify as Disadvantaged Business Enterprises (DBE's). Failure by the Contractor to demonstrate every good faith effort in fulfilling its DBE commitment during the construction period will result in the reduction in contract payments by the amount determined by multiplying the awarded contract value by the established DBE percentage, and subtracting the dollar value of the work actually performed by DBE contractors. This action will not preclude RIDOT from imposing sanctions or other remedies available as specified in paragraph (D)(C) of the Disadvantaged Business Enterprise Affirmative Action Certification for Contractors and Consultants.

Computer Disks for competitive bidding for the above described work will be furnished by the Department of Transportation, Division of Administrative Services, Contracts & Specifications Office, Room 108, Two Capitol Hill, Providence, Rhode Island, 02903, Tel.Number (401) 222-2495. The Plans, Specifications and Special Provisions may also be examined on or after June 24, 2015 every weekday except holidays between the hours of 8:00 AM and 4:00 PM.

The Bid Package consists of a single compact disk (CD) containing the following items: Construction Plans, Standard Specifications for Road and Bridge Construction, Compilations of Approved Specifications, Required Contract Provisions for Federal-Aid Construction Contracts, RI Division of Purchases Procurement Regulations, General Provisions, Rhode Island Standard Details, Rhode Island Bridge Standard Details, Federal Wage Rates, Contract-Specific General Provisions, Job-Specific Specifications, Distribution of Quantities, Appendices (if applicable), Quest Lite bid file, Quest Lite installation software and a Quest Lite User Manual. Only complete bid packages will be issued.

Prospective Bidders are hereby notified that all questions pertaining to this Contract must be submitted to the Department of Transportation in writing through its website at <http://www.dot.ri.gov/contracting/bids/> by accessing the Questions & Answers Menu located within the "Contracting", then "Contract Opportunities" link. Responses to the submitted questions will also be posted under this link. PHONE CALLS WILL NOT BE ACCEPTED.

For help with RIDOT's Quest Lite bid preparation software, please contact the Contracts & Specifications Office, Room 108, Two Capitol Hill, Providence, Rhode Island, 02903, Tel. Number (401)-222-2495 or e-mail Quest@dot.ri.gov.

Please also note that all Bidding Documents required to be submitted and in fact submitted to the Purchasing Agent as part of a bid will be considered returned to the State and need not be returned to RIDOT.

A bid bond payable to the State of Rhode Island, in the amount of 5% of the total or gross sum of the bid must be furnished by each bidder. The Proposal Guaranty will be furnished by surety companies authorized/licensed to do business in the State of Rhode Island. The State reserves the right to retain the surety of all bidders until the successful bidder enters into the Contract or until such time as the award or cancellation of the Contract is announced at which point Sureties will be returned to all bidders by the State of Rhode Island. A performance bond of one hundred (100) percent of the contract price with a satisfactory surety company will be required of the successful bidder. All surety companies must be listed with The Department of the Treasury, Fiscal Services, Circular 570, (Latest Revision published by the Federal Register). The Department of Transportation reserves the right to reject any or all bids.

Required Contract Provisions - The attention of prospective bidders is called to the fact that this project is to be bid upon and the contract executed subject to all applicable federal laws and regulations for carrying out the provisions of the Federal-Aid Highway program..

Wages of labor on Federal -Aid Highway Projects - the prevailing rate of wages for laborers and mechanics employed by contractors or subcontractors on the initial construction of highway projects on the Federal - Aid Highway System, authorized under the Federal Highway Act of 1968, shall be paid wages at rates not less than those prevailing on the same type of work on similar construction in the immediate locality as determined by the United States Secretary of Labor, in accordance with the Act of August 30, 1935, known as the Davis - Bacon Act, under Decision Nos. 1 through 6 as applicable.

Prevailing wage rates and Davis - Bacon Wage Determination Reference Materials are available online at www.purchasing.ri.gov. It is advisable to print only the pages applicable to this bid; the rates active on the Rhode Island Vendor Information Program's bid solicitation date for this project are applicable for the duration of the contract resulting from this bid.

Work Hours Act of 1962 - This contract is subject to Work Hours Act of 1962, Public Law 87-581 and implementing regulations.

There will be no Pre-Bid Conference scheduled for this project.

SPECIAL NOTE

ANY REFERENCE TO THE RHODE ISLAND DEPARTMENT OF PUBLIC WORKS OR THE DIRECTOR OF PUBLIC WORKS SHOULD BE REVISED TO THE RHODE ISLAND DEPARTMENT OF TRANSPORTATION AND THE DIRECTOR OF TRANSPORTATION RESPECTIVELY.

NOTICE TO ALL BIDDERS

The Rhode Island Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 42 U.S.C. §§ 2000d - 2000d-4 and 49 C.F.R. Part 21, Nondiscrimination in Federally-Assisted Programs of the Department of Transportation - Effectuation of Title VI of the Civil Rights Act of 1964, issued pursuant to such Act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, Disadvantaged Business Enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, national origin, age, or disability in consideration for an award.

To report bid rigging activities call: **1-800-424-9071**

The U.S. Department of Transportation (DOT) operates the above toll-free hotline Monday through Friday, 8:00 a.m. to 5:00 p.m. eastern time. Anyone with knowledge of possible bid rigging, bidder collusion, or other fraudulent activities should use the hotline to report such activities.

The hotline is part of the DOT's continuing effort to identify, and investigate highway construction contract fraud and abuse and is operated under the direction of the DOT Inspector General. All information will be treated confidentially and caller anonymity will be respected.

Item List

Date: 6/18/2015

Estimate Name - DBP C10 Repairs to Hamlet Ave Bridge No. 500
 Project Name - Repairs to Hamlet Ave Bridge No. 500
 R.I. Contract No. - 2015-CB-032
 FAP Nos. - BHO-0500(002)

Seq No.	Item Code	Description	Quantity	UM
001	201.0401	REMOVE AND DISPOSE GRANITE CURB	10.00	LF
002	201.0402	REMOVE AND DISPOSE CONCRETE CURB	170.00	LF
003	201.0403	REMOVE AND DISPOSE SIDEWALKS	203.00	SY
004	201.0409	REMOVE AND DISPOSE FLEXIBLE PAVEMENT	100.00	SY
S005	201.0415	REMOVE AND DISPOSE GUARDRAIL AND POST ALL TYPES	275.00	LF
006	201.0428	REMOVE AND DISPOSE FRAME AND GRATE OR FRAME AND COVER	4.00	EACH
S007	201.0610	REMOVE AND DISPOSE DIRECTIONAL, WARNING, REGULATORY, SERVICE, AND STREET SIGNS	6.00	EACH
008	201.0617	REMOVE AND DISPOSE CONDUIT - ALL SIZES	390.00	LF
009	201.9901	REMOVE AND DISPOSE PRECAST HANDHOLE AND INSTALL TEMPORARY TRAFFIC PLATE	2.00	EACH
010	202.0100	EARTH EXCAVATION	90.00	CY
011	202.0300	UNCLASSIFIED EXCAVATION	50.00	CY
012	202.0700	COMMON BORROW	280.00	CY
013	203.0100	STRUCTURAL EXCAVATION EARTH	40.00	CY
014	203.0400	STRUCTURAL EXCAVATION UNCLASSIFIED	8.00	CY
015	203.0650	CRUSHED STONE FILL UNDER STRUCTURES	12.00	CY
016	203.9901	BACKFILL ABUTMENTS	45.00	CY
017	204.0100	TRIMMING AND FINE GRADING	1,047.00	SY
018	206.0312	COMPOST FILTER SOCK 12 INCH DIAMETER	735.00	LF
019	212.2000	CLEANING AND MAINTENANCE OF EROSION CONTROLS	1.00	LS
020	302.0100	GRAVEL BORROW SUBBASE COURSE	68.00	CY
021	401.1000	CLASS 19.0 HMA	25.00	TON
022	401.3000	CLASS 9.5 HMA	88.00	TON
023	403.0300	ASPHALT EMULSION TACK COAT	612.00	SY
024	601.0200	CLASS XX PORTLAND CEMENT CONCRETE	10.00	CY
025	603.1000	CONTROLLED LOW STRENGTH MATERIAL	5.00	CY
026	702.0517	FRAME AND GRATE, STANDARD 6.3.2	4.00	EACH
027	704.0100	RECONSTRUCT CATCH BASIN/CORBEL CONES	4.00	EACH
028	704.0300	RECONSTRUCT CATCH BASIN/VERTICAL WALLS	8.00	VLF
029	704.9901	RECONSTRUCT EXISTING CATCH BASIN FOR PHASED CONSTRUCTION	2.00	EACH
030	708.9040	CLEANING AND FLUSHING PIPE ALL SIZES	290.00	LF
031	708.9041	CLEANING CATCH BASINS ALL TYPES AND SIZES	5.00	EACH

Item List

Date: 6/18/2015

Estimate Name - DBP C10 Repairs to Hamlet Ave Bridge No. 500
 Project Name - Repairs to Hamlet Ave Bridge No. 500
 R.I. Contract No. - 2015-CB-032
 FAP Nos. - BHO-0500(002)

Seq No.	Item Code	Description	Quantity	UM
032	803.0500	TEMPORARY DECK UNDERSIDE AND SIDE PROTECTIVE SHIELDING	160.00	SF
033	803.9910	REMOVE & DISPOSE PORTION OF EXISTING CONCRETE SUBSTRUCTURE	65.00	CY
034	803.9920	REMOVE & DISPOSE PORTION OF EXISTING CONCRETE SUPERSTRUCTURE	39.00	CY
035	803.9925	REMOVE AND DISPOSE EXISTING PIN TYPE BEARING ASSEMBLY AT GIRDER END	24.00	EACH
036	803.9930	REMOVE AND DISPOSE EXISTING STEEL ROCKER BEARING ASSEMBLY	12.00	EACH
037	803.9935	REMOVE AND DISPOSE EXISTING STEEL CROSS FRAMES AT WEST PIER	11.00	EACH
038	803.9940	REMOVE & DISPOSE EXISTING GIRDER END SHORING	16.00	EACH
039	803.9950	CLEANING BRIDGE BEAM SEATS - BRIDGE NO. 500	1.00	LS
040	808.0508	CONCRETE SUBSTRUCTURE CLASS XX 3/4" APPROACH SLABS	16.00	CY
041	808.0602	CONCRETE SUBSTRUCTURE CLASS HP 3/4" BACKWALLS	10.00	CY
042	808.1501	CONCRETE SUPERSTRUCTURE CLASS HP 3/4" BRIDGE DECKS	50.00	CY
043	808.1502	CONCRETE SUPERSTRUCTURE CLASS HP 3/4" BRIDGE SIDEWALKS	44.00	CY
044	808.1640	PREFORMED POLYETHYLENE FOAM JOINT FILLER 1/2"	5.00	SF
045	808.1642	PREFORMED POLYETHYLENE FOAM JOINT FILLER 1"	205.00	SF
046	808.1646	PREFORMED POLYETHYLENE FOAM JOINT FILLER 2"	110.00	SF
047	808.1650	MASTIC JOINT SEALER (1" X 1")	105.00	LF
048	808.1670	POLYURETHANE JOINT SEALANT	200.00	CI
049	808.1675	POLYURETHANE ELASTOMERIC JOINT SEALANT	900.00	CI
050	808.1810	CONCRETE SURFACE FINISHING RUBBED REGULAR	1,130.00	SF
051	808.1830	CONCRETE SURFACE FINISHING SPECIAL FLOAT FINISH	1,140.00	SF
052	808.9901	CONCRETE SUBSTRUCTURE CLASS HP 3/4" PIER PEDESTALS	5.00	CY
053	808.9902	CONCRETE SUBSTRUCTURE CLASS SCC HP 1/2" ABUT STEMS	40.00	CY
054	810.0210	GALVANIZED BAR REINFORCEMENT GRADE 60	34,000.00	LBS
055	810.0702	WELDED WIRE FABRIC (GALVANIZED)	130.00	SF
056	810.9910	GALVANIZED MECHANICAL BAR SPLICERS	120.00	EACH
057	811.0200	SUB PAVEMENT DRAINS	4.00	EACH
S058	813.9910	PREFABRICATED WATERPROOFING SHEET MEMBRANE	130.00	SY
059	817.2200	POLYMER MODIFIED CONCRETE	10.00	SF
060	819.0800	DRILL AND GROUT REINFORCING DOWELS	558.00	EACH
061	819.9901	CORE DRILL AND GROUT REINFORCEMENT	96.00	EACH

Item List

Date: 6/18/2015

Estimate Name - DBP C10 Repairs to Hamlet Ave Bridge No. 500
 Project Name - Repairs to Hamlet Ave Bridge No. 500
 R.I. Contract No. - 2015-CB-032
 FAP Nos. - BHO-0500(002)

Seq No.	Item Code	Description	Quantity	UM
062	820.0110	CONCRETE SURFACE TREATMENT (PROTECTIVE COATING)	1,350.00	SF
063	822.1695	SILICONE HIGHWAY JOINT SEALER	36.00	LF
064	823.1760	STRIP SEAL EXPANSION JOINT ASSEMBLIES	140.00	LF
065	824.9901	AASHTO M270 GRADE 50 STEEL, FURNISH FABRICATE AND ERECT BUILT UP DIAPHRAGMS AT WEST PIER	18,750.00	LBS
066	824.9902	AASHTO M270 GRADE 50 STEEL, FURNISH FABRICATE AND ERECT ROLLED DIAPHRAGMS AT ABUTMENT	4,700.00	LBS
067	824.9903	AASHTO M270 GRADE 50 STEEL, FURNISH, FABRICATE AND ERECT GAS MAIN SUPPORT	150.00	LBS
068	824.9910	GIRDER END MODIFICATION	24.00	EACH
069	824.9920	TEMPORARY SHORING FOR GIRDER ENDS AT ABUTMENTS	1.00	LS
070	824.9930	TEMPORARY JACKING FOR BRIDGE SUPERSTRUCTURE AT WEST PIER	1.00	LS
071	825.9911	REPAINTING EXISTING STRUCTURAL STEEL	1.00	LS
S072	828.9910	MULTI-ROTATIONAL BEARING DISC BEARING	36.00	EACH
073	830.9910	ANCHORAGE ASSEMBLY FOR EXISTING BRIDGE RAIL POST	6.00	EACH
074	832.9901	REMOVE CHASSE-RADIGAN BRIDGE BRONZE PLAQUE ON END POST AND REINSTALL ABOVE NEW GUARDRAIL	1.00	LS
075	834.0121	VERTICAL FACE GRANITE CURB STRAIGHT 9" REVEAL	77.00	LF
076	834.0122	VERTICAL FACE GRANITE CURB CURVED 9" REVEAL	26.00	LF
077	839.0200	FULL DEPTH REMOVAL AND DISPOSAL OF BITUMINOUS PAVEMENT FROM CONCRETE BRIDGE DECKS	125.00	SY
S078	901.0101	GUARDRAIL STEEL BEAM SINGLE FACE EARTH AND ASPHALT	25.00	LF
S079	901.0196	GUARDRAIL CONNECTION TO EXISTING ENDPOST TRAILING END SECTION, STANDARD 34.3.6	2.00	EACH
S080	901.0197	GUARDRAIL CONNECTION TO EXISTING ENDPOST APPROACH END SECTION, STANDARD 34.3.5	2.00	EACH
S081	901.0198	GUARDRAIL END TREATMENT, NON-ENERGY ABSORBING TERMINAL	4.00	EACH
S082	903.9901	TEMPORARY CHAIN LINK FENCE 6' HEIGHT	710.00	LF
083	905.0110	PORTLAND CEMENT SIDEWALK MONOLITHIC STANDARD 43.1.0	31.00	CY
084	906.0110	GRANITE CURB, QUARRY SPLIT STRAIGHT, STANDARD 7.3.0	10.00	LF
085	906.0230	CEMENT CONCRETE SLOPE FACE CURB PRECAST STRAIGHT STANDARD 7.2.0	124.00	LF
086	906.0231	CEMENT CONCRETE SLOPE FACE CURB PRECAST CIRCULAR STANDARD 7.2.0	33.00	LF
087	906.0271	PRECAST CONCRETE SLOPE FACE TRANSITION CURB STANDARD 7.2.1	3.00	EACH

Item List

Date: 6/18/2015

Estimate Name - DBP C10 Repairs to Hamlet Ave Bridge No. 500
 Project Name - Repairs to Hamlet Ave Bridge No. 500
 R.I. Contract No. - 2015-CB-032
 FAP Nos. - BHO-0500(002)

Seq No.	Item Code	Description	Quantity	UM
088	906.0700	REMOVE, HANDLE, HAUL TRIM RESET CURB EDGING, STRAIGHT, CIRCULAR ALL TYPES	60.00	LF
089	914.5010	FLAGPERSONS	1,920.00	MHRS
090	914.5020	FLAGPERSONS - OVERTIME	192.00	MHRS
091	920.0200	FILTER FABRIC FOR RIP-RAP	300.00	SY
092	920.9901	PLACED STONE RIP RAP R-4	300.00	SY
093	920.9902	BEDDING FOR RIP RAP FS-2	300.00	SY
094	922.0100	TEMPORARY CONSTRUCTION SIGNS STANDARD 29.1.0 AND 27.1.1	400.00	SF
095	923.0105	DRUM BARRICADE STANDARD 26.2.0	5,400.00	BDAY
096	923.0200	FLUORESCENT TRAFFIC CONES STANDARD 26.1.0	50.00	EACH
097	926.0120	ANCHORED PRECAST CONCRETE BARRIER FOR TEMPORARY TRAFFIC CONTROL	40.00	LF
098	926.0121	UNANCHORED PRECAST CONCRETE BARRIER FOR TEMPORARY TRAFFIC CONTROL STANDARD 40.5.0	440.00	LF
099	929.0110	FIELD OFFICE	18.00	PMO
100	931.0110	CLEANING AND SWEEPING PAVEMENT	90.00	HSY
101	932.0100	CUTTING AND MATCHING ASPHALT	229.00	LF
102	932.0200	FULL-DEPTH SAWCUT OF BITUMINOUS PAVEMENT	520.00	LF
103	932.0230	FULL DEPTH SAWCUT OF PORTLAND CEMENT CONCRETE SIDEWALK/DRIVEWAY	70.00	LF
104	935.0400	REMOVING BITUMINOUS PAVEMENT BY MICRO MILLING	272.00	SY
105	936.0100	MOBILIZATION AND DEMOBILIZATION	1.00	LS
106	937.0200	MAINTENANCE AND MOVEMENT TRAFFIC PROTECTION	1.00	LS
107	943.0200	TRAINEE MAN-HOURS	1,500.00	MHRS
108	L01.0102	LOAM BORROW 4 INCHES DEEP	900.00	SY
109	L02.0102	RESIDENTIAL SEEDING (TYPE 2)	900.00	SY
S110	T01.9901	MODIFY EXISTING HAMLET AVENUE BRIDGE LIGHTING	1.00	LS
111	T05.0100	PRECAST TYPE A HANDHOLE STANDARD 18.2.0	2.00	EACH
112	T05.9901	REMOVE, STOCKPILE, AND RESET EXISTING PRECAST TYPE A HANDHOLE STANDARD 18.2.0	2.00	EACH
113	T05.9903	ADJUST ELECTRIC PULL BOX IN SIDEWALK TO GRADE	3.00	EACH
114	T06.4015	1-1/2 IN. RIGID STEEL CONDUIT IN STRUCTURE	70.00	LF
115	T06.6030	3 INCH POLYVINYL CHLORIDE PLASTIC CONDUIT-OVERHEAD	60.00	LF
116	T06.7044	EXPANSION COUPLING WITH TRANSVERSE MOTION 4" PVC	12.00	EACH
117	T06.9901	EXPANSION COUPLING WITH TRANSVERSE MOTION 1 1/2" STEEL	2.00	EACH

Item List

Date: 6/18/2015

Estimate Name - DBP C10 Repairs to Hamlet Ave Bridge No. 500
 Project Name - Repairs to Hamlet Ave Bridge No. 500
 R.I. Contract No. - 2015-CB-032
 FAP Nos. - BHO-0500(002)

Seq No.	Item Code	Description	Quantity	UM
118	T06.9902	4 INCH POLYVINYL CHLORIDE PLASTIC CONDUIT - IN STRUCTURE	330.00	LF
S119	T13.1000	TRAFFIC DETECTORS-LOOP, STANDARD 19.6.0	235.00	LF
S120	T15.0100	DIRECTIONAL REGULATORY AND WARNING SIGNS	100.00	SF
S121	T15.0200	REMOVE AND RELOCATE DIRECTIONAL REGULATORY AND WARNING SIGN	1.00	EACH
S122	T15.2000	PARKING SIGNS	3.00	SF
S123	T20.1000	REMOVE EXISTING PAVEMENT MARKINGS	4,250.00	LF
S124	T20.2006	6 INCH EPOXY RESIN PAVEMENT MARKINGS WHITE	1,200.00	LF
S125	T20.2012	12 INCH EPOXY RESIN PAVEMENT MARKINGS WHITE	202.00	LF
S126	T20.2014	4 INCH EPOXY RESIN PAVEMENT MARKINGS YELLOW	940.00	LF
S127	T20.2018	8 INCH EPOXY RESIN PAVEMENT MARKINGS YELLOW	70.00	LF
S128	T20.2020	EPOXY RESIN PAVEMENT ARROW - STRAIGHT, LEFT, RIGHT, OR COMBINED STANDARD 20.1.0	7.00	EACH
S129	T20.2022	EPOXY RESIN PAVEMENT MARKING WORD "ONLY" STANDARD 20.1.0	4.00	EACH
S130	T20.9901	REMOVE EXISTING PAVEMENT MARKING ARROW OR WORD MARKING	11.00	EACH
S131	T20.9902	6 INCH WHITE TEMPORARY PAVEMENT MARKING TAPE	1,600.00	LF
S132	T20.9903	4 INCH YELLOW TEMPORARY PAVEMENT MARKING TAPE	3,760.00	LF
S133	T20.9904	12 INCH WHITE TEMPORARY PAVEMENT MARKING TAPE	510.00	LF





RHODE ISLAND DEPARTMENT OF TRANSPORTATION

*** THIS IS A DISK-BASED BID ***

**ELECTRONIC BIDDING
PROCEDURE NOTICE**

**ALL BID OFFERS MUST BE PREPARED USING THE QUEST LITE BID
PREPARATION SOFTWARE PACKAGE**

Bidders **MUST** register in person at the RIDOT Contract Administration office to obtain the necessary Bidder Registration and Digital ID codes for the Quest Lite software.

RIDOT Provides:		Bidder Must Submit:	
			
CD	Plans (on CD)	2 High-Density Compact Disks (CDs) w/Quest Lite Bid "zip" file**	Completed & Signed Proposal (Hard Copy) Date:-- Signature:--
			
Contract Documents (on CD)	DOQ Report (on CD)	Bid Surety (Hard Copy)	Completed & Signed (Hard Copy)

Contact the Contracts & Specifications Office at 222-2495 to request technical assistance on issues directly related to the Quest Lite software.
Office Hours: 8:00 AM – 4:00 PM

****Refer to the RIDOA "Notice to Contractors" for additional information on the "Public Copy" submission requirements.**

NO BID OFFER WILL BE CONSIDERED
UNLESS ACCOMPANIED BY A COMPACT DISK (CD)
CONTAINING THE BID PROPOSAL FILE
GENERATED BY THE QUEST LITE BID PREPARATION SOFTWARE

Failure to comply will result in a mandatory disqualification per Section 12.102.07 of the RI Dept. of Administration Division of Purchases Procurement Regulations

Rhode Island Department of Transportation (RIDOT)

Notice to Contractors

THIS IS A DISK-BASED BID

Bid offers will be accepted *only on a CD generated by RIDOT-supplied software called Quest Lite; each CD must be accompanied by a hard copy signed offer printed from the software and submitted at the Bid Opening.* Minimum computer hardware and operating system requirements are listed here. *Training is strongly recommended for all new bidders and others unfamiliar with these procedures. SEE BELOW.*

CONTACT: **RIDOT CONTRACTS & SPECIFICATIONS**
Rm. 108, Two Capitol Hill, Providence, RI 02903
Phone: **401-222-2495**
Hours: **Mon – Fri, 8:00AM – 4:00PM**

1. Required Registration Codes for Each Bidder.

Registration Codes for RIDOT software are necessary to install and use the software; a firm only needs to register once to acquire secure, unique bidder identification codes to be used with all RIDOT disk-based construction project bids Bidders must retain these codes for future use.

2. The required Quest Lite installation software and all applicable Contract Documents are provided on a CD-ROM.

The Contract Documents include the RI DOA Division of Purchases Procurement Regulations, RI Standard Specifications, Amended December 2010 and all revisions, the RI Standard Details for Highway and Bridge Construction, Bridge Standard Details, General Provisions, Special Provisions, Distribution of Quantities and Engineering Plans, and all other applicable documents

3. Minimum Computer Hardware and Operating System Requirements.

- Windows XP SP2 w/Pentium IV processor
- CD-ROM Drive, Floppy Drive, Printer & 15" Monitor (17" recommended)
- 20GB Hard Disk with 1GB free (40 GB with 5 GB free recommended)
- 512 MB RAM (1 GB recommended)
- 32 MB Video Card (64 MB SVGA recommended)
- Internet Explorer 6.0 SP 2

4. Addenda, when necessary, are available on Purchases' RIVIP website.

at: <http://www.purchasing.ri.gov/RIVIP/BidSearch.asp>

RIDOT will make all necessary addenda available at Purchases' web site. It is the plan-holders responsibility to poll the RIVIP to keep up-to-date on addenda.

5. Training may be requested up to three days prior to the Bid Opening.

Training is provided on request. Arrangements must be made through the RIDOT Contracts & Specifications Office at least three (3) days prior to the Bid Opening of the project

6. Technical Support.

Assistance is available upon request by contacting the Contracts & Specifications office during work hours or emailing Quest@dot.ri.gov.

01/25/2011

NOTICE TO HIGHWAY AND BRIDGE CONTRACTORS

Rhode Island Department of Transportation (RIDOT)
Contracts and Specifications

ELECTRONIC BIDDING PROCEDURES QUEST LITE UPGRADE

Effective January 1, 2011, bid offers for all RIDOT Contracts requiring the use of the Department's Quest Lite bid preparation software **MUST** be prepared using **Quest Lite Version 040408 (2.8.4)**. Failure to comply with this requirement could result in the disqualification of your bid offer.

Full installation and upgrade-only software packages, including installation directions, for Quest Lite Version **040408 (2.8.4)** will be provided on the Project Advertising CD's, which are available to prospective bidders through the Contracts and Specifications office on or after the scheduled project advertising date.

Contractors presently using Quest Lite Version 040407 (2.8.3) need only install the upgrade package to complete the conversion, UNLESS a previous upgrade installation was used to upgrade from 2.8.2 to 2.8.3, in which case these installations must be removed and the full installation performed. Earlier versions (2.8.2 or lower) will require the full installation in all instances.

For technical assistance, contact the Contracts and Specifications office at 222-2495.

01/21/11

QUEST LITE VERSION 4.4.8 (2.8.4)

UPGRADE & FULL INSTALLATION

All bid offers prepared using the Department of Transportation's Quest Lite software must use the Quest Lite Version 040408 (2.8.4). If there is no Quest Lite installation, then the full installation must be completed. For earlier versions of Quest Lite, either the upgrade or full installation will be required to be completed. Both versions (upgrade and full installation) are provided on this project CD.

Before proceeding with any installations, note the following:

1. All users must register with the Department of Transportation in order to use Quest Lite. At the time of registration, users are provided with a set of unique company ID codes (Site Code, Bidder Code and company Short Name). Users **MUST RETAIN** these codes for future use.
2. Many users who currently have Quest Lite installed will only require the installation of the upgrade version. To determine if the upgrade installation is sufficient, the present version of the Quest Lite installation must be determined. This is accomplished in Quest Lite by clicking on Help/About. If the present version is 040407 (2.8.3) then the upgrade installation is sufficient **unless** an upgrade version has been previously used to upgrade version 2.8.2 to 2.8.3.
3. For earlier installations (versions below 2.8.3, and if an upgrade has been previously installed to upgrade to version 2.8.3), the full installation of Quest Lite is required. (Note: if the full installation is required, the upgrade installation **does not** need to be performed after the full installation is completed.)
4. To determine if an upgrade version of Quest Lite version is present, it is generally easiest to use the "Add or Remove Programs" function from the Control Panel to view the Quest Lite installations. Should both an installation and an upgrade version be installed, both programs must be removed using the "Remove" function and the new version 2.8.4 installed.
5. It is recommended that users consult the Quest Lite User Manual provided on this CD prior to attempting the installation of the upgrade or full program installation.
6. After completing the installation of the upgrade or full installation, it is recommended that a test bid be submitted to the Department to ensure the program is functioning correctly and that the Quest Lite bid files can be correctly imported into the Department's Quest program. **Test bids may be submitted on a CD to the Contracts office in Room 109 of the RIDOT Headquarters, or by e-mail to Quest@dot.ri.gov.**

Installation Instructions – Upgrade Version

Upgrade Quest Lite only if the current installed version is 2.8.3, and a previous upgrade has not been installed.

1. Close Quest Lite before attempting the installation.
2. Using the project CD, double-click on the “Upgrade Only” option provided on the Start page.
3. When prompted for a password, enter “ridot”.
4. Follow the instructions provided in the installation wizard to complete the installation.
5. When executing Quest Lite for the first time after installing the upgrade, users may be prompted to enter their company bidder codes.

Installation Instructions – Complete Installation

A complete Installation of the software is required only if Quest Lite is:

1. Not installed on the computer/laptop; or
2. The installed version of Quest Lite is older than 2.8.3, i.e. 2.8.2 or under; or
3. The 2.8.3 upgrade version of Quest Lite is installed.

If any of 1 through 3 above apply, follow these instructions:

1. If a Quest Lite version 2.8.2 or older, or a 2.8.3 upgrade are currently installed,
 - a. Close Quest Lite.
 - b. Remove all the existing installation(s) of Quest Lite. To accomplish this, follow the instructions provided on pages 19 – 25 of the Quest Lite User Manual provided with this project CD. Follow the installation removal directions for the operating system in use on the machine.
2. Using the project CD, double-click on the “Complete Installation” option provided on the Start page.
3. When prompted for a password, enter “ridot”.
4. Follow the instructions provided in the installation wizard to complete the installation.
5. When executing Quest Lite for the first time after completing the installation, the user will be prompted to enter the company bidder codes provided by the Department. Once this information is entered, the installation process will be complete.

For technical assistance, contact the Contracts & Specifications office at 222-2495.