



Request for Quote

STATE OF RHODE ISLAND AND PROVIDENCE PLANTATIONS
 ONE CAPITOL HILL
 PROVIDENCE RI 02908

CREATION DATE : 29-JUN-15
 BID NUMBER: 7549714
 TITLE: Inergen Fire Suppression System Inspection & Repair, URI

BLANKET START : 01-SEP-15
 BLANKET END : 30-JUN-17
 BID CLOSING DATE AND TIME: 30-JUL-2015 11:30:00

BUYER: Ohara 2nd, John F
 PHONE #: 401-574-8125


B URI ACCOUNTS PAYABLE
I CARLOTTI ADMINISTRATION BLDG
L 75 LOWER COLLEGE ROAD, SUITE 1
L KINGSTON, RI 02881
T US
O

S URI SPECIAL INSTRUCTIONS
H SEE BELOW
I SEE BELOW, RI N/A
P US
T
O

Requisition Number: 1416077

Line	Description	Quantity	Unit	Unit Price	Total
1	Blanket Requirement: September 1, 2015 - June 30, 2017. Questions concerning this solicitation must be received by the Division of Purchases at: doa.purconstruction@purchasing.ri.gov no later than July 16, 2015 at 5:00 PM (ET). Questions should be submitted in a Microsoft Word attachment. Please reference the RFQ# on all correspondence. Questions received, if any, will be posted on the Internet as an addendum to this solicitation. It is the responsibility of all interested parties to download this information. 9/1/15-6/30/16 Cost per semi-annual inspection. BID PER INSPECTION (NOT TOTAL).	2.00	Total		
2	7/1/16-6/30/17 Cost per semi-annual inspection.	2.00	Each		
3	9/1/15-6/30/16 Cost per hose, for pressure testing.	21.00	Each		
4	7/1/16-6/30/17 Cost per hose, for pressure testing.	25.00	Each		
5	9/1/15-6/30/16 Cost per hour for service and repair (Journeyman) M-F 8:00 AM to 4:30 PM on-site	2.00	Hour		
6	7/1/16-6/30/17 Cost per hour for service and repair (Journeyman) M-F 8:00 AM to 4:30 PM on-site	2.00	Hour		
7	9/1/15-6/30/16 Cost per hour for service and repair (Apprentice) M-F 8:00 AM to 4:30 PM on-site	2.00	Hour		
8	7/1/16-6/30/17 Cost per hour for service and repair (Apprentice) M-F 8:00 AM to 4:30 PM on-site	2.00	Hour		
9	9/1/15-6/30/16 Cost per hour for service and repair (Journeyman) Overtime on-site	2.00	Hour		

It is the Vendor's responsibility to check and download any and all addenda from the RIVIP. This offer may not be considered unless a signed RIVIP generated Bidder Certification Cover Form is attached and the Unit Price column is completed. The signed Certification Cover Form must be attached to the front of the offer



Request for Quote

STATE OF RHODE ISLAND AND PROVIDENCE PLANTATIONS
ONE CAPITOL HILL
PROVIDENCE RI 02908

CREATION DATE : 29-JUN-15
BID NUMBER: 7549714
TITLE: Inergen Fire Suppression System Inspection & Repair, URI

BLANKET START : 01-SEP-15
BLANKET END : 30-JUN-17
BID CLOSING DATE AND TIME:30-JUL-2015 11:30:00

BUYER: Ohara 2nd, John F
PHONE #: 401-574-8125

B
I
L
L
L
T
O
URI ACCOUNTS PAYABLE
CARLOTTI ADMINISTRATION BLDG
75 LOWER COLLEGE ROAD, SUITE 1
KINGSTON, RI 02881
US

S
H
I
P
T
O
URI SPECIAL INSTRUCTIONS
SEE BELOW
SEE BELOW, RI N/A
US

Requisition Number: 1416077

Line	Description	Quantity	Unit	Unit Price	Total
10	7/1/16-6/30/17 Cost per hour for service and repair (Journeyman) Overtime on-site	2.00	Hour		
11	9/1/15-6/30/16 Cost per hour for service and repair (Apprentice) Overtime on-site	2.00	Hour		
12	7/1/16-6/30/17 Cost per hour for service and repair (Apprentice) Overtime on-site Parts at manufacturer's List Price Less ____%. (Cost plus is not acceptable)	2.00	Hour		

Delivery: _____

Terms of Payment: _____

It is the Vendor's responsibility to check and download any and all addenda from the RIVIP. This offer may not be considered unless a signed RIVIP generated Bidder Certification Cover Form is attached and the Unit Price column is completed. The signed Certification Cover Form must be attached to the front of the offer

URI Inergen Fire Suppression System inspection and repair blanket, ⁹7/1/15 – 6/30/16.

Summary:

To provide semi-annual inspections, service and repair of an Inergen Fire Suppression System and Ansul Auto pulse IQ-318 addressable fire alarm panel.

Location: Carother's Library, Special Collections. This building is fully sprinkled but not within this location. This is not a residential building. System specifications are included as a reference.

Vendor Qualifications:

The Vendor must be an Authorized Ansul Distributor licensed to work in Rhode Island.

The vendor must be willing and able to respond to emergencies as needed 24 hours/day, 7 days a week.

Inspections shall consist of:

All systems shall be thoroughly tested for proper operations in accordance with the 2015 edition of NFPA 2001 Standard for Clean Agent Systems.

Two Vesda smoke detector systems shall be tested.

Two Vesda smoke detector systems filters shall be replaced annually.

All switches; abort, manual and disable switches shall be tested.

All hoses shall be visually examined.

Additionally, once per contract period all hoses shall be pressure tested.

All service shall be scheduled through URI's Coordinator of Alarms at 401- 874-2010.

All testing reports shall be provided to URI's Coordinator of Alarms.

CUSTOMER: UNIVERSITY OF RHODE ISLAND 15 LIPPIT ROAD KINGSTON, RI		APPROVAL AGENCY: TYPE OF SYSTEM: IQ-31B W/VESDA AND INERGEN	
JOB/E TICKET: INSPECTION		TYPE OF HAZARD: CAROTHERS LIBRARY USAC WEST AND USAC EAST	

TYPE OF DETECTION/ACTUATING SYSTEM:					
MANUFACTURER:	VESDA	SMOKE:	X	LINK:	-
THERMAL:	-	TEMPERATURE:	-	SET RANGE:	OK
QUANTITY:	3/1	DETECTOR MODEL:	VLP	BASE MODEL:	N/A
REMARKS:	SMOKE TESTED ALL PIPES 3 ON USAC WEST AND 1 ON USAC EAST- ALL TESTED OK				

AUXILIARY EQUIPMENT:					
1. BATTERY DATE:	2012	7. EMER. POWER:	2-12V 55AH 2-12V 20AH	13. REM. ELEC.:	4-OK
2. SOLENOID REL.:	5-OK	8. EXT. RELAYS:	-	14. SUPER. LIGHTS.:	OK
3. AUTOMAN:	5-BOOSTERS	9. ZONE TYPE:	CROSS FIRE 1 AND FIRE 2	15. M/R SWITCH:	-
4. PRES. GAUGE:	70-OK	10. CONTROL. PANEL:	IQ-31B	16. TIME DELAY:	20 SEC
5. DISCH. HOSES:	70-OK (12)	11. GRAPHIC ANN.:	-	17. CARTRIDGE:	-
6. ACT. HOSES:	18-OK (12)	12. ABORT SWITCH:	4-OK	18. MANUAL PULL:	-
19. PRES. SW.:	NONE				
20. HVAC SD:	YES OFF DAMPERS SELF RESETS-OK		21. EQUIP. SD:	NONE	
22. OTHER:	5-HORN STROBES (WALL) 3-HORN STROBES (CEILING) 5-DISCHARGE STROBES-ALL TESTED OK				

REPAIRS:			
REQUIRED:		MADE:	

AGENT QTY.:	430 CF	M/R:	70/0	HYDRO. DATE:	11-2010	LOCAL ALARM ONLY:	NO
-------------	--------	------	------	--------------	---------	-------------------	----

FIRE ALARM TIE IN	TIED TO BLDG. FIRE ALARM FOR COMMON ALARM, TROUBLE, SUPERVISORY, AND DISCHARGE
-------------------	--

REMARKS & RECOMMENDATIONS:

THERE ARE 2-DIRECTIONAL VALVES WITH HF SOLENOID AND BOOSTERS IN ABOVE CEILING OUT IN FIELD

OWNERS REP:		SERVICE TECHNICIAN:	
-------------	--	---------------------	--

CYLINDER INSPECTION RECORD									
CUSTOMER:		UNIVERSITY OF RHODE ISLAND			HAZARD:		CAROTHERS LIBRARY USAC WEST AND USAC EAST		
JOB/E TICKET:		INSPECTION			SERVICE TECH:				
SERIAL NO.	TYPE OF AGENT	TARE WEIGHT	GROSS WT. OR CU. FT.	NET WEIGHT	TEMP.	PRES.	LIQUID LEVEL	HYDRO. TEST DATE	COMMENTS
171125	INERGEN	N/A	439 CF	N/A	70	2175	N/A	11-10	WEST DISCHARGE ONLY
170174	INERGEN	N/A	439 CF	N/A	70	2175	N/A	11-10	WEST DISCHARGE ONLY
171162	INERGEN	N/A	439 CF	N/A	70	2175	N/A	11-10	WEST DISCHARGE ONLY
171140	INERGEN	N/A	439 CF	N/A	70	2175	N/A	11-10	WEST DISCHARGE ONLY
199158	INERGEN	N/A	439 CF	N/A	70	2175	N/A	12-10	WEST DISCHARGE ONLY
170137	INERGEN	N/A	439 CF	N/A	70	2175	N/A	11-10	WEST DISCHARGE ONLY
170131	INERGEN	N/A	439 CF	N/A	70	2175	N/A	11-10	WEST DISCHARGE ONLY
170038	INERGEN	N/A	439 CF	N/A	70	2175	N/A	11-10	WEST DISCHARGE ONLY
014100	INERGEN	N/A	439 CF	N/A	70	2175	N/A	1-11	WEST DISCHARGE ONLY
197110	INERGEN	N/A	439 CF	N/A	70	2175	N/A	12-10	WEST DISCHARGE ONLY
199126	INERGEN	N/A	439 CF	N/A	70	2175	N/A	12-10	WEST DISCHARGE ONLY
199092	INERGEN	N/A	439 CF	N/A	70	2175	N/A	12-10	WEST DISCHARGE ONLY
200086	INERGEN	N/A	439 CF	N/A	70	2175	N/A	12-10	WEST DISCHARGE ONLY
170118	INERGEN	N/A	439 CF	N/A	70	2175	N/A	11-10	WEST DISCHARGE ONLY
170076	INERGEN	N/A	439 CF	N/A	70	2175	N/A	12-10	WEST DISCHARGE ONLY
198031	INERGEN	N/A	439 CF	N/A	70	2175	N/A	12-10	WEST DISCHARGE ONLY
197008	INERGEN	N/A	439 CF	N/A	70	2175	N/A	12-10	WEST DISCHARGE ONLY
197094	INERGEN	N/A	439 CF	N/A	70	2175	N/A	12-10	WEST DISCHARGE ONLY
199021	INERGEN	N/A	439 CF	N/A	70	2175	N/A	12-10	WEST DISCHARGE ONLY
199162	INERGEN	N/A	439 CF	N/A	70	2175	N/A	12-10	WEST DISCHARGE ONLY
171035	INERGEN	N/A	439 CF	N/A	70	2175	N/A	11-10	WEST DISCHARGE ONLY
018080	INERGEN	N/A	439 CF	N/A	70	2175	N/A	1-11	WEST DISCHARGE ONLY
170138	INERGEN	N/A	439 CF	N/A	70	2175	N/A	11-10	WEST DISCHARGE ONLY
171008	INERGEN	N/A	439 CF	N/A	70	2175	N/A	11-10	WEST DISCHARGE ONLY
170128	INERGEN	N/A	439 CF	N/A	70	2175	N/A	11-10	WEST DISCHARGE ONLY
171119	INERGEN	N/A	439 CF	N/A	70	2175	N/A	11-10	WEST DISCHARGE ONLY
197116	INERGEN	N/A	439 CF	N/A	70	2175	N/A	12-10	WEST DISCHARGE ONLY
170175	INERGEN	N/A	439 CF	N/A	70	2175	N/A	11-10	WEST DISCHARGE ONLY
170001	INERGEN	N/A	439 CF	N/A	70	2175	N/A	11-10	WEST DISCHARGE ONLY
170099	INERGEN	N/A	439 CF	N/A	70	2175	N/A	11-10	WEST DISCHARGE ONLY
199182	INERGEN	N/A	439 CF	N/A	70	2175	N/A	12-10	WEST & EAST DISCHARGE
199022	INERGEN	N/A	439 CF	N/A	70	2175	N/A	12-10	WEST & EAST DISCHARGE
197180	INERGEN	N/A	439 CF	N/A	70	2175	N/A	12-10	WEST & EAST DISCHARGE
199180	INERGEN	N/A	439 CF	N/A	70	2175	N/A	12-10	WEST & EAST DISCHARGE

CUSTOMER: UNIVERSITY OF RHODE ISLAND 18 LIPPIT ROAD KINGSTON, RI 0		APPROVAL AGENCY: KINGSTON FIRE DEPT. TYPE OF SYSTEM: IQ-318 W/VESDA AND INERGEN TYPE OF HAZARD: USAC EAST	
JOB/TICKET:	INSPECTION		
DETECTOR SYSTEM INFORMATION:			
MODEL:	VLP	SERIAL NUMBER:	6135880
# OF PIPES USED:	3	FAN SPEED:	3000
# OF SAMPLE POINTS:	30	RELAY CARD:	7
SMOKE LEVELS:	1 130	2 120	3 80
THRESHOLDS:	1 1.0	2 .025	3 .14
RAW FLOWS:	1 N/A	2 120D 80%	3 108D 87%
RESPONSE TIMES:	1 N/A	2 80 SEC	3 74 SEC
AUXILIARY EQUIPMENT		POWER SUPPLY	
PROGRAMMER:	NONE	BATTERY DATE:	2012
DISPLAY	OK	EMER. POWER:	4-12V 12AH OK
EXT. RELAYS:	NONE	FAULT, WIRED:	YES
ZONE TYPE:	CROSS	LOAD TEST:	YES
INTERLOCKS	NONE	AV's	NONE
OTHER		RELAY PROGRAM	
TIED TO IQ-318		1 ACTION	7 FIRE 2
		2 MINOR FAULT	8
		3 ALL FAULTS	9
		4 ALERT	10
		6 ACTION	11
		6 FIRE 1	12
MONITORED BY		IQ-318	
REPAIRS:			
REQUIRED:		MADE:	
REMARKS AND RECOMMENDATIONS:			
OWNERS REP:		SERVICE TECHNICIAN:	

CUSTOMER: UNIVERSITY OF RHODE ISLAND 15 LIPPITT ROAD KINGSTON, RI 0		APPROVAL AGENCY: TYPE OF SYSTEM: BASIN WASTEWATER AND WERGEN TYPE OF HAZARD: H2AC EAST	
TICKET: INSPECTION		DETECTOR SYSTEM INFORMATION:	
MODEL: V.P.	SERIAL NUMBER: 2000	GP INPUT PROGRAM: 2012	MAINS OK: MAINS OK
TYPE OF PIPES USED: 1 PIPES	RELAY SPEED: 7	RELAY DUE DATE: 2018	%: 9%
# OF SAMPLE POINTS: 12	RELAY CHARGE: 7	RELAY DUE DATE: 2018	%: 9%
SMOKE LEVELS: 1 154 2 129 3 23 4 4 70 SEC.	THRESHOLDS: 1 1.0 2 .65 3 1.4 4 .26 SEC.	LOW FLOWS: 1 1 N/A 2 365.94% 3 N/A 4 N/A	RESPONSE TIMES: 1 N/A 2 65 SEC 3 N/A 4 N/A
AUXILIARY EQUIPMENT:			
PROGRAMMER: NONE	BATTERY DATE: 2012	RELAY PROGRAM: 1 ACTION 7 FIRE 2	RELAY PROGRAM: 1 ACTION 7 FIRE 2
DISPLAY: OK	EMER. POWER: 4-TR/2AH OK	MONITOR FAULT: 2 MONITOR FAULT 8	MONITOR FAULT: 2 MONITOR FAULT 8
DC RELAYS: NONE	FAULT W/RED: YES	ALL FAULTS: 3 ALL FAULTS 9	ALL FAULTS: 3 ALL FAULTS 9
ZONE TYPE: CROSS	LOAD TEST: YES	ALERT: 4 ALERT 10	ALERT: 4 ALERT 10
INTERLOCKS: NONE	AV^W: NONE	ACTION: 5 ACTION 11	ACTION: 5 ACTION 11
OTHER: TIED TO IS-318	REPAIRS: REPAIRS	MONITORED BY: MONITORED BY	MONITORED BY: MONITORED BY
REMARKS AND RECOMMENDATIONS:			
OWNER'S REP:	SERVICE TECHNICIAN:	REMARKS AND RECOMMENDATIONS:	REMARKS AND RECOMMENDATIONS:

6 OF 6

CUSTOMER: UNIVERSITY OF RHODE ISLAND 15 LIPPITT ROAD KINGSTON, RI 0		APPROVAL AGENCY: KINGSTON FIRE DEPT. TYPE OF SYSTEM: BASIN WASTEWATER AND WERGEN TYPE OF HAZARD: H2AC EAST	
TICKET: INSPECTION		DETECTOR SYSTEM INFORMATION:	
MODEL: V.P.	SERIAL NUMBER: 2000	GP INPUT PROGRAM: 2012	MAINS OK: MAINS OK
TYPE OF PIPES USED: 30	RELAY SPEED: 7	RELAY DUE DATE: 2018	%: 0%
# OF SAMPLE POINTS: 12	RELAY CHARGE: 7	RELAY DUE DATE: 2018	%: 0%
SMOKE LEVELS: 1 130 2 120 3 30 4 4 70 SEC.	THRESHOLDS: 1 1.0 2 .65 3 1.4 4 .26 SEC.	LOW FLOWS: 1 1 N/A 2 1200.00% 3 1000.00% 4 1134.00%	RESPONSE TIMES: 1 N/A 2 65 SEC 3 74 SEC 4 55 SEC
AUXILIARY EQUIPMENT:			
PROGRAMMER: NONE	BATTERY DATE: 2012	RELAY PROGRAM: 1 ACTION 7 FIRE 2	RELAY PROGRAM: 1 ACTION 7 FIRE 2
DISPLAY: OK	EMER. POWER: 4-TR/2AH OK	MONITOR FAULT: 2 MONITOR FAULT 8	MONITOR FAULT: 2 MONITOR FAULT 8
DC RELAYS: NONE	FAULT W/RED: YES	ALL FAULTS: 3 ALL FAULTS 9	ALL FAULTS: 3 ALL FAULTS 9
ZONE TYPE: CROSS	LOAD TEST: YES	ALERT: 4 ALERT 10	ALERT: 4 ALERT 10
INTERLOCKS: NONE	AV^W: NONE	ACTION: 5 ACTION 11	ACTION: 5 ACTION 11
OTHER: TIED TO IS-318	REPAIRS: REPAIRS	MONITORED BY: MONITORED BY	MONITORED BY: MONITORED BY
REMARKS AND RECOMMENDATIONS:			
OWNER'S REP:	SERVICE TECHNICIAN:	REMARKS AND RECOMMENDATIONS:	REMARKS AND RECOMMENDATIONS:

5 OF 6

ANSUL

ANSUL, INCORPORATED
MARQUETTE, WI 54143-2542

**FIRE SUPPRESSION/DETECTION AND CONTROL
SYSTEM VERIFICATION**

This form must be completely filled out and returned to Ansul within 10 days of the commissioning of the Fire Suppression and Control System for the False Discharge Warranty to be in effect. Failure to completely fill out this form and return it to Ansul Product Services within ten days of the system commissioning will invalidate the False Discharge Warranty. Refer to the Ansul False Discharge Warranty for other information.

Indicate that all of the following items were performed:

- Control Unit and all accessories installed (tested/operated for proper performance).
- All accessories wired to the AUTOPULSE Control Unit auxiliary power, supervised circuits, and/or signalling line circuit (SLC) are tested and approved by Ansul for use with the installed control unit.

Indicate which of the following items was performed (if detector sensitivity can be checked or adjusted):

- Detector sensitivity checked and found to equal value marked on detector.
- OR
- Detector sensitivity checked and re-calibrated to equal value marked on detector.

Ansul Fire Suppression System - Indicate which Fire Suppression System is installed and fill in the requested information:

INERGEN CO₂ Foam Engineered Dry Chemical IND-X Dry Chemical
 Tank/Cylinder Size 439 CU Qty. of Tanks/Cylinders 70 Manual Part Number _____

AUTOPULSE Control System - Indicate which AUTOPULSE Control Unit is installed and fill in the requested information:

Four 442R 442D IQ-301 IQ-398X 40-318
 Part Number 434957 Serial Number _____ Incoming Voltage (Measured) 120V Manual Part Number _____

Wiring Style - Indicate the wiring style(s) used:

Initiating Circuits Style "B" "D" Initiating Appliance Circuits Style "1" "2" SLC Loop Style "A" "B" "7"

Detectors - Indicate quantities of each type installed:

Conventional: Ionization Photoelectric Heat Standard Base Relay Base
 Analog Addressable: Ionization Photoelectric Heat Heat/ROC Laser Mill-Sensor
 Flame: UV IR UV/IR

Alarms - Indicate quantities of each type installed:

6" / 10" Bell 4 Strobe, 15 cd Strobe, 75 cd Horn
 Horn/Strobe, 15 cd Horn/Strobe, 75 cd Horn Tone Selected _____
 Other _____

Releasing Devices - Indicate the type and quantities of each device installed:

CV-80 Actuator OV-80 Actuator ANSUL AUTOMAN II-C Electric Selector Valve
 Solenoid (Foam or Low Pressure CO₂ System Application) Indicate Type/Model _____

Other Accessories - Indicate type and quantities of each device installed:

Manual Pull Station Abort Switch Pressure Switch
 Key-Operated Maintenance Switch Key-Operated Selector Switch Other Switch _____

CUSTOMER

U.R.I. Carothers Library
 Address 15 Lippitt Road
KINGSTON RI

Location of System 2ND FLOOR Behind Library

Commissioning Date 2-10-12

Scheduled Six Month Maintenance Date 8-10-12

Telephone _____

Hazard System Is Protecting _____

FAX _____

2ND FLOOR LIBRARY

(Signature)

(Date)

Contract Terms and Conditions

Table of Contents

Terms and Conditions.....IX
 BID STANDARD TERMS AND CONDITIONSIX
 TERMS AND CONDITIONS FOR THIS BIDIX
 RIVIP INFO - BID SUBMISSION REQUIREMENTSIX
 MULTI YEAR AWARDIX
 CHARGES PERMITTEDIX
 HOURLY RATE SPECIFICSIX
 HOURS - BIDDING PURPOSESX
 INSURANCE REQUIREMENTSX
 WAGE REQUIREMENTSX
 WORK ORDER LIMITATIONSX
 DELIVERY PER AGENCYXI

Terms and Conditions

BID STANDARD TERMS AND CONDITIONS

TERMS AND CONDITIONS FOR THIS BID

RIVIP INFO - BID SUBMISSION REQUIREMENTS

It is the Vendor's responsibility to check and download any and all addenda from the RIVIP. This offer may not be considered unless a signed RIVIP generated Bidder Certification Cover Form is attached and the Unit Price column is completed. The signed Certification Cover Form must be attached to the front of the offer. When delivering offers in person to One Capitol Hill, vendors are advised to allow at least one hour additional time for clearance through security checkpoints.

MAILING ADDRESS FOR BID PROPOSALS ISSUED BY THE STATE OF RHODE ISLAND,
DIVISION OF PURCHASES

All Bid Proposals must be submitted by mail or hand delivered to:

- State of Rhode Island
- Department of Administration
- Division of Purchases, Second floor
- One Capitol Hill
- Providence, RI 02908-5855

DIVESTITURE OF INVESTMENTS IN IRAN REQUIREMENT:

No vendor engaged in investment activities in Iran as described in R.I. Gen. Laws §37-2.5-2(b) may submit a bid proposal to, or renew a contract with, the Division of Purchases. Each vendor submitting a bid proposal or entering into a renewal of a contract is required to certify that the vendor does not appear on the list maintained by the General Treasurer pursuant to R.I. Gen. Laws §37-2.5-3.

MULTI YEAR AWARD

THIS IS A MULTI-YEAR BID/CONTRACT. PER RHODE ISLAND STATE LAW 37-2-33, CONTRACT OBLIGATIONS BEYOND THE CURRENT FISCAL YEAR ARE SUBJECT TO AVAILABILITY OF FUNDS. CONTINUATION OF THE CONTRACT BEYOND THE INITIAL FISCAL YEAR WILL BE AT THE DISCRETION OF THE STATE. TERMINATION MAY BE EFFECTED BY THE STATE BASED UPON DETERMINING FACTORS SUCH AS UNSATISFACTORY PERFORMANCE OR THE DETERMINATION BY THE STATE TO DISCONTINUE THE GOODS/SERVICES, OR TO REVISE THE SCOPE AND NEED FOR THE TYPE OF GOODS/SERVICES; ALSO MANAGEMENT OWNER DETERMINATIONS THAT MAY PRECLUDE THE NEED FOR GOODS/SERVICES.

CHARGES PERMITTED

NO CHARGES OTHER THAN PARTS AND LABOR ON THE JOB - NO TRAVEL, NO MILEAGE, NO MISCELLANEOUS CHARGES, NO PORTAL TO PORTAL.

HOURLY RATE SPECIFICS

BIDDERS ARE ADVISED THE AWARD WILL BE BASED ON EITHER REGULAR, STRAIGHT-TIME HOURLY RATES OR A PERIODIC RATE SUCH AS 500 HOURS, MONTHLY OR ANNUALLY, DEPENDING ON THE SPECIFIC REQUIREMENTS OF A PARTICULAR BID. KEEP

IN MIND THAT OVERTIME RATES, DISCOUNTS, AND OTHER MISCELLANEOUS PRICE-RELATED ITEMS ARE REQUIRED FOR INFORMATIONAL PURPOSES ONLY. OVERTIME RATE IS TO BE PAID IN ACCORDANCE WITH THE PROVISIONS OF THE RI DEPARTMENT OF LABOR AND TRAINING, EMPLOYER HANDBOOK. EMPLOYEES ARE TO BE COMPENSATED AT TIME AND ONE-HALF THE APPLICABLE PREVAILING WAGE RATE. OVERTIME RATES EXCEEDING ONE AND ONE HALF TIMES THE REGULAR HOURLY RATES FOR MONDAY THROUGH SATURDAY AND EXCEEDING TWO TIMES THE REGULAR RATE FOR SUNDAYS AND HOLIDAYS MAY BE GROUNDS FOR DISQUALIFICATION OF THE BID.

HOURS - BIDDING PURPOSES

HOURS INDICATED ARE ESTIMATED QUANTITIES FOR BIDDING PURPOSES ONLY.

INSURANCE REQUIREMENTS

AN INSURANCE CERTIFICATE IN COMPLIANCE WITH PROVISIONS OF ITEM 31 (INSURANCE) OF THE GENERAL CONDITIONS OF PURCHASE IS REQUIRED FOR COMPREHENSIVE GENERAL LIABILITY, AUTOMOBILE LIABILITY, AND WORKERS' COMPENSATION AND MUST BE SUBMITTED BY THE SUCCESSFUL BIDDER(S) TO THE DIVISION OF PURCHASES PRIOR TO AWARD. THE INSURANCE CERTIFICATE MUST NAME THE STATE OF RHODE ISLAND AS CERTIFICATE HOLDER AND AS AN ADDITIONAL INSURED. FAILURE TO COMPLY WITH THESE PROVISIONS MAY RESULT IN REJECTION OF THE OFFEROR'S BID. ANNUAL RENEWAL CERTIFICATES MUST BE SUBMITTED TO THE AGENCY IDENTIFIED ON THE PURCHASE ORDER. FAILURE TO DO SO MAY BE GROUNDS FOR CANCELLATION OF CONTRACT.

NOTE: IF THIS BID COVERS CONSTRUCTION, SCHOOL BUSING, HAZARDOUS WASTE, OR VESSEL OPERATION, APPLICABLE COVERAGES FROM THE FOLLOWING LIST MUST ALSO BE SUBMITTED TO THE DIVISION OF PURCHASES PRIOR TO AWARD: * PROFESSIONAL LIABILITY INSURANCE (AKA ERRORS & OMISSIONS) - \$1 MILLION OR 5% OF ESTIMATED PROJECT COST, WHICHEVER IS GREATER. * BUILDER'S RISK INSURANCE - COVERAGE EQUAL TO FACE AMOUNT OF CONTRACT FOR CONSTRUCTION. * SCHOOL BUSING - AUTO LIABILITY COVERAGE IN THE AMOUNT OF \$5 MILLION. * ENVIRONMENTAL IMPAIRMENT (AKA POLLUTION CONTROL) - \$1 MILLION OR 5% OF FACE AMOUNT OF CONTRACT, WHICHEVER IS GREATER. * VESSEL OPERATION - (MARINE OR AIRCRAFT) - PROTECTION & INDEMNITY COVERAGE REQUIRED IN THE AMOUNT OF \$1 MILLION.

WAGE REQUIREMENTS

BIDDERS ARE ADVISED THAT ALL PROVISIONS OF TITLE 37 CHAPTER 13 OF THE GENERAL LAWS OF RHODE ISLAND APPLY TO THE WORK COVERED BY THIS REQUEST, AND THAT PAYMENT OF THE GENERAL PREVAILING RATE OF PER DIEM WAGES AND THE GENERAL PREVAILING RATE FOR REGULAR, OVERTIME, AND OTHER WORKING CONDITIONS EXISTING IN THE LOCALITY FOR EACH CRAFT, MECHANIC, TEAMSTER, OR TYPE OF WORKMAN NEEDED TO EXECUTE THIS WORK IS A REQUIREMENT FOR BOTH CONTRACTORS AND SUBCONTRACTORS. THE PREVAILING WAGE TABLE MAY BE OBTAINED AT THE RI DIVISION OF PURCHASES HOME PAGE BY INTERNET at www.purchasing.ri.gov. SELECT "BIDDING INFORMATION", THEN "GENERAL INFORMATION", AND THEN SELECT "PREVAILING WAGE TABLES". PRINTING THE ENTIRE DOCUMENT AVERAGES APPROXIMATELY ONE MINUTE PER PAGE - YOU MAY WANT TO PRINT ONLY THE PAGES APPLICABLE TO YOUR BID. BIDDERS NOTE: IN THE EVENT THIS BID SPECIFIES PRICE OFFERS ON A TIME-AND-MATERIALS BASIS, i.e., AN HOURLY RATE, ANY OR ALL BIDS SUBMITTED IN AN AMOUNT LESS THAN THE PREVAILING RATE IN EFFECT FOR THE WORK COVERED BY THIS REQUEST AS OF THE DATE OF BID ISSUANCE SHALL BE REJECTED BY THE DIVISION OF PURCHASES.

WORK ORDER LIMITATIONS

IN NO EVENT WILL ANY INDIVIDUAL WORK ORDER EXCEED \$5,000.00 WITHOUT PRIOR APPROVAL OF THE OFFICE OF PURCHASES.

DELIVERY PER AGENCY

DELIVERY OF GOODS OR SERVICES AS REQUESTED BY AGENCY.