



Request for Quote

STATE OF RHODE ISLAND AND PROVIDENCE PLANTATIONS
ONE CAPITOL HILL
PROVIDENCE RI 02908

BUYER: Cadoret, David
PHONE #: N/A

CREATION DATE : 28-AUG-15
BID NUMBER: 7549808,1
TITLE: ELECTRIC FORKLIFT STAND-UP REACH TRUCK

BID CLOSING DATE AND TIME:04-SEP-2015 11:00:00

**B
I
L
L
T
O**
DOA CONTROLLER
ONE CAPITOL HILL, 4TH FLOOR
SMITH ST
PROVIDENCE, RI 02908
US

**S
H
I
P
T
O**
DOC CENTRAL DISTRIBUTION CENTER
25 POWER ROAD
CRANSTON, RI 02920
US

Requisition Number: 1426974

Note to Bidders: Questions concerning this solicitation may be e-mailed to the division of purchases at doa.purbidinfo@purchasing.ri.gov no later than August 26, 2015 at 5pm (EST). Please reference the RFQ number on all correspondence. Questions should be submitted in a Microsoft word attachment. Answers to questions received, if any, will be posted on the internet as an addendum to this solicitation (www.purchasing.ri.gov). It is the responsibility of all interested parties to download this information.

Amendment Description: THIS ADDENDUM ANSWERS QUESTIONS SENT IN ON LINE.
THIS ADDENDUM POSTS REVISED SPECIFICATION FORM.

Line	Description	Quantity	Unit	Unit Price	Total
1	ELECTRIC FORKLIFT STAND-UP REACH TRUCK, 3500LB CAPACITY, AS PER ATTACHED SPECIFICATIONS.	1.00	Each		

Delivery: _____

Terms of Payment: _____

It is the Vendor's responsibility to check and download any and all addenda from the RIVIP. This offer may not be considered unless a signed RIVIP generated Bidder Certification Cover Form is attached and the Unit Price column is completed. The signed Certification Cover Form must be attached to the front of the offer



STATE OF RHODE ISLAND AND PROVIDENCE PLANTATIONS

Department of Administration
DIVISION OF PURCHASES
One Capitol Hill
Providence, RI 02908-5855

Tel: (401) 574-8100
Fax: (401) 574-8387
Website: www.purchasing.ri.gov

August 28, 2015
ADDENDUM NUMBER ONE
RFQ #7549808
TITLE: ELECTRIC FORKLIFT STAND-UP REACH TRUCK

Closing Date and Time: 9/4/15 at 11:00 AM

Per the issuance of this ADDENDUM #1 (2 pages) the following change is noted:

This addendum answers questions sent in on line accepted until 8/26/15 at 5pm.
This addendum posts revised specification form which **MUST** be submitted with bid.

-
- **Do you require a Single or Double Reach?**
This is a single reach truck
 - **Do you prefer a side-stance or forward stance operator compartment?**
This would be a forward stance operator compartment.
 - **What size battery is preferred? Recommended for this application is a model 12-125-17 (1000AH) Capacity?**
36 volt (700AH) is preferred.
 - **You are requesting a Poly Tire. We would suggest a Grooved Poly Tire for Freezer / Cooler Application.**
The lift should have a Grooved Poly Tire
 - **What is the lowest temperature in the Freezer?**
Freezer pack needed for -17 degrees
 - **What is the input voltage in the building? Three Phase or Single Phase? This will determine what battery charger is included in the BID.**
Building has three phase electrical system.

END OF QUESTIONS

**DESCRIPTION: ELECTRIC FORKLIFT STAND-UP REACH TRUCK
SPECIFICATION FORM (REVISED 8/28/15)**

Quantity:	1			Vendor Indicate Compliance Yes/No
Department:	Dept of Corrections	Fuel Type	Electric	
Division:	Central Distribution Center			
RI-FANS Requisition Number:	1426974			

STANDARD FEATURES	FOR VENDOR USE ONLY TO INDICATE COMPLIANCE	
	↓ Yes/No	↓ Specify Alternative (if responding no)
TO INDICATE COMPLIANCE		
Manufacturer's Current Model (new)		
Electric forklift stand-up reach truck-Single Reach-Forward Stance Operator Compartment		
Cooler/Freezer package-Needed for -17degrees		
3,500 lb capacity		
Side shifting forks		
Industrial battery & charger included-36 volt (700ah)		
Preferred-3 phase compatible		
Electric Drive Motor (24 Volts)		
Load Center 24"		
Lift height up to 212"		
Length of forks 42" taper		
Forks shift left/right direction		
Mast collapsed height 95"		
3 stage mast		
Poly Drive Tire-Tire to be Grooved		
Stradles 34" (LD) 45" (OD)		
Cold Storage/Freezer Capable-Needed for -17degrees		
Drive-In Rack Overhead Guard		
Headlights		
Anti-skid Material on all foot contact areas		
Audible Release Alarm		
Flashing and Strobe Warning Lights		
Manufacturer's standard equipment		
Must meet all applicable mandatory requirements Of ANSIB56.1 safety standard for powered industrial trucks at time of manufacture classified by Underwriters Laboratories Inc. as to fire hazard		