



State of Rhode Island
Department of Administration / Division of Purchases
One Capitol Hill, Providence, Rhode Island 02908-5855
Tel: (401) 574-8100 Fax: (401) 574-8387

ADDENDUM # 1

9/15/15

Solicitation RFQ #7549850

*Title: Combined Audio and Video Support and Crews for the URI Fall
Open House*

Submission Deadline: NOTE CHANGE


**From: September 25, 2015 @ 11:00 am
To: September 25, 2015 @ 10:00 am**

Per the issuance of ADDENDUM #1 the following are noted:

Pre-Bid Questions and Answers (attached)

Interested Parties should monitor this website on a regular basis, for any additional information that may be posted.

**Gary P. Mosca
Senior Buyer**



STATE OF RHODE ISLAND AND PROVIDENCE PLANTATIONS

Department of Administration
DIVISION OF PURCHASES
One Capitol Hill
Providence, RI 02908-5855

Tel: (401) 574-8100
Fax: (401) 574-8387
Website:
www.purchasing.ri.gov

September 11, 2015

Pre-Bid – Solicitation 7549850

Titled: Combined Audio and Video Support Systems and Crews for the URI Fall Open House.

Vendor question/concerns & Solicitation clarifications:

- 1) ***Question relating to number of wireless microphones needed:*** Specifications identify two (2) fixed microphones on podium, an undetermined number of eight (8) may also be required?

Response: 4 total wireless microphones plus podium microphone will be required.

- 2) ***Question relating to screen size:*** Specification identifies the screen size to be “no less than 9 feet by 12 feet”.

Response: Screen size required will be 9 feet by 16 feet.

- 3) ***Question/Clarification relating to additional stage lighting?***

Response: Vendor is responsible to provide any additional stage lighting needed and provide podium spot lighting.

- 4) ***Question relating to live feed?*** Will the vendor be required to provide live feed?

Response: Yes, the University will work with the winning vendor as to what lengths they may utilize the live video stream at the events.

- 5) ***Question/Clarification relating to placement of Screen?***

Response: Bottom point of screen should be a minimum of 8 feet off the ground.

End.