



Request for Quote

STATE OF RHODE ISLAND AND PROVIDENCE PLANTATIONS
 ONE CAPITOL HILL
 PROVIDENCE RI 02908

CREATION DATE : 27-OCT-15
 BID NUMBER: 7550001
 TITLE: CLASS "A" WINTER TROUSERS/MALE & FEMALE - DOC
 BID CLOSING DATE AND TIME: 10-NOV-2015 11:30:00

BUYER: Cowell Jr, John A
 PHONE #: 401-574-8114

**B
I
L
L
T
O**
 DOA CONTROLLER
 ONE CAPITOL HILL, 4TH FLOOR
 SMITH ST
 PROVIDENCE, RI 02908
 US

**S
H
I
P
T
O**
 DOC CDC ANNEX
 CLOTHING SUPPLIES
 9 POWER ROAD
 CRANSTON, RI 02920
 US

Requisition Number: 1423245

Line	Description	Quantity	Unit	Unit Price	Total
	NO SUBSTITUTIONS				
	VENDOR MUST BE AN AUTHORIZED FECHHEIMER DEALER				
1	WINTER TROUSER, FEMALE: SIZE 03 UNHEMMED (SPECIFICATION NO: 4290-ACI-17)	1.00	Pair		
2	WINTER TROUSER, FEMALE: SIZE 04 UNHEMMED (SPECIFICATION NO: 4290-ACI-17)	2.00	Pair		
3	WINTER TROUSER, FEMALE: SIZE 18 X 30 (SPECIFICATION NO: 4290-ACI-17)	2.00	Pair		
4	WINTER TROUSER, FEMALE: SIZE 18 UNHEMMED (SPECIFICATION NO: 4290-ACI-17)	2.00	Pair		
5	WINTER TROUSER, FEMALE: SIZE 20 UNHEMMED (SPECIFICATION NO: 4290-ACI-17)	2.00	Pair		
6	WINTER TROUSER, FEMALE: SIZE 22 UNHEMMED (SPECIFICATION NO: 4290-ACI-17)	2.00	Pair		
7	WINTER TROUSER, FEMALE: SIZE 24 X 29 (SPECIFICATION NO: 4290-ACI-17)	1.00	Pair		
8	WINTER TROUSER, FEMALE: SIZE 24 UNHEMMED (SPECIFICATION NO: 4290-ACI-17)	2.00	Pair		
9	WINTER TROUSER, MALE: SIZE 29 UNHEMMED (SPECIFICATION NO: 4290-ACI-01)	2.00	Pair		
10	WINTER TROUSER, MALE: SIZE 31 UNHEMMED (SPECIFICATION NO: 4290-ACI-01)	2.00	Pair		
11	WINTER TROUSER, MALE: SIZE 33 X 28 (SPECIFICATION NO: 4290-ACI-01)	4.00	Pair		
12	WINTER TROUSER, MALE: SIZE 33 X 31 (SPECIFICATION NO: 4290-ACI-01)	2.00	Pair		
13	WINTER TROUSER, MALE: SIZE 33 X 33	2.00	Pair		

It is the Vendor's responsibility to check and download any and all addenda from the RIVIP. This offer may not be considered unless a signed RIVIP generated Bidder Certification Cover Form is attached and the Unit Price column is completed. The signed Certification Cover Form must be attached to the front of the offer



Request for Quote

STATE OF RHODE ISLAND AND PROVIDENCE PLANTATIONS
ONE CAPITOL HILL
PROVIDENCE RI 02908

CREATION DATE : 27-OCT-15 BID NUMBER: 7550001 TITLE: CLASS "A" WINTER TROUSERS/MALE & FEMALE - DOC BID CLOSING DATE AND TIME: 10-NOV-2015 11:30:00

BUYER: Cowell Jr, John A PHONE #: 401-574-8114

B I L L T O	DOA CONTROLLER ONE CAPITOL HILL, 4TH FLOOR SMITH ST PROVIDENCE, RI 02908 US
--	--

S H I P T O	DOC CDC ANNEX CLOTHING SUPPLIES 9 POWER ROAD CRANSTON, RI 02920 US
--	---

Requisition Number: 1423245

Line	Description	Quantity	Unit	Unit Price	Total
	(SPECIFICATION NO: 4290-ACI-01)				
14	WINTER TROUSER, MALE: SIZE 35 X 31 (SPECIFICATION NO: 4290-ACI-01)	5.00	Pair		
15	WINTER TROUSER, MALE: SIZE 35 X 32 (SPECIFICATION NO: 4290-ACI-01)	4.00	Pair		
16	WINTER TROUSER, MALE: SIZE 35 UNHEMMED (SPECIFICATION NO: 4290-ACI-01)	20.00	Pair		
17	WINTER TROUSER, MALE: SIZE 36 X 30 (SPECIFICATION NO: 4290-ACI-01)	10.00	Pair		
18	WINTER TROUSER, MALE: SIZE 36 X 31 (SPECIFICATION NO: 4290-ACI-01)	8.00	Pair		
19	WINTER TROUSER, MALE: SIZE 36 X 32 (SPECIFICATION NO: 4290-ACI-01)	6.00	Pair		
20	WINTER TROUSER, MALE: SIZE 36 X 33 (SPECIFICATION NO: 4290-ACI-01)	8.00	Pair		
21	WINTER TROUSER, MALE: SIZE 36 X 34 (SPECIFICATION NO: 4290-ACI-01)	5.00	Pair		
22	WINTER TROUSER, MALE: SIZE 36 X 35 (SPECIFICATION NO: 4290-ACI-01)	1.00	Pair		
23	WINTER TROUSER, MALE: SIZE 36 X 36 (SPECIFICATION NO: 4290-ACI-01)	1.00	Pair		
24	WINTER TROUSER, MALE: SIZE 36 UNHEMMED (SPECIFICATION NO: 4290-ACI-01)	20.00	Pair		
25	WINTER TROUSER, MALE: SIZE 37 X 31 (SPECIFICATION NO: 4290-ACI-01)	8.00	Pair		
26	WINTER TROUSER, MALE: SIZE 37 X 32 (SPECIFICATION NO: 4290-ACI-01)	4.00	Pair		

It is the Vendor's responsibility to check and download any and all addenda from the RIVIP. This offer may not be considered unless a signed RIVIP generated Bidder Certification Cover Form is attached and the Unit Price column is completed. The signed Certification Cover Form must be attached to the front of the offer



Request for Quote

STATE OF RHODE ISLAND AND PROVIDENCE PLANTATIONS
ONE CAPITOL HILL
PROVIDENCE RI 02908

CREATION DATE : 27-OCT-15
BID NUMBER: 7550001
TITLE: CLASS "A" WINTER TROUSERS/MALE & FEMALE - DOC
BID CLOSING DATE AND TIME: 10-NOV-2015 11:30:00

BUYER: Cowell Jr, John A
PHONE #: 401-574-8114

B I L L T O	DOA CONTROLLER ONE CAPITOL HILL, 4TH FLOOR SMITH ST PROVIDENCE, RI 02908 US
--	--

S H I P T O	DOC CDC ANNEX CLOTHING SUPPLIES 9 POWER ROAD CRANSTON, RI 02920 US
--	---

Requisition Number: 1423245

Line	Description	Quantity	Unit	Unit Price	Total
27	WINTER TROUSER, MALE: SIZE 37 X 34 (SPECIFICATION NO: 4290-ACI-01)	2.00	Pair		
28	WINTER TROUSER, MALE: SIZE 37 UNHEMMED (SPECIFICATION NO: 4290-ACI-01)	20.00	Pair		
29	WINTER TROUSER, MALE: SIZE 38 X 29 (SPECIFICATION NO: 4290-ACI-01)	2.00	Pair		
30	WINTER TROUSER, MALE: SIZE 38 X 30 (SPECIFICATION NO: 4290-ACI-01)	20.00	Pair		
31	WINTER TROUSER, MALE: SIZE 38 X 32 (SPECIFICATION NO: 4290-ACI-01)	15.00	Pair		
32	WINTER TROUSER, MALE: SIZE 38 X 34 (SPECIFICATION NO: 4290-ACI-01)	2.00	Pair		
33	WINTER TROUSER, MALE: SIZE 38 UNHEMMED (SPECIFICATION NO: 4290-ACI-01)	24.00	Pair		
34	WINTER TROUSER, MALE: SIZE 40 X 29 (SPECIFICATION NO: 4290-ACI-01)	4.00	Pair		
35	WINTER TROUSER, MALE: SIZE 40 UNHEMMED (SPECIFICATION NO: 4290-ACI-01)	15.00	Pair		
36	WINTER TROUSER, MALE: SIZE 42 UNHEMMED (SPECIFICATION NO: 4290-ACI-01)	10.00	Pair		
37	WINTER TROUSER, MALE: SIZE 44 UNHEMMED (SPECIFICATION NO: 4290-ACI-01)	5.00	Pair		
38	WINTER TROUSER, MALE: SIZE 46 UNHEMMED (SPECIFICATION NO: 4290-ACI-01)	5.00	Pair		
39	WINTER TROUSER, MALE: SIZE 48 UNHEMMED (SPECIFICATION NO: 4290-ACI-01)	10.00	Pair		
40	WINTER TROUSER, MALE: SIZE 52 UNHEMMED (SPECIFICATION NO: 4290-ACI-01)	10.00	Pair		

It is the Vendor's responsibility to check and download any and all addenda from the RIVIP. This offer may not be considered unless a signed RIVIP generated Bidder Certification Cover Form is attached and the Unit Price column is completed. The signed Certification Cover Form must be attached to the front of the offer



Request for Quote

STATE OF RHODE ISLAND AND PROVIDENCE PLANTATIONS
 ONE CAPITOL HILL
 PROVIDENCE RI 02908

CREATION DATE : 27-OCT-15
BID NUMBER: 7550001
TITLE: CLASS "A" WINTER TROUSERS/MALE & FEMALE - DOC

BID CLOSING DATE AND TIME:10-NOV-2015 11:30:00

BUYER: Cowell Jr, John A
PHONE #: 401-574-8114

**B
I
L
L
T
O**
 DOA CONTROLLER
 ONE CAPITOL HILL, 4TH FLOOR
 SMITH ST
 PROVIDENCE, RI 02908
 US

**S
H
I
P
T
O**
 DOC CDC ANNEX
 CLOTHING SUPPLIES
 9 POWER ROAD
 CRANSTON, RI 02920
 US

Requisition Number: 1423245

Line	Description	Quantity	Unit	Unit Price	Total
41	WINTER TROUSER, MALE: SIZE 54 UNHEMMED (SPECIFICATION NO: 4290-ACI-01)	6.00	Pair		
42	WINTER TROUSER, MALE: SIZE 56 UNHEMMED (SPECIFICATION NO: 4290-ACI-01)	4.00	Pair		
43	WINTER TROUSER, MALE: SIZE 60 UNHEMMED (SPECIFICATION NO: 4290-ACI-01)	4.00	Pair		
44	WINTER TROUSER, MALE: SIZE 62 UNHEMMED (SPECIFICATION NO: 4290-ACI-01)	2.00	Pair		

Delivery: _____

Terms of Payment: _____

It is the Vendor's responsibility to check and download any and all addenda from the RIVIP. This offer may not be considered unless a signed RIVIP generated Bidder Certification Cover Form is attached and the Unit Price column is completed. The signed Certification Cover Form must be attached to the front of the offer

STATE OF RHODE ISLAND
DEPARTMENT OF ADMINISTRATION
DIVISION OF PURCHASES
PROVIDENCE, RI 02908

Spec. No. 4290-ACI-17

FEMALE - SLACKS (WINTER)

AGENCY: DEPARTMENT OF CORRECTIONS
ADULT CORRECTIONAL INSTITUTIONS

SUBJECT: Slacks, Uniform (Winter)

FABRIC: Raeford #645-186 or equal; 55% Dacron/45% Wool 16 ½ - 17 oz.

COLOR: Slate Grey

STYLE: Same style as men's trousers, but on a women's pattern and to have five (5) belt loops and no watch pocket. Slacks shall be manufactured from up-to-date patterns and shall be designed so that there will be no "peg" at the hip or baggy seat. The front shall be plain (no pleats) with two (2) ¼ top pockets, and two (2) hip pockets. The left hip pocket shall have a tab to button. The front pocket shall have a minimum opening of 6 ½" and shall be 6" deep from the bottom of the opening. They shall be stitched, turned and top stitched. The hip pockets shall have an opening of approximately 6" from bartack to bartack and shall be 6" deep. Hip pockets will be of the double welt method manufactured on Reece P.W. Machine and shall be finished in such a manner that there is no topstitching. The welts shall be interlined with Pellon. All four (4) pockets must have a firm, straight bartack for reinforcing strength.

POCKETING: The pocketing shall be 50% Polyester 50% cotton blend, minimum 2.70 weight with a minimum 70 x 60 count. The color of the pocketing shall be black, so as to be the same color or a contrasting color to the outer fabric. White or off-white color pocketing will not be acceptable.

WAISTBAND: Waistband curtain to be of the same fabric as the pocketing (black, 50% Polyester, 50% cotton) and shall close with a hook and eye. The waistband curtain must be attached to the trouser with a zigzag stitch. The waistband must have a 3-strand rubberized stitch (Snug-tex) and contain Ban-rol.

Spec. No. 4290-ACI-17

FEMALE - SLACKS (WINTER)

- FLY LINING:** The right fly shall be of the same fabric and color as the waistband and pocketing. The right fly lining must be sewn to the left fly below the zipper with strong closure on the inside of the right fly and the fabric for the French Fly must be the same as the outer material of the slacks.
- BELT LOOPS:** There shall be a minimum of five (5) belt loops 5/8" wide. All loops (except for the black center loop) must be sewn into the bottom of the waistband and the top of all loops shall be caught into the waistband curtain seam. The waistband shall measure approximately 2" wide when finished -- wide enough to comfortably accommodate a belt 1-5/8" wide.
- SPECIAL REQUIREMENTS:** Braid to be one inch black on outseam of trousers from inside the waistband to bottom of pants and turn over. Braid to be colorfast and preshrunk.
- BOTTOMS:** Plain finished bottoms to include cloth heel guards.
- MISCELLANEOUS:** Slacks must have a Talon #42 Memory lock zipper and there shall be a bartack at the bottom of the fly going through the zipper tape. The slacks must be seamed with matching thread and the seat seam must be stitched with a tandem needle machine (2 threads). All exposed inside edges must be serged.
- PRESSING & FINISHING:** Slacks must be properly pressed on hothead presses and properly shaped. The outseams and inseams must be pressed open. Slacks that have been chemically treated at the Mill for special pressing instructions shall be pressed in accordance with such Mill instructions, including those that require water spraying prior to leg pressing operation to insure a longer lasting crease and proper wrinkle resistance.
- SIZE TAGS:** The slacks must have a care label permanently affixed and also have size label showing fiber content and WPL number.

PLEASE RETAIN FOR FUTURE REFERENCE.

STATE OF RHODE ISLAND
DEPARTMENT OF ADMINISTRATION
DIVISION OF PURCHASES
PROVIDENCE, RI 02908

Spec. No. 4290-ACI-01

MALE -TROUSERS (WINTER)

- AGENCY:** DEPARTMENT OF CORRECTIONS
ADULT CORRECTIONAL INSTITUTIONS
- SUBJECT:** TROUSERS, Uniform Dress (Winter)
- FABRIC:** Raeford #645-186, 55% Dacron 45% Wool
16 ½ - 17 oz. or Equal.
- COLOR:** Slate Grey Elastique.
- STYLE:** Trousers shall be manufactured from up-to-date patterns and shall be designed so that there will be no "peg" at the hip or baggy seat. The front shall be plain (no pleats) with two (2) ¼ top pockets, with watch pocket and (2) hip pockets.
The left hip pocket shall have a tab to button. The front pocket have a minimum opening of 6 ½" and shall be 6" deep from the bottom of the opening. They shall be stitched, turned and top stitched. The hip pockets shall have an opening of approximately 6" from bartack to bartack and shall be 6" deep. Hip pockets will be of the double welt method manufactured on Reece P.W. Machine and shall be finished in such a manner that there is no top stitching. The welts shall be interlined with Pellon. The watch pocket shall have an opening of approximately 3" and be approximately 3" deep and must be located approximately 3 ½" in front of the right side seam at the waistband. All five (5) pockets must have a firm, straight bartack for reinforced strength.
- POCKETING:** The pocketing shall be 50% Polyester 50% Cotton blend, minimum 2.70 weight with a minimum 70 x 60 count. The color of the pocketing shall be black, so as to be the same color or a contrasting color to the outer fabric. White or off-white color pocketing will not be acceptable.
- WAISTBAND:** Waistband curtain to be of the same fabric as the pocketing (black, 50% Polyester, 50% cotton) and shall close with a hook and eye. The waistband curtain must be attached to the trouser with a zigzag stitch. The waistband must have a 3-strand rubberized stitch (Snug-tex) and contain Ban-rol.

Spec. No. 4290-ACI-01

MALE-TROUSERS (WINTER)

- FLY LINING:** The right fly shall be of the same fabric and color as the waistband and pocketing. The right fly lining must be sewn to the left fly below the zipper with strong closure on the inside of the right fly and the fabric for the French Fly must be the same as the outer material of the trousers.
- BELT LOOPS:** There shall be a minimum of seven (7) belt loops $\frac{3}{4}$ " wide. All loops (except for the back center loop) must be sewn into the bottom of the waistband and the top of all loops shall be caught into the waistband curtain seam. The waistband shall measure approximately 2" wide when finished-wide enough to comfortably accommodate a belt 1-5/8" wide.
- SIDE SEAMS:** One inch wide black Rayon braid to be sewn over side seam from bottom of waistband to bottom of trousers. Braid to be colorfast and pre-shrunk.
- BOTTOMS:** Plain finished bottoms to include cloth heel guards.
- MISCELLANEOUS:** Slacks must have a Talon #42 Memory lock zipper and there shall be a bartack at the bottom of the fly going through the zipper tape. The trousers must be seamed with matching thread and the seat seam must be stitched with a tandem needle machine (2 threads). All exposed inside edges must be serged.
- PRESSING & FINISHING:** Slacks must be properly pressed on hothead presses and properly shaped. The outseams and inseams must be pressed open. Trousers that have been chemically treated at the Mill for special pressing instructions shall be pressed in accordance with such Mill instruction, including those that require water spraying prior to leg pressing operation to insure a longer lasting crease and proper wrinkle resistance.
- LABELS:** The trousers must have a care label permanently affixed and also have size label showing fiber content and WPL number.

PLEASE RETAIN FOR FUTURE REFERENCE

Contract Terms and Conditions

Table of Contents

Terms and Conditions.....XXII
 BID STANDARD TERMS AND CONDITIONSXXII
 TERMS AND CONDITIONS FOR THIS BIDXXII
 RIVIP INFO - BID SUBMISSION REQUIREMENTSXXII
 VENDOR SPECIFICATIONSXXII
 DELIVERY PER AGENCYXXII

Terms and Conditions

BID STANDARD TERMS AND CONDITIONS

TERMS AND CONDITIONS FOR THIS BID

RIVIP INFO - BID SUBMISSION REQUIREMENTS

It is the Vendor's responsibility to check and download any and all addenda from the RIVIP. This offer may not be considered unless a signed RIVIP generated Bidder Certification Cover Form is attached and the Unit Price column is completed. The signed Certification Cover Form must be attached to the front of the offer. When delivering offers in person to One Capitol Hill, vendors are advised to allow at least one hour additional time for clearance through security checkpoints.

**MAILING ADDRESS FOR BID PROPOSALS ISSUED BY THE STATE OF RHODE ISLAND,
DIVISION OF PURCHASES**

All Bid Proposals must be submitted by mail or hand delivered to:

- State of Rhode Island
- Department of Administration
- Division of Purchases, Second floor
- One Capitol Hill
- Providence, RI 02908-5855

DIVESTITURE OF INVESTMENTS IN IRAN REQUIREMENT:

No vendor engaged in investment activities in Iran as described in R.I. Gen. Laws §37-2.5-2(b) may submit a bid proposal to, or renew a contract with, the Division of Purchases. Each vendor submitting a bid proposal or entering into a renewal of a contract is required to certify that the vendor does not appear on the list maintained by the General Treasurer pursuant to R.I. Gen. Laws §37-2.5-3.

VENDOR SPECIFICATIONS

ALL VENDORS MUST INCLUDE SPECIFICATIONS WITH BID PROPOSAL (EVEN THOSE BIDDING BRAND SPECIFIED). FAILURE TO SUBMIT SPECIFICATIONS WITH BID PROPOSAL MAY RESULT IN DISQUALIFICATION OF BID. ITEMS IN CATALOGS MUST BE CLEARLY MARKED AND PAGES TABBED.

DELIVERY PER AGENCY

DELIVERY OF GOODS OR SERVICES AS REQUESTED BY AGENCY.