



Request for Quote

STATE OF RHODE ISLAND AND PROVIDENCE PLANTATIONS
 ONE CAPITOL HILL
 PROVIDENCE RI 02908

CREATION DATE : 20-JUN-16
 BID NUMBER: 7550657,2
 TITLE: BUCKET TRUCKS - DOT

 BID CLOSING DATE AND TIME:29-JUN-2016 11:00:00

BUYER: Hill, Lisa
 PHONE #: 401-574-8118

**B
I
L
L

T
O**
 DOT MAINTENANCE BUSINESS OFFICE
 360 LINCOLN AVE
 WARWICK, RI 02888
 US

**S
H
I
P

T
O**
 DOT MAINTENANCE BUSINESS OFFICE
 360 LINCOLN AVE
 WARWICK, RI 02888
 US

Requisition Number: 1462797

Amendment Description: SEE ATTACHED ADDENDUM. THIS ADDENDUM MUST BE SIGNED BY COMPANY OFFICIAL, DATED AND RETURNED WITH VENDOR'S BID PROPOSAL. COMPLIANCE MUST BE INDICATED WHERE APPLICABLE.

Line	Description	Quantity	Unit	Unit Price	Total
1	<p>QUESTIONS CONCERNING THIS BID MUST BE DIRECTED TO LISA HILL AT LISA.HILL@PURCHASING.RI.GOV. QUESTIONS WILL BE ENTERTAINED UNTIL ONE WEEK PRIOR TO BID CLOSING DATE. AND TIME. TELEPHONE QUESTIONS WILL NOT BE ACCEPTED.</p> <p>BIDS MUST BE SUBMITTED IN DUPLICATE.THE STATE ISSUED BID SPECIFICATIONS MUST BE RETURNED WITH THE SOLICITATION AND MUST INDICATE COMPLIANCE WITH EACH INDIVIDUAL SPECIFICATION. IF THERE ARE ANY EXCEPTIONS, THE EXCEPTION MUST BE NOTED.</p> <p>BUCKET TRUCKS PER ATTACHED SPECIFICATIONS MODEL YEAR: _____ MAKE: _____ AERIAL DEVICE MAKE/MODEL: _____ ANTICIPATED DELIVERY DATE: _____</p>	4.00	Each		

Delivery: _____

Terms of Payment: _____

It is the Vendor's responsibility to check and download any and all addenda from the RIVIP. This offer may not be considered unless a signed RIVIP generated Bidder Certification Cover Form is attached and the Unit Price column is completed. The signed Certification Cover Form must be attached to the front of the offer

Contract Terms and Conditions

Table of Contents

Terms and Conditions.....VI
 BID STANDARD TERMS AND CONDITIONSVI
 TERMS AND CONDITIONS FOR THIS BIDVI
 RIVIP INFO - BID SUBMISSION REQUIREMENTSVI
 DELIVERY PER AGENCYVI

Terms and Conditions

BID STANDARD TERMS AND CONDITIONS

TERMS AND CONDITIONS FOR THIS BID

RIVIP INFO - BID SUBMISSION REQUIREMENTS

It is the Vendor's responsibility to check and download any and all addenda from the RIVIP. This offer may not be considered unless a signed RIVIP generated Bidder Certification Cover Form is attached and the Unit Price column is completed. The signed Certification Cover Form must be attached to the front of the offer. When delivering offers in person to One Capitol Hill, vendors are advised to allow at least one hour additional time for clearance through security checkpoints.

**MAILING ADDRESS FOR BID PROPOSALS ISSUED BY THE STATE OF RHODE ISLAND,
DIVISION OF PURCHASES**

All Bid Proposals must be submitted by mail or hand delivered to:

- State of Rhode Island
- Department of Administration
- Division of Purchases, Second floor
- One Capitol Hill
- Providence, RI 02908-5855

DIVESTITURE OF INVESTMENTS IN IRAN REQUIREMENT:

No vendor engaged in investment activities in Iran as described in R.I. Gen. Laws §37-2.5-2(b) may submit a bid proposal to, or renew a contract with, the Division of Purchases. Each vendor submitting a bid proposal or entering into a renewal of a contract is required to certify that the vendor does not appear on the list maintained by the General Treasurer pursuant to R.I. Gen. Laws §37-2.5-3.

DELIVERY PER AGENCY

DELIVERY OF GOODS OR SERVICES AS REQUESTED BY AGENCY.



State of Rhode Island
Department of Administration / Division of Purchases
One Capitol Hill, Providence, Rhode Island 02908-5855
Tel: (401) 574-8100 Fax: (401) 574-8387

ADDENDUM #2

RFQ # 7550657

TITLE: BUCKET TRUCKS - DOT

SUBMISSION DEADLINE:

JUNE 29, 2016 – 11:00 A.M.

*******THIS ADDENDUM MUST BE SIGNED BY COMPANY OFFICIAL, DATED AND *****
RETURNED WITH VENDOR'S BID PROPOSAL. COMPLIANCE MUST BE
INDICATED WHERE APPLICABLE.**

ANSWERS TO QUESTIONS RECEIVED ARE AS FOLLOWS:

- The RFQ page asks for the bidder to supply RIVIP Certification Cover Form. Please provide a copy of this form. **The certification cover form will download automatically when you sign into the website using your vendor number and password.**
- Is this unit replacing another piece of equipment? If so, can our Altec rep visit the equipment to document this specification for reference? **No, these are new vehicles.**
- Can we provide an engine powered pressure washer ILO hydraulic? This will allow for simultaneous operation of the boom and pressure washer. If the requirement is hydraulic, the new ANSI standard will not allow the use of both at the same time. **It was the intention not operate the pressure washer and boom at the same time.**
- Does RIDOT want an air compressor to go with the air line / tools requested, or do we cap both ends of the airline? **No compressor is required. A single ½" air line through booms with ½" female NPT fittings at the upper control station and ¾" NPT Jack Hammer Universal fittings at the base of the boom. (See page 7 addendum #1) The fitting at the upper control station shall be a quick disconnect fitting that matches the one supplied with the pneumatic chipping hammer and hose being supplied. (See page 15 addendum #1)**

- At the end for the 1st bid, there were additional requirements for GPS & trailer plug. These were not included in the 2nd bid. Please clarify these are not required. **GPS is not required. The trailer plug is required as detailed in the original specification.**

- Joystick control asks for boom to be "clearly marked as including high electrical resistance components". There are several other references to insulated components. The aluminum platform makes this a non-insulating unit. Is the expectation that this equipment be insulated? If so, some of the specs should be reviewed (i.e. water along booms, aluminum platform, reels on booms, etc.) Please clarify this is a non-insulated unit. **The intention was that the boom is to be insulated from the vehicle.**

- The spec references a jib in the platform section due to platform rotation. The spec does not call for material handling capacity. Is this unit supposed to have material handling? **Yes, the following is added to the specification:**

JIB AND WINCH:

A material handling jib and winch consisting of a winch and a jib pole that mounts to the platform with a minimum capacity of 200 lbs. that are automatically leveled with the platform. The winch is to be a 1000 lb. capacity and hydraulically powered with seventy feet of rope and a clevis hook. The jib pole and winch assemblies must tilt down to a stowed position and/or can be easily removed when not needed.

Comply: _____

- The 1st bid spec asks for two units. The 2nd bid spec does not specify. Please clarify the quantity of units. **There is a total of 4 units**

- Please clarify shipping locations if this is a multiple truck order. This is required to quote the delivery and on site training requirements. **The location for these four trucks and training is 360 Lincoln Ave. Warwick RI 02888**

- Chassis Laptop / Software: The license for the software is only usable from the buyer. Altec cannot pay for the license and then RIDOT use it. This option would require RIDOT to purchase the license after delivery and submit warranty to Altec for reimbursement. It is recommended the manufacturer provide the hardware only for this spec. Also, if this is a multiple truck order, does RIDOT want a laptop with each vehicle? **RIDOT wants a laptop with each vehicle and it is the successful bidder's responsibility to provide RIDOT with the software, licenses and annual renewals as required in the specifications.**

- The lower controls spec calls for them to override the upper controls while unattended. This violates the new ANSI standard for controls. Please update the spec to comply with ANSI. **The intension of this spec is to comply with all the current codes, including the following:**

1926.453(b)(2)(ix)

Articulating boom and extensible boom platforms, primarily designed as personnel carriers, shall have both platform (upper) and lower controls. Upper controls shall be in or beside the platform within easy reach of the operator. Lower controls shall provide for overriding the upper controls. Controls shall be plainly marked as to their function. Lower level controls shall not be operated unless permission has been obtained from the employee in the lift, except in case of emergency.

- Please clarify the "Quick anti-Freeze setup" requirement. **The intention of this is to flush and winterize the pressure washer system to allow for year round use of this vehicle.**

- Does RIDOT want a tailshelf in addition to the 156" flatbed as called for in pg. 11? This portion of the spec also call for stairs in the tailshelf, and there are also stairs in the CS 2nd vertical. Please clarify the tailshelf / step requirements. **The flatbed is 156" long. At the rear curbside of the bed stairs are required to access the bed. The intention was there is access to the bed from the curbside both in front of and behind the water tank that is mounted centered above the rear axle.**

- Strobe light spec calls for two mounted on the body fender skirts. The flatbed does not have fender skirts. Should they be mounted on the sides of the flatbed above the rear wheels? **The two strobe lights mounted on the body fender skirts, is changed to 4 strobe lights mounted in pairs below the rear corners of the bed 90 degrees apart such that one faces the rear and the other faces the side of the vehicle.**

Add the following paragraphs to the specification:

BOOM:

The tail side of the Boom and Articulating Arm (opposite of the platform) shall not extend greater than 66" from the center of rotation. Comply: _____

TRUCK DELIVERY SCHEDULE

Delivery must be completed within one hundred twenty (120) days of the successful proposal. All bidders shall provide as part of their bid a schedule for the delivery of all trucks to RIDOT. This date shall be listed as the number of days following issuance of a Notice to Proceed, that the bidder shall successfully deliver all units to the Rhode Island Department of Transportation. Failure to submit a schedule will result in the bid being considered non-responsive. Failure to meet the schedule will result in 3% retention on the total order.

Comply: _____

The following are clarifications to the specification:

Page 7 The section titled **LOWER PLATFORM STOW CONTROL** shall be replaced with the following:

LOWER PLATFORM STOW CONTROL:

A lever control at the lower control station which will be used for platform tilt/dump.

Comply: _____

Page 16 Replace the section title "**Other Options**" with the section title "**Other Requirements**"

The specifications state the bidders are required to return bid specifications in duplicate (one for Division of Purchases and one for RIDOT review).

In addition, the Vendor's name must be included on each page of their submittal for proper identification. An example of the format is shown below:

Lisa Hill

Lisa Hill
Chief Buyer