

Request for Quote

STATE OF RHODE ISLAND AND PROVIDENCE PLANTATIONS
 ONE CAPITOL HILL
 PROVIDENCE RI 02908

BUYER: Hill, Lisa
 PHONE #: 401-574-8118

CREATION DATE : 16-JUN-16
 BID NUMBER: 7550716
 TITLE: WATER TANK TRUCKS WITH PRESSURE PUMP - DOT
 BID CLOSING DATE AND TIME:13-JUL-2016 11:00:00

**B
I
L
L
T
O**
 DOT MAINTENANCE BUSINESS OFFICE
 360 LINCOLN AVE
 WARWICK, RI 02888
 US

**S
H
I
P
T
O**
 DOT MAINTENANCE BUSINESS OFFICE
 360 LINCOLN AVE
 WARWICK, RI 02888
 US

Requisition Number: 1462776

Line	Description	Quantity	Unit	Unit Price	Total
1	<p>QUESTIONS CONCERNING THIS SOLICITATION MUST BE DIRECTED TO LISA HILL AT LISA.HILL@PURCHASING.RI.GOV NO LATER THAN ONE WEEK PRIOR TO THE CLOSING DATE AND TIME.</p> <p>NO TELEPHONE QUESTIONS WILL BE ACCEPTED. *****</p> <p>BIDS MUST BE SUBMITTED IN DUPLICATE. THE BID SPECIFICATIONS MUST BE RETURNED IN DUPLICATE INDICATING COMPLIANCE OR EXCEPTION TO EACH SPECIFICATION. EXCEPTIONS, IF ANY, MUST BE NOTED.</p> <p>WATER TANK TRUCKS WITH PRESSURE PUMP, PER ATTACHED BID SPECIFICATIONS</p>	5.00	Each		

Delivery: _____

Terms of Payment: _____

It is the Vendor's responsibility to check and download any and all addenda from the RIVIP. This offer may not be considered unless a signed RIVIP generated Bidder Certification Cover Form is attached and the Unit Price column is completed. The signed Certification Cover Form must be attached to the front of the offer

**STATE OF RHODE ISLAND-DIVISION
OF PURCHASES**

RFQ # 7550716

WATER TANK TRUCK WITH PRESSURE PUMP

APPLICATION: Water Tank
MISSION: Requested GVWR: 33000. Calc. GVWR: 44000
 Calc. Start / Grade Ability: 36.95% / 3.69% @ 55 MPH
 Calc. Geared Speed: 69.2 MPH
DIMENSION: Wheelbase: 187.00, CA: 119.00, Axle to Frame: 75.00
ENGINE, DIESEL: { (Navistar N9) EPA 2010, 315 HP @ 2000 RPM, 950 lb-ft Torque @ 1200
 RPM, 2000 RPM Governed Speed, 315 Peak HP (Max) or EQUAL
TRANSMISSION, AUTOMATIC: {Allison 3000_RDS_P} 5th Generation Controls; Close Ratio, 6-Speed, with Double
 Overdrive, On/Off Hwy; Includes Oil Level Sensor, with PTO Provision, Less
 Retarder, With 80,000-lb GVW & GCW Max.
CLUTCH: Omit Item (Clutch & Control)
AXLE, FRONT NON-DRIVING: {Meritor MFS-18-133A} Wide Track, I-Beam Type, 18,000-lb Capacity
AXLE, REAR, SINGLE: {Dana Spicer S26-190} Single Reduction, 26,000-lb Capacity,
 R Wheel Ends Gear Ratio: 6.14 or EQUAL
CAB: Conventional
SUSPENSION, RR, SPRING, SINGLE: Vari-Rate; 31,000-lb Capacity, includes 4500 lb Capacity Multileaf Auxillary
PAINT: Cab schematic 100GN
 Location 1: 9219, Winter White (Std)
 Chassis schematic N/A

Description

Base Chassis, Model 7400 SBA 4X2 with 187.00 Wheelbase, 119.00 CA, & 75.00 Axle
 to Frame or EQUAL Comply_____

TOW HOOK, FRONT (2) Frame Mounted Comply_____

FRAME RAILS Heat Treated Alloy Steel (120,000 PSI Yield); 10.866" x 3.622" x 0.433"
 (276.4mm x 92.0mm x 11.1mm); 456.0" (11582mm) Maximum OAL Comply_____

LICENSE PLATE HOLDER Single Plate, Swing Type, Mounted Below Front Bumper Comply_____

BUMPER, FRONT Steel Comply_____

Includes Comply_____
 : BUMPER, FRONT Powder Coated Gray (Argent) Color

WHEELBASE RANGE 138" (350cm) Through and Including 187" (475cm) Comply_____

AXLE, FRONT NON-DRIVING {Meritor MFS-18-133A} Wide Track, I-Beam Type, 18,000-lb Capacity Comply_____

Notes Comply_____
 : The following features should be considered when calculating Front GAWR: Front Axles;
 Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.

SHOCK ABSORBERS, FRONT Comply_____

SUSPENSION, FRONT, SPRING Parabolic, Taper Leaf; 18,000-lb Capacity; Less Shock Absorbers Comply_____

Includes Comply_____
 : SPRING PINS Rubber Bushings, Maintenance-Free

Notes Comply_____
 : The following features should be considered when calculating Front GAWR: Front Axles;
 Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.

BRAKE SYSTEM, AIR Dual System for Straight Truck Applications Comply_____

Includes Comply_____
 : BRAKE LINES Color and Size Coded Nylon

STATE OF RHODE ISLAND-DIVISION
OF PURCHASES

RFQ # 7550716

WATER TANK TRUCK WITH PRESSURE PUMP

: DRAIN VALVE Twist-Type Comply____
: DUST SHIELDS, FRONT BRAKE Comply____
: DUST SHIELDS, REAR BRAKES Comply____
: GAUGE, AIR PRESSURE (2) Air 1 and Air 2 Gauges; Located in Instrument Cluster Comply____
: PARKING BRAKE CONTROL Yellow Knob, Located on Instrument Panel Comply____
: PARKING BRAKE VALVE For Truck Comply____
: QUICK RELEASE VALVE Bendix On Rear Axle for Spring Brake Release: 1 for 4x2, 2 for 6x4 Comply____
: SLACK ADJUSTERS, FRONT Automatic Comply____
: SLACK ADJUSTERS, REAR Automatic Comply____
: SPRING BRAKE MODULATOR VALVE R-7 for 4x2, SR-7 with relay valve for 6x4 Comply____

Notes

: Rear Axle is Limited to 23,000-lb GAWR with Code 04091 BRAKE SYSTEM, AIR and Standard Rear Air Cam Brakes Regardless of Axle/ Suspension Ordered Comply____

Description

BRAKES, FRONT, AIR CAM 16.5" x 6" Includes 24 Sqin Long Stroke Brake Chambers Comply____

Notes

: The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires. Comply____

BRAKE SHOES, REAR Cast Comply____

Notes

: Provides Rear Axle GAWR Up to 26,000-lb when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, Wheels; Tires. Comply____

AIR BRAKE ABS {Bendix AntiLock Brake System} Full Vehicle Wheel Control System (4-Channel) With Automatic Traction Control Comply____

AIR DRYER {Bendix AD-9} With Heater Comply____

Includes

: AIR DRYER LOCATION inside Left Rail, Back of Cab Comply____

BRAKE CHAMBERS, REAR AXLE {Bendix Eversure} 30/30 Spring Brake Comply____

BRAKE CHAMBERS, FRONT AXLE {Bendix} 20 Sqin Comply____

SLACK ADJUSTERS, FRONT {Haldex} Automatic Comply____

SLACK ADJUSTERS, REAR {Haldex} Automatic Comply____

BRAKES, REAR, AIR CAM S-Cam; 16.5" x 7.0"; Includes 30/30 Sq.In. Long Stroke Brake Chamber and Spring Actuated Parking Brake Comply____

Notes

: The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear, Special Rating, GAWR Wheels; Tires. Comply____

AIR COMPRESSOR {Bendix Tu-Flo 550} 13.2 CFM Capacity Comply____

DRAIN VALVE {Bendix DV-2} Automatic; With Heater; for Air Tank Comply____

STEERING COLUMN Tilting Comply____

STEERING WHEEL 2-Spoke, 18" Diam., Black Comply____

STATE OF RHODE ISLAND-DIVISION
OF PURCHASES

RFQ # 7550716

WATER TANK TRUCK WITH PRESSURE PUMP

STEERING GEAR {Sheppard M-100} Power Comply_____

EXHAUST SYSTEM Switchback Horizontal Aftertreatment Device, Frame Mounted Right Side Under Cab; Includes Single Vertical Tail Pipe, Frame Mounted Right Side Back of Cab Comply_____

ENGINE COMPRESSION BRAKE for Navistar N9/10 I6 Engines Electronically Activated Comply_____

Description

TAIL PIPE (1) Turnback Type, Bright, for Single Exhaust Comply_____

MUFFLER/TAIL PIPE GUARD 9l) Bright Stainless Steel Comply_____

SWITCH, FOR EXHAUST 3 Position, Momentary, Lighted Momentary, ON/CANCEL, Center Stable, INHIBIT REGEN, Mounted in IP, Inhibits Diesel Particulate Filter Regeneration When Switch is moved to ON while Engine is Running, Resets when Ignition is Turned Off Comply_____

ELECTRICAL SYSTEM 12-Volt, Standard Equipment Comply_____

Description

includes

: DATA LINK CONNECTOR For Vehicle Programming and Diagnostics In Cab Comply_____

: FUSES, ELECTRICAL SAE Blade-Type Comply_____

: HAZARD SWITCH Push On/Push Off, Located on Top of Steering Column Cover Comply_____

: HEADLIGHT DIMMER SWITCH Integral with Turn Signal Lever Comply_____

: HEADLIGHTS (2) Sealed Beam, Round, With Chrome Plated Bezels Comply_____

: JUMP START STUD Located on Positive Terminal of Outermost Battery Comply_____

: PARKING LIGHT Integral with Front Turn Signal and Rear Tail Light Comply_____

: RUNNING LIGHT (2) Daytime, Included With Headlights Comply_____

: STARTER SWITCH Electric, Key Operated Comply_____

: STOP, TURN, TAIL & B/U LIGHTS Dual, Rear, Combination with Reflector Comply_____

: TURN SIGNAL SWITCH Self-Cancelling for Trucks, Manual Cancelling for Tractors, with Lane Change Feature Comply_____

: WINDSHIELD WIPER SWITCH 2-Speed with Wash and Intermittent Feature (5 Pre-Set Delays), Integral with Turn Signal Lever Comply_____

: WINDSHIELD WIPERS Single Motor, Electric, Cowl Mounted Comply_____

: WIRING, CHASSIS Color Coded and Continuously Numbered Comply_____

CIGAR LIGHTER Includes Ash Cup Comply_____

HORN, ELECTRIC (2) Disc Style Comply_____

POWER SOURCE Cigar Type Receptacle without Plug and Cord Comply_____

ALTERNATOR {Leece-Neville AVI160P2013} Brush Type; 12 Volt 160 Amp. Capacity, Pad Mount, With Remote Sense Comply_____

BODY BUILDER WIRING Back of Standard Cab at Left Frame or Under Extended or Crew Cab at Left Frame; Includes Sealed Connectors for Tail/Amber Turn/Marker/ Backup/Accessory Power/Ground and Sealed Connector for Stop/Turn Comply_____

BATTERY SYSTEM {International} Maintenance-Free (2) 12-Volt 1950CCA Total

2-WAY RADIO Wiring Effects; Wiring With 20 Amp Fuse Protection, Includes Ignition Wire With 5 Amp Fuse, Wire Ends Heat Shrink and Routed to Center of Header Console in Cab Comply_____

RADIO AM/FM/WB/Clock/3MM Auxiliary Input, w/ Multiple Speakers BLUETOOTH FOR HANDS FREE Comply_____

BACK-UP ALARM Electric, 102 dBA Comply_____

STATE OF RHODE ISLAND-DIVISION
OF PURCHASES

RFQ # 7550716

WATER TANK TRUCK WITH PRESSURE PUMP

Description

BATTERY BOX Steel, with Plastic Cover, 18" Long By 30" Wide, 2, 3 or 4 Battery Capacity, Mounted Left Side back of Cab	Comply_____
HORN, AIR Black, Single Trumpet, Air Solenoid Operated	Comply_____
HEADLIGHTS Long Life Halogen; for Two Light System	Comply_____
CLEARANCE/MARKER LIGHTS (5) {Truck Lite} Amber LED Lights, Flush Mounted on Cab or Sunshade	Comply_____
HEADLIGHTS ON W/WIPERS Headlights Will Automatically Turn on if Windshield Wipers are turned on	Comply_____
STARTING MOTOR {Delco Remy 38MT Type 300} 12 Volt; less Thermal Over-Crank Protection	Comply_____
INDICATOR, LOW COOLANT LEVEL With Audible Alarm	Comply_____
CIRCUIT BREAKERS Manual-Reset (Main Panel) SAE Type III With Trip Indicators, Replaces All Fuses Except For 5-Amp Fuses	Comply_____
TURN SIGNALS, FRONT LED, Includes LED Side Marker Lights, Mounted on Fender	Comply_____
FENDER EXTENSIONS Rubber	Comply_____
INSULATION, UNDER HOOD for Sound Abatement	Comply_____
GRILLE Stationary Chrome	Comply_____
INSULATION, SPLASH PANELS for Sound Abatement	Comply_____
BUG SCREEN Front End; Mounted Behind Grille	Comply_____
FRONT END Tilting, Fiberglass, With Three Piece Construction	Comply_____
PAINT SCHEMATIC, PT-1 Single Color, Design 100	Comply_____
Includes: PAINT SCHEMATIC ID LETTERS "GN"	Comply_____
PAINT TYPE Base Coat/Clear Coat, 1-2 Tone	Comply_____
KEYS - ALL ALIKE Fleet - Includes Ignition and Cab Door Keys	Comply_____
4- L32LAF AMBER 360° STROBES MOUNTED ON FRONT AND REAR OF TANK WITH WHELAN BRANCH GUARD KIT	Comply_____
BLOCK HEATER, ENGINE {Phillips} 120 Volt/1250 Watt Includes : BLOCK HEATER SOCKET Receptacle Type; Mounted below Drivers Door	Comply_____ Comply_____

Description:

: AIR COMPRESSOR AIR SUPPLY LINE Naturally-Aspirated (Air Brake Chassis Only)	Comply_____
: ANTI-FREEZE Red Extended Life Coolant; -40 Degrees F/ -40 Degrees C;	Comply_____
: COLD STARTING EQUIPMENT Intake Manifold Electric Grid Heater with Engine ECM Control	Comply_____
: CRUISE CONTROL Electronic; Controls Integral to Steering Wheel	Comply_____
: ENGINE OIL DRAIN PLUG Magnetic	Comply_____
: ENGINE SHUTDOWN Electric, Key Operated	Comply_____
: FUEL FILTER Included with Fuel/Water Separator	Comply_____
: FUEL/WATER SEPARATOR Fuel/Water Separator and Fuel Filter in a Single Assembly; With Water-in-Fuel Sensor; Engine Mounted	Comply_____

STATE OF RHODE ISLAND-DIVISION
OF PURCHASES

RFQ # 7550716

WATER TANK TRUCK WITH PRESSURE PUMP

: GOVERNOR Electronic	Comply_____
: OIL FILTER, ENGINE Spin-On Type	Comply_____
: WET TYPE CYLINDER SLEEVES	Comply_____
FAN DRIVE {Horton Drivemaster Polar Extreme} Direct Drive Type, Two Speed, With Residual Torque Device for Disengaged Fan Speed	Comply_____
Includes : FAN Nylon	Comply_____
RADIATOR Aluminum, Cross Flow, Series System; 1228 SqIn Core and 648 SqIn Charge Air Cooler and With Transmission Oil Cooler	Comply_____
AIR CLEANER Single Element	Comply_____
Includes : GAUGE, AIR CLEANER RESTRICTION Air Cleaner Mounted	Comply_____
THROTTLE, HAND CONTROL Engine Speed Control; Electronic, Stationary, Variable Speed; Mounted on Steering Wheel	Comply_____
ENGINE CONTROL, REMOTE MOUNTED Provision for; Includes Wiring for Body Builder Installation of PTO Controls; With Ignition Switch Control	Comply_____
EMISSION COMPLIANCE Low NOx Idle Engine, Complies with California Clean Air Regulations; Includes "Certified Clean Idle" Decal on Hood	Comply_____
FUEL/WATER SEPARATOR with Thermostatic Fuel Temperature Controlled Electric Heater, and Filter Restriction/Change Indicator, Includes Standard Equipment Water-in-Fuel Sensor	Comply_____
FUEL TANK Top Draw; D-Style, Non-Polished Aluminum, 16" Tank Depth, 100 U.S. Gal., Connect Outlet, Mounted Left Side, Under Cab	Comply_____
DEF TANK 7 U.S. Gal. 26.5L Capacity, Frame Mounted Outside Left Rail, Under Cab	Comply_____
CAB Conventional	
Includes	
: ARM REST (2) Molded Plastic; One Each Door	Comply_____
: COAT HOOK, CAB Located on Rear Wall, Centered Above Rear Window	Comply_____
: CUP HOLDERS Two Cup Holders, Located in Lower Center of Instrument Panel	Comply_____
: DOME LIGHT, CAB Rectangular, Door Activated and Push On-Off at Light Lens, Timed Theater Dimming, Integral to Console, Center Mounted	Comply_____
: GLASS, ALL WINDOWS Tinted POWER WINDOWS AND LOCKS	Comply_____
: GRAB HANDLE, CAB INTERIOR (1) "A" Pillar Mounted, Passenger Side	Comply_____
: GRAB HANDLE, CAB INTERIOR (2) Front of "B" Pillar Mounted, One Each Side	Comply_____
: INTERIOR SHEET METAL Upper Door (Above Window Ledge) Painted Exterior Color	Comply_____
: STEP (4) Two Steps Per Door	Comply_____
GAUGE CLUSTER English With English Electronic Speedometer	Comply_____
Includes	
: GAUGE CLUSTER (6) Engine Oil Pressure (Electronic), Water Temperature (Electronic), Fuel (Electronic), Tachometer (Electronic),	Comply_____
: Voltmeter, Washer Fluid Level	Comply_____
: ODOMETER DISPLAY, Miles, Trip Miles, Engine Hours, Trip Hours, Fault Code Readout	Comply_____
: WARNING SYSTEM Low Fuel, Low Oil Pressure, High Engine Coolant Temp, and Low Battery Voltage (Visual and Audible)	Comply_____
GAUGE, OIL TEMP, AUTO TRANS , for Allison Transmission	Comply_____

STATE OF RHODE ISLAND-DIVISION
OF PURCHASES

RFQ # 7550716

WATER TANK TRUCK WITH PRESSURE PUMP

IP CLUSTER DISPLAY On Board Diagnostics Display of Fault Codes in Gauge Cluster Comply_____

GAUGE, DEF FLUID LEVEL Comply_____

Description

SEAT, DRIVER {National 2000} Air Suspension, High Back With Integral Headrest, Vinyl, Isolator, 1 Chamber Lumbar, With 2 Position Front Cushion Adjust, -3 to +14 Degree Angle Back Adjust Comply_____

Includes

: SEAT BELT 3-Point, Lap and Shoulder Belt Type Comply_____

GRAB HANDLE Chrome; Towel Bar Type With Anti-Slip Rubber Inserts; for Cab Entry Mounted Left Side Only at "B" Pillar Comply_____

SEAT, PASSENGER SAME AS DRIVERS SEAT Comply_____

MIRRORS (2) {Lang Mekra} Rectangular, Thermostatically Controlled Heated Heads, Bright Finish Heads, with Black Brackets and Arms, Breakaway Type, 7.55" x 14.1" Integral Convex Both Sides, 102" Inside Spacing, Comply_____

SEAT BELT All Red; 1 to 3 Comply_____

AIR CONDITIONER {Blend-Air} With Integral Heater & Defroster Comply_____

Includes

: HEATER HOSES Premium Comply_____

: HOSE CLAMPS, HEATER HOSE Mubea Constant Tension Clamps Comply_____

: REFRIGERANT Hydrofluorocarbon HFC-134A Comply_____

CAB SOUND-INSULATION Includes Dash Insulator and Engine Cover Insulator Comply_____

Notes

: Feature included with CAB INTERIOR TRIM, Premium Comply_____

INSTRUMENT PANEL Center Section, Flat Panel Comply_____

WINDOW, POWER (2) & Power Door Locks, Left and Right Doors, Includes Express Down Feature Comply_____

HVAC FRESH AIR FILTER Comply_____

STORAGE POCKET, DOOR Molded Plastic, Full Width; Mounted on Passenger Door Comply_____

CAB INTERIOR TRIM Deluxe Comply_____

Includes

: "A" PILLAR COVER Molded Plastic Comply_____

: CAB INTERIOR TRIM PANELS Cloth Covered Molded Plastic, Full Height; All Exposed Interior Sheet Metal is Covered Except for the Following: with a Two-Man Passenger Seat or with a Full Bench Seat the Back Panel is Completely Void of Covering Comply_____

: CONSOLE, OVERHEAD Molded Plastic; With Dual Storage Pockets with Retainer Nets and CB Radio Pocket Comply_____

: DOOR TRIM PANELS Molded Plastic; Driver and Passenger Doors Comply_____

: FLOOR COVERING Rubber, Black Comply_____

: HEADLINER Soft Padded Cloth Comply_____

: INSTRUMENT PANEL TRIM Molded Plastic with Black Center Section Comply_____

: STORAGE POCKET, DOOR (1) Molded Plastic, Full-Length; Driver Door Comply_____

: SUN VISOR (2) Padded Vinyl with Driver Side Toll Ticket Strap, Integral to Console Comply_____

CAB REAR SUSPENSION Air Bag Type Comply_____

STATE OF RHODE ISLAND-DIVISION
OF PURCHASES

RFQ # 7550716

WATER TANK TRUCK WITH PRESSURE PUMP

Description

WINDSHIELD WIPER BLADES Snow Type Comply_____

WHEELS, FRONT DISC; 22.5" Painted Steel, 5-Hand Hole, 10-Stud (285.75MM BC) Hub Piloted, Flanged Nut, Metric Mount, 9.00 DC Rims; With Steel Hubs. Comply_____

Includes

: PAINT IDENTITY, FRONT WHEELS White Comply_____

Notes

: Tire Sizes: 315/80R22.5 Comply_____

WHEELS, REAR DUAL DISC; 22.5" Painted Steel, 2 Hand Hole, 10-Stud (285.75MM BC) Hub Piloted, Flanged Nut, Metric Mount, 8.25 DC Rims; With .472" Thick Increased Capacity Disc and With Steel Hubs Comply_____

Includes

: PAINT IDENTITY, REAR WHEELS White Comply_____

Notes

: Tire Sizes: 12R24.5 Comply_____

PAINT IDENTITY, REAR WHEELS Disc Rear Wheels; With Vendor Applied White Powder Coat Paint Comply_____

WHEEL BEARING, FRONT, LUBE {EmGard 50W} Synthetic Oil Comply_____

BDY INTG, PTO ACCOMMODATION for (3) Latched Rocker Switches, (1) PTO Switch, (2) Generic Switches to Control (3) 30 amp relays, With Programmable Interlocks, for Body Builder Hook up in the Engine Compartment Left Side, Recommended for Automatic Transmissions Comply_____

(4) TIRE, REAR 12R24.5 UNISTEEL G177 (GOODYEAR) 478 rev/mile, load range H, 16 ply Comply_____

(2) TIRE, FRONT 315/80R22.5 UNISTEEL G291 (GOODYEAR) 491 rev/mile, load range L, 20 ply Comply_____

Services Section:

WARRANTY 3 year Comply_____

Description

2400 gallon Nassau tank w/positive vent system & Honda #3693 pump Comply_____

100' of pressured power hose and reel for pressure washing Comply_____

VMS 3 line message/arrow board Comply_____

"INSTALL SUPPLIED STATE RADIO" Comply_____

CERTIFICATE OF ORIGIN :

The Contractor shall furnish a Certificate of Origin to RIDOT

The Certificate shall be completed as follows:


Name of Purchaser: State of RI/Fleet Operations

Address of Purchaser: One Capitol Hill Providence, RI 02908

ALL BIDS SUBMITTED MUST BE IN DUPLICATE

STATE OF RHODE ISLAND-DIVISION
OF PURCHASES
RFQ # 7550716

RIDOT
STANDARD TRAILER
WIRING DIAGRAM



PLASTIC GROTE PLUG	#82-2140
FITS PLASTIC GROTE SOCKET	#82-2145

Contract Terms and Conditions

Table of Contents

Terms and Conditions.....	VI
BID STANDARD TERMS AND CONDITIONS	VI
TERMS AND CONDITIONS FOR THIS BID	VI
TERMS AND CONDITIONS FOR THIS BID	VI
PURCHASE AGREEMENT BID	VI

Terms and Conditions

BID STANDARD TERMS AND CONDITIONS

TERMS AND CONDITIONS FOR THIS BID

TERMS AND CONDITIONS FOR THIS BID

PURCHASE AGREEMENT BID

BIDDING (a) A single price shall be quoted for each item against which a proposal is submitted. This price will be the maximum in effect during the agreement period. Any price decline at the manufacturer's level shall be reflected in a reduction of the agreement price to the State. (b) Quantities, if any, are estimated only. The agreement shall cover the actual quantities ordered during the period. Deliveries will be billed at the single, firm, awarded unit price quoted regardless of the quantities ordered. (c) Bid price is net F.O.B. destination and shall include inside delivery at no extra cost. (d) Bids for single items and/or a small percentage of total items listed, may, at the State's sole option, be rejected as being non-responsive to the intent of this request. **ORDERING** (a) The User Agency(s) will submit individual orders for the various items and various quantities as may be required during the agreement period. (b) Exception - Regardless of any agreement resulting from this bid, the State reserves the right to solicit prices separately for any extra large requirements for delivery to specific destinations.

Mailing Address for Bid Proposals issued by the State of Rhode Island, Division of Purchases:

All Bid Proposals must be submitted to the following address:

State of Rhode Island
Department of Administration
Division of Purchases, 2nd Floor
One Capitol Hill
Providence, RI 02908