



# Request for Quote

STATE OF RHODE ISLAND AND PROVIDENCE PLANTATIONS  
 ONE CAPITOL HILL  
 PROVIDENCE RI 02908

CREATION DATE : 12-JUL-16  
 BID NUMBER: 7550782  
 TITLE: FORD POLICE INTERCEPTOR UTILITY VEHICLES  
 - URI  
 BID CLOSING DATE AND TIME: 01-AUG-2016 10:30:00

BUYER: Mosca, Gary  
 PHONE #: 401-574-8124

**B**  
**I**  
**L**  
**L**  
**L**  
**T**  
**O**  
 URI ACCOUNTS PAYABLE  
 CARLOTTI ADMINISTRATION BLDG  
 75 LOWER COLLEGE ROAD, SUITE 1  
 KINGSTON, RI 02881  
 US

**S**  
**H**  
**I**  
**P**  
**T**  
**O**  
 URI FACILITIES RECEIVING  
 ATTN: SEE BELOW  
 SHERMAN BLDG  
 KINGSTON, RI 02881  
 US

Requisition Number: 1468071

Line	Description	Quantity	Unit	Unit Price	Total
1	New, Newest Model, 2017 Model Year, Four (4) Door Sport Utility vehicles, all wheel drive, five passenger, solid color with police interceptor package, per the attached specifications. Indicate the following information: VEHICLE YEAR: _____ MAKE: _____ MODEL: _____ ANTICIPATED DELIVERY: _____	2.00	Each		

Delivery: \_\_\_\_\_

Terms of Payment: \_\_\_\_\_

It is the Vendor's responsibility to check and download any and all addenda from the RIVIP. This offer may not be considered unless a signed RIVIP generated Bidder Certification Cover Form is attached and the Unit Price column is completed. The signed Certification Cover Form must be attached to the front of the offer

STATE OF RHODE ISLAND  
DIVISION OF PURCHASES  
BID NO. 7550782

*The State of Rhode Island Division of Purchases on behalf of the University of Rhode Island is seeking proposals for Two (2) New, Newest Model, 2017 Ford Police Interceptor Utility vehicles), in accordance to all specified requirements of Bid Specification Sheet and solicitation requirements herein.*

*The purchase of this vehicle is an addition to an already existing fleet. Due to the special requirements of vehicle and integration with existing fleet there will be no substitutes accepted for this solicitation.*

A copy of the bid specifications must be **returned with the bid and must indicate compliance or exception to each aspect of the specification.** All exceptions must be specifically identified. The specification must have the corresponding bid item number identified.

The unit shall be newest current model, new and unused, under standard production by the manufacturer, and of which parts are stocked at one or more locations in Rhode Island and/or Southern New England region. All parts utilized on the unit shall be new and unused.

Bidder must be an authorized manufacturer's representative/dealer.

Bidder must submit a detailed specification of the model offered including vehicle confirmation.

Bidders located beyond a 150 mile radius of the delivery destination must include a written plan for delivery. Vehicles will odometer reading in excess of 150 miles will not be accepted without prior approval from the Division of Purchases.

Each vehicle is identified with a specification number. That number must be clearly marked on all invoices as well as on the sticker attached to window of each vehicle.

It is imperative that this number appears on the vehicle sticker since this will be the identification for distribution from the State Fleet parking facility to the individual state agencies.

**DELIVERY SITE FOR ALL VEHICLES WILL BE THE FOLLOWING:**

University of Rhode Island Automotive  
9 Rhody Way  
Kingston, RI 02881

**DELIVERY INFORMATION:**

SUCCESSFUL VENDOR(S) MUST CONTACT CONNIE RESENDES AT STATE FLEET OPERATIONS, (401-222-6227) AT LEAST (2) TWO DAYS PRIOR TO DELIVERY AND Bonnie Jacob of URI AT 401-864-7777 [bjacob@uri.edu](mailto:bjacob@uri.edu)

**THE FOLLOWING ADDITIONAL TERMS AND CONDITIONS APPLY TO THIS INVITATION TO BID:**

1. All vehicles must be delivered without dealer's name or advertising of any type visible on the body.
2. Each vehicles delivered to the State must be accompanied by a "Certificate of Origin" with owner listed as: STATE OF RI/FLEET OPERATIONS, ONE CAPITOL HILL, PROVIDENCE, RI 02908, CONTAINING THE MANUFACTURER'S VEHICLE IDENTIFICATION NUMBER (VIN), THE NUMBER OF ENGINE CYLINDERS AND ENGINE TYPE, A GENERAL DESCRIPTION OF THE BODY GVW #, AND THE MODEL NAME/NUMBER. ODOMETER DISCLOSURE **MUST** BE COMPLETED ON THE VENDOR'S SIDE OF "CERTIFICATE OF ORIGIN".
3. Bids must be predicated on the basis of the bidder's full and unencumbered title to the vehicle(s) as of the date of delivery to the State. Bids subject to lien or assignment at the time of delivery to the State, or which stipulate third party or joint payment, will be rejected.
4. Title certificates must be provided at the time of delivery to the State.
5. The successful vendor(s) will be required to provide the following:
  - A. A completed application for registration and Title Certificate (TR-1) **with the exception of Sections G and H.** Owner to be listed as: State of RI/Fleet Operations, One Capitol Hill, Providence, RI 02908.
  - B. A completed Sales or Use Tax Exemption Certification - Motor Vehicles. Purchaser to be listed as: State of RI/Fleet Operations, One Capitol Hill, Providence, RI 02908.
6. To insure timely deliveries, vendor is required to supply confirmation of order to Connie Resendes (401-222-6227) State Fleet Operations, 1 Capitol Hill, Providence, RI 02908 indicating anticipated delivery date. This must be received within 30 days of award.
7. A copy of specification, labeled by bid item number, must be submitted with each offer. Failure to provide specifications as required may result in disqualification.
8. All vehicles must be delivered with less than 150 miles on the odometer. Dealers located outside a 150 mile radius from Providence, Rhode Island

STATE OF RHODE ISLAND  
DIVISION OF PURCHASES  
BID NO. 7550782

must include a written plan of their proposed delivery method, including information regarding required dealer preparation.

9. Standard manufacturer's warranty and operator's manual shall accompany each vehicle. All written warranties and warranty cards are to be furnished in the glove compartment of each vehicle delivered.
10. All deliveries must include a minimum of ½ tank of fuel. Fuel gauges which fail to register a minimum of ½ tank of fuel will be charges for the actual cost of fuel (to reach ½ full) plus \$100 labor charge per vehicle. This amount, where applicable will be deducted from the invoice.
11. All vehicles must meet California emission standards.

**PREPARATION FOR DELIVERY:**

The vendor shall be responsible to complete new vehicle delivery inspection. The engine, transmission, differential and cooling system shall be filled to the manufacturer's recommended capacity. The vehicle will receive a new vehicle cleaning and preparation prior to delivery. All equipment shall be completely installed and adjustments made prior to delivery and to make the vehicle available for immediate use. The vehicle shall be free of any defects when delivered.

If any deficiencies are observed and cannot be corrected within two (2) business days, the vehicle will be deleted from the invoice and payment will not made until corrective action is taken and the vehicle is re-inspected and accepted. It shall be the responsibility of the vendor for the pickup and delivery of the vehicle for re-inspection.

**All information requested must be included for each item bid. Failure to include all information requested may deem the offer as non-responsive.**

Questions relative to the solicitation may be directed by email only to [doa.purquestions3@purchasing.ri.gov](mailto:doa.purquestions3@purchasing.ri.gov) until 7/20/16 @ 4:00 pm.

**END DOCUMENT.**

<b>Quantity:</b>	2		<b>Vendor Indicate Compliance Yes/No</b>
<b>Department:</b>	URI Department of Public Safety	<b>Fuel Type:</b>	Gasoline
<b>Division:</b>	URI Police	<b>Color:</b> *if not offered may be changed at award	White
<b>RI-FANS Requisition Number:</b>	SOLICITATION 7550782 - This form must be submitted with bid response to indicate compliance with specifications.		

STANDARD FEATURES	FOR VENDOR USE ONLY TO INDICATE COMPLIANCE	
	Yes/No	Specify Alternative (if responding no)
GENERAL		
Vehicle Model: Four door sport utility vehicle, all-wheel drive, five passenger, solid color with Police Interceptor Package: Ford Police Interceptor Utility. All vehicles must comply with Federal Motor Vehicle Safety Standard and Federal Regulations applicable to 2017 or newer model year vehicles. All manufacturers' standard features to be present at time of delivery unless it was deleted and replaced by an orderable option.		
Certification: Speed and acceleration test to be certified by Michigan State Police vehicle evaluation program		
Exterior Color: Oxford White [YB]		
Interior Color: Charcoal Black [9W]		
Vehicle Keys: Four (4) non-microchipped keys; Keyed alike to code 1284 [Option 59B]		
Engine: 6 cylinder, minimum 305 HP, minimum 3.7L		
Exhaust System: Stainless steel, dual		
Cooling System: Heavy duty, automatic coolant recovery system with permanent type anti-freeze protected to -20 degrees F with rust inhibitor; Include silicone or neoprene type hoses		
Engine Idle Meter: The engine idle meter records how long the vehicle engine runs while in PARK or NEUTRAL		
Fuel Tank: 18.6 gallon with "capless" fuel filler system		
Transmission: Electronically controlled six-speed automatic overdrive with final drive ratio of 3.39:1; Column-mounted shifter; Dedicated transmission oil cooler		
Drive Shaft: Steel		
Brakes: 4-wheel heavy-duty disc with heavy-duty front and rear calipers		
Parking Brake: Single stroke, manual release		
Brake Interlock: Brake pedal must be pressed to move shift lever out of park position and engage the transmission		
Stability Control : Electronic Stability Control (ESC) with Hydraulic Brake Assist		
Frame, Steering Gear: Heavy duty		
Body Mounts, Suspension : Heavy duty		
Power Steering: Electric Power Assist		
Front Suspension: Heavy-duty with stabilizer bar; Upper ball joints low friction, non-greaseable		
Rear Suspension: Independent with stabilizer bar		

Shock Absorbers: Nitrogen pressurized, monotube		
Wheel/Rims: Wheels – 18 inch x 8 inch (Painted E-coat with Black Top Coat) Steel and vented; Full Size Spare Tire; Heavy-duty full face wheel covers with metal clips [Option 65L]		
Tires: Five (5) tubeless, radial, black sidewall, all-season tread, P245/55R18, W rated with TPMS, approved and certified for pursuit use on the specific model and configuration of vehicle offered; Goodyear RS-A only		
Tire Press. Monitor System: (TPMS) Designed to alert the driver if the air pressure in one or more tires need/requires attention		
EQUIPMENT - EXTERIOR		
Headlamps: LED and/or projector halogen; "On" reminder chime		
Bumpers: Concealed with one-piece full wrap cover, body color		
Liftgate: Key cylinder lock		
Door Handles: Painted black		
Front Door Locks: Key cylinders (Front Driver/Passenger Doors)		
Front License Plate Bracket: factory installed		
Hood Assists: Gas cylinder, monotube (or equivalent)		
Horn: Dual note		
Mirrors : Black caps, power electric remote, manual folding with integrated blind spot mirrors		
Nameplates: Badge Police Interceptor and Road Leaf FFV Badge		
Paint: Clear coat; Anti-chip paint primer; Body color B-pillars		
Tail Lamps: LED or halogen		
Underbody: Undercarriage deflector plates protect the underbody, powertrain and chassis components [Option 76D]		
EQUIPMENT - INTERIOR		
Climate Control: Factory installed air-conditioning; Manual control with positive shutoff registers; Wide Open Throttle (WOT) shut off; Front and rear floor mounted heating ducts		
Console Mounting Plate: Steel between front driver/passenger seats along driveline tunnel		
Liftgate Release: Switch located in overhead console, can be configured to work at all times or only with the ignition key in the ON position		
Defroster, Rear Window: Electric		
Door Locks: Power; Hidden Door Lock Plunger/Rr Door Handle Inoperable [Option 52P]		
Flooring: Heavy-Duty Vinyl		
Powerpoints: Minimum 2 located in instrument panel lower close-out		
Glove Compartment: Non-illuminated, large bin, lockable with dampened glove compartment door		
Headliner: Removable; Overhead console with dome/map lights		
Lighting: High intensity dome lamp (includes 5-inch round map light mounted behind rear view mirror); Task light – White/Red switchable, Front seat overhead and cargo compartment [Option 17T]; Dark car feature [Option 43D]		
Instrument Panel: With side window de-misters; Top equipment tray for mounting of radar, video, and other police equipment		
Police Cluster: Color LCD Screen Center; Stack "Smart Display" 5-way Steering Wheel Switches Redundant Controls		

Cargo Compartment Floor: Manufacturer's standard floor covering		
Map Pockets: Integral front door		
Rear-View Mirror: Day/night inside rear view		
Pedals: Power Adjustable		
Radio: Manufacturer's standard AM/FM/CD/MP3 stereo; Antenna integral to the rear window glass; 4 speakers		
Rear Passenger Doors: Door panels simplified with no cup holders or pockets for ease of cleaning		
Scuff Plates: Color-keyed front and rear doors		
Seats, Front: Heavy-Duty Cloth Bucket - 6-way power driver (manual recline, manual lumbar with 2-way manual passenger (manual recline, no lumbar); Built-in composite intrusion plates in both front seatbacks		
Seat, Rear: Vinyl Bench		
Sun Visors: Non-illuminated driver/passenger		
Steering Wheel: Manual/Tilt, Urethane Wrapped with Speed Controls, Audio Controls		
Windows: All four doors with driver and passenger express-down; Windows inoperable from rear seat, but operable from driver's position [Option 18W]; Windshield and front row windows shall be of tinted glass; All other windows solar tinted [Option 92G]		
Windshield Washers: Dual jet		
Windshield Wipers: Intermittent fixed interval		
<b>SAFETY</b>		
Airbags: With Dual Stage Airbags; Driver and right front passenger (includes safety belt pretensioners, dual stage airbags, seat position and weight sensors)		
Rear Camera: Rear view camera – image displayed in rearview mirror (image must be displayed in mirror, NOT dash LCD panel) [Option 21B]		
Head Restraints: Two-way adjustable		
Reverse Sensing System: Rear bumper-mounted reverse sensing system [Option 76R]		
Safety Belts: Three-point active for front and rear outboard occupants (safety belt pretensioners on front seat shoulder belts); Front seat belts height-adjustable		
Post-Crash Alert System: Integrated technology that automatically unlocks the doors and activates the emergency flashers in the event of an airbag deployment		
<b>ELECTRICAL</b>		
Alternator: 220A maximum output (or better); Integral electronic voltage regulator		
Battery : Heavy-duty maintenance free 78A / 750CCA		
Battery Saver : Turns off lights after 30 minutes		
Fuse Panel: Easy access, labeled		
Noise Suppression: Electronic noise suppression bonds [Option 60R]		
Power Control Center (Minimum requirements): Two (50A) battery fused circuits One (15A) battery fused circuits; Two (20A) RUN/ACC fused circuits; Three (40A) RUN/ACC fused circuits; Vehicle signals-Hazard in, Hazard out, Battery saver, Vehicle speed sensor, Vehicle start		
Power Pigtail Harness (Minimum requirement): (3) 40 Amp fused at bottom of center stack and floor console interface		

Two-way Radio Pre-Wire: Wiring provided in floor console between front driver/passenger seats; Antenna roof mount - rear center of roof		
Upfitter Dash PassThrough (Minimum requirements): 4 Twisted Wire Pairs (20 AWG); 2 Twisted Wire Pairs (14 AWG); 14-Way Connector -- B+ Feed 1 (20 Amps), B+ Feed 2 (20 Amps), B+ Feed 3 (15 Amps), Run/Start Feed #1 (20 Amps), Run/Start Feed #2 (20 Amps), Battery Saver/Accessory Delay (15 Amps), Start Feed (2.5 Amps), 6-Way Connector -- Three 40 Amp fused circuits w/grounds, 14-Way Connector -- Front Wig-Wag Power, Front LH/RH Corner LED Lights, Front Flasher Module Power, Front LH/RH Corner LED Lights, Brake Output (5 Amp), Grille Lamp Power, Front LH/RH Corner LED Lights Pattern		
FACTORY POLICE OPTIONS		
Upfit Package: "Ready-for-the-Road" package [Option 67H**]		
Spotlight: Unity 6-inch diameter LED, driver's side mounted [Option 51R]		
Side Warning Lights: Side LED lamps, rear quarter window [Option 63L]; Sideview mirror LED lamps [Option 63B]		
Front Warning Lights: Forward indicator pocket warning light - warn, park, turn [Option 21W or equivalent]; Front warning auxiliary lights [Option 21L]		
UPFITTER FEATURES		
Center Console: Inclined center console (Havis C-VS-0810-INUT-1) with dual cup-holders, adjustable armrest, 3 additional 12V accessory outlets, face plate for remote-mount Motorola XTL2500 radio, and all other necessary components for Whelen Cencom controller as specified herein		
Light Bar: Whelen Justics Competitor JE8BRBR 50.125" Super-LED lightbar with advisor function and JHTDALL1 high-intensity and alley light function		
Secure Idle System: SafeStop secure-idle controller system (or equivalent) that allows the operator to remove the ignition key and lock the vehicle while it continues idling in order to power lights and equipment; Switch to be installed in instrument panel fascia to left of steering column		
Prisoner Barrier: Setina 10-XL prisoner barrier with polycarbonate sliding windows, and Setina vertical steel window guards with black powder-coated finish		
Auxilliary Siren: Whelen Howler HWLFT13 siren amplifier, speaker, and vehicle-specific bracket to be used in conjunction with factory siren and Cencom control unit as specified herein		
Radio Installation: Install customer-supplied Motorola XTL2500 800MHz mobile radio using remote mount conversion kit (also customer-supplied) and low-profile roof-mount Motorola antenna		
**Ford's Ready-for-the-Road Package [Option 67H] includes Whelen Cencom light controller head with dimmable backlight, Whelen Cencom relay center/siren/amp with traffic advisor, light controller/relay Cencom wiring (wiring harness) with additional input/output pigtails, high current pigtail, Whelen specific WECAN cable (console to cargo compartment) connects Cencom to control head, 2 50 amp battery and ground circuits in-trunk, and: Trunk/cargo area storage vault [Option 63V]; 100-wat siren/speaker [Option 18X]; Front headlamp lighting solution [Option 66A]; Rear lighting solution, blue/red [Option 66C]		









**Contract Terms and Conditions**

**Table of Contents**

Terms and Conditions.....VI  
    BID STANDARD TERMS AND CONDITIONS .....VI  
    TERMS AND CONDITIONS FOR THIS BID .....VI  
    RIVIP INFO - BID SUBMISSION REQUIREMENTS .....VI  
    DELIVERY PER AGENCY .....VI  
    FISCAL YEAR - AWARD EXTENDING PAST FISCAL YR END .....VI  
    AWARD .....VI  
    VENDOR SPECIFICATIONS .....VI  
    VEHICLE / AUTO BID .....VII

**Terms and Conditions**

**BID STANDARD TERMS AND CONDITIONS**

**TERMS AND CONDITIONS FOR THIS BID**

**RIVIP INFO - BID SUBMISSION REQUIREMENTS**

It is the Vendor's responsibility to check and download any and all addenda from the RIVIP. This offer may not be considered unless a signed RIVIP generated Bidder Certification Cover Form is attached and the Unit Price column is completed. The signed Certification Cover Form must be attached to the front of the offer. When delivering offers in person to One Capitol Hill, vendors are advised to allow at least one hour additional time for clearance through security checkpoints.

MAILING ADDRESS FOR BID PROPOSALS ISSUED BY THE STATE OF RHODE ISLAND,  
DIVISION OF PURCHASES

All Bid Proposals must be submitted by mail or hand delivered to:

- State of Rhode Island
- Department of Administration
- Division of Purchases, Second floor
- One Capitol Hill
- Providence, RI 02908-5855

**DIVESTITURE OF INVESTMENTS IN IRAN REQUIREMENT:**

No vendor engaged in investment activities in Iran as described in R.I. Gen. Laws §37-2.5-2(b) may submit a bid proposal to, or renew a contract with, the Division of Purchases. Each vendor submitting a bid proposal or entering into a renewal of a contract is required to certify that the vendor does not appear on the list maintained by the General Treasurer pursuant to R.I. Gen. Laws §37-2.5-3.

**DELIVERY PER AGENCY**

DELIVERY OF GOODS OR SERVICES AS REQUESTED BY AGENCY.

**FISCAL YEAR - AWARD EXTENDING PAST FISCAL YR END**

AWARDS EXTENDING BEYOND JUNE 30TH ARE SUBJECT TO AVAILABILITY OF FUNDS. CONTINUATION OF THE CONTRACT BEYOND THE INITIAL FISCAL YEAR WILL BE AT THE DISCRETION OF THE STATE. TERMINATION MAY BE EFFECTED BY THE STATE BASED UPON DETERMINING FACTORS SUCH AS UNSATISFACTORY PERFORMANCE OR THE DETERMINATION BY THE STATE TO DISCONTINUE THE GOODS/SERVICES, OR TO REVISE THE SCOPE AND NEED FOR THE TYPE OF GOODS/SERVICES; ALSO MANAGEMENT OWNER DETERMINATIONS THAT MAY PRECLUDE THE NEED FOR GOODS/SERVICES.

**AWARD**

THE STATE, AT ITS SOLE DISCRETION, SHALL RESERVE THE RIGHT TO MAKE ONE OR MULTIPLE AWARDS FOR THIS REQUIREMENT AND/OR TO REJECT ANY OR ALL BIDS.

**VENDOR SPECIFICATIONS**

ALL VENDORS MUST INCLUDE SPECIFICATIONS WITH BID PROPOSAL (EVEN THOSE BIDDING BRAND SPECIFIED). FAILURE TO SUBMIT SPECIFICATIONS WITH BID PROPOSAL MAY RESULT IN DISQUALIFICATION OF BID. ITEMS IN CATALOGS MUST BE CLEARLY MARKED AND PAGES TABBED.

**VEHICLE / AUTO BID**

THE FOLLOWING ADDITIONAL TERMS AND CONDITIONS APPLY TO THIS INVITATION FOR BIDS: 1. ALL VEHICLES MUST BE DELIVERED WITHOUT DEALER'S NAME OR ADVERTISING OF ANY TYPE VISIBLE ON THE BODY. 2. EACH VEHICLE DELIVERED TO THE STATE MUST BE ACCOMPANIED BY A "CERTIFICATE OF ORIGIN" CONTAINING THE MANUFACTURER'S VEHICLE IDENTIFICATION NUMBER (VIN), THE NUMBER OF ENGINE CYLINDERS AND ENGINE TYPE, A GENERAL DESCRIPTION OF THE BODY, AND THE MODEL NAME OR NUMBER. CERTIFICATE OF ORIGIN MUST BE ASSIGNED TO STATE OF RI/FLEET OPERATIONS, ONE CAPITOL HILL, PROVIDENCE, RI 02908, UNLESS THE VEHICLE IS BEING PURCHASED BY THE RHODE ISLAND STATE POLICE. IF SO, CERTIFICATE OF ORIGIN MUST BE ASSIGNED TO RHODE ISLAND STATE POLICE, 311 DANIELSON PIKE, NORTH SCITUATE, RI 02857. 3. BIDS MUST BE PREDICATED ON THE BASIS OF THE BIDDER'S FULL AND UNENCUMBERED TITLE TO THE VEHICLE(S) AS OF THE DATE OF DELIVERY TO THE STATE. BIDS SUBJECT TO LIEN OR ASSIGNMENT AT THE TIME OF DELIVERY TO THE STATE, OR WHICH STIPULATE THIRD PARTY OR JOINT PAYMENT, WILL BE REJECTED. 4. TITLE CERTIFICATES MUST BE PROVIDED AT THE TIME OF DELIVERY TO THE STATE. 5. WHERE THE FIRM SUBMITTING THE BID IS ACTING AS AN AGENT FOR ANOTHER CORPORATE ENTITY, (SPECIFICALLY WITH RESPECT TO LEASE ARRANGEMENTS), THE BID MUST IDENTIFY THE CORPORATION WHO WILL BE NAMED IN ANY SUBSEQUENT AWARD AS THE BIDDER OF RECORD. 6. UNLESS OTHERWISE INDICATED, ALL VEHICLES WILL BE DELIVERED TO STATE FLEET OPERATIONS AT ONE CAPITOL HILL, PROVIDENCE, R.I. THE STATE OF RHODE ISLAND RESERVES THE RIGHT TO MANDATE THE REPLACEMENT OF ALL VEHICLES IN ACCORDANCE WITH RHODE ISLAND STATE LEMON LAW 31-5.2-1 TO 31-5.2-13. REPLACEMENT EQUIPMENT MUST BE OF LIKE OR SUPERIOR SPECIFICATIONS TO THE VEHICLE IN QUESTION. COSTS ASSOCIATED WITH THE REMOVAL OF PROBLEMATIC EQUIPMENT AND DELIVERY AND INSTALLATION OF REPLACEMENT EQUIPMENT WILL BE SOLELY AT THE VENDOR'S EXPENSE.