



REQUEST FOR QUOTE (RFQ) – BID# 7550972

2016-CB-056 SLATERSVILLE STONE ARCH BRIDGE NO. 273 (70C)

SUBMISSION DEADLINE: Friday, October 21, 2016 at 03:00 PM (ET)

PRE-BID CONFERENCE: **NO**
 YES _____

Mandatory: **NO**
 YES: Any vendor who intends to submit a bid proposal in response to this solicitation must have its designated representative attend the mandatory pre-bid conference. The representative must register at the pre-bid conference and disclose the identity of the vendor whom he/she represents. Because attendance at the pre-bid conference is mandatory, a vendor’s failure to attend and register at the pre-bid conference shall result in disqualification of the vendor’s bid proposal as non-responsive to the solicitation.

Buyer Name: Lisa Hill
Title: Chief Buyer

QUESTIONS Prospective bidders are hereby notified that all questions pertaining to this contract must be submitted to the Department of Transportation in writing through its website at <http://www.dot.ri.gov/contracting/bids> by accessing the questions & answers menu located within the ‘contracting’, then ‘bidding opportunities’ link. Response to the submitted questions will also be posted under this link, phone calls will not be accepted.

SURETY REQUIRED: **YES**

BOND REQUIRED: **YES**

DISK BASED BID: **NO**
 YES: See attached Disk Based Bidding Information

NOTE TO VENDORS:
Vendors must register on-line at the Rhode Island Division of Purchases website at www.purchasing.ri.gov. Offers received without the completed three-page Rhode Island Vendor Information Program (RIVIP) Generated Bidder Certification Cover Form attached may result in disqualification.

THIS IS NOT A BIDDER CERTIFICATION FORM



State of Rhode Island Department of Administration
Division of Purchases

RHODE ISLAND DEPARTMENT OF TRANSPORTATION

REVISED
November 20, 2013

NOTICE TO VENDORS

Each bid proposal for a *public works project* must include a "public copy" to be available for public inspection upon the opening of bids. **Bid proposals that do not include a copy for public inspection will be deemed nonresponsive.**

To comply with this requirement, *in addition to* the Quest Lite compatible electronic copy and one hard copy, bid proposals for *highway and bridge public works projects* must also include a duplicate original of the Quest Lite compatible electronic copy on a *read-only* CD-R media disc as the "public copy."

The public copy disc must be separately enclosed in a protective cover clearly marked "Public Copy" and include the following information (all available from the Bidder Certification Cover Form): (1) title of solicitation; (2) name of bidder and RIVIP vendor ID number; (3) bid number; and (4) date of bid.

The public copy may redact any trade secrets or commercial or financial information which is of a privileged or confidential nature pursuant to the "Access to Public Records Act," R. I. Gen. Laws §§ 38-2-1 *et seq.*

For further information on how to comply with this statutory requirement, see R. I. Gen. Laws §§ 37-2-18(b) and (j). Also see Procurement Regulations 5.11, 5.13, and 12.102.05 accessible at www.purchasing.ri.gov.

**State of Rhode Island and Providence Plantations
Department of Transportation**

**Notice to Contractors
Special Provisions
Proposal
Contract Agreement
Contract Bond**

for the Performance of

Rhode Island Contract Number: 2016-CB-056

**Rhode Island Federal-Aid\State-Aid Project BRO-0273(007)
Numbers:**

Project: Slatersville Stone Arch Bridge No 273 (70C)

Limits: Church Street to North Smithfield Library and North Main Street.

City/Town: North Smithfield

County: PROVIDENCE

Submitted By: _____

Address: _____

Name of Surety: _____

Total Bid: _____

(BIDDER MUST FILL IN ALL ABOVE SPACES)

The basis of award of the Contract will be the total bid for all quantities of work in the proposal subject to review and correction as provided for in the Rhode Island Department of Transportation Standard Specifications for Road and Bridge Construction and Standard Details.

NOTE: The State of Rhode Island Standard Specifications for Road and Bridge Construction and Standard Details consists of the following:

- The Rhode Island Standard Specifications for Road and Bridge Construction, Amended December 2010, with all revisions.
- The Rhode Island Standard Details, 1998 Edition, with all revisions.
- The Rhode Island Bridge Standard Details, 2010 Edition, with all revisions.
- The Division of Purchases Procurement Regulations Adopted December 2010.

*** Refer to Section 12.102.05 PREPARATION OF PROPOSAL of the STATE OF RHODE ISLAND PROCUREMENT REGULATIONS regarding the use of Quest Lite software for bid preparation.**

The above documents may be obtained at the Rhode Island Department of Transportation, Contracts and Specifications Office, upon request.

STATE OF RHODE ISLAND AND PROVIDENCE PLANTATIONS
DEPARTMENT OF ADMINISTRATION - DIVISION OF PURCHASES

NOTICE TO HIGHWAY AND BRIDGE CONTRACTORS

Sealed Proposals addressed to the State Purchasing Agent, Rhode Island Department of Administration, Division of Purchases, One Capitol Hill, Providence, Rhode Island 02903, will be opened and read in public on October 21, 2016 at 3:00PM. All bidders MUST register online at www.purchasing.ri.gov. A Bidder Certification Cover Sheet MUST accompany each bid. Bid item description and quantities estimated for this project will also be available online. Should you need assistance in registering or downloading a bid, call (401) 222-3766. Failure to comply will result in mandatory disqualification per Item 4 of Section 12.102.12 of the Division of Purchases Procurement Regulations Adopted December 2010 and RI General Law 37-2-17 which references the RI Vendor Information Program (RIVIP).

DESCRIPTION: This project shall consist of the rehabilitation of the Slatersville Stone Arch Bridge, No. 273, along with roadway improvements to portions of Main Street and River Street (RI Route 5).

The roadway work encompassed in this contract shall include, but not be limited to performing all operations and furnishing all materials, labor, and equipment necessary: saw cutting of pavement, remove and dispose curbing and sidewalk, furnish and install granite curbing and concrete sidewalk, construct and landscape the access ramp between Route 5 and Main Street, relocating utilities, construct stone retaining walls, remove and dispose pavement, reconfigure the intersection of Providence Pike and Main Street, furnish and install gravel and other work incidental to repairing trench settlement, adjusting utility structures; cold planning and providing new hot mix asphalt, drainage structures and pipes, maintenance and protection of traffic, and all other incidentals complete, in place and accepted as necessary to complete the work of this contract to the satisfaction of the engineer. Site specific work includes new pavement markings layout.

The bridge work shall consist of removing the existing stone masonry parapets and portions of the spandrel walls, removing fill over the stone arch, removing portions of wing walls, removing the timber sidewalk and constructing a wider superstructure over the existing stone arch. The wider superstructure shall consist of a series of new precast concrete panels placed on top of new fill material over the existing stone arch. The panels will have a concrete barrier along each of the curb lines and a sidewalk behind the barriers. Additional bridge construction will include moment slabs along the roadway approaches to anchor the two bar bridge traffic railing, reconstructing spandrel walls to meet the underside of the new concrete panels, constructing approach slabs repairing portions of the existing channel walls, drilling anchor rods from under the arch into the spandrel walls, cleaning and repointing the arch stones and grouting the fill around the arch.

The Contractor will be required, in accordance with the provisions of the Disadvantaged Business Enterprise Affirmative Action Certification for Contractors and Consultants, to meet the established Race-Conscious Goal, or Contract Goal, of not less than 8.00 percent of the contract bid price, to the Contractors, Subcontractors, and/or suppliers which qualify as Disadvantaged Business Enterprises (DBE's). Failure by the Contractor to demonstrate every good faith effort in fulfilling its DBE commitment during the construction period will result in the reduction in contract payments by the amount determined by multiplying the awarded contract value by the established DBE percentage, and subtracting the dollar value of the work actually performed by DBE contractors. This action will not preclude RIDOT from imposing sanctions or other remedies available as specified in paragraph (f)(c) of the Disadvantaged Business Enterprise Affirmative Action Certification for Contractors and Consultants.

Computer Disks for competitive bidding for the above described work will be furnished by the Department of Transportation, Division of Administrative Services, Contracts & Specifications Office, Room 108, Two Capitol Hill, Providence, Rhode Island, 02903, Tel.Number (401) 222-2495. The Plans, Specifications and Special Provisions may also be examined on or after September 21, 2016 every weekday except holidays between the hours of 8:00 AM and 4:00 PM.

The Bid Package consists of a single compact disk (CD) containing the following items: Construction Plans, 2004 Standard Specifications for Road and Bridge Construction, Compilations of Approved Specifications, Required Contract Provisions for Federal-Aid Construction Contracts, General Provisions, Rhode Island Standard Details, Rhode Island Bridge Standard Details, Federal Wage Rates, Contract-Specific General Provisions, Job-Specific Specifications, Distribution of Quantities, Appendices (if applicable), Quest Lite bid file, Quest Lite installation software and a Quest Lite User Manual. Only complete bid packages will be issued.

Prospective Bidders are hereby notified that all questions pertaining to this Contract must be submitted to the Department of Transportation in writing through its website at <http://www.dot.ri.gov/contracting/bids/> by accessing the Questions & Answers Menu located within the "Contracting", then "Contract Opportunities" link. Responses to the submitted questions will also be posted under this link. PHONE CALLS WILL NOT BE ACCEPTED.

For help with RIDOT's Quest Lite bid preparation software, please contact the Contracts & Specifications Office, Room 108, Two Capitol Hill, Providence, Rhode Island, 02903, Tel. Number (401)-222-2495 or e-mail Quest@dot.ri.gov.

Please also note that all Bidding Documents required to be submitted and in fact submitted to the Purchasing Agent as part of a bid will be considered returned to the State and need not be returned to RIDOT.

A bid bond payable to the State of Rhode Island, in the amount of 5% of the total or gross sum of the bid must be furnished by each bidder. The Proposal Guaranty will be furnished by surety companies authorized/licensed to do business in the State of Rhode Island. The State reserves the right to retain the surety of all bidders until the successful bidder enters into the Contract or until such time as the award or cancellation of the Contract is announced at which point Sureties will be returned to all bidders by the State of Rhode Island. A performance bond of one hundred (100) percent of the contract price with a satisfactory surety company will be required of the successful bidder. All surety companies must be listed with The Department of the Treasury, Fiscal Services, Circular 570, (Latest Revision published by the Federal Register). The Department of Transportation reserves the right to reject any or all bids.

Required Contract Provisions - The attention of prospective bidders is called to the fact that this project is to be bid upon and the contract executed subject to all applicable federal laws and regulations for carrying out the provisions of the Federal-Aid Highway program..

Wages of labor on Federal -Aid Highway Projects - the prevailing rate of wages for laborers and mechanics employed by contractors or subcontractors on the initial construction of highway projects on the Federal - Aid Highway System, authorized under the Federal Highway Act of 1968, shall be paid wages at rates not less than those prevailing on the same type of work on similar construction in the immediate locality as determined by the United States Secretary of Labor, in accordance with the Act of August 30, 1935, known as the Davis - Bacon Act, under Decision Nos. 1 through 6 as applicable.

Prevailing wage rates and Davis - Bacon Wage Determination Reference Materials are available online at www.purchasing.ri.gov. It is advisable to print only the pages applicable to this bid; the rates active on the Rhode Island Vendor Information Program's bid solicitation date for this project are applicable for the duration of the contract resulting from this bid.

Work Hours Act of 1962 - This contract is subject to Work Hours Act of 1962, Public Law 87-581 and implementing regulations.

There will be no Pre-Bid Conference scheduled for this project.

SPECIAL NOTE

ANY REFERENCE TO THE RHODE ISLAND DEPARTMENT OF PUBLIC WORKS OR THE DIRECTOR OF PUBLIC WORKS SHOULD BE REVISED TO THE RHODE ISLAND DEPARTMENT OF TRANSPORTATION AND THE DIRECTOR OF TRANSPORTATION RESPECTIVELY.

NOTICE TO ALL BIDDERS

The Rhode Island Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 42 U.S.C. §§ 2000d - 2000d-4 and 49 C.F.R. Part 21, Nondiscrimination in Federally-Assisted Programs of the Department of Transportation - Effectuation of Title VI of the Civil Rights Act of 1964, issued pursuant to such Act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, Disadvantaged Business Enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, national origin, age, or disability in consideration for an award.

To report bid rigging activities call: **1-800-424-9071**

The U.S. Department of Transportation (DOT) operates the above toll-free hotline Monday through Friday, 8:00 a.m. to 5:00 p.m. eastern time. Anyone with knowledge of possible bid rigging, bidder collusion, or other fraudulent activities should use the hotline to report such activities.

The hotline is part of the DOT's continuing effort to identify, and investigate highway construction contract fraud and abuse and is operated under the direction of the DOT Inspector General. All information will be treated confidentially and caller anonymity will be respected.

Item List

Date: 9/20/2016

Estimate Name - 0118A - Advertising Submission
 Project Name - Slatersville Stone Arch Bridge No 273 (70C)
 R.I. Contract No. - 2016-CB-056
 FAP Nos. - BRO-0273(007)

Seq No.	Item Code	Description	Quantity	UM
001	201.0321	CLEARING AND GRUBBING	2,390.00	SY
002	201.0402	REMOVE AND DISPOSE CONCRETE CURB	1,258.00	LF
003	201.0403	REMOVE AND DISPOSE SIDEWALKS	764.00	SY
004	201.0409	REMOVE AND DISPOSE FLEXIBLE PAVEMENT	7,957.00	SY
005	201.0410	REMOVE AND DISPOSE CATCH BASINS	5.00	EACH
006	201.0412	REMOVE AND DISPOSE MANHOLE	1.00	EACH
007	201.0414	REMOVE AND DISPOSE PIPE - ALL SIZES	283.00	LF
008	201.0415	REMOVE AND DISPOSE GUARDRAIL AND POST ALL TYPES	856.00	LF
009	201.0424	REMOVE AND DISPOSE RETAINING WALL	16.00	CY
010	201.0610	REMOVE AND DISPOSE DIRECTIONAL, WARNING, REGULATORY, SERVICE, AND STREET SIGNS	28.00	EACH
011	201.9901	REMOVE AND SALVAGE TEMPORARY TRAFFIC SIGNAL, SIGNS AND BARRIERS	1.00	LS
012	201.9902	INSPECTION AND TESTING FOR ASBESTOS CONTAINING MATERIALS	1.00	LS
013	201.9903	REMOVAL AND DISPOSAL OF ASBESTOS CONTAINING MATERIALS	362.00	LF
014	201.9904	REMOVE AND RESET ELECTRIC BOX	1.00	LS
015	201.9905	REMOVAL AND DISPOSAL OF GAS PIPE	280.00	LF
016	201.9906	MONITORING/HANDLING AND STOCKPILING OF CONTAMINATED SOILS	500.00	CY
017	201.9907	LICENSED SITE PROFESSIONAL (LSP) SERVICES	100.00	MHRS
018	201.9908	MISCELLANEOUS SOIL TESTING	20.00	GRP
019	201.9909	DISPOSAL OF UNREGULATED SOIL	200.00	TON
020	201.9910	DISPOSAL OF REGULATED SOIL - IN-STATE FACILITY	100.00	TON
021	201.9911	DISPOSAL OF REGULATED SOIL - OUT-OF-STATE FACILITY	100.00	TON
022	201.9912	DISPOSAL OF HAZARDOUS WASTE	5.00	TON
023	201.9913	HEALTH AND SAFETY PLAN	1.00	LS
024	201.9914	IMPLEMENTATION OF HEALTH AND SAFETY PLAN	500.00	MHRS
025	202.0100	EARTH EXCAVATION	4,303.00	CY
026	202.0700	COMMON BORROW	601.00	CY
027	203.0100	STRUCTURAL EXCAVATION EARTH	1,600.00	CY
028	203.0210	STRUCTURAL EXCAVATION ROCK	10.00	CY
029	203.0600	FILL GRAVEL BORROW UNDER STRUCTURES	80.00	CY
030	203.0700	PERVIOUS FILL	335.00	CY
031	204.0100	TRIMMING AND FINE GRADING	11,516.00	SY

Item List

Date: 9/20/2016

Estimate Name - 0118A - Advertising Submission
 Project Name - Slatersville Stone Arch Bridge No 273 (70C)
 R.I. Contract No. - 2016-CB-056
 FAP Nos. - BRO-0273(007)

Seq No.	Item Code	Description	Quantity	UM
032	206.0312	COMPOST FILTER SOCK 12 INCH DIAMETER	1,901.00	LF
033	206.9901	INLET SEDIMENT CONTROL DEVICE	39.00	EACH
034	207.9901	SAND BAG DIKE	3,600.00	PBAG
035	207.9902	SANDBAG DIKE REMOVED AND RESET	2,350.00	PBAG
036	208.0100	DEWATERING BASIN STANDARD 9.7.0	300.00	SF
037	209.0110	BALED HAY CATCH BASIN INLET PROTECTION STANDARD 9.8.0	40.00	LF
038	212.2000	CLEANING AND MAINTENANCE OF EROSION CONTROLS	1.00	LS
039	213.0100	PLACEMENT OF MILLINGS BENEATH GUARDRAIL	478.00	LF
040	302.0100	GRAVEL BORROW SUBBASE COURSE	2,100.00	CY
041	401.1000	CLASS 19.0 HMA	1,139.00	TON
042	401.2000	CLASS 12.5 HMA	893.50	TON
043	401.3100	MODIFIED CLASS 9.5 HMA	636.00	TON
044	403.0300	ASPHALT EMULSION TACK COAT	12,158.00	SY
045	601.0300	CLASS A PORTLAND CEMENT CONCRETE	100.00	CY
046	603.1000	CONTROLLED LOW STRENGTH MATERIAL	230.00	CY
047	701.0412	REINFORCED CONCRETE PIPE M 170 CLASS III 12 INCH	819.00	LF
048	701.0418	REINFORCED CONCRETE PIPE M 170 CLASS III 18 INCH	208.00	LF
049	701.0430	REINFORCED CONCRETE PIPE M 170 CLASS III 30 INCH	148.00	LF
050	701.5318	18 INCH DUCTILE IRON WATER PIPE CLASS 52, PUSH-ON JOINT	102.00	LF
051	701.5324	24 INCH DUCTILE IRON WATER PIPE CLASS 52, PUSH-ON JOINT	77.00	LF
052	701.8003	PIPE BEDDING CLASS C	483.00	CY
053	701.9901	FURNISH AND INSTALL 12 INCH DIAMETER DUCTILE IRON WATER PIPE	276.00	LF
054	701.9902	FURNISH AND INSTALL 12 INCH DIAMETER HDPE WATER PIPE	275.00	LF
055	701.9903	20" DIAMETER PVC SLEEVE	262.00	LF
056	701.9904	8" DIAMETER STEEL SLEEVE INSTALLATION	255.00	LF
057	702.0510	HEAVY-DUTY SQUARE FRAME AND ROUND COVER STANDARD 6.1.1	12.00	EACH
058	702.0513	FRAME AND GRATE STANDARD 6.3.1	23.00	EACH
059	702.0517	FRAME AND GRATE, STANDARD 6.3.2	26.00	EACH
060	702.0541	GRANITE INLET STONE 38" STANDARD 7.3.6	1.00	EACH
061	702.0605	PRECAST CATCH BASIN 4' DIAMETER STANDARD 4.4.0	18.00	EACH
062	702.0630	PRECAST MANHOLE 4' DIAMETER STANDARD 4.2.0	5.00	EACH
063	702.0705	CATCH BASIN W/GUTTER INLET STANDARD 3.4.1	4.00	EACH

Item List

Date: 9/20/2016

Estimate Name - 0118A - Advertising Submission
 Project Name - Slatersville Stone Arch Bridge No 273 (70C)
 R.I. Contract No. - 2016-CB-056
 FAP Nos. - BRO-0273(007)

Seq No.	Item Code	Description	Quantity	UM
064	702.0713	PRECAST CONCRETE DROP INLET WITH APRON STONE STANDARD 4.5.1	1.00	EACH
065	702.0725	SOLID BLOCK SHALLOW DOUBLE GRATE CATCH BASIN STANDARD 3.5.2	1.00	EACH
066	705.1300	RECONSTRUCT CB TYPE 'D' TO CATCH BASIN WITH GUTTER INLET	2.00	EACH
067	707.0955	ADJUST ELECTRICAL MANHOLE TO GRADE	2.00	EACH
068	707.1000	ADJUST SANITARY MANHOLE	12.00	EACH
069	707.1200	ADJUST CATCH BASIN TO MANHOLE	2.00	EACH
070	708.9040	CLEANING AND FLUSHING PIPE ALL SIZES	90.00	LF
071	708.9041	CLEANING CATCH BASINS ALL TYPES AND SIZES	2.00	EACH
072	713.8269	ADJUST WATER GATE BOXES TO GRADE	20.00	EACH
073	713.8300	ADJUST GAS GATE BOXES TO GRADE	26.00	EACH
074	714.8263	REMOVE AND RELOCATE POST TYPE HYDRANT	2.00	EACH
075	802.9901	TEMPORARY UTILITY BRIDGE	1.00	LS
076	802.9902	ARCH STRENGTHENING	1.00	LS
077	803.0500	TEMPORARY DECK UNDERSIDE AND SIDE PROTECTIVE SHIELDING	2,680.00	SF
078	803.9901	PARTIAL REMOVAL AND DISPOSAL OF EXISTING CONCRETE MASONRY	20.00	CY
079	803.9902	REMOVAL AND DISPOSAL OF EXISTING TIMBER SIDEWALK	825.00	SF
080	805.9901	TEMPORARY EARTH RETAINING SYSTEMS	1.00	LS
081	807.9901	REPOINTING MASONRY	1,850.00	LF
082	808.0320	CONCRETE SUBSTRUCTURE CLASS XX 3/4"	640.00	CY
083	808.0322	CONCRETE SUBSTRUCTURE CLASS HP 3/4" END POSTS	2.00	CY
084	808.0501	CONCRETE SUBSTRUCTURE CLASS XX 3/4" FOOTINGS	48.00	CY
085	808.0508	CONCRETE SUBSTRUCTURE CLASS XX 3/4" APPROACH SLABS	20.00	CY
086	808.1200	CONCRETE SUPERSTRUCTURE CLASS HP 3/4"	26.00	CY
087	808.1503	CONCRETE SUPERSTRUCTURE CLASS HP 3/4" PARAPETS	40.00	CY
088	808.1642	PREFORMED POLYETHYLENE FOAM JOINT FILLER 1"	40.00	SF
089	808.1675	POLYURETHANE ELASTOMERIC JOINT SEALANT	1,500.00	CI
090	808.1810	CONCRETE SURFACE FINISHING RUBBED REGULAR	2,100.00	SF
091	808.9901	CONCRETE ARCHITECTURAL TREATMENT, FORM LINER FINISH	716.00	SF
092	809.9901	MODIFIED INTEGRALLY COLORED/EXPOSED AGGREGATE FINISH PORTLAND CEMENT CONCRETE SIDEWALK STD. 43.1.0M	332.00	CY
093	809.9902	PRECAST CONCRETE SOLID SLABS 18" X 82" FURNISH, FABRICATE & ERECT	7,063.00	SF

Item List

Date: 9/20/2016

Estimate Name - 0118A - Advertising Submission
 Project Name - Slatersville Stone Arch Bridge No 273 (70C)
 R.I. Contract No. - 2016-CB-056
 FAP Nos. - BRO-0273(007)

Seq No.	Item Code	Description	Quantity	UM
094	810.0210	GALVANIZED BAR REINFORCEMENT GRADE 60	66,000.00	LBS
095	810.0702	WELDED WIRE FABRIC (GALVANIZED)	1,850.00	SF
096	813.0300	COLD APPLIED LIQUID MEMBRANE	474.00	SY
097	819.0800	DRILL AND GROUT REINFORCING DOWELS	244.00	EACH
098	820.0110	CONCRETE SURFACE TREATMENT (PROTECTIVE COATING)	6,750.00	SF
099	820.9901	HIGH PRESSURE WATER CLEANING OF BRIDGE STRUCTURES	3,150.00	SF
100	830.0220	STEEL BRIDGE RAIL 2 BAR CRASH TESTED	433.00	LF
101	830.9901	BALDWIN 4 BAR ORNAMENTAL RAIL (MODIFIED)	177.00	LF
102	831.9901	PEDESTRIAN RAILING	604.00	LF
103	831.9902	MODIFIED RAILING	15.00	LF
104	833.0400	GRANITE IDENTIFICATION TABLETS	4.00	EACH
105	834.0131	VERTICAL FACE GRANITE CURB STRAIGHT 7" REVEAL	300.00	LF
106	834.0132	VERTICAL FACE GRANITE CURB CURVED 7" REVEAL	41.00	LF
107	834.0222	SLOPE FACE GRANITE CURB STRAIGHT TRANSITION	24.00	LF
108	834.9901	VERTICAL FACE GRANITE CURB STRAIGHT - 6" WIDE X VARYING DEPTH	42.00	LF
109	834.9902	SLOPED FACE GRANITE CURB STRAIGHT - 10" WIDE X VARYING DEPTH	220.00	LF
110	834.9903	GRANITE WHEELCHAIR RAMP CURB	3.00	EACH
111	835.0210	DECK SCUPPERS SINGLE COMPLETE WITH DOWNSPOUT	1.00	EACH
112	901.0151	TERMINAL END SECTION SINGLE FACE STANDARD 34.3.2	3.00	EACH
113	901.0190	GUARDRAIL STEEL BEAM ANCHORAGE APPROACH SECTION STANDARDS 34.3.1 AND 34.3.3	1.00	EACH
114	901.0191	GUARDRAIL STEEL BEAM ANCHORAGE TRAILING END SECTION STANDARD 34.3.4	1.00	EACH
115	901.0193	GUARDRAIL STEEL BEAM SINGLE FACE STANDARD 34.2.0	471.00	LF
116	901.0901	REMOVE AND RESET GUARDRAIL ALL TYPES	100.00	LF
117	905.0110	PORTLAND CEMENT SIDEWALK MONOLITHIC STANDARD 43.1.0	122.00	CY
118	905.0115	PORTLAND CEMENT CONCRETE DRIVEWAY STANDARD 43.5.0	27.00	CY
119	906.0110	GRANITE CURB, QUARRY SPLIT STRAIGHT, STANDARD 7.3.0	1,819.00	LF
120	906.0111	GRANITE CURB, QUARRY SPLIT CIRCULAR, STANDARD 7.3.0	285.00	LF
121	906.0118	6' GRANITE TRANSITION CURB, QUARRY SPLIT SPECIAL TRANSITION STANDARD 7.3.2	13.00	EACH
122	906.0119	3' GRANITE TRANSITION CURB STANDARD 7.3.1	12.00	EACH
123	906.0120	GRANITE WHEELCHAIR RAMP CURB STANDARDS 7.3.3, 43.3.0 AND 43.3.1	14.00	EACH

Item List

Date: 9/20/2016

Estimate Name - 0118A - Advertising Submission
 Project Name - Slatersville Stone Arch Bridge No 273 (70C)
 R.I. Contract No. - 2016-CB-056
 FAP Nos. - BRO-0273(007)

Seq No.	Item Code	Description	Quantity	UM
124	906.0130	GRANITE RAMP STONE STRAIGHT STANDARD 7.3.9	2.00	EACH
125	906.0700	REMOVE, HANDLE, HAUL TRIM RESET CURB EDGING, STRAIGHT, CIRCULAR ALL TYPES	219.00	LF
126	906.9901	GRANITE WHEELCHAIR RAMP CURB	3.00	EACH
127	907.0100	WATER FOR DUST CONTROL	528.00	MGA L
128	907.0200	CALCIUM CHLORIDE FOR DUST CONTROL (PROJECT WIDE)	264.00	TON
129	911.0100	WET STONE MASONRY RETAINING WALL STANDARD 10.1.0	201.00	CY
130	911.0101	STONE MASONRY STEPS STANDARD 10.4.0	5.00	CY
131	911.9901	REMOVE AND RESET WET STONE MASONRY RETAINING WALLS STANDARD 10.1.0	90.00	CY
132	911.9902	REMOVE AND REBUILD STONE MASONRY SPANDREL WALLS	2,410.00	SF
133	911.9903	REMOVE AND REBUILD STONE MASONRY N.E. CHANNEL WALL AND N.W. WINGWALL	37.00	CY
134	911.9904	RESET STONE CAP	221.00	LF
135	911.9905	STONE CAP TRANSITION	24.00	LF
136	912.9901	SUPPLEMENTARY STONE FOR WALLS	20.00	TON
137	914.5010	FLAGPERSONS	8,320.00	MHRS
138	914.5020	FLAGPERSONS - OVERTIME	2,080.00	MHRS
139	920.0045	DUMPED STONE RIPRAP R-6, R-7, R-8	283.00	SY
140	920.0200	FILTER FABRIC FOR RIP-RAP	283.00	SY
141	922.0100	TEMPORARY CONSTRUCTION SIGNS STANDARD 29.1.0 AND 27.1.1	715.25	SF
142	923.0105	DRUM BARRICADE STANDARD 26.2.0	54,000.00	B DAY
143	923.0125	PLASTIC PIPE TYPE III BARRICADE STANDARD 26.3.1	3.00	EACH
144	923.0200	FLUORESCENT TRAFFIC CONES STANDARD 26.1.0	75.00	EACH
145	925.0112	PORTABLE CHANGEABLE MESSAGE SIGN	60.00	P DAY
146	926.0120	ANCHORED PRECAST CONCRETE BARRIER FOR TEMPORARY TRAFFIC CONTROL	52.00	LF
147	926.0121	UNANCHORED PRECAST CONCRETE BARRIER FOR TEMPORARY TRAFFIC CONTROL STANDARD 40.5.0	425.00	LF
148	929.0110	FIELD OFFICE	24.00	PMO
149	931.0110	CLEANING AND SWEEPING PAVEMENT	1,577.00	HSY
150	932.0100	CUTTING AND MATCHING ASPHALT	426.00	LF
151	932.0200	FULL-DEPTH SAWCUT OF BITUMINOUS PAVEMENT	5,910.00	LF
152	932.0220	FULL DEPTH SAWCUT OF BITUMINOUS SIDEWALK/DRIVEWAY	45.00	LF

Item List

Date: 9/20/2016

Estimate Name - 0118A - Advertising Submission
 Project Name - Slatersville Stone Arch Bridge No 273 (70C)
 R.I. Contract No. - 2016-CB-056
 FAP Nos. - BRO-0273(007)

Seq No.	Item Code	Description	Quantity	UM
153	932.0230	FULL DEPTH SAWCUT OF PORTLAND CEMENT CONCRETE SIDEWALK/DRIVEWAY	78.00	LF
154	935.0400	REMOVING BITUMINOUS PAVEMENT BY MICRO MILLING	1,270.00	SY
155	936.0100	MOBILIZATION AND DEMOBILIZATION	1.00	LS
156	937.0200	MAINTENANCE AND MOVEMENT TRAFFIC PROTECTION	1.00	LS
157	942.0200	DETECTABLE WARNING PANEL STANDARD 48.1.0	144.00	SF
158	943.0200	TRAINEE MAN-HOURS	3,000.00	MHRS
159	L01.0102	LOAM BORROW 4 INCHES DEEP	3,993.00	SY
160	L01.0104	PLANTABLE SOIL 4 INCHES DEEP	13.00	SY
161	L01.9901	BIORETENTION SOIL MIX	150.00	CY
162	L02.0102	RESIDENTIAL SEEDING (TYPE 2)	3,993.00	SY
163	L02.9901	CONSERVATION/WILDLIFE SEED MIX	700.00	SY
164	L05.0505	EROSION CONTROL BLANKET	450.00	SY
S165	L06.9901	ULMUS PARVIFOLIA / CHINESE ELM, 3" CAL	3.00	EACH
S166	L06.9902	ILEX VERTICILLATA NANA "RED SPRITE" / RED SPRITE WINTERBERRY, 5 GALLON	40.00	EACH
S167	L06.9903	JUNIPERUS VIRGINIANA "GREY OWL" / EASTERN REDCEDAR, 24" TO 30" B&B	40.00	EACH
S168	L06.9904	HYDRANGEA MARCOPHYLLA "NIKKO BLUE" / NIKKO BLUE HYDRANGEA, 5 GALLON	8.00	EACH
169	L10.0101	MECHANICAL TREE AND SHRUB ROOT PRUNING	45.00	LF
170	L11.0102	TREE PLANT PROTECTION DEVICE STANDARD 51.1.0	3.00	EACH
S171	T12.9901	PORTABLE TRAFFIC CONTROL SIGNAL SYSTEM	24.00	PWK
172	T15.0100	DIRECTIONAL REGULATORY AND WARNING SIGNS	165.25	SF
173	T15.1000	STREET SIGN ASSEMBLY STD. 24.6.1	7.00	EACH
S174	T20.0006	6 INCH WHITE FAST - DRYING WATERBORNE PAVEMENT MARKING PAINT	3,400.00	LF
S175	T20.0012	12 INCH WHITE FAST - DRYING WATERBORNE PAVEMENT MARKING PAINT	618.00	LF
S176	T20.0104	4 INCH YELLOW FAST - DRYING WATERBORNE PAVEMENT MARKING PAINT	3,026.00	LF
S177	T20.1106	6 INCH TEMPORARY WATERBORNE PAINT PAVEMENT MARKINGS WHITE	3,400.00	LF
S178	T20.1112	12 INCH TEMPORARY WATERBORNE PAINT PAVEMENT MARKINGS WHITE	618.00	LF
S179	T20.1204	4 INCH TEMPORARY WATERBORNE PAINT PAVEMENT MARKINGS YELLOW	3,026.00	LF
S180	T20.2006	6 INCH EPOXY RESIN PAVEMENT MARKINGS WHITE	3,400.00	LF

Item List

Date: 9/20/2016

Estimate Name - 0118A - Advertising Submission
Project Name - Slatersville Stone Arch Bridge No 273 (70C)
R.I. Contract No. - 2016-CB-056
FAP Nos. - BRO-0273(007)





Seq No.	Item Code	Description	Quantity	UM
S181	T20.2012	12 INCH EPOXY RESIN PAVEMENT MARKINGS WHITE	618.00	LF
S182	T20.2014	4 INCH EPOXY RESIN PAVEMENT MARKINGS YELLOW	3,026.00	LF

*** THIS IS A DISK-BASED BID ***

**ELECTRONIC BIDDING
PROCEDURE NOTICE**

**ALL BID OFFERS MUST BE PREPARED USING THE QUEST LITE BID
PREPARATION SOFTWARE PACKAGE**

Bidders **MUST** register in person at the RIDOT Contract Administration office to obtain the necessary Bidder Registration and Digital ID codes for the Quest Lite software.

RIDOT Provides:		Bidder Must Submit:	
			
CD	Plans (on CD)	2 High-Density Compact Disks (CDs) w/Quest Lite Bid "zip" file**	Completed & Signed Proposal (Hard Copy)
			
Contract Documents (on CD)	DOQ Report (on CD)	Bid Surety (Hard Copy)	Completed & Signed (Hard Copy)

Contact the Contracts & Specifications Office at 222-2495 to request technical assistance on issues directly related to the Quest Lite software
Office Hours: 8:00 AM – 4:00 PM

****Refer to the RIDOA "Notice to Contractors" for additional information on the "Public Copy" submission requirements.**

NO BID OFFER WILL BE CONSIDERED
UNLESS ACCOMPANIED BY A COMPACT DISK (CD)
CONTAINING THE BID PROPOSAL FILE
GENERATED BY THE QUEST LITE BID PREPARATION SOFTWARE

*Failure to comply will result in a mandatory disqualification per Section 12.102.07 of the RI
Dept of Administration Division of Purchases Procurement Regulations*

Rhode Island Department of Transportation (RIDOT)

Notice to Contractors

THIS IS A DISK-BASED BID

Bid offers will be accepted *only on a CD generated by RIDOT-supplied software called Quest Lite; each CD must be accompanied by a hard copy signed offer printed from the software and submitted at the Bid Opening.* Minimum computer hardware and operating system requirements are listed here. *Training is strongly recommended for all new bidders and others unfamiliar with these procedures. SEE BELOW.*

CONTACT: RIDOT CONTRACTS & SPECIFICATIONS
Rm. 108, Two Capitol Hill, Providence, RI 02903
Phone: **401-222-2495**
Hours: **Mon – Fri, 8:00AM – 4:00PM**

1. Required Registration Codes for Each Bidder.

Registration Codes for RIDOT software are necessary to install and use the software; a firm only needs to register once to acquire secure, unique bidder identification codes to be used with all RIDOT disk-based construction project bids Bidders must retain these codes for future use.

2. The required Quest Lite installation software and all applicable Contract Documents are provided on a CD-ROM.

The Contract Documents include the RI DOA Division of Purchases Procurement Regulations, RI Standard Specifications, Amended December 2010 and all revisions, the RI Standard Details for Highway and Bridge Construction, Bridge Standard Details, General Provisions, Special Provisions, Distribution of Quantities and Engineering Plans, and all other applicable documents

3. Minimum Computer Hardware and Operating System Requirements.

- Windows XP SP2 w/Pentium IV processor
- CD-ROM Drive, Floppy Drive, Printer & 15" Monitor (17" recommended)
- 20GB Hard Disk with 1GB free (40 GB with 5 GB free recommended)
- 512 MB RAM (1 GB recommended)
- 32 MB Video Card (64 MB SVGA recommended)
- Internet Explorer 6 0 SP 2

4. Addenda, when necessary, are available on Purchases' RIVIP website.

at: <http://www.purchasing.ri.gov/RIVIP/BidSearch.asp>

RIDOT will make all necessary addenda available at Purchases' web site It is the plan-holders responsibility to poll the RIVIP to keep up-to-date on addenda.

5. Training may be requested up to three days prior to the Bid Opening.

Training is provided on request Arrangements must be made through the RIDOT Contracts & Specifications Office at least three (3) days prior to the Bid Opening of the project

6. Technical Support.

Assistance is available upon request by contacting the Contracts & Specifications office during work hours or emailing Quest@dot.ri.gov.

NOTICE TO HIGHWAY AND BRIDGE CONTRACTORS

Rhode Island Department of Transportation (RIDOT)
Contracts and Specifications

ELECTRONIC BIDDING PROCEDURES QUEST LITE UPGRADE

Effective January 1, 2011, bid offers for all RIDOT Contracts requiring the use of the Department's Quest Lite bid preparation software **MUST** be prepared using **Quest Lite Version 040408 (2.8.4)**. Failure to comply with this requirement could result in the disqualification of your bid offer.

Full installation and upgrade-only software packages, including installation directions, for Quest Lite Version **040408 (2.8.4)** will be provided on the Project Advertising CD's, which are available to prospective bidders through the Contracts and Specifications office on or after the scheduled project advertising date.

Contractors presently using Quest Lite Version 040407 (2.8.3) need only install the upgrade package to complete the conversion, **UNLESS** a previous upgrade installation was used to upgrade from 2.8.2 to 2.8.3, in which case these installations must be removed and the full installation performed. Earlier versions (2.8.2 or lower) will require the full installation in all instances.

For technical assistance, contact the Contracts and Specifications office at 222-2495.

01/21/11

QUEST LITE VERSION 4.4.8 (2.8.4)

UPGRADE & FULL INSTALLATION

All bid offers prepared using the Department of Transportation's Quest Lite software must use the Quest Lite Version 040408 (2.8.4). If there is no Quest Lite installation, then the full installation must be completed. For earlier versions of Quest Lite, either the upgrade or full installation will be required to be completed. Both versions (upgrade and full installation) are provided on this project CD.

Before proceeding with any installations, note the following:

1. All users must register with the Department of Transportation in order to use Quest Lite. At the time of registration, users are provided with a set of unique company ID codes (Site Code, Bidder Code and company Short Name). Users **MUST RETAIN** these codes for future use.
2. Many users who currently have Quest Lite installed will only require the installation of the upgrade version. To determine if the upgrade installation is sufficient, the present version of the Quest Lite installation must be determined. This is accomplished in Quest Lite by clicking on Help/About. If the present version is 040407 (2.8.3) then the upgrade installation is sufficient **unless** an upgrade version has been previously used to upgrade version 2.8.2 to 2.8.3.
3. For earlier installations (versions below 2.8.3, and if an upgrade has been previously installed to upgrade to version 2.8.3), the full installation of Quest Lite is required. (Note: if the full installation is required, the upgrade installation **does not** need to be performed after the full installation is completed.)
4. To determine if an upgrade version of Quest Lite version is present, it is generally easiest to use the "Add or Remove Programs" function from the Control Panel to view the Quest Lite installations. Should both an installation and an upgrade version be installed, both programs must be removed using the "Remove" function and the new version 2.8.4 installed.
5. It is recommended that users consult the Quest Lite User Manual provided on this CD prior to attempting the installation of the upgrade or full program installation.
6. After completing the installation of the upgrade or full installation, it is recommended that a test bid be submitted to the Department to ensure the program is functioning correctly and that the Quest Lite bid files can be correctly imported into the Department's Quest program. **Test bids may be submitted on a CD to the Contracts office in Room 109 of the RIDOT Headquarters, or by e-mail to Quest@dot.ri.gov.**

Installation Instructions – Upgrade Version

Upgrade Quest Lite only if the current installed version is 2.8.3, and a previous upgrade has not been installed.

1. Close Quest Lite before attempting the installation.
2. Using the project CD, double-click on the “Upgrade Only” option provided on the Start page.
3. When prompted for a password, enter “ridot”.
4. Follow the instructions provided in the installation wizard to complete the installation.
5. When executing Quest Lite for the first time after installing the upgrade, users may be prompted to enter their company bidder codes.

Installation Instructions – Complete Installation

A complete Installation of the software is required only if Quest Lite is:

1. Not installed on the computer/laptop; or
2. The installed version of Quest Lite is older than 2.8.3, i.e. 2.8.2 or under; or
3. The 2.8.3 upgrade version of Quest Lite is installed.

If any of 1 through 3 above apply, follow these instructions:

1. If a Quest Lite version 2.8.2 or older, or a 2.8.3 upgrade are currently installed,
 - a. Close Quest Lite.
 - b. Remove all the existing installation(s) of Quest Lite. To accomplish this, follow the instructions provided on pages 19 – 25 of the Quest Lite User Manual provided with this project CD. Follow the installation removal directions for the operating system in use on the machine.
2. Using the project CD, double-click on the “Complete Installation” option provided on the Start page.
3. When prompted for a password, enter “ridot”.
4. Follow the instructions provided in the installation wizard to complete the installation.
5. When executing Quest Lite for the first time after completing the installation, the user will be prompted to enter the company bidder codes provided by the Department. Once this information is entered, the installation process will be complete.

For technical assistance, contact the Contracts & Specifications office at 222-2495.