



REQUEST FOR QUOTE (RFQ) – BID# 7550983

2016-CH-055 PEDESTRIAN AND INTERSECTION SAFETY IMPROVEMENTS - STC

SUBMISSION DEADLINE: Wednesday, October 19, 2016 at 03:00 PM (ET)

PRE-BID CONFERENCE: NO YES _____

Mandatory: NO YES: Any vendor who intends to submit a bid proposal in response to this solicitation must have its designated representative attend the mandatory pre-bid conference. The representative must register at the pre-bid conference and disclose the identity of the vendor whom he/she represents. Because attendance at the pre-bid conference is mandatory, a vendor's failure to attend and register at the pre-bid conference shall result in disqualification of the vendor's bid proposal as non-responsive to the solicitation.

Lisa Hill

Buyer Name: Lisa Hill
Title: Chief Buyer

QUESTIONS Prospective bidders are hereby notified that all questions pertaining to this contract must be submitted to the Department of Transportation in writing through its website at <http://www.dot.ri.gov/contracting/bids> by accessing the questions & answers menu located within the 'contracting', then 'bidding opportunities' link. Response to the submitted questions will also be posted under this link, phone calls will not be accepted.


SURETY REQUIRED: YES

BOND REQUIRED: YES

DISK BASED BID: NO YES: See attached Disk Based Bidding Information

NOTE TO VENDORS:
Vendors must register on-line at the Rhode Island Division of Purchases website at www.purchasing.ri.gov. Offers received without the completed three-page Rhode Island Vendor Information Program (RIVIP) Generated Bidder Certification Cover Form attached may result in disqualification.

THIS IS NOT A BIDDER CERTIFICATION FORM



State of Rhode Island Department of Administration
Division of Purchases

RHODE ISLAND DEPARTMENT OF TRANSPORTATION

REVISED
November 20, 2013

NOTICE TO VENDORS

Each bid proposal for a *public works project* must include a "public copy" to be available for public inspection upon the opening of bids. **Bid proposals that do not include a copy for public inspection will be deemed nonresponsive.**

To comply with this requirement, *in addition to* the Quest Lite compatible electronic copy and one hard copy, bid proposals for *highway and bridge public works projects* must also include a duplicate original of the Quest Lite compatible electronic copy on a *read-only* CD-R media disc as the "public copy."

The public copy disc must be separately enclosed in a protective cover clearly marked "Public Copy" and include the following information (all available from the Bidder Certification Cover Form): (1) title of solicitation; (2) name of bidder and RIVIP vendor ID number; (3) bid number; and (4) date of bid.

The public copy may redact any trade secrets or commercial or financial information which is of a privileged or confidential nature pursuant to the "Access to Public Records Act," R. I. Gen. Laws §§ 38-2-1 *et seq.*

For further information on how to comply with this statutory requirement, see R. I. Gen. Laws §§ 37-2-18(b) and (j). Also see Procurement Regulations 5.11, 5.13, and 12.102.05 accessible at www.purchasing.ri.gov.

**State of Rhode Island and Providence Plantations
Department of Transportation**

**Notice to Contractors
Special Provisions
Proposal
Contract Agreement
Contract Bond**

for the Performance of

Rhode Island Contract Number: 2016-CH-055

**Rhode Island Federal-Aid\State-Aid Project STPG-0202(134)
Numbers:**

Project: Pedestrian and Intersection Safety Improvements w/ Albion Beacon - STC

Limits: Statewide

City/Town: Bristol, Providence, Warwick, Barrington, Johnston, Narragansett, West Warwick

County: BRISTOL, PROVIDENCE, KENT, WASHINGTON

Submitted By: _____

Address: _____

Name of Surety: _____

Total Bid: _____

(BIDDER MUST FILL IN ALL ABOVE SPACES)

The basis of award of the Contract will be the total bid for all quantities of work in the proposal subject to review and correction as provided for in the Rhode Island Department of Transportation Standard Specifications for Road and Bridge Construction and Standard Details.

NOTE: The State of Rhode Island Standard Specifications for Road and Bridge Construction and Standard Details consists of the following:

- The Rhode Island Standard Specifications for Road and Bridge Construction, Amended December 2010, with all revisions.
- The Rhode Island Standard Details, 1998 Edition, with all revisions.
- The Rhode Island Bridge Standard Details, 2010 Edition, with all revisions.
- The Division of Purchases Procurement Regulations Adopted December 2010.

*** Refer to Section 12.102.05 PREPARATION OF PROPOSAL of the STATE OF RHODE ISLAND PROCUREMENT REGULATIONS regarding the use of Quest Lite software for bid preparation.**

The above documents may be obtained at the Rhode Island Department of Transportation, Contracts and Specifications Office, upon request.

STATE OF RHODE ISLAND AND PROVIDENCE PLANTATIONS
DEPARTMENT OF ADMINISTRATION - DIVISION OF PURCHASES

NOTICE TO HIGHWAY AND BRIDGE CONTRACTORS

Sealed Proposals addressed to the State Purchasing Agent, Rhode Island Department of Administration, Division of Purchases, One Capitol Hill, Providence, Rhode Island 02903, will be opened and read in public on October 19, 2016 at 3:00PM. All bidders MUST register online at www.purchasing.ri.gov. A Bidder Certification Cover Sheet MUST accompany each bid. Bid item description and quantities estimated for this project will also be available online. Should you need assistance in registering or downloading a bid, call (401) 222-3766. Failure to comply will result in mandatory disqualification per Item 4 of Section 12.102.12 of the Division of Purchases Procurement Regulations Adopted December 2010 and RI General Law 37-2-17 which references the RI Vendor Information Program (RIVIP).

DESCRIPTION: R.I. Federal Aid Project No. STPG-0202(134) and R.I. Contract No. 2016-CH-055 are for Pedestrian and Intersection Safety Improvements - State Traffic Commission. The project includes sixteen intersection locations in Barrington, Bristol, Cumberland, Johnston, Lincoln, Narragansett, Providence, Warwick, and West Warwick, RI.

The work in this contract shall include, but not be limited to, installation of curb ramps and detectable warning systems; installation of traffic signal pedestrian accommodations; installation of a crosswalk warning system at Sowams Road at the East Bay Bike Path, Bristol; installation of a mini-roundabout at the intersection of School Street at Main Street Albion, micromilling of existing bituminous pavement and placement of new bituminous concrete surface; signing and striping; adjusting utility castings; seeding; and all other incidentals necessary to execute the work complete in place and accepted within the limits of this contract to the satisfaction of the Engineer.

The Contractor will be required, in accordance with the provisions of the Disadvantaged Business Enterprise Affirmative Action Certification for Contractors and Consultants, to meet the established Race-Conscious Goal, or Contract Goal, of not less than 12.00 percent of the contract bid price, to the Contractors, Subcontractors, and/or suppliers which qualify as Disadvantaged Business Enterprises (DBE's). Failure by the Contractor to demonstrate every good faith effort in fulfilling its DBE commitment during the construction period will result in the reduction in contract payments by the amount determined by multiplying the awarded contract value by the established DBE percentage, and subtracting the dollar value of the work actually performed by DBE contractors. This action will not preclude RIDOT from imposing sanctions or other remedies available as specified in paragraph (D)(C) of the Disadvantaged Business Enterprise Affirmative Action Certification for Contractors and Consultants.

Computer Disks for competitive bidding for the above described work will be furnished by the Department of Transportation, Division of Administrative Services, Contracts & Specifications Office, Room 108, Two Capitol Hill, Providence, Rhode Island, 02903, Tel.Number (401) 222-2495. The Plans, Specifications and Special Provisions may also be examined on or after September 28, 2016 every weekday except holidays between the hours of 8:00 AM and 4:00 PM.

The Bid Package consists of a single compact disk (CD) containing the following items: Construction Plans, Standard Specifications for Road and Bridge Construction, Compilations of Approved Specifications, Required Contract Provisions for Federal-Aid Construction Contracts, RI Division of Purchases Procurement Regulations, General Provisions, Rhode Island Standard Details, Rhode Island Bridge Standard Details, Federal Wage Rates, Contract-Specific General Provisions, Job-Specific Specifications, Distribution of Quantities, Appendices (if applicable), Quest Lite bid file, Quest Lite installation software and a Quest Lite User Manual. Only complete bid packages will be issued.

Prospective Bidders are hereby notified that all questions pertaining to this Contract must be submitted to the Department of Transportation in writing through its website at <http://www.dot.ri.gov/contracting/bids/> by accessing the Questions & Answers Menu located within the "Contracting", then "Contract Opportunities" link. Responses to the submitted questions will also be posted under this link. PHONE CALLS WILL NOT BE ACCEPTED.

For help with RIDOT's Quest Lite bid preparation software, please contact the Contracts & Specifications Office, Room 108, Two Capitol Hill, Providence, Rhode Island, 02903, Tel. Number (401)-222-2495 or e-mail Quest@dot.ri.gov.

Please also note that all Bidding Documents required to be submitted and in fact submitted to the Purchasing Agent as part of a bid will be considered returned to the State and need not be returned to RIDOT.

A bid bond payable to the State of Rhode Island, in the amount of 5% of the total or gross sum of the bid must be furnished by each bidder. The Proposal Guaranty will be furnished by surety companies authorized/licensed to do business in the State of Rhode Island. The State reserves the right to retain the surety of all bidders until the successful bidder enters into the Contract or until such time as the award or cancellation of the Contract is announced at which point Sureties will be returned to all bidders by the State of Rhode Island. A performance bond of one hundred (100) percent of the contract price with a satisfactory surety company will be required of the successful bidder. All surety companies must be listed with The Department of the Treasury, Fiscal Services, Circular 570, (Latest Revision published by the Federal Register). The Department of Transportation reserves the right to reject any or all bids.

Required Contract Provisions - The attention of prospective bidders is called to the fact that this project is to be bid upon and the contract executed subject to all applicable federal laws and regulations for carrying out the provisions of the Federal-Aid Highway program..

Wages of labor on Federal -Aid Highway Projects - the prevailing rate of wages for laborers and mechanics employed by contractors or subcontractors on the initial construction of highway projects on the Federal - Aid Highway System, authorized under the Federal Highway Act of 1968, shall be paid wages at rates not less than those prevailing on the same type of work on similar construction in the immediate locality as determined by the United States Secretary of Labor, in accordance with the Act of August 30, 1935, known as the Davis - Bacon Act, under Decision Nos. 1 through 6 as applicable.

Prevailing wage rates and Davis - Bacon Wage Determination Reference Materials are available online at www.purchasing.ri.gov. It is advisable to print only the pages applicable to this bid; the rates active on the Rhode Island Vendor Information Program's bid solicitation date for this project are applicable for the duration of the contract resulting from this bid.

Work Hours Act of 1962 - This contract is subject to Work Hours Act of 1962, Public Law 87-581 and implementing regulations.

There will be no Pre-Bid Conference scheduled for this project.

SPECIAL NOTE

ANY REFERENCE TO THE RHODE ISLAND DEPARTMENT OF PUBLIC WORKS OR THE DIRECTOR OF PUBLIC WORKS SHOULD BE REVISED TO THE RHODE ISLAND DEPARTMENT OF TRANSPORTATION AND THE DIRECTOR OF TRANSPORTATION RESPECTIVELY.

NOTICE TO ALL BIDDERS

The Rhode Island Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 42 U.S.C. §§ 2000d - 2000d-4 and 49 C.F.R. Part 21, Nondiscrimination in Federally-Assisted Programs of the Department of Transportation - Effectuation of Title VI of the Civil Rights Act of 1964, issued pursuant to such Act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, Disadvantaged Business Enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, national origin, age, or disability in consideration for an award.

To report bid rigging activities call: **1-800-424-9071**

The U.S. Department of Transportation (DOT) operates the above toll-free hotline Monday through Friday, 8:00 a.m. to 5:00 p.m. eastern time. Anyone with knowledge of possible bid rigging, bidder collusion, or other fraudulent activities should use the hotline to report such activities.

The hotline is part of the DOT's continuing effort to identify, and investigate highway construction contract fraud and abuse and is operated under the direction of the DOT Inspector General. All information will be treated confidentially and caller anonymity will be respected.

Item List

Date: 9/22/2016

Estimate Name - Advertising
 Project Name - Pedestrian and Intersection Safety Improvements w/ Albion Beacon - STC
 R.I. Contract No. - 2016-CH-055
 FAP Nos. - STPG-0202(134)

Seq No.	Item Code	Description	Quantity	UM
001	201.0321	CLEARING AND GRUBBING	55.00	SY
002	201.0401	REMOVE AND DISPOSE GRANITE CURB	288.00	LF
003	201.0402	REMOVE AND DISPOSE CONCRETE CURB	573.00	LF
004	201.0403	REMOVE AND DISPOSE SIDEWALKS	1,151.00	SY
005	201.0407	REMOVE AND DISPOSE PAVEMENT AND RIGID BASE	267.00	SY
006	201.0409	REMOVE AND DISPOSE FLEXIBLE PAVEMENT	26.00	SY
007	201.0450	REMOVE AND STOCKPILE ON SITE GRANITE CURB	51.00	LF
008	201.0610	REMOVE AND DISPOSE DIRECTIONAL, WARNING, REGULATORY, SERVICE, AND STREET SIGNS	28.00	EACH
009	201.9901	REMOVE AND RELOCATE BOULDER	1.00	EACH
010	201.9902	REMOVE, STOCKPILE, AND RESET OR RELOCATE SIGN	29.00	EACH
011	201.9903	REMOVE AND DISPOSE BRICK CROSSWALK PAVERS	173.00	SY
012	201.9904	REMOVE AND DISPOSE SIDEWALK BY HAND	504.00	LF
013	201.9905	RESET BRICK PAVERS	1.00	SY
014	201.9906	REMOVE AND DISPOSE PHONE BOOTH	1.00	EACH
015	201.9907	REMOVE, STOCKPILE, AND RESET COBBLE STONE EDGE	4.00	LF
S016	201.9908	REMOVE AND SALVAGE TRAFFIC SIGNAL EQUIPMENT - SIGNAL NO. 841	1.00	LS
S017	201.9909	REMOVE AND SALVAGE TRAFFIC SIGNAL EQUIPMENT - SIGNAL NO. 413	1.00	LS
018	202.0100	EARTH EXCAVATION	212.00	CY
019	204.0100	TRIMMING AND FINE GRADING	1,140.00	SY
020	209.9901	INLET SEDIMENT CONTROL	12.00	EACH
021	209.9902	CURB INLET FILTER	10.00	EACH
022	212.2000	CLEANING AND MAINTENANCE OF EROSION CONTROLS	1.00	LS
023	302.0100	GRAVEL BORROW SUBBASE COURSE	182.00	CY
024	401.3002	CLASS 9.5 HMA FOR LEVELLING	94.00	TON
025	401.3005	CLASS 9.5 HMA FOR MISCELLANEOUS WORK	35.00	TON
026	401.3100	MODIFIED CLASS 9.5 HMA	951.00	TON
S027	401.9901	DECORATIVE CROSSWALK TREATMENT	2,080.00	SF
028	403.0300	ASPHALT EMULSION TACK COAT	7,820.00	SY
S029	403.9901	RUBBERIZED JOINT SEALER	1,334.00	LF
030	601.0200	CLASS XX PORTLAND CEMENT CONCRETE	11.00	CY
031	601.0300	CLASS A PORTLAND CEMENT CONCRETE	125.00	CY

Item List

Date: 9/22/2016

Estimate Name - Advertising
 Project Name - Pedestrian and Intersection Safety Improvements w/ Albion Beacon - STC
 R.I. Contract No. - 2016-CH-055
 FAP Nos. - STPG-0202(134)

Seq No.	Item Code	Description	Quantity	UM
032	702.0541	GRANITE INLET STONE 38" STANDARD 7.3.6	1.00	EACH
033	707.0900	ADJUST MANHOLES TO GRADE	2.00	EACH
034	707.0950	ADJUST TELEPHONE MANHOLE TO GRADE	1.00	EACH
035	707.1000	ADJUST SANITARY MANHOLE	8.00	EACH
036	707.1100	ADJUST CATCH BASINS	5.00	EACH
037	708.9041	CLEANING CATCH BASINS ALL TYPES AND SIZES	1.00	EACH
038	713.8268	ADJUST CURB STOP BOX TO GRADE	2.00	EACH
039	713.8269	ADJUST WATER GATE BOXES TO GRADE	10.00	EACH
040	713.8300	ADJUST GAS GATE BOXES TO GRADE	10.00	EACH
041	905.0110	PORTLAND CEMENT SIDEWALK MONOLITHIC STANDARD 43.1.0	116.00	CY
042	905.0140	BITUMINOUS SIDEWALK STANDARD 43.2.0	4.00	TON
043	906.0110	GRANITE CURB, QUARRY SPLIT STRAIGHT, STANDARD 7.3.0	262.00	LF
044	906.0111	GRANITE CURB, QUARRY SPLIT CIRCULAR, STANDARD 7.3.0	139.00	LF
045	906.0113	GRANITE CURB PROVIDENCE STANDARD 7" CIRCULAR	70.00	LF
046	906.0120	GRANITE WHEELCHAIR RAMP CURB STANDARDS 7.3.3, 43.3.0 AND 43.3.1	20.00	EACH
047	906.0130	GRANITE RAMP STONE STRAIGHT STANDARD 7.3.9	6.00	EACH
048	906.0131	GRANITE RAMP STONE CIRCULAR STANDARD 7.3.9	5.00	EACH
049	906.0210	CEMENT CONCRETE CURB PRECAST STRAIGHT STANDARD 7.1.0	130.00	LF
050	906.0211	CEMENT CONCRETE CURB PRECAST CIRCULAR STANDARD 7.1.0	43.00	LF
051	906.0221	6' PRECAST CONCRETE TRANSITION CURB STANDARD 7.1.2	1.00	EACH
052	906.0230	CEMENT CONCRETE SLOPE FACE CURB PRECAST STRAIGHT STANDARD 7.2.0	66.00	LF
053	906.0250	PRECAST CONCRETE WHEELCHAIR RAMP CURB STANDARDS 7.1.3, 43.3.0 AND 43.3.1	41.00	EACH
054	906.0262	PRECAST CONCRETE RAMP STONE 18-INCH STRAIGHT STANDARD 7.1.9	12.00	EACH
055	906.0263	PRECAST CONCRETE RAMP STONE 18-INCH CIRCULAR STANDARD 7.1.9	6.00	EACH
056	906.0280	3' PRECAST CONCRETE TRANSITION CURB STANDARD 7.1.1	1.00	EACH
057	906.0561	CEMENT CONCRETE EDGING 18 INCH LOT CURB STANDARD 7.2.3	31.00	LF
058	906.0700	REMOVE, HANDLE, HAUL TRIM RESET CURB EDGING, STRAIGHT, CIRCULAR ALL TYPES	373.00	LF
059	906.9901	SAFETY EDGE	1,104.00	LF
060	906.9902	GRANITE TRUCK APRON STONE, CIRCULAR, STANDARD 7.7.0	101.00	LF

Item List

Date: 9/22/2016

Estimate Name - Advertising
 Project Name - Pedestrian and Intersection Safety Improvements w/ Albion Beacon - STC
 R.I. Contract No. - 2016-CH-055
 FAP Nos. - STPG-0202(134)

Seq No.	Item Code	Description	Quantity	UM
061	907.0100	WATER FOR DUST CONTROL	23.00	MGA L
062	914.5010	FLAGPERSONS	1,300.00	MHRS
063	914.5020	FLAGPERSONS - OVERTIME	130.00	MHRS
064	919.0101	TEST PITS	10.00	EACH
065	922.0100	TEMPORARY CONSTRUCTION SIGNS STANDARD 29.1.0 AND 27.1.1	628.00	SF
066	923.0105	DRUM BARRICADE STANDARD 26.2.0	33,810.00	BDAV
067	923.0125	PLASTIC PIPE TYPE III BARRICADE STANDARD 26.3.1	10.00	EACH
068	923.0200	FLUORESCENT TRAFFIC CONES STANDARD 26.1.0	322.00	EACH
069	924.0113	ADVANCE WARNING ARROW PANEL	20.00	PDAY
070	928.9901	TRUCK MOUNTED ATTENUATOR WITH TRUCK MOUNTED FLASHING ARROW BOARD	160.00	HRS
071	929.0110	FIELD OFFICE	16.00	PMO
072	932.0110	TRANSVERSE PAVEMENT CUT AND MATCH STANDARD 47.1.1	570.00	LF
073	932.0210	FULL DEPTH SAWCUT OF BITUMINOUS PAVEMENT AND RIGID BASE	1,260.00	LF
074	932.0220	FULL DEPTH SAWCUT OF BITUMINOUS SIDEWALK/DRIVEWAY	104.00	LF
075	932.0230	FULL DEPTH SAWCUT OF PORTLAND CEMENT CONCRETE SIDEWALK/DRIVEWAY	1,958.00	LF
076	935.0400	REMOVING BITUMINOUS PAVEMENT BY MICRO MILLING	7,557.00	SY
077	936.0100	MOBILIZATION AND DEMOBILIZATION	1.00	LS
078	937.0200	MAINTENANCE AND MOVEMENT TRAFFIC PROTECTION	1.00	LS
079	942.0200	DETECTABLE WARNING PANEL STANDARD 48.1.0	432.00	SF
080	943.0200	TRAINEE MAN-HOURS	1,000.00	MHRS
081	L01.0102	LOAM BORROW 4 INCHES DEEP	236.00	SY
082	L01.0104	PLANTABLE SOIL 4 INCHES DEEP	123.00	SY
S083	L02.0101	GENERAL HIGHWAY SEEDING (TYPE 1)	118.00	SY
S084	L02.0102	RESIDENTIAL SEEDING (TYPE 2)	236.00	SY
085	L06.0513	WOOD CHIPS FURNISH AND SPREAD 4" DEPTH	32.00	SY
086	L06.9901	FURNISH AND INSTALL SHRUB	3.00	EACH
087	L08.0104	SHRUB OR VINE PRUNING	4.00	MHRS
088	L11.0102	TREE PLANT PROTECTION DEVICE STANDARD 51.1.0	3.00	EACH
089	L11.0103	SHRUB PLANT PROTECTION DEVICE STANDARD 51.2.0	23.00	LF
S090	T04.5001	6 AWG SINGLE CONDUCTOR CABLE 600V INSULATION	960.00	LF
S091	T04.5302	14 AWG 2 CONDUCTOR TWISTED SHIELDED CABLE	1,570.00	LF

Item List

Date: 9/22/2016

Estimate Name - Advertising
 Project Name - Pedestrian and Intersection Safety Improvements w/ Albion Beacon - STC
 R.I. Contract No. - 2016-CH-055
 FAP Nos. - STPG-0202(134)

Seq No.	Item Code	Description	Quantity	UM
S092	T04.5303	14 AWG 3 CONDUCTOR CABLE	2,300.00	LF
S093	T04.5305	14 AWG 5 CONDUCTOR CABLE	4,365.00	LF
S094	T04.5307	14 AWG 7 CONDUCTOR CABLE	210.00	LF
S095	T04.5309	14 AWG 9 CONDUCTOR CABLE	480.00	LF
S096	T05.0100	PRECAST TYPE A HANDHOLE STANDARD 18.2.0	5.00	EACH
S097	T05.0400	BREAK INTO EXISTING HANDHOLE	8.00	EACH
S098	T05.1030	ADJUST HANDHOLE TO GRADE	8.00	EACH
S099	T06.1020	2 IN. RIGID STEEL CONDUIT - UNDERGROUND	280.00	LF
S100	T06.1030	3 IN. RIGID STEEL CONDUIT-UNDERGROUND	10.00	LF
S101	T06.2020	2 IN. RIGID STEEL CONDUIT-OVERHEAD	40.00	LF
S102	T06.3020	2 IN. RIGID STEEL CONDUIT-UNDER EXISTING PAVEMENT	225.00	LF
S103	T06.5120	2 INCH SCHEDULE 40 POLYVINYL CHLORIDE PLASTIC CONDUIT - UNDERGROUND	25.00	LF
S104	T06.5320	2 INCH SCHEDULE 40 POLYVINYL CHLORIDE PLASTIC CONDUIT - UNDER EXISTING PAVEMENT	20.00	LF
S105	T06.5420	2 INCH SCHEDULE 80 POLYVINYL CHLORIDE PLASTIC CONDUIT - UNDER EXISTING PAVEMENT	170.00	LF
S106	T06.6020	2 INCH POLYVINYL CHLORIDE PLASTIC CONDUIT-OVERHEAD	60.00	LF
S107	T11.2008	TRAFFIC SIGNAL STANDARD,8 FOOT,STD 19.4.0 ALUMINUM PEDESTAL POLE AND FOUNDATION	14.00	EACH
S108	T11.9901	FURNISH AND INSTALL CROSSWALK WARNING SYSTEM	1.00	LS
S109	T11.9902	REPAIR AND INSTALL DECORATIVE BEACON	1.00	LS
S110	T12.0018	ACTUATED CONTROLLER TS-2, TYPE 1 W/8 PHASE ASSEMBLY GROUND MOUNTED INCLUDING FOUNDATION AND CABINET STD. 19.1.0	2.00	EACH
S111	T12.9150	METER SOCKET W/MANUAL BY-PASS	4.00	EACH
S112	T13.1000	TRAFFIC DETECTORS-LOOP, STANDARD 19.6.0	2,588.00	LF
S113	T13.1002	TRAFFIC DETECTOR RELAY-LOOP 2 CHANNEL	1.00	EACH
S114	T13.1004	TRAFFIC DETECTOR RELAY-LOOP 4 CHANNEL	2.00	EACH
S115	T13.8210	ACCESSIBLE PEDESTRIAN DETECTOR - PUSHBUTTON WITH SIGN	16.00	EACH
S116	T14.9901	1-WAY PEDESTAL MOUNTED L.E.D. PEDESTRIAN SIGNAL HEAD WITH COUNTDOWN TIMER, 12-INCH	14.00	EACH
S117	T14.9902	1-WAY BRACKET MOUNTED L.E.D. PEDESTRIAN SIGNAL HEAD WITH COUNTDOWN TIMER, 12-INCH	2.00	EACH
S118	T15.0100	DIRECTIONAL REGULATORY AND WARNING SIGNS	467.75	SF
S119	T15.2000	PARKING SIGNS	27.00	SF

Item List

Date: 9/22/2016

Estimate Name - Advertising
 Project Name - Pedestrian and Intersection Safety Improvements w/ Albion Beacon - STC
 R.I. Contract No. - 2016-CH-055
 FAP Nos. - STPG-0202(134)






Seq No.	Item Code	Description	Quantity	UM
S120	T20.0006	6 INCH WHITE FAST - DRYING WATERBORNE PAVEMENT MARKING PAINT	2,388.00	LF
S121	T20.0012	12 INCH WHITE FAST - DRYING WATERBORNE PAVEMENT MARKING PAINT	1,482.00	LF
S122	T20.0104	4 INCH YELLOW FAST - DRYING WATERBORNE PAVEMENT MARKING PAINT	2,537.00	LF
S123	T20.0112	12 INCH YELLOW FAST - DRYING WATERBORNE PAVEMENT MARKING PAINT	244.00	LF
S124	T20.0820	FAST DRYING WATERBORNE PAVEMENT ARROW - STRAIGHT, LEFT, RIGHT, OR COMBINED STANDARD 20.1.0	7.00	EACH
S125	T20.0828	FAST-DRYING WATERBORNE PAINT PAVEMENT MARKING - YIELD LINE SYMBOL	19.00	EACH
S126	T20.0842	FAST-DRYING WATERBORNE PAINT PAVEMENT MARKING WORD "YIELD"	4.00	EACH
S127	T20.1000	REMOVE EXISTING PAVEMENT MARKINGS	1,612.00	LF
S128	T20.1106	6 INCH TEMPORARY WATERBORNE PAINT PAVEMENT MARKINGS WHITE	2,634.00	LF
S129	T20.1112	12 INCH TEMPORARY WATERBORNE PAINT PAVEMENT MARKINGS WHITE	3,448.00	LF
S130	T20.1204	4 INCH TEMPORARY WATERBORNE PAINT PAVEMENT MARKINGS YELLOW	2,741.00	LF
S131	T20.1212	12 INCH TEMPORARY WATERBORNE PAINT PAVEMENT MARKINGS YELLOW	244.00	LF
S132	T20.1310	TEMPORARY WATERBORNE PAINT PAVEMENT ARROW - STRAIGHT, LEFT, RIGHT OR COMBINED STANDARD 20.1.0	7.00	EACH
S133	T20.1314	TEMPORARY WATERBORNE PAINT PAVEMENT MARKING - YIELD LINE SYMBOL	19.00	EACH
S134	T20.1316	TEMPORARY WATERBORNE PAINT PAVEMENT MARKING WORD "YIELD"	4.00	EACH
S135	T20.2006	6 INCH EPOXY RESIN PAVEMENT MARKINGS WHITE	2,634.00	LF
S136	T20.2012	12 INCH EPOXY RESIN PAVEMENT MARKINGS WHITE	3,448.00	LF
S137	T20.2014	4 INCH EPOXY RESIN PAVEMENT MARKINGS YELLOW	2,741.00	LF
S138	T20.2019	12 INCH EPOXY RESIN PAVEMENT MARKINGS YELLOW	244.00	LF
S139	T20.2020	EPOXY RESIN PAVEMENT ARROW - STRAIGHT, LEFT, RIGHT, OR COMBINED STANDARD 20.1.0	7.00	EACH
S140	T20.2042	EPOXY RESIN PAVEMENT MARKING - YIELD LINE SYMBOL	19.00	EACH
S141	T20.2048	EPOXY RESIN PAVEMENT MARKING WORD "XING"	2.00	EACH
S142	T20.2056	EPOXY RESIN PAVEMENT MARKING WORD "YIELD"	4.00	EACH
S143	T20.9901	EPOXY RESIN PAVEMENT MARKING - BIKE SYMBOL	2.00	EACH
S144	T20.9902	EPOXY RESIN PAVEMENT MARKING WORD "BUMP"	1.00	EACH

*** THIS IS A DISK-BASED BID ***

**ELECTRONIC BIDDING
PROCEDURE NOTICE**

**ALL BID OFFERS MUST BE PREPARED USING THE QUEST LITE BID
PREPARATION SOFTWARE PACKAGE**

Bidders **MUST** register in person at the RIDOT Contract Administration office to obtain the necessary Bidder Registration and Digital ID codes for the Quest Lite software.

RIDOT Provides:		Bidder Must Submit:	
			
CD	Plans (on CD)	2 High-Density Compact Disks (CDs) w/Quest Lite Bid "zip" file**	Completed & Signed Proposal (Hard Copy)
			
Contract Documents (on CD)	DOQ Report (on CD)	Surety (Bid Bond)	RIVIP Certification Form
		Bid Surety (Hard Copy)	Completed & Signed (Hard Copy)

Contact the Contracts & Specifications Office at 222-2495 to request technical assistance on issues directly related to the Quest Lite software
Office Hours: 8:00 AM – 4:00 PM

****Refer to the RIDOA "Notice to Contractors" for additional information on the "Public Copy" submission requirements.**

NO BID OFFER WILL BE CONSIDERED
UNLESS ACCOMPANIED BY A COMPACT DISK (CD)
CONTAINING THE BID PROPOSAL FILE
GENERATED BY THE QUEST LITE BID PREPARATION SOFTWARE

Failure to comply will result in a mandatory disqualification per Section 12.102.07 of the RI Dept. of Administration Division of Purchases Procurement Regulations

Rhode Island Department of Transportation (RIDOT)

Notice to Contractors

THIS IS A DISK-BASED BID

Bid offers will be accepted *only on a CD generated by RIDOT-supplied software called Quest Lite; each CD must be accompanied by a hard copy signed offer printed from the software and submitted at the Bid Opening.* Minimum computer hardware and operating system requirements are listed here. *Training is strongly recommended for all new bidders and others unfamiliar with these procedures. SEE BELOW.*

CONTACT: RIDOT CONTRACTS & SPECIFICATIONS
Rm. 108, Two Capitol Hill, Providence, RI 02903
Phone: **401-222-2495**
Hours: **Mon – Fri, 8:00AM – 4:00PM**

1. Required Registration Codes for Each Bidder.

Registration Codes for RIDOT software are necessary to install and use the software; a firm only needs to register once to acquire secure, unique bidder identification codes to be used with all RIDOT disk-based construction project bids Bidders must retain these codes for future use.

2. The required Quest Lite installation software and all applicable Contract Documents are provided on a CD-ROM.

The Contract Documents include the RI DOA Division of Purchases Procurement Regulations, RI Standard Specifications, Amended December 2010 and all revisions, the RI Standard Details for Highway and Bridge Construction, Bridge Standard Details, General Provisions, Special Provisions, Distribution of Quantities and Engineering Plans, and all other applicable documents

3. Minimum Computer Hardware and Operating System Requirements.

- Windows XP SP2 w/Pentium IV processor
- CD-ROM Drive, Floppy Drive, Printer & 15" Monitor (17" recommended)
- 20GB Hard Disk with 1GB free (40 GB with 5 GB free recommended)
- 512 MB RAM (1 GB recommended)
- 32 MB Video Card (64 MB SVGA recommended)
- Internet Explorer 6 0 SP 2

4. Addenda, when necessary, are available on Purchases' RIVIP website.

at: <http://www.purchasing.ri.gov/RIVIP/BidSearch.asp>

RIDOT will make all necessary addenda available at Purchases' web site It is the plan-holders responsibility to poll the RIVIP to keep up-to-date on addenda.

5. Training may be requested up to three days prior to the Bid Opening.

Training is provided on request Arrangements must be made through the RIDOT Contracts & Specifications Office at least three (3) days prior to the Bid Opening of the project

6. Technical Support.

Assistance is available upon request by contacting the Contracts & Specifications office during work hours or emailing Quest@dot.ri.gov.

01/25/2011

NOTICE TO HIGHWAY AND BRIDGE CONTRACTORS

Rhode Island Department of Transportation (RIDOT)
Contracts and Specifications

ELECTRONIC BIDDING PROCEDURES QUEST LITE UPGRADE

Effective January 1, 2011, bid offers for all RIDOT Contracts requiring the use of the Department's Quest Lite bid preparation software **MUST** be prepared using **Quest Lite Version 040408 (2.8.4)**. Failure to comply with this requirement could result in the disqualification of your bid offer.

Full installation and upgrade-only software packages, including installation directions, for Quest Lite Version **040408 (2.8.4)** will be provided on the Project Advertising CD's, which are available to prospective bidders through the Contracts and Specifications office on or after the scheduled project advertising date.

Contractors presently using Quest Lite Version 040407 (2.8.3) need only install the upgrade package to complete the conversion, **UNLESS** a previous upgrade installation was used to upgrade from 2.8.2 to 2.8.3, in which case these installations must be removed and the full installation performed. Earlier versions (2.8.2 or lower) will require the full installation in all instances.

For technical assistance, contact the Contracts and Specifications office at 222-2495.

01/21/11

QUEST LITE VERSION 4.4.8 (2.8.4)

UPGRADE & FULL INSTALLATION

All bid offers prepared using the Department of Transportation's Quest Lite software must use the Quest Lite Version 040408 (2.8.4). If there is no Quest Lite installation, then the full installation must be completed. For earlier versions of Quest Lite, either the upgrade or full installation will be required to be completed. Both versions (upgrade and full installation) are provided on this project CD.

Before proceeding with any installations, note the following:

1. All users must register with the Department of Transportation in order to use Quest Lite. At the time of registration, users are provided with a set of unique company ID codes (Site Code, Bidder Code and company Short Name). Users **MUST RETAIN** these codes for future use.
2. Many users who currently have Quest Lite installed will only require the installation of the upgrade version. To determine if the upgrade installation is sufficient, the present version of the Quest Lite installation must be determined. This is accomplished in Quest Lite by clicking on Help/About. If the present version is 040407 (2.8.3) then the upgrade installation is sufficient **unless** an upgrade version has been previously used to upgrade version 2.8.2 to 2.8.3.
3. For earlier installations (versions below 2.8.3, and if an upgrade has been previously installed to upgrade to version 2.8.3), the full installation of Quest Lite is required. (Note: if the full installation is required, the upgrade installation **does not need** to be performed after the full installation is completed.)
4. To determine if an upgrade version of Quest Lite version is present, it is generally easiest to use the "Add or Remove Programs" function from the Control Panel to view the Quest Lite installations. Should both an installation and an upgrade version be installed, both programs must be removed using the "Remove" function and the new version 2.8.4 installed.
5. It is recommended that users consult the Quest Lite User Manual provided on this CD prior to attempting the installation of the upgrade or full program installation.
6. After completing the installation of the upgrade or full installation, it is recommended that a test bid be submitted to the Department to ensure the program is functioning correctly and that the Quest Lite bid files can be correctly imported into the Department's Quest program. **Test bids may be submitted on a CD to the Contracts office in Room 109 of the RIDOT Headquarters, or by e-mail to Quest@dot.ri.gov.**

Installation Instructions – Upgrade Version

Upgrade Quest Lite only if the current installed version is 2.8.3, and a previous upgrade has not been installed.

1. Close Quest Lite before attempting the installation.
2. Using the project CD, double-click on the “Upgrade Only” option provided on the Start page.
3. When prompted for a password, enter “ridot”.
4. Follow the instructions provided in the installation wizard to complete the installation.
5. When executing Quest Lite for the first time after installing the upgrade, users may be prompted to enter their company bidder codes.

Installation Instructions – Complete Installation

A complete Installation of the software is required only if Quest Lite is:

1. Not installed on the computer/laptop; or
2. The installed version of Quest Lite is older than 2.8.3, i.e. 2.8.2 or under; or
3. The 2.8.3 upgrade version of Quest Lite is installed

If any of 1 through 3 above apply, follow these instructions:

1. If a Quest Lite version 2.8.2 or older, or a 2.8.3 upgrade are currently installed,
 - a. Close Quest Lite.
 - b. Remove all the existing installation(s) of Quest Lite. To accomplish this, follow the instructions provided on pages 19 – 25 of the Quest Lite User Manual provided with this project CD. Follow the installation removal directions for the operating system in use on the machine.
2. Using the project CD, double-click on the “Complete Installation” option provided on the Start page.
3. When prompted for a password, enter “ridot”.
4. Follow the instructions provided in the installation wizard to complete the installation.
5. When executing Quest Lite for the first time after completing the installation, the user will be prompted to enter the company bidder codes provided by the Department. Once this information is entered, the installation process will be complete.

For technical assistance, contact the Contracts & Specifications office at 222-2495.