



REQUEST FOR QUOTE (RFQ) – BID# 7551001  
2015-CB-075 CAROLINA BRIDGES

**SUBMISSION DEADLINE: Wednesday, November 02, 2016 at 03:00 PM (ET)**

**PRE-BID CONFERENCE:**  NO  
 YES \_\_\_\_\_

**Mandatory:**  NO  
 YES: Any vendor who intends to submit a bid proposal in response to this solicitation must have its designated representative attend the mandatory pre-bid conference. The representative must register at the pre-bid conference and disclose the identity of the vendor whom he/she represents. Because attendance at the pre-bid conference is mandatory, a vendor's failure to attend and register at the pre-bid conference shall result in disqualification of the vendor's bid proposal as non-responsive to the solicitation.

**Location:**

*Lisa Hill*

**Buyer Name:** Lisa Hill  
**Title:** Chief Buyer

**QUESTIONS** Prospective bidders are hereby notified that all questions pertaining to this contract must be submitted to the Department of Transportation in writing through its website at <http://www.dot.ri.gov/contracting/bids> by accessing the questions & answers menu located within the 'contracting', then 'bidding opportunities' link. Response to the submitted questions will also be posted under this link, phone calls will not be accepted.

**SURETY REQUIRED:** YES

**BOND REQUIRED:** YES

**DISK BASED BID:**  NO  
 YES: See attached Disk Based Bidding Information

**NOTE TO VENDORS:**  
Vendors must register on-line at the Rhode Island Division of Purchases website at [www.purchasing.ri.gov](http://www.purchasing.ri.gov). Offers received without the completed three-page Rhode Island Vendor Information Program (RIVIP) Generated Bidder Certification Cover Form attached may result in disqualification.

**THIS IS NOT A BIDDER CERTIFICATION FORM**



State of Rhode Island Department of Administration  
Division of Purchases

**RHODE ISLAND DEPARTMENT OF TRANSPORTATION**

**REVISED**  
**November 20, 2013**

**NOTICE TO VENDORS**

Each bid proposal for a *public works project* must include a "public copy" to be available for public inspection upon the opening of bids. **Bid proposals that do not include a copy for public inspection will be deemed nonresponsive.**

To comply with this requirement, *in addition to* the Quest Lite compatible electronic copy and one hard copy, bid proposals for *highway and bridge public works projects* must also include a duplicate original of the Quest Lite compatible electronic copy on a *read-only* CD-R media disc as the "public copy."

The public copy disc must be separately enclosed in a protective cover clearly marked "Public Copy" and include the following information (all available from the Bidder Certification Cover Form): (1) title of solicitation; (2) name of bidder and RIVIP vendor ID number; (3) bid number; and (4) date of bid.

The public copy may redact any trade secrets or commercial or financial information which is of a privileged or confidential nature pursuant to the "Access to Public Records Act," R. I. Gen. Laws §§ 38-2-1 *et seq.*

For further information on how to comply with this statutory requirement, see R. I. Gen. Laws §§ 37-2-18(b) and (j). Also see Procurement Regulations 5.11, 5.13, and 12.102.05 accessible at [www.purchasing.ri.gov](http://www.purchasing.ri.gov).

**State of Rhode Island and Providence Plantations  
Department of Transportation**

**Notice to Contractors  
Special Provisions  
Proposal  
Contract Agreement  
Contract Bond**

for the Performance of

**Rhode Island Contract Number: 2015-CB-075**

**Rhode Island Federal-Aid\State-Aid Project                      BRO-057F(001)  
Numbers:**

**Project:     Carolina Bridges (57F)**

**Limits:     Carolina Mill Lane to Butter Lane**

**City/Town: Charlestown, Richmond**

**County:    WASHINGTON**

**Submitted By:** \_\_\_\_\_

**Address:** \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

**Name of Surety:** \_\_\_\_\_

**Total Bid:** \_\_\_\_\_

**(BIDDER MUST FILL IN ALL ABOVE SPACES)**

The basis of award of the Contract will be the total bid for all quantities of work in the proposal subject to review and correction as provided for in the Rhode Island Department of Transportation Standard Specifications for Road and Bridge Construction and Standard Details.

NOTE: The State of Rhode Island Standard Specifications for Road and Bridge Construction and Standard Details consists of the following:

- The Rhode Island Standard Specifications for Road and Bridge Construction, Amended December 2010, with all revisions.
- The Rhode Island Standard Details, 1998 Edition, with all revisions.
- The Rhode Island Bridge Standard Details, 2010 Edition, with all revisions.
- The Division of Purchases Procurement Regulations Adopted December 2010.

**\* Refer to Section 12.102.05 PREPARATION OF PROPOSAL of the STATE OF RHODE ISLAND PROCUREMENT REGULATIONS regarding the use of Quest Lite software for bid preparation.**

The above documents may be obtained at the Rhode Island Department of Transportation, Contracts and Specifications Office, upon request.

STATE OF RHODE ISLAND AND PROVIDENCE PLANTATIONS  
DEPARTMENT OF ADMINISTRATION - DIVISION OF PURCHASES

NOTICE TO HIGHWAY AND BRIDGE CONTRACTORS

Sealed Proposals addressed to the State Purchasing Agent, Rhode Island Department of Administration, Division of Purchases, One Capitol Hill, Providence, Rhode Island 02903, will be opened and read in public on November 2, 2016 at 3:00PM. All bidders MUST register online at [www.purchasing.ri.gov](http://www.purchasing.ri.gov). A Bidder Certification Cover Sheet MUST accompany each bid. Bid item description and quantities estimated for this project will also be available online. Should you need assistance in registering or downloading a bid, call (401) 222-3766. Failure to comply will result in mandatory disqualification per Item 4 of Section 12.102.12 of the Division of Purchases Procurement Regulations Adopted December 2010 and RI General Law 37-2-17 which references the RI Vendor Information Program (RIVIP).

**DESCRIPTION: This project shall consist of slightly improving the roadway profile, while maintaining the horizontal roadway alignment. This work shall be done in two stages of construction with alternating one way traffic at all times and temporary traffic signals, full depth reconstruction of approximately 750 feet of roadway, drainage adjustments and improvements, sidewalk and guardrail installation, removal and resetting curb, sign removal and installation, roadway striping, loam and seeding, selective vegetation removal and overhead utility relocation.**

**The work for bridges 55 & 56 shall include, but not be limited to, modifying the existing abutments with new bridge seats supported on the existing abutments, removing and replacing the entire pier stem to the top of the existing footing, a new pier footing will be constructed on top of existing footing, removing and rebuilding top portions of the existing wingwalls including new flying wingwalls, approach slabs, prestressed concrete butted deck beams with a concrete topping slab, sidewalks and a steel Baldwin Bridge Railing, temporary earth retaining systems, channel excavation, and control of water with a dewatering system.**

**The work for bridge 54 shall include, but not limited to, modifying the existing abutments with new bridge seats supported on the existing abutments, temporary abutment shoring, removing and rebuilding top portions of the existing wingwalls including new flying wingwalls, approach slabs, prestressed concrete butted deck beams with a concrete topping slab, sidewalks and a steel Baldwin Bridge Railing, temporary earth retaining systems and a dewatering system.**

**The Contractor will be required, in accordance with the provisions of the Disadvantaged Business Enterprise Affirmative Action Certification for Contractors and Consultants, to meet the established Race-Conscious Goal, or Contract Goal, of not less than 5.00 percent of the contract bid price, to the Contractors, Subcontractors, and/or suppliers which qualify as Disadvantaged Business Enterprises (DBE's). Failure by the Contractor to demonstrate every good faith effort in fulfilling its DBE commitment during the construction period will result in the reduction in contract payments by the amount determined by multiplying the awarded contract value by the established DBE percentage, and subtracting the dollar value of the work actually performed by DBE contractors. This action will not preclude RIDOT from imposing sanctions or other remedies available as specified in paragraph (1)(C) of the Disadvantaged Business Enterprise Affirmative Action Certification for Contractors and Consultants.**

Computer Disks for competitive bidding for the above described work will be furnished by the Department of Transportation, Division of Administrative Services, Contracts & Specifications Office, Room 108, Two Capitol Hill, Providence, Rhode Island, 02903, Tel.Number (401) 222-2495. The Plans, Specifications and Special Provisions may also be examined on or after September 30, 2016 every weekday except holidays between the hours of 8:00 AM and 4:00 PM.

**The Bid Package consists of a single compact disk (CD) containing the following items: Construction Plans, Standard Specifications for Road and Bridge Construction, Compilations of Approved Specifications, Required Contract Provisions for Federal-Aid Construction Contracts, RI Division of Purchases Procurement Regulations, General Provisions, Rhode Island Standard Details, Rhode Island Bridge Standard Details, Federal Wage Rates, Contract-Specific General Provisions, Job-Specific Specifications, Distribution of Quantities, Appendices (if applicable), Quest Lite bid file, Quest Lite installation software and a Quest Lite User Manual. Only complete bid packages will be issued.**

**Prospective Bidders are hereby notified that all questions pertaining to this Contract must be submitted to the Department of Transportation in writing through its website at <http://www.dot.ri.gov/contracting/bids/> by accessing the Questions & Answers Menu located within the "Contracting", then "Contract Opportunities" link. Responses to the submitted questions will also be posted under this link. PHONE CALLS WILL NOT BE ACCEPTED.**

**For help with RIDOT's Quest Lite bid preparation software, please contact the Contracts & Specifications Office, Room 108, Two Capitol Hill, Providence, Rhode Island, 02903, Tel. Number (401)-222-2495 or e-mail [Quest@dot.ri.gov](mailto:Quest@dot.ri.gov).**

Please also note that all Bidding Documents required to be submitted and in fact submitted to the Purchasing Agent as part of a bid will be considered returned to the State and need not be returned to RIDOT.

A bid bond payable to the State of Rhode Island, in the amount of 5% of the total or gross sum of the bid must be furnished by each bidder. The Proposal Guaranty will be furnished by surety companies authorized/licensed to do business in the State of Rhode Island. The State reserves the right to retain the surety of all bidders until the successful bidder enters into the Contract or until such time as the award or cancellation of the Contract is announced at which point Sureties will be returned to all bidders by the State of Rhode Island. A performance bond of one hundred (100) percent of the contract price with a satisfactory surety company will be required of the successful bidder. All surety companies must be listed with The Department of the Treasury, Fiscal Services, Circular 570, (Latest Revision published by the Federal Register). The Department of Transportation reserves the right to reject any or all bids.

Required Contract Provisions - The attention of prospective bidders is called to the fact that this project is to be bid upon and the contract executed subject to all applicable federal laws and regulations for carrying out the provisions of the Federal-Aid Highway program..

Wages of labor on Federal -Aid Highway Projects - the prevailing rate of wages for laborers and mechanics employed by contractors or subcontractors on the initial construction of highway projects on the Federal - Aid Highway System, authorized under the Federal Highway Act of 1968, shall be paid wages at rates not less than those prevailing on the same type of work on similar construction in the immediate locality as determined by the United States Secretary of Labor, in accordance with the Act of August 30, 1935, known as the Davis - Bacon Act, under Decision Nos. 1 through 6 as applicable.

Prevailing wage rates and Davis - Bacon Wage Determination Reference Materials are available online at [www.purchasing.ri.gov](http://www.purchasing.ri.gov). It is advisable to print only the pages applicable to this bid; the rates active on the Rhode Island Vendor Information Program's bid solicitation date for this project are applicable for the duration of the contract resulting from this bid.

Work Hours Act of 1962 - This contract is subject to Work Hours Act of 1962, Public Law 87-581 and implementing regulations.

There will be no Pre-Bid Conference scheduled for this project.

## **SPECIAL NOTE**

ANY REFERENCE TO THE RHODE ISLAND DEPARTMENT OF PUBLIC WORKS OR THE DIRECTOR OF PUBLIC WORKS SHOULD BE REVISED TO THE RHODE ISLAND DEPARTMENT OF TRANSPORTATION AND THE DIRECTOR OF TRANSPORTATION RESPECTIVELY.

## **NOTICE TO ALL BIDDERS**

The Rhode Island Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 42 U.S.C. §§ 2000d - 2000d-4 and 49 C.F.R. Part 21, Nondiscrimination in Federally-Assisted Programs of the Department of Transportation - Effectuation of Title VI of the Civil Rights Act of 1964, issued pursuant to such Act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, Disadvantaged Business Enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, national origin, age, or disability in consideration for an award.

To report bid rigging activities call: **1-800-424-9071**

The U.S. Department of Transportation (DOT) operates the above toll-free hotline Monday through Friday, 8:00 a.m. to 5:00 p.m. eastern time. Anyone with knowledge of possible bid rigging, bidder collusion, or other fraudulent activities should use the hotline to report such activities.

The hotline is part of the DOT's continuing effort to identify, and investigate highway construction contract fraud and abuse and is operated under the direction of the DOT Inspector General. All information will be treated confidentially and caller anonymity will be respected.

## Item List

Date: 9/27/2016

Estimate Name - 0145B - Advertising Estimate - Carolina Bridges  
 Project Name - Carolina Bridges (57F)  
 R.I. Contract No. - 2015-CB-075  
 FAP Nos. - BRO-057F(001)

Seq No.	Item Code	Description	Quantity	UM
001	201.0321	CLEARING AND GRUBBING	610.00	SY
002	201.0403	REMOVE AND DISPOSE SIDEWALKS	310.00	SY
003	201.0409	REMOVE AND DISPOSE FLEXIBLE PAVEMENT	2,462.00	SY
004	201.0410	REMOVE AND DISPOSE CATCH BASINS	1.00	EACH
005	201.0414	REMOVE AND DISPOSE PIPE - ALL SIZES	54.00	LF
006	201.0415	REMOVE AND DISPOSE GUARDRAIL AND POST ALL TYPES	566.00	LF
007	201.0428	REMOVE AND DISPOSE FRAME AND GRATE OR FRAME AND COVER	7.00	EACH
008	201.0610	REMOVE AND DISPOSE DIRECTIONAL, WARNING, REGULATORY, SERVICE, AND STREET SIGNS	18.00	EACH
009	202.0100	EARTH EXCAVATION	753.00	CY
010	202.0500	CHANNEL EXCAVATION EARTH	510.00	CY
011	202.0700	COMMON BORROW	55.00	CY
012	203.0100	STRUCTURAL EXCAVATION EARTH	390.00	CY
013	203.0210	STRUCTURAL EXCAVATION ROCK	36.00	CY
014	203.0600	FILL GRAVEL BORROW UNDER STRUCTURES	10.00	CY
015	203.0700	PERVIOUS FILL	400.00	CY
016	203.9901	EXISTING STONE MASONRY WALL REMOVED AND REBUILT IN CEMENT MORTAR	24.00	CY
017	204.0100	TRIMMING AND FINE GRADING	1,427.00	SY
018	206.0312	COMPOST FILTER SOCK 12 INCH DIAMETER	1,414.00	LF
019	206.9901	INLET SEDIMENT CONTROL DEVICE	8.00	EACH
020	208.0100	DEWATERING BASIN STANDARD 9.7.0	900.00	SF
021	208.9901	CONTROL OF WATER	1.00	LS
022	208.9902	DEWATERING STOCKPILE BASINS	1.00	LS
023	212.2000	CLEANING AND MAINTENANCE OF EROSION CONTROLS	1.00	LS
024	213.0100	PLACEMENT OF MILLINGS BENEATH GUARDRAIL	384.00	LF
025	302.0100	GRAVEL BORROW SUBBASE COURSE	938.00	CY
026	401.2000	CLASS 12.5 HMA	454.00	TON
027	401.3000	CLASS 9.5 HMA	337.00	TON
028	403.0300	ASPHALT EMULSION TACK COAT	2,421.00	SY
029	601.0300	CLASS A PORTLAND CEMENT CONCRETE	35.00	CY
030	603.1000	CONTROLLED LOW STRENGTH MATERIAL	160.00	CY
031	701.0412	REINFORCED CONCRETE PIPE M 170 CLASS III 12 INCH	17.00	LF

## Item List

Date: 9/27/2016

Estimate Name - 0145B - Advertising Estimate - Carolina Bridges  
 Project Name - Carolina Bridges (57F)  
 R.I. Contract No. - 2015-CB-075  
 FAP Nos. - BRO-057F(001)

Seq No.	Item Code	Description	Quantity	UM
032	701.0418	REINFORCED CONCRETE PIPE M 170 CLASS III 18 INCH	54.00	LF
033	701.8003	PIPE BEDDING CLASS C	11.00	CY
034	702.0517	FRAME AND GRATE, STANDARD 6.3.2	8.00	EACH
035	702.0542	GRANITE APRON STONE 5FT. STANDARD 7.3.7	1.00	EACH
036	702.0543	GRANITE APRON STONE 38" STANDARD 7.3.8	6.00	EACH
037	702.0725	SOLID BLOCK SHALLOW DOUBLE GRATE CATCH BASIN STANDARD 3.5.2	1.00	EACH
038	706.9000	PLUG AND CAP PIPE ALL SIZES	1.00	EACH
039	707.1100	ADJUST CATCH BASINS	6.00	EACH
040	708.9040	CLEANING AND FLUSHING PIPE ALL SIZES	168.00	LF
041	713.8269	ADJUST WATER GATE BOXES TO GRADE	2.00	EACH
042	803.9901	REMOVE AND DISPOSE EXISTING SUPERSTRUCTURE	1.00	LS
043	803.9902	PARTIAL REMOVAL AND DISPOSAL OF EXISTING CONCRETE MASONRY	460.00	CY
044	803.9903	PROTECTIVE SHIELDING	6,200.00	SF
045	805.9901	TEMPORARY EARTH RETAINING SYSTEMS	1.00	LS
046	808.0322	CONCRETE SUBSTRUCTURE CLASS HP 3/4" END POSTS	12.00	CY
047	808.0503	CONCRETE SUBSTRUCTURE CLASS XX 3/4" PIER FOOTING	32.00	CY
048	808.0504	CONCRETE SUBSTRUCTURE CLASS XX 3/4" WALL FOOTING	104.00	CY
049	808.0505	CONCRETE SUBSTRUCTURE CLASS HP 3/4" WALL STEMS	60.00	CY
050	808.0506	CONCRETE SUBSTRUCTURE CLASS HP 3/4" ABUT STEMS	182.00	CY
051	808.0507	CONCRETE SUBSTRUCTURE CLASS HP 3/4" PIER STEMS	107.00	CY
052	808.0508	CONCRETE SUBSTRUCTURE CLASS XX 3/4" APPROACH SLABS	120.00	CY
053	808.0602	CONCRETE SUBSTRUCTURE CLASS HP 3/4" BACKWALLS	12.00	CY
054	808.1205	CONCRETE SUPERSTRUCTURE CLASS HP 3/4" CRT WALLS	9.00	CY
055	808.1501	CONCRETE SUPERSTRUCTURE CLASS HP 3/4" BRIDGE DECKS	107.00	CY
056	808.1640	PREFORMED POLYETHYLENE FOAM JOINT FILLER 1/2"	75.00	SF
057	808.1642	PREFORMED POLYETHYLENE FOAM JOINT FILLER 1"	1,150.00	SF
058	808.1675	POLYURETHANE ELASTOMERIC JOINT SEALANT	4,250.00	CI
059	808.1810	CONCRETE SURFACE FINISHING RUBBED REGULAR	5,115.00	SF
060	808.9901	CONCRETE SUBSTRUCTURE CLASS XX 3/4" FLYING WINGWALLS	26.00	CY
061	808.9902	CONCRETE SUPERSTRUCTURE CLASS XX 3/4" BRIDGE SIDEWALKS	65.00	CY
062	809.1042	PRESTRESSED CONCRETE SOLID SLABS 12" X 36" FURNISH FAB. & ERECT CLASS HP 3/4"	430.00	SF

**Item List**

Date: 9/27/2016

Estimate Name - 0145B - Advertising Estimate - Carolina Bridges  
 Project Name - Carolina Bridges (57F)  
 R.I. Contract No. - 2015-CB-075  
 FAP Nos. - BRO-057F(001)

Seq No.	Item Code	Description	Quantity	UM
063	809.1045	PRESTRESSED CONCRETE SOLID SLABS 12" X 48" FURNISH FAB. & ERECT CLASS HP 3/4"	6,320.00	SF
064	810.0200	STANDARD BARS GRADE 60	12,450.00	LBS
065	810.0210	GALVANIZED BAR REINFORCEMENT GRADE 60	128,000.00	LBS
066	813.0200	PREFORMED WATERPROOFING MEMBRANE	30.00	SY
067	814.0100	DIAMOND GRINDING OF CONCRETE BRIDGE DECKS	172.00	SY
068	817.2110	REPAIRS TO STRUCTURAL CONCRETE MASONRY (PATCHING MORTAR)	55.00	CF
069	819.9901	DRILL AND GROUT GALVANIZED REINFORCING DOWELS	825.00	EACH
070	820.0110	CONCRETE SURFACE TREATMENT (PROTECTIVE COATING)	675.00	SF
071	820.0200	HIGH PRESSURE WATER CLEANING OF CONCRETE SURFACES	1,700.00	SF
072	823.9901	BRIDGE ROADWAY JOINT	198.00	LF
073	824.9901	TEMPORARY SHORING BRIDGE 54	1.00	LS
074	828.0303	ELASTOMERIC BEARINGS LAMINATED	120.00	EACH
075	828.0304	ELASTOMERIC BEARINGS STRIP PLAIN	6.00	SF
076	828.9901	TESTING OF ELASTOMERIC BEARINGS LAMINATED	1.00	LS
077	830.9901	BALDWIN 4 BAR ORNAMENTAL RAIL (MODIFIED)	330.00	LF
078	832.8051	BRIDGE IDENTIFICATION SIGNS	3.00	EACH
079	833.0400	GRANITE IDENTIFICATION TABLETS	3.00	EACH
080	834.0131	VERTICAL FACE GRANITE CURB STRAIGHT 7" REVEAL	305.00	LF
S081	901.0151	TERMINAL END SECTION SINGLE FACE STANDARD 34.3.2	5.00	EACH
S082	901.0190	GUARDRAIL STEEL BEAM ANCHORAGE APPROACH SECTION STANDARDS 34.3.1 AND 34.3.3	1.00	EACH
S083	901.0191	GUARDRAIL STEEL BEAM ANCHORAGE TRAILING END SECTION STANDARD 34.3.4	3.00	EACH
S084	901.0193	GUARDRAIL STEEL BEAM SINGLE FACE STANDARD 34.2.0	384.00	LF
S085	901.0196	GUARDRAIL CONNECTION TO EXISTING ENDPOST TRAILING END SECTION, STANDARD 34.3.6	6.00	EACH
S086	901.0197	GUARDRAIL CONNECTION TO EXISTING ENDPOST APPROACH END SECTION, STANDARD 34.3.5	5.00	EACH
S087	901.0199	GUARDRAIL END TREATMENT, ENERGY ABSORBING TERMINAL	1.00	EACH
088	905.0110	PORTLAND CEMENT SIDEWALK MONOLITHIC STANDARD 43.1.0	51.00	CY
089	905.0115	PORTLAND CEMENT CONCRETE DRIVEWAY STANDARD 43.5.0	2.00	CY
090	906.0110	GRANITE CURB, QUARRY SPLIT STRAIGHT, STANDARD 7.3.0	257.00	LF
091	906.0118	6' GRANITE TRANSITION CURB, QUARRY SPLIT SPECIAL TRANSITION STANDARD 7.3.2	6.00	EACH

## Item List

Date: 9/27/2016

Estimate Name - 0145B - Advertising Estimate - Carolina Bridges  
 Project Name - Carolina Bridges (57F)  
 R.I. Contract No. - 2015-CB-075  
 FAP Nos. - BRO-057F(001)

Seq No.	Item Code	Description	Quantity	UM
092	906.0119	3' GRANITE TRANSITION CURB STANDARD 7.3.1	3.00	EACH
093	906.0120	GRANITE WHEELCHAIR RAMP CURB STANDARDS 7.3.3, 43.3.0 AND 43.3.1	2.00	EACH
094	906.0130	GRANITE RAMP STONE STRAIGHT STANDARD 7.3.9	2.00	EACH
095	906.0602	BITUMINOUS BERM STANDARD 7.5.1	275.00	LF
096	906.0700	REMOVE, HANDLE, HAUL TRIM RESET CURB EDGING, STRAIGHT, CIRCULAR ALL TYPES	591.00	LF
097	907.0100	WATER FOR DUST CONTROL	500.00	MGA L
098	907.0200	CALCIUM CHLORIDE FOR DUST CONTROL (PROJECT WIDE)	250.00	TON
099	912.0100	REMOVE, REBUILD DRY STONE WALLS RUBBLE STANDARD 10.2.0	60.00	LF
100	914.5010	FLAGPERSONS	1,408.00	MHRS
101	914.5020	FLAGPERSONS - OVERTIME	280.00	MHRS
S102	916.9901	NARROW CONDITION IMPACT ATTENUATOR	2.00	EACH
S103	916.9902	REMOVE AND RELOCATE NARROW CONDITION IMPACT ATTENUATOR	2.00	EACH
104	920.0085	PLACED STONE RIPRAP R-3, R-4, R-5 STANDARD 8.3.0	6.00	CY
105	920.0090	PLACED STONE RIPRAP R-6, R-7, R-8	138.00	CY
106	920.0140	BEDDING FOR RIPRAP FS-3 STANDARD 8.3.0	16.00	SY
107	920.0200	FILTER FABRIC FOR RIP-RAP	32.00	SY
108	922.0100	TEMPORARY CONSTRUCTION SIGNS STANDARD 29.1.0 AND 27.1.1	190.00	SF
109	923.0105	DRUM BARRICADE STANDARD 26.2.0	32,400.00	BDAY
110	923.0200	FLUORESCENT TRAFFIC CONES STANDARD 26.1.0	25.00	EACH
111	925.0112	PORTABLE CHANGEABLE MESSAGE SIGN	2,160.00	PDAY
112	926.0120	ANCHORED PRECAST CONCRETE BARRIER FOR TEMPORARY TRAFFIC CONTROL	275.00	LF
113	926.0121	UNANCHORED PRECAST CONCRETE BARRIER FOR TEMPORARY TRAFFIC CONTROL STANDARD 40.5.0	300.00	LF
114	926.0140	REFLECTIVE DELINEATORS FOR TEMPORARY CONCRETE BARRIERS	14.00	EACH
115	928.9901	TRUCK MOUNTED ATTENUATOR (TMA) WITH TRUCK MOUNTED FLASHING ARROW BOARD (TMFAB)	120.00	HRS
116	929.0110	FIELD OFFICE	36.00	PMO
117	931.0110	CLEANING AND SWEEPING PAVEMENT	25.50	HSY
118	932.0100	CUTTING AND MATCHING ASPHALT	96.00	LF
119	932.0220	FULL DEPTH SAWCUT OF BITUMINOUS SIDEWALK/DRIVEWAY	13.00	LF
120	936.0100	MOBILIZATION AND DEMOBILIZATION	1.00	LS

## Item List

Date: 9/27/2016

Estimate Name - 0145B - Advertising Estimate - Carolina Bridges  
 Project Name - Carolina Bridges (57F)  
 R.I. Contract No. - 2015-CB-075  
 FAP Nos. - BRO-057F(001)





Seq No.	Item Code	Description	Quantity	UM
121	937.0200	MAINTENANCE AND MOVEMENT TRAFFIC PROTECTION	1.00	LS
122	942.0200	DETECTABLE WARNING PANEL STANDARD 48.1.0	16.00	SF
123	943.0200	TRAINEE MAN-HOURS	2,000.00	MHRS
S124	L01.0102	LOAM BORROW 4 INCHES DEEP	908.00	SY
S125	L02.0102	RESIDENTIAL SEEDING (TYPE 2)	908.00	SY
S126	T12.9901	PORTABLE TRAFFIC CONTROL SIGNAL SYSTEM	1.00	LS
S127	T15.0100	DIRECTIONAL REGULATORY AND WARNING SIGNS	43.00	SF
128	T15.0200	REMOVE AND RELOCATE DIRECTIONAL REGULATORY AND WARNING SIGN	1.00	EACH
S129	T15.1000	STREET SIGN ASSEMBLY STD. 24.6.1	4.00	EACH
S130	T20.0006	6 INCH WHITE FAST - DRYING WATERBORNE PAVEMENT MARKING PAINT	1,171.00	LF
S131	T20.0012	12 INCH WHITE FAST - DRYING WATERBORNE PAVEMENT MARKING PAINT	157.00	LF
S132	T20.0104	4 INCH YELLOW FAST - DRYING WATERBORNE PAVEMENT MARKING PAINT	1,812.00	LF
S133	T20.1000	REMOVE EXISTING PAVEMENT MARKINGS	278.00	LF
S134	T20.1106	6 INCH TEMPORARY WATERBORNE PAINT PAVEMENT MARKINGS WHITE	891.00	LF
S135	T20.1112	12 INCH TEMPORARY WATERBORNE PAINT PAVEMENT MARKINGS WHITE	37.00	LF
S136	T20.1204	4 INCH TEMPORARY WATERBORNE PAINT PAVEMENT MARKINGS YELLOW	1,256.00	LF
S137	T20.2006	6 INCH EPOXY RESIN PAVEMENT MARKINGS WHITE	891.00	LF
S138	T20.2012	12 INCH EPOXY RESIN PAVEMENT MARKINGS WHITE	37.00	LF
S139	T20.2014	4 INCH EPOXY RESIN PAVEMENT MARKINGS YELLOW	1,256.00	LF

**\* THIS IS A DISK-BASED BID \***

**ELECTRONIC BIDDING  
PROCEDURE NOTICE**

**ALL BID OFFERS MUST BE PREPARED USING THE QUEST LITE BID  
PREPARATION SOFTWARE PACKAGE**

Bidders **MUST** register in person at the RIDOT Contract Administration office to obtain the necessary Bidder Registration and Digital ID codes for the Quest Lite software.

RIDOT Provides:		Bidder Must Submit:	
			
CD	Plans (on CD)	2 High-Density Compact Disks (CDs) w/Quest Lite Bid "zip" file**	Completed & Signed Proposal (Hard Copy)
			
Contract Documents (on CD)	DOQ Report (on CD)	Bid Surety (Hard Copy)	Completed & Signed (Hard Copy)

Contact the Contracts & Specifications Office at 222-2495 to request technical assistance on issues directly related to the Quest Lite software  
Office Hours: 8:00 AM – 4:00 PM

**\*\*Refer to the RIDOA "Notice to Contractors" for additional information on the "Public Copy" submission requirements.**

NO BID OFFER WILL BE CONSIDERED

UNLESS ACCOMPANIED BY A COMPACT DISK (CD)

CONTAINING THE BID PROPOSAL FILE

GENERATED BY THE QUEST LITE BID PREPARATION SOFTWARE

*Failure to comply will result in a mandatory disqualification per Section 12.102.07 of the RI Dept. of Administration Division of Purchases Procurement Regulations*

Rhode Island Department of Transportation (RIDOT)

**Notice to Contractors**

**THIS IS A DISK-BASED BID**

Bid offers will be accepted *only on a CD generated by RIDOT-supplied software called Quest Lite; each CD must be accompanied by a hard copy signed offer printed from the software and submitted at the Bid Opening.* Minimum computer hardware and operating system requirements are listed here. *Training is strongly recommended for all new bidders and others unfamiliar with these procedures. SEE BELOW.*

**CONTACT:** **RIDOT CONTRACTS & SPECIFICATIONS**  
Rm. 108, Two Capitol Hill, Providence, RI 02903  
Phone: **401-222-2495**  
Hours: **Mon – Fri, 8:00AM – 4:00PM**

**1. Required Registration Codes for Each Bidder.**

Registration Codes for RIDOT software are necessary to install and use the software; a firm only needs to register once to acquire secure, unique bidder identification codes to be used with all RIDOT disk-based construction project bids Bidders must retain these codes for future use.

**2. The required Quest Lite installation software and all applicable Contract Documents are provided on a CD-ROM.**

The Contract Documents include the RI DOA Division of Purchases Procurement Regulations, RI Standard Specifications, Amended December 2010 and all revisions, the RI Standard Details for Highway and Bridge Construction, Bridge Standard Details, General Provisions, Special Provisions, Distribution of Quantities and Engineering Plans, and all other applicable documents

**3. Minimum Computer Hardware and Operating System Requirements.**

- Windows XP SP2 w/Pentium IV processor
- CD-ROM Drive, Floppy Drive, Printer & 15" Monitor (17" recommended)
- 20GB Hard Disk with 1GB free (40 GB with 5 GB free recommended)
- 512 MB RAM (1 GB recommended)
- 32 MB Video Card (64 MB SVGA recommended)
- Internet Explorer 6 0 SP 2

**4. Addenda, when necessary, are available on Purchases' RIVIP website.**

**at:** <http://www.purchasing.ri.gov/RIVIP/BidSearch.asp>

RIDOT will make all necessary addenda available at Purchases' web site It is the plan-holders responsibility to poll the RIVIP to keep up-to-date on addenda.

**5. Training may be requested up to three days prior to the Bid Opening.**

Training is provided on request Arrangements must be made through the RIDOT Contracts & Specifications Office at least three (3) days prior to the Bid Opening of the project

**6. Technical Support.**

Assistance is available upon request by contacting the Contracts & Specifications office during work hours or emailing [Quest@dot.ri.gov](mailto:Quest@dot.ri.gov).

01/25/2011

# NOTICE TO HIGHWAY AND BRIDGE CONTRACTORS

Rhode Island Department of Transportation (RIDOT)  
Contracts and Specifications

## ELECTRONIC BIDDING PROCEDURES QUEST LITE UPGRADE

Effective January 1, 2011, bid offers for all RIDOT Contracts requiring the use of the Department's Quest Lite bid preparation software **MUST** be prepared using **Quest Lite Version 040408 (2.8.4)**. Failure to comply with this requirement could result in the disqualification of your bid offer.

Full installation and upgrade-only software packages, including installation directions, for Quest Lite Version **040408 (2.8.4)** will be provided on the Project Advertising CD's, which are available to prospective bidders through the Contracts and Specifications office on or after the scheduled project advertising date.

Contractors presently using Quest Lite Version 040407 (2.8.3) need only install the upgrade package to complete the conversion, **UNLESS** a previous upgrade installation was used to upgrade from 2.8.2 to 2.8.3, in which case these installations must be removed and the full installation performed. Earlier versions (2.8.2 or lower) will require the full installation in all instances.

For technical assistance, contact the Contracts and Specifications office at 222-2495.

01/21/11

## QUEST LITE VERSION 4.4.8 (2.8.4)

### UPGRADE & FULL INSTALLATION

All bid offers prepared using the Department of Transportation's Quest Lite software must use the Quest Lite Version 040408 (2.8.4). If there is no Quest Lite installation, then the full installation must be completed. For earlier versions of Quest Lite, either the upgrade or full installation will be required to be completed. Both versions (upgrade and full installation) are provided on this project CD.

Before proceeding with any installations, note the following:

1. All users must register with the Department of Transportation in order to use Quest Lite. At the time of registration, users are provided with a set of unique company ID codes (Site Code, Bidder Code and company Short Name). Users **MUST RETAIN** these codes for future use.
2. Many users who currently have Quest Lite installed will only require the installation of the upgrade version. To determine if the upgrade installation is sufficient, the present version of the Quest Lite installation must be determined. This is accomplished in Quest Lite by clicking on Help/About. If the present version is 040407 (2.8.3) then the upgrade installation is sufficient **unless** an upgrade version has been previously used to upgrade version 2.8.2 to 2.8.3.
3. For earlier installations (versions below 2.8.3, and if an upgrade has been previously installed to upgrade to version 2.8.3), the full installation of Quest Lite is required. (Note: if the full installation is required, the upgrade installation **does not** need to be performed after the full installation is completed.)
4. To determine if an upgrade version of Quest Lite version is present, it is generally easiest to use the "Add or Remove Programs" function from the Control Panel to view the Quest Lite installations. Should both an installation and an upgrade version be installed, both programs must be removed using the "Remove" function and the new version 2.8.4 installed.
5. It is recommended that users consult the Quest Lite User Manual provided on this CD prior to attempting the installation of the upgrade or full program installation.
6. After completing the installation of the upgrade or full installation, it is recommended that a test bid be submitted to the Department to ensure the program is functioning correctly and that the Quest Lite bid files can be correctly imported into the Department's Quest program. **Test bids may be submitted on a CD to the Contracts office in Room 109 of the RIDOT Headquarters, or by e-mail to Quest@dot.ri.gov.**

### **Installation Instructions – Upgrade Version**

Upgrade Quest Lite only if the current installed version is 2.8.3, and a previous upgrade has not been installed.

1. Close Quest Lite before attempting the installation.
2. Using the project CD, double-click on the “Upgrade Only” option provided on the Start page.
3. When prompted for a password, enter “ridot”.
4. Follow the instructions provided in the installation wizard to complete the installation.
5. When executing Quest Lite for the first time after installing the upgrade, users may be prompted to enter their company bidder codes.

### **Installation Instructions – Complete Installation**

A complete Installation of the software is required only if Quest Lite is:

1. Not installed on the computer/laptop; or
2. The installed version of Quest Lite is older than 2.8.3, i.e. 2.8.2 or under; or
3. The 2.8.3 upgrade version of Quest Lite is installed.

If any of 1 through 3 above apply, follow these instructions:

1. If a Quest Lite version 2.8.2 or older, or a 2.8.3 upgrade are currently installed,
  - a. Close Quest Lite.
  - b. Remove all the existing installation(s) of Quest Lite. To accomplish this, follow the instructions provided on pages 19 – 25 of the Quest Lite User Manual provided with this project CD. Follow the installation removal directions for the operating system in use on the machine.
2. Using the project CD, double-click on the “Complete Installation” option provided on the Start page.
3. When prompted for a password, enter “ridot”.
4. Follow the instructions provided in the installation wizard to complete the installation.
5. When executing Quest Lite for the first time after completing the installation, the user will be prompted to enter the company bidder codes provided by the Department. Once this information is entered, the installation process will be complete.

For technical assistance, contact the Contracts & Specifications office at 222-2495.