



Request for Quote

STATE OF RHODE ISLAND AND PROVIDENCE PLANTATIONS
 ONE CAPITOL HILL
 PROVIDENCE RI 02908

BUYER: Ohara 2nd, John F
 PHONE #: 401-574-8125

CREATION DATE : 19-MAY-09
BID NUMBER: 7246893
 TITLE: Asphalt-Cold Patch-Hot Patch-Berm Mix and Winter Mix-MPA 115
 BLANKET START : 01-JUL-09
 BLANKET END : 30-JUN-10
 BID CLOSING DATE AND TIME:15-JUN-2009 11:00:00

**B
I
L
L
T
O**
 MASTER PRICE AGREEMENT
 SEE BELOW
 RELEASE AGAINST, RI MPA
 US

**S
H
I
P
T
O**
 MASTER PRICE AGREEMENT
 SEE BELOW
 RELEASE AGAINST, RI MPA
 US

Requisition Number:

| Line | Description | Quantity | Unit | Unit Price | Total |
|------|--|-----------|------|------------|-------|
| 1 | Blanket Requirement: July 1, 2009 - June 30, 2010 IF SAMPLES ARE REQUESTED, THEY MUST BE PROVIDED WITHIN TEN (10) WORKING DAYS OF REQUEST DATE. FAILURE TO DO SO MAY RESULT IN DISQUALIFICATION OF BID. NOTE: This MPA-115 has been revised and now also contains the material that was listed on MPA-219 in the past. There will no longer be an called MPA-219 (Hot patch and Berm mix). MPA-115 7/1/09-6/30/10 Cold Patch Material, picked-up, per the attached specifications Note Well the requirement to include manufacturer's specifications with all bids to avoid disqualification. Contact Person: Paul Pusyka 401-222-6765 ext. 4833 | 1,000.00 | Ton | | |
| 2 | MPA-115 7/1/09-6/30/10 Hot Patch Asphalt Mix per the attached specifications | 15,000.00 | Ton | | |
| 3 | MPA-115 7/1/09-6/30/10 Berm Mix per the attached specifications | 500.00 | Ton | | |
| 4 | MPA-115 1/1/10-3/31/10 Winter Mix (same spec as Hot Patch) Specifications Surface Course Class 1, Type I-1 as per Rhode Island Department of Transportation Standard Specifications, Revision of 1971, Section M.03 Materials. See Attached Specifications. This Agreement shall include loading by vendor, | 100.00 | Ton | | |

It is the Vendor's responsibility to check and download any and all addenda from the RIVIP. This offer may not be considered unless a signed RIVIP generated Bidder Certification Cover Form is attached and the Unit Price column is completed. The signed Certification Cover Form must be attached to the front of the offer



Request for Quote

STATE OF RHODE ISLAND AND PROVIDENCE PLANTATIONS
 ONE CAPITOL HILL
 PROVIDENCE RI 02908

BUYER: Ohara 2nd, John F
 PHONE #: 401-574-8125

CREATION DATE : 19-MAY-09
 BID NUMBER: 7246893
 TITLE: Asphalt-Cold Patch-Hot Patch-Berm Mix and Winter Mix-MPA 115
 BLANKET START : 01-JUL-09
 BLANKET END : 30-JUN-10
 BID CLOSING DATE AND TIME:15-JUN-2009 11:00:00

**B
I
L
L
T
O**
 MASTER PRICE AGREEMENT
 SEE BELOW
 RELEASE AGAINST, RI MPA
 US

**S
H
I
P
T
O**
 MASTER PRICE AGREEMENT
 SEE BELOW
 RELEASE AGAINST, RI MPA
 US

Requisition Number:


| Line | Description | Quantity | Unit | Unit Price | Total |
|------|--|----------|------|------------|-------|
| | at vendor's plant on State trucks as requested by agency. A Certified Weight Slip with each load of mix is required. A duplicate copy of each delivery slip is to be forwarded to the requesting agency. Contact Person: Ray Medeiros (401) 641-5738 | | | | |

Delivery: _____

Terms of Payment: _____

It is the Vendor's responsibility to check and download any and all addenda from the RIVIP. This offer may not be considered unless a signed RIVIP generated Bidder Certification Cover Form is attached and the Unit Price column is completed. The signed Certification Cover Form must be attached to the front of the offer

RHODE ISLAND
DEPARTMENT OF TRANSPORTATION



STANDARD SPECIFICATIONS
FOR
ROAD AND BRIDGE CONSTRUCTION

1997 EDITION

COLD PATCH

TEMPORARY PATCHING MATERIAL POTHOLES AND TRENCHES

410.02 MATERIALS. The temporary patching material shall conform to the requirements for Class I-1 Surface Course as set forth in Subsection M.03.01 of these Specifications; be one of the following high performance bituminous cold patch materials: **QUALITY PAVEMENT REPAIR (QPR 2000)** liquid blend patented by U.S. Pro-Tec, Inc., or **SYLVAX UPM** patented by the Sylvax Chemical Corporation; or any high performance cold patch product utilizing bituminous material from the Department's List of Approved Materials and Suppliers and produced in conformance with the manufacturer's specifications and procedures.

M.03.01 BITUMINOUS CONCRETE PAVEMENT. Coarse and fine aggregates, mineral filler, and asphalt cement shall be combined to produce bituminous concrete pavements in accordance with the gradation requirements, physical properties and test limits indicated in the following Table.

| SIEVE SIZE | SURFACE COURSE | |
|---------------------------------------|----------------|------------------|
| | CLASS I-1 | |
| GRADATION: PERCENT PASSING BY WEIGHT | | |
| 1 1/2" | | |
| 1 1/4" | | |
| 1" | | 100 |
| 3/4" | | 80-100 |
| 1/2" | | 70-90 |
| 3/8" | | 50-70 |
| #4 | | 35-50 |
| #8 | | 18-29 |
| #30 | | 13-23 |
| #50 | | 3-8 |
| #200 | | |
| Asphalt % By Weight | | 5.5 - 7 |
| Marshall Stability lbs (min.) | | 1000 |
| % Voids VFA | | 3 - 5 65 - 85 |
| Flow, (in.) | | .08 - .16 |
| Mixing Temp. °F | | 300 |
| Compac- tion #blows at ea. end. | | 50 |

HOT PATCH

SURFACE COURSES

FRICION COURSES

| SIEVE SIZE | BASE COURSE | BINDER COURSE | BRIDGE BINDER | CLASS 1-1 | CLASS 1-2 or SIDEWALK | DENSE | RAMP |
|------------|-------------|---------------|---------------|-----------|-----------------------|-------|------|
|------------|-------------|---------------|---------------|-----------|-----------------------|-------|------|

GRADATION: PERCENT PASSING BY WEIGHT

| | | | | | | | |
|--------|--------|--------|--------|-------|--------|--------|--------|
| 1 1/2" | 100 | 100 | | 100 | | 100 | |
| 1" | 70-100 | 70-100 | 100 | 80-95 | 100 | 90-100 | 100 |
| 3/4" | 46-74 | 46-74 | 70-100 | 70-90 | 95-100 | 70-90 | 95-100 |
| 1/2" | | | 25-45 | 50-70 | 55-75 | 45-75 | 70-100 |
| 3/8" | | | 20-35 | 35-50 | 40-55 | 20-40 | 25-45 |
| #4 | 22-52 | 22-52 | 18-29 | 18-29 | 20-30 | 8-18 | 20-35 |
| #30 | 10-34 | 10-34 | 13-23 | 13-23 | 10-20 | 4-12 | 8-15 |
| #50 | 6-26 | 6-26 | 3-8 | 3-8 | 3-8 | 2-6 | 5-12 |
| #200 | 3-8 | 3-8 | | | | 2-6 | 2-6 |

| | | | | | | | |
|---------------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| Asphalt % By Weight | 4.0 - 6.5 | 4.0 - 6.5 | 5.0 - 7.0 | 5.5 - 7.0 | 6.0 - 7.5 | 4.5 - 6.5 | 5.0 - 7.0 |
|---------------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|

| Marshall Stability lbs. (min.) | 1600 | 1600 | 750 | 1000 | 1000 | 750 | 750 |
|--------------------------------|-------|-------|------|-------|-------|--------|--------|
| % Voids | 3-8 | 3-8 | 3-8 | 3-5 | 3-5 | 8 min. | 5 min. |
| VFA | 60-75 | 60-75 | - | 65-85 | 65-85 | - | - |
| Flow (0.01in) | 8-16 | 8-16 | 8-16 | 8-16 | 8-16 | - | 8-16 |

| Mixing Temp. °F | 300 | 300 | 260 | 300 | 300 | 260 | 260 |
|-------------------------------|-----|-----|-----|-----|-----|-----|-----|
| Compaction #blows at ea. end. | 75 | 75 | 50 | 50 | 50 | 50 | 50 |

NOTE: AWARD WILL ONLY BE MADE TO STATE APPROVED PLANTS WITH MATERIAL LAB IN PLACE.

BERM MIX:

| | |
|-----------------|----------|
| $\frac{1}{2}$ " | 100 |
| $\frac{3}{8}$ " | 80 - 100 |
| NO. 4 | 58 - 80 |
| NO. 10 | 45 - 55 |
| NO. 20 | 30 - 42 |
| NO. 40 | 20 - 32 |
| NO. 80 | 10 - 20 |
| NO. 200 | 4 - 7 |

MINERAL AGGREGATE TOTAL FOR MIX 92 - 93

BITUMAN FOR MIX PERCENTAGE 7 - 8

Contract Terms and Conditions

Table of Contents

Terms and Conditions.....II
 BID STANDARD TERMS AND CONDITIONSII
 TERMS AND CONDITIONS FOR THIS BIDII
 RIVIP INFO - BID SUBMISSION REQUIREMENTSII
 PURCHASE AGREEMENT BIDII
 VENDOR SPECIFICATIONSII
 HAZARDOUS MATERIALII
 MPA BID AWARD (STATEWIDE APPLICABILITY)II
 QUARTERLY REPORTSII
 DELIVERY PER AGENCYIII

Terms and Conditions

BID STANDARD TERMS AND CONDITIONS

TERMS AND CONDITIONS FOR THIS BID

RIVIP INFO - BID SUBMISSION REQUIREMENTS

It is the Vendor's responsibility to check and download any and all addenda from the RIVIP. This offer may not be considered unless a signed RIVIP generated Bidder Certification Cover Form is attached and the Unit Price column is completed. The signed Certification Cover Form must be attached to the front of the offer. When delivering offers in person to One Capitol Hill, vendors are advised to allow at least one hour additional time for clearance through security checkpoints.

PURCHASE AGREEMENT BID

BIDDING (a) A single price shall be quoted for each item against which a proposal is submitted. This price will be the maximum in effect during the agreement period. Any price decline at the manufacturer's level shall be reflected in a reduction of the agreement price to the State. (b) Quantities, if any, are estimated only. The agreement shall cover the actual quantities ordering during the period. Deliveries will be billed at the single, firm, awarded unit price quoted regardless of the quantities ordered. (c) Bid price is net F.O.B. destination and shall include inside delivery at no extra cost. (d) Bids for single items and/or a small percentage of total items listed, may, at the State's sole option, be rejected as being non-responsive to the intent of this request. **ORDERING** (a) The User Agency(s) will submit individual orders for the various items and various quantities as may be required during the agreement period. (b) Exception - Regardless of any agreement resulting from this bid, the State reserves the right to solicit prices separately for any extra large requirements for delivery to specific destinations.

VENDOR SPECIFICATIONS

ALL VENDORS MUST INCLUDE SPECIFICATIONS WITH BID PROPOSAL (EVEN THOSE BIDDING BRAND SPECIFIED). FAILURE TO SUBMIT SPECIFICATIONS WITH BID PROPOSAL MAY RESULT IN DISQUALIFICATION OF BID. ITEMS IN CATALOGS MUST BE CLEARLY MARKED AND PAGES TABBED.

HAZARDOUS MATERIAL

HAZARDOUS MATERIAL SAFETY DATA SHEET IS TO BE SUBMITTED BY THE SUCCESSFUL BIDDER AFTER THEIR RECEIPT OF THE PURCHASE ORDER AND BEFORE OR WITH THE FIRST DELIVERY. THIS SHEET WILL BE KEPT ON FILE AS A REFERENCE FOR FUTURE DELIVERIES MADE UNDER THIS CONTRACT. THIS SHEET IS MANDATED BY RI STATE LAW CHAPTER 28-21 HAZARDOUS SUBSTANCE RIGHT-TO-KNOW ACT. FAILURE TO COMPLY WITH THIS REQUEST WILL RESULT IN LOSS OF CONTRACT.

MPA BID AWARD (STATEWIDE APPLICABILITY)

STATEWIDE APPLICABILITY - Political Subdivisions (cities, towns, schools, quasi-public agencies), as authorized by law, may participate in this Agreement. All ordering and billing shall be between the vendor and the political subdivision (only).

QUARTERLY REPORTS

REPORTS - The Vendor agrees to provide the State with quarterly reports describing activity against this Price Agreement. If this is a Master Price Agreement, such reports shall include usage by municipalities, quasi-public agencies, schools, etc. All reports shall contain the following data: (1) Billing volume in dollars and (2) quantity shipped for each line item in the price agreement. When there are no line items in the price agreement, vendor shall report volume by catalog order numbers, with a brief description of each order number. Reports must be submitted to the RI Division of Purchases to the attention BUYER named in this notice, identifying the Agreement number and the Reporting Period. Quarterly reports shall be due 45 calendar days after the end of each quarter. Failure to submit required reports shall be considered a breach of the contractor's obligations and may be considered, at the discretion of the State Purchasing Agent, sufficient cause for the termination of the agreement and other outstanding agreements and orders, and possible suspension from participation in additional State procurements.

DELIVERY PER AGENCY

DELIVERY OF GOODS OR SERVICES AS REQUESTED BY AGENCY.