



Request for Quote

STATE OF RHODE ISLAND AND PROVIDENCE PLANTATIONS
 ONE CAPITOL HILL
 PROVIDENCE RI 02908

CREATION DATE : 09-AUG-17
 BID NUMBER: 7554618
 TITLE: BOX TRUCK - REFRIGERATION, VAN BODY AND LIFT GATE
 BID CLOSING DATE AND TIME: 12-SEP-2017 10:00:00

BUYER: Mosca, Gary
 PHONE #: 401-574-8124

**B
I
L
L
T
O**
 DOA-CS STATE FLEET
 ONE CAPITOL HILL, 2ND FLOOR
 SMITH ST
 PROVIDENCE, RI 02908
 US

**S
H
I
P
T
O**
 DOA-CS STATE FLEET
 ONE CAPITOL HILL, 2ND FLOOR
 SMITH ST
 PROVIDENCE, RI 02908
 US

Requisition Number: 1522665

Line	Description	Quantity	Unit	Unit Price	Total
1	Refrigeration Box Truck per the attached specifications. Provide the following information: Make/Manufacturer: _____ Model: _____ Model Year: _____ Anticipated Delivery: _____	1.00	Each		

Delivery: _____

Terms of Payment: _____

It is the Vendor's responsibility to check and download any and all addenda from the RIVIP. This offer may not be considered unless a signed RIVIP generated Bidder Certification Cover Form is attached and the Unit Price column is completed. The signed Certification Cover Form must be attached to the front of the offer

STATE OF RHODE ISLAND
DIVISION OF PURCHASES
BID NO. 7554618

The State of Rhode Island Division of Purchases on behalf of the University of Rhode Island is seeking proposals for One (1) New, Newest Model, 2017 or newer Conventional Cab 4x2 Box Truck with 14 ft. Van Body and Hydraulic Lift Gate, in accordance to all specified requirements of Bid Specification Sheet and solicitation requirements herein.

A copy of the bid specifications must be **returned with the bid and must indicate compliance or exception to each aspect of the specification.** All exceptions must be specifically identified. The specification must have the corresponding bid item number identified.

The unit shall be newest current model, new and unused, under standard production by the manufacturer, and of which parts are stocked at one or more locations in Rhode Island and/or Southern New England region. All parts utilized on the unit shall be new and unused.

Bidder must be an authorized manufacturer's representative/dealer.

Bidder must submit a detailed specification of the model offered including vehicle confirmation.

Bidders located beyond a 150 mile radius of the delivery destination must include a written plan for delivery. Vehicles with odometer reading in excess of 150 miles will not be accepted without prior approval from the Division of Purchases.

Each vehicle is identified with a specification number. That number must be clearly marked on all invoices as well as on the sticker attached to window of each vehicle.

It is imperative that this number appears on the vehicle sticker since this will be the identification for distribution from the State Fleet parking facility to the individual state agencies.

DELIVERY SITE FOR ALL VEHICLES WILL BE THE FOLLOWING:

University of Rhode Island - Facility Services
60 Tootell Road
Kingston, RI 02881

DELIVERY INFORMATION:

SUCCESSFUL VENDOR(S) MUST CONTACT CONNIE RESENDES AT STATE FLEET OPERATIONS, (401-222-6227) AT LEAST (2) TWO DAYS PRIOR TO DELIVERY AND Bonnie Jacob OF URI at 401-874-7992 jbacob@uri.edu

STATE OF RHODE ISLAND
DIVISION OF PURCHASES
BID NO. 7554618

THE FOLLOWING ADDITIONAL TERMS AND CONDITIONS APPLY TO THIS INVITATION TO BID:

1. All vehicles must be delivered without dealer's name or advertising of any type visible on the body.
2. Each vehicles delivered to the State must be accompanied by a "Certificate of Origin" with owner listed as: STATE OF RI/FLEET OPERATIONS, ONE CAPITOL HILL, PROVIDENCE, RI 02908, CONTAINING THE MANUFACTURER'S VEHICLE IDENTIFICATION NUMBER (VIN), THE NUMBER OF ENGINE CYLINDERS AND ENGINE TYPE, A GENERAL DESCRIPTION OF THE BODY GVW #, AND THE MODEL NAME/NUMBER. ODOMETER DISCLOSURE **MUST** BE COMPLETED ON THE VENDOR'S SIDE OF "CERTIFICATE OF ORIGIN".
3. Bids must be predicated on the basis of the bidder's full and unencumbered title to the vehicle(s) as of the date of delivery to the State. Bids subject to lien or assignment at the time of delivery to the State, or which stipulate third party or joint payment, will be rejected.
4. Title certificates must be provided at the time of delivery to the State.
5. The successful vendor(s) will be required to provide the following:
 - A. A completed application for registration and Title Certificate (TR-1) **with the exception of Sections G and H.** Owner to be listed as: State of RI/Fleet Operations, One Capitol Hill, Providence, RI 02908.
 - B. A completed Sales or Use Tax Exemption Certification - Motor Vehicles. Purchaser to be listed as: State of RI/Fleet Operations, One Capitol Hill, Providence, RI 02908.
6. To insure timely deliveries, vendor is required to supply confirmation of order to Connie Resendes (401-222-6227) State Fleet Operations, 1 Capitol Hill, Providence, RI 02908 indicating anticipated delivery date. This must be received within 30 days of award.
7. A copy of specification, labeled by bid item number, must be submitted with each offer. Failure to provide specifications as required may result in disqualification.
8. All vehicles must be delivered with less than 150 miles on the odometer. Dealers located outside a 150 mile radius from Providence, Rhode Island must include a written plan of their proposed delivery method, including information regarding required dealer preparation.

STATE OF RHODE ISLAND
DIVISION OF PURCHASES
BID NO. 7554618

9. Standard manufacturer's warranty and operator's manual shall accompany each vehicle. All written warranties and warranty cards are to be furnished in the glove compartment of each vehicle delivered.
10. All deliveries must include a minimum of ½ tank of fuel. Fuel gauges which fail to register a minimum of ½ tank of fuel will be charged for the actual cost of fuel (to reach ½ full) plus \$100 labor charge per vehicle. This amount, where applicable will be deducted from the invoice.
11. All vehicles must meet California emission standards.

PREPARATION FOR DELIVERY:

The vendor shall be responsible to complete new vehicle delivery inspection. The engine, transmission, differential and cooling system shall be filled to the manufacturer's recommended capacity. The vehicle will receive a new vehicle cleaning and preparation prior to delivery. All equipment shall be completely installed and adjustments made prior to delivery and to make the vehicle available for immediate use. The vehicle shall be free of any defects when delivered.

If any deficiencies are observed and cannot be corrected within two (2) business days, the vehicle will be deleted from the invoice and payment will not be made until corrective action is taken and the vehicle is re-inspected and accepted. It shall be the responsibility of the vendor for the pickup and delivery of the vehicle for re-inspection.

All information requested must be included for each item bid. Failure to include all information requested may deem the offer as non-responsive.

Questions relative to the solicitation may be directed by email only to doa.purquestions3@purchasing.ri.gov until 8/24/17 @ 4:00 pm.

Notice to Vendors:

Specifications are required vehicle standards to perform functional operations. Basis of award will be lowest responsive, responsible proposal meeting, exceeding or otherwise determined "as equal" by the State Purchasing Agent deemed functionally equivalent to solicitation specifications.

Notwithstanding the above, the State reserves the right not to award this contract to accept or reject any or all proposals, and to award in its best interest.

END DOCUMENT.

DESCRIPTION: Conventional Cab 4x2 Box Truck with 14 FT. Van Body and Hydraulic Lift Gate

Quantity:	One (1)			Vendor Indicate Compliance Yes/No
	Color: White			
Department:	URI Dining Services	Fuel Type:	Diesel	
Division:	Warehouse	Color:	White	
		*If not offered may be changed at award		

RI-FANS Requisition Number: 1522665

SPECIFICATION SHEET - BID # 7554618. Form must be completed and submitted with proposal

STANDARD FEATURES	FOR VENDOR USE ONLY TO INDICATE COMPLIANCE	
	Yes/No	Specify Alternative (if responding no)
ENGINE (Cummins ISB 280) EPA 2010, 280 HP @2400 RPM 660 lb-ft Torque @1600 RPM, 2600 RPM Governed Speed 280 Peak HP (Max)		
ALTERNATOR (Leece-Neville AV1160P2013) Brush Type; 12 Volt 160 Amp. Capacity, Pad Mount, With Remote Sense		
BATTERY Maintenance-free, (3) 12-Volt 1950CCA Total Alternator (Leece-Neville AV1160P2013) Brush Type; 12 Volt 160 Amp. Capacity, Pad Mount, with remote Sense		
BRAKES AIR Dual System for Straight Truck Applications		
HUB CAPS MANUFACTURER'S STANDARD		
BUMPERS Powder Coated Gray (Argent)		
COOLING SYSTEM Heavy Duty Engine Cooling System		
FLOOR Factory Floor mats		
FUEL TANK Top Draw; D-Style, Non-polished aluminum 16" Tank Depth 50 U.S. Gal 189L Capacity, with quick Connect Outlet Mounted Lift Side, Under Cab		
GVW 35000		
GAUGES Standard Factory		
GLASS Power windows Power locks to Include Express Down Feature		
LIGHTS Standard lighting package		
HEATER/DEFROSTER Factory Standard		
MIRRORS		

(2) ea L/R (Lang Mekra) Rectangular, Thermostatically Controlled Heated Heads, Black Heads, Brackets and Arms, Breakaway Type 7.55" x 14.1" Integral Convex Both Sides, 102" Inside Spacing		
RADIO MANUFACTURER'S STANDARD AM/FM		
AIR CONDITIONING (Blend-Air) With Integral Heater & Defroster		
SEATING Cloth seating Dark Grey		
WINDSHIELD WIPERS Factory Standard		
HUB CAPS/WHEEL COVER Front/Rear (Accuride) DISC; 22.5" Painted Steel, 10-Stud (286.75MM BC) Hub Piloted, 5 Hand Hole, Flanged Nut, Metric Mount 7.50 DC Rims, with Steel Hubs.		
STEERING POWER		
SUSPENSION SYSTEM Factory Heavy Duty Suspension		
TIRES Tires to fit 22.5" Steel Rims		
TRANSMISSION AUTOMATIC (Allison 3500_RDS_P) 6 th Generation Controls; Wide Ration 6-Speed with Double Overdrive On/Off Hwy; Includes Oil Level Sensor, with PTO provision less Retarder, with 80,lb GVW & GCW Max.		
WHEELBASE Standard for model		
WHEEL WRENCH AND JACK Factory Issue		
STANDARD EQUIPMENT Vehicles shall be equipped with all standard features and accessories as noted in the manufacturer's literature for proposed model. No deletion of standard equipment and accessories will be allowed without approval of State Fleet Operations.		
SAFETY Vehicles shall be equipped with all safety standards as administered by the National Highway Traffic and Safety Administration. This is to include ABS if available in model bid. All vehicles will be required to have SRS on drivers side		
PRE-DELIVERY Vehicle shall be completely inspected, serviced and cleaned by the vendor in accordance with pre-delivery service standards. The manufacturer's warranty (minimum of 3 years or 36,000 miles), owner's manual and related information shall be delivered with each unit. Deliver window sticker with details of factory options with each vehicle. No dealer identification on delivered vehicle. Include front license plate bracket. All fluids must be topped off. Fuel Tank minimum 1/2 tank.		
<ul style="list-style-type: none"> • Front License Plate Bracket • Two (2) sets of keys required 		

SPECIAL EQUIPMENT REQUIREMENTS		
Emergency Lighting and Siren Specifications		
XT4DS-R XT4 Dual-Stack LED light head – Red (Qty 18 each)		
XT4DS-WW XT4 Dual-Stack LED light head – White (Qty 1 each)		
3492L6S Xeel Full feature 12V siren with hard-wired microphone and light controls (Qty 1 Each)		
C3100U 100 Watt siren Speaker – 5 year warranty – L Bracket Qty 1 each)		
XT308AS Code 3 8 LED XT series arrow stick model #XT308AS		
68151 2X2 115(degree) DC scene light blk		
Include all product installation		
Morgan Nominal Dry Freight Insulated Van Body 14 FT PA-morgantown Model# GVSDI09114096		
Sub-frame 3" I-Beam Crossmembers on 12" Centers with 4" Long-rail (Qty 1)		
Mylar tape is applied between all steel sub-frame components and extruded aluminum lower (qty 1)		
Extra cross-members (qty 3)		
Locate (3) extra cross-members at rear on 6 in. center (qty 1)		
Mounting Full mount-U Bolt (qty 1)		
Mud-flaps-Morgan 24"x36" Black		
Floor 1 1/8 in laminated hardwood fastened to sub-frame with 2 countersunk screws per floor board per cross member in a staggered pattern. Floor boards are ship lapped and pre-undercoated for protection from elements. (qty 1)		
Threshold steel galvanized angle flush to rear		
Rear Door Morgan standard rear overhead door (qty 1)		
Rear Frame Header sub-component galvanized with 35 or S36 lights (qty 1)		
Post sub-component stainless steel for overhead door with recessed combo lights (qty 1)		
Endplate sub-component for overhead door for 4.12" end plate (qty 1)		
Galvanized header post gusset (qty 1)		
Skins-sides .040 aluminum preprinted white (qty 1)		
Rivets for front and sidewalls-14 body (qty 1)		
Side wall Extruded aluminum top and bottom rails with 1 3/8 in. deep galvanized steel z-shaped vertical posts installed on 16 in centers curbside (qty 1)		

Extruded aluminum top and bottom rails with 1 3/8 in. deep galvanized steel z-shaped vertical posts installed on 16 in. centers roadside (qty 1)		
Liner-side Glassboard full height no door		
Scuff side scuff special costing (qty 2). SPR170653 1/8" Aluminum tread plate scuff 40" up above 6" pan floor sides and front		
Interior Ties Series e-track recessed sidewall (qty 4)		
Locate recessed row at 24 in from top of floor to center of track (qty 1)		
Locate recessed row at 50 in from top of floor to center of track (qty 1)		
Series E track recessed front wall (qty 2)		
Locate recessed row at 24in. from top of floor to center of track (qty 1)		
Locate recessed row at 50 in. from top of floor to center of track (qty 1)		
Front End Aerodynamic aluminum RADII with steel Z post (qty 1)		
Skins-Front .040 Aluminum pre-painted white (qty 1)		
Liner-Front Liner-Front 3/32" glassboard		
Scuff Scuff-Front special costing		
Insulation Fiberglass insulation for rear frame		
2 9/16" Polystyrene block foam - between sills (qty 1)		
4" polystyrene block foam-front (qty 1)		
1 5/16" polystyrene block foam-ceiling (qty 1)		
1 5/16" polystyrene block foam-side no door (qty 2)		
Reefer (Mounting hardware) Front wall, non thru two piece reefer mounting equipment		
Universal reinforcement for two piece units (qty 1)		
Reinforcement for ceiling - Integra 50X (qty 1)		
(4) Folding steps and grab handle mounted on front radius		
Roof .032 one piece aluminum sheet with anti-slag roof bows on 24 in centers with crowned roof design which prevents water/ice pooling		
without radius, used in conjunction with dormer		
Liner-Ceiling ceiling liner 3/32" glassboard (qty 1)		
Interior lights One interior dome lamp w/ ceiling liner (qty 1)		
Total dome light(s) =1		
Switch with indicator mounted in cab dash		
Switch for dome light circuit		
LIFTGATE Palfinger ILR- 25 54x80 2500 lb capacity		

aluminum platform.		
Liftgate power out-off switch mounted in cab dash		
Liftgate narrow structural with 3"x24" rubber bumper blocks		
Exterior lights TECNIQ S36 LED sealed clearance light, per FMVSS-108 installed in front corner caps side top rails and five across rear header (qty 1)		
Components used for chassis wiring and lights Int/grnd (qty 1)		
License plate light mounted rear corner post (qty 1)		
Paint rear end plate - black		
REFRIGERATION UNIT		
<p>Integra 40X Truck Refrigeration Unit Includes:</p> <ul style="list-style-type: none"> • Capacity @35F: 15,000 Btu; @0F: 8,100 Btu; @-20F: 4,000 Btu • Heating Capacity: 13,640 Btu • Deluxe Cab Command with Full Alarm Codes • Composite Skins • Six Cylinder Swash Plate Compressor • e Slim Line Ceiling Evaporator • Hot Gas Heat/Defrost • R-404A Refrigerant • Condenser Valve Supplemental Heat 		
End Specification Sheet		

Contract Terms and Conditions

Table of Contents

Terms and Conditions.....VI
 BID STANDARD TERMS AND CONDITIONSVI
 TERMS AND CONDITIONS FOR THIS BIDVI
 RIVIP INFO - BID SUBMISSION REQUIREMENTSVI
 DELIVERY PER AGENCYVI
 FISCAL YEAR - AWARD EXTENDING PAST FISCAL YR ENDVI
 AUTO / VEHICLE PURCHASE ORDERVI
 AWARDVII
 VENDOR SPECIFICATIONSVII

Terms and Conditions

BID STANDARD TERMS AND CONDITIONS

TERMS AND CONDITIONS FOR THIS BID

RIVIP INFO - BID SUBMISSION REQUIREMENTS

It is the Vendor's responsibility to check and download any and all addenda from the RIVIP. This offer may not be considered unless a signed RIVIP generated Bidder Certification Cover Form is attached and the Unit Price column is completed. The signed Certification Cover Form must be attached to the front of the offer. When delivering offers in person to One Capitol Hill, vendors are advised to allow at least one hour additional time for clearance through security checkpoints.

MAILING ADDRESS FOR BID PROPOSALS ISSUED BY THE STATE OF RHODE ISLAND,
DIVISION OF PURCHASES

All Bid Proposals must be submitted by mail or hand delivered to:

- State of Rhode Island
- Department of Administration
- Division of Purchases, Second floor
- One Capitol Hill
- Providence, RI 02908-5855

DIVESTITURE OF INVESTMENTS IN IRAN REQUIREMENT:

No vendor engaged in investment activities in Iran as described in R.I. Gen. Laws §37-2.5-2(b) may submit a bid proposal to, or renew a contract with, the Division of Purchases. Each vendor submitting a bid proposal or entering into a renewal of a contract is required to certify that the vendor does not appear on the list maintained by the General Treasurer pursuant to R.I. Gen. Laws §37-2.5-3.

DELIVERY PER AGENCY

DELIVERY OF GOODS OR SERVICES AS REQUESTED BY AGENCY.

FISCAL YEAR - AWARD EXTENDING PAST FISCAL YR END

AWARDS EXTENDING BEYOND JUNE 30TH ARE SUBJECT TO AVAILABILITY OF FUNDS. CONTINUATION OF THE CONTRACT BEYOND THE INITIAL FISCAL YEAR WILL BE AT THE DISCRETION OF THE STATE. TERMINATION MAY BE EFFECTED BY THE STATE BASED UPON DETERMINING FACTORS SUCH AS UNSATISFACTORY PERFORMANCE OR THE DETERMINATION BY THE STATE TO DISCONTINUE THE GOODS/SERVICES, OR TO REVISE THE SCOPE AND NEED FOR THE TYPE OF GOODS/SERVICES; ALSO MANAGEMENT OWNER DETERMINATIONS THAT MAY PRECLUDE THE NEED FOR GOODS/SERVICES.

AUTO / VEHICLE PURCHASE ORDER

THE FOLLOWING ADDITIONAL TERMS AND CONDITIONS APPLY TO THIS PURCHASE ORDER: 1. ALL VEHICLES MUST BE DELIVERED WITHOUT DEALER'S NAME OR ADVERTISING OF ANY TYPE VISIBLE ON THE BODY. 2. EACH VEHICLE DELIVERED TO THE STATE MUST BE ACCOMPANIED BY A "CERTIFICATE OF ORIGIN" CONTAINING THE MANUFACTURER'S VEHICLE IDENTIFICATION NUMBER (VIN), THE NUMBER OF ENGINE CYLINDERS AND ENGINE TYPE, A GENERAL DESCRIPTION OF THE BODY, AND THE MODEL

NAME OR NUMBER. CERTIFICATE OF ORIGIN MUST BE ASSIGNED TO STATE OF RI/FLEET OPERATIONS, ONE CAPITOL HILL, PROVIDENCE, RI 02908 UNLESS THE VEHICLE IS BEING PURCHASED BY THE RHODE ISLAND STATE POLICE. IF SO, CERTIFICATE OF ORIGIN MUST BE ASSIGNED TO RHODE ISLAND STATE POLICE, 311 DANIELSON PIKE, NORTH SCITUATE, RI 02857. 3. THE VENDOR MUST WARRANT FULL AND UNENCUMBERED TITLE TO THE VEHICLE(S) AS OF THE DATE OF DELIVERY TO THE STATE. 4. TITLE CERTIFICATES MUST BE PROVIDED AT THE TIME OF DELIVERY TO THE STATE.

AWARD

THE STATE, AT ITS SOLE DISCRETION, SHALL RESERVE THE RIGHT TO MAKE ONE OR MULTIPLE AWARDS FOR THIS REQUIREMENT AND/OR TO REJECT ANY OR ALL BIDS.

VENDOR SPECIFICATIONS

ALL VENDORS MUST INCLUDE SPECIFICATIONS WITH BID PROPOSAL (EVEN THOSE BIDDING BRAND SPECIFIED). FAILURE TO SUBMIT SPECIFICATIONS WITH BID PROPOSAL MAY RESULT IN DISQUALIFICATION OF BID. ITEMS IN CATALOGS MUST BE CLEARLY MARKED AND PAGES TABBED.