



REQUEST FOR QUOTE (RFQ) – BID# 7558488

2017-CB-046 REPLACEMENT OF PINE STREET BRIDGE

SUBMISSION DEADLINE: Wednesday, October 11, 2017 at 01:00 PM (ET)

PRE-BID CONFERENCE: **NO**
 YES _____

Mandatory: **NO**
 YES: Any vendor who intends to submit a bid proposal in response to this solicitation must have its designated representative attend the mandatory pre-bid conference. The representative must register at the pre-bid conference and disclose the identity of the vendor whom he/she represents. Because attendance at the pre-bid conference is mandatory, a vendor's failure to attend and register at the pre-bid conference shall result in disqualification of the vendor's bid proposal as non-responsive to the solicitation.



Buyer Name: Lisa Hill
Title: Chief Buyer

QUESTIONS Prospective bidders are hereby notified that all questions pertaining to this contract must be submitted to the Department of Transportation in writing through its website at <http://www.dot.ri.gov/contracting/bids> by accessing the questions & answers menu located within the 'contracting', then 'bidding opportunities' link. Response to the submitted questions will also be posted under this link, phone calls will not be accepted.

SURETY REQUIRED: **YES**

BOND REQUIRED: **YES**

DISK BASED BID: **NO**
 YES: See attached Disk Based Bidding Information

NOTE TO VENDORS:
Vendors must register on-line at the Rhode Island Division of Purchases website at www.purchasing.ri.gov. Offers received without the completed four-page Rhode Island Vendor Information Program (RIVIP) Generated Bidder Certification Cover Form attached may result in disqualification.

THIS IS NOT A BIDDER CERTIFICATION FORM



State of Rhode Island Department of Administration
Division of Purchases

RHODE ISLAND DEPARTMENT OF TRANSPORTATION

REVISED
November 20, 2013

NOTICE TO VENDORS

Each bid proposal for a *public works project* must include a "public copy" to be available for public inspection upon the opening of bids. **Bid proposals that do not include a copy for public inspection will be deemed nonresponsive.**

To comply with this requirement, *in addition to* the Quest Lite compatible electronic copy and one hard copy, bid proposals for *highway and bridge public works projects* must also include a duplicate original of the Quest Lite compatible electronic copy on a *read-only* CD-R media disc as the "public copy."

The public copy disc must be separately enclosed in a protective cover clearly marked "Public Copy" and include the following information (all available from the Bidder Certification Cover Form): (1) title of solicitation; (2) name of bidder and RIVIP vendor ID number; (3) bid number; and (4) date of bid.

The public copy may redact any trade secrets or commercial or financial information which is of a privileged or confidential nature pursuant to the "Access to Public Records Act," R. I. Gen. Laws §§ 38-2-1 *et seq.*

For further information on how to comply with this statutory requirement, see R. I. Gen. Laws §§ 37-2-18(b) and (j). Also see Procurement Regulations 5.11, 5.13, and 12.102.05 accessible at www.purchasing.ri.gov.

State of Rhode Island and Providence Plantations
Department of Transportation

Notice to Contractors
Special Provisions
Proposal
Contract Agreement
Contract Bond

for the Performance of

Rhode Island Contract Number: 2017-CB-046

Rhode Island Federal-Aid\State-Aid Project BRO-0548(001)
Numbers:

Project: Pine Street Bridge No. 548 (31)

Limits: Marrin Street to Cedar Street

City/Town: Pawtucket, Providence

County: PROVIDENCE

Submitted By: _____

Address: _____

Name of Surety: _____

Total Bid: _____

(BIDDER MUST FILL IN ALL ABOVE SPACES)

The basis of award of the Contract will be the total bid for all quantities of work in the proposal subject to review and correction as provided for in the Rhode Island Department of Transportation Standard Specifications for Road and Bridge Construction and Standard Details.

NOTE: The State of Rhode Island Standard Specifications for Road and Bridge Construction and Standard Details consists of the following:

- The Rhode Island Standard Specifications for Road and Bridge Construction, Amended December 2010, with all revisions.
- The Rhode Island Standard Details, 1998 Edition, with all revisions.
- The Rhode Island Bridge Standard Details, 2010 Edition, with all revisions.
- The Division of Purchases Procurement Regulations Adopted December 2010.

*** Refer to Section 12.102.05 PREPARATION OF PROPOSAL of the STATE OF RHODE ISLAND PROCUREMENT REGULATIONS regarding the use of Quest Lite software for bid preparation.**

The above documents may be obtained at the Rhode Island Department of Transportation, Contracts and Specifications Office, upon request.

STATE OF RHODE ISLAND AND PROVIDENCE PLANTATIONS
DEPARTMENT OF ADMINISTRATION - DIVISION OF PURCHASES

NOTICE TO HIGHWAY AND BRIDGE CONTRACTORS

Sealed Proposals addressed to the State Purchasing Agent, Rhode Island Department of Administration, Division of Purchases, One Capitol Hill, Providence, Rhode Island 02903, will be opened and read in public on October 11, 2017 at 1:00PM. All bidders MUST register online at www.purchasing.ri.gov. A Bidder Certification Cover Sheet MUST accompany each bid. Bid item description and quantities estimated for this project will also be available online. Should you need assistance in registering or downloading a bid, call (401) 222-3766. Failure to comply will result in mandatory disqualification per Item 4 of Section 12.102.12 of the Division of Purchases Procurement Regulations Adopted December 2010 and RI General Law 37-2-17 which references the RI Vendor Information Program (RIVIP).

DESCRIPTION: Rhode Island Contract No. 2017-CB-046, Federal Aid Project No. BRO-0548(001) is for Replacement of Pine Street Bridge No. 548 in the City of Pawtucket, County of Providence, Rhode Island. The new bridge will be constructed using the Accelerated Bridge Construction (ABC) method. ABC will be accomplished by the use of, but not limited to, prefabricated modular units for the superstructure as well as the substructure. The new superstructure will include modular units comprised of steel beams with composite plant cast concrete deck, cast-in-place deck closure pours, cast-in-place concrete sidewalks and parapets, bituminous wearing surface, protective screens and lighting. New substructures will include precast concrete footings, abutment and retaining wall stems, backwalls, approach slabs, end posts, and pier columns and caps; including cast-in-place closure pours at pier footings. Approach roads at each end of the bridge will be reconstructed using gravel borrow subbase, bituminous pavement, granite curbing and concrete sidewalks. Also included are demolition of the entire existing bridge superstructure including abandoned utility facilities, demolition of designated portions of the existing substructures, micromilling and paving a section of I-95, installation of electric and telephone facilities for utility companies, modifications to existing traffic signals and traffic camera installations, maintenance and protection of traffic, pavement milling and overlay, pavement markings, signage, erosion controls and other incidentals, complete and accepted.

The Contractor will be required, in accordance with the provisions of the Disadvantaged Business Enterprise Affirmative Action Certification for Contractors and Consultants, to meet the established Race-Conscious Goal, or Contract Goal, of not less than 10.00 percent of the contract bid price, to the Contractors, Subcontractors, and/or suppliers which qualify as Disadvantaged Business Enterprises (DBE's). Failure by the Contractor to demonstrate every good faith effort in fulfilling its DBE commitment during the construction period will result in the reduction in contract payments by the amount determined by multiplying the awarded contract value by the established DBE percentage, and subtracting the dollar value of the work actually performed by DBE contractors. This action will not preclude RIDOT from imposing sanctions or other remedies available as specified in paragraph (f)(C) of the Disadvantaged Business Enterprise Affirmative Action Certification for Contractors and Consultants.

Computer Disks for competitive bidding for the above described work will be furnished by the Department of Transportation, Division of Administrative Services, Contracts & Specifications Office, Room 108, Two Capitol Hill, Providence, Rhode Island, 02903, Tel.Number (401) 222-2495. The Plans, Specifications and Special Provisions may also be examined on or after September 20, 2017 every weekday except holidays between the hours of 8:00 AM and 4:00 PM.

The Bid Package consists of a single compact disk (CD) containing the following items: Construction Plans, Standard Specifications for Road and Bridge Construction, Compilations of Approved Specifications, Required Contract Provisions for Federal-Aid Construction Contracts, RI Division of Purchases Procurement Regulations, General Provisions, Rhode Island Standard Details, Rhode Island Bridge Standard Details, Federal Wage Rates, Contract-Specific General Provisions, Job-Specific Specifications, Distribution of Quantities, Appendices (if applicable), Quest Lite bid file, Quest Lite installation software and a Quest Lite User Manual. Only complete bid packages will be issued.

Prospective Bidders are hereby notified that all questions pertaining to this Contract must be submitted to the Department of Transportation in writing through its website at <http://www.dot.ri.gov/contracting/bids/> by accessing the Questions & Answers Menu located within the "Contracting", then "Contract Opportunities" link. Responses to the submitted questions will also be posted under this link. PHONE CALLS WILL NOT BE ACCEPTED.

For help with RIDOT's Quest Lite bid preparation software, please contact the Contracts & Specifications Office, Room 108, Two Capitol Hill, Providence, Rhode Island, 02903, Tel. Number (401)-222-2495 or e-mail Quest@dot.ri.gov.

Please also note that all Bidding Documents required to be submitted and in fact submitted to the Purchasing Agent as part of a bid will be considered returned to the State and need not be returned to RIDOT.

A bid bond payable to the State of Rhode Island, in the amount of 5% of the total or gross sum of the bid must be furnished by each bidder. The Proposal Guaranty will be furnished by surety companies authorized/licensed to do business in the State of Rhode Island. The State reserves the right to retain the surety of all bidders until the successful bidder enters into the Contract or until such time as the award or cancellation of the Contract is announced at which point Sureties will be returned to all bidders by the State of Rhode Island. A performance bond of one hundred (100) percent of the contract price with a satisfactory surety company will be required of the successful bidder. All surety companies must be listed with The Department of the Treasury, Fiscal Services, Circular 570, (Latest Revision published by the Federal Register). The Department of Transportation reserves the right to reject any or all bids.

Required Contract Provisions - The attention of prospective bidders is called to the fact that this project is to be bid upon and the contract executed subject to all applicable federal laws and regulations for carrying out the provisions of the Federal-Aid Highway program..

Wages of labor on Federal -Aid Highway Projects - the prevailing rate of wages for laborers and mechanics employed by contractors or subcontractors on the initial construction of highway projects on the Federal - Aid Highway System, authorized under the Federal Highway Act of 1968, shall be paid wages at rates not less than those prevailing on the same type of work on similar construction in the immediate locality as determined by the United States Secretary of Labor, in accordance with the Act of August 30, 1935, known as the Davis - Bacon Act, under Decision Nos. 1 through 6 as applicable.

Prevailing wage rates and Davis - Bacon Wage Determination Reference Materials are available online at www.purchasing.ri.gov. It is advisable to print only the pages applicable to this bid; the rates active on the Rhode Island Vendor Information Program's bid solicitation date for this project are applicable for the duration of the contract resulting from this bid.

Work Hours Act of 1962 - This contract is subject to Work Hours Act of 1962, Public Law 87-581 and implementing regulations.

There will be no Pre-Bid Conference scheduled for this project.

SPECIAL NOTE

ANY REFERENCE TO THE RHODE ISLAND DEPARTMENT OF PUBLIC WORKS OR THE DIRECTOR OF PUBLIC WORKS SHOULD BE REVISED TO THE RHODE ISLAND DEPARTMENT OF TRANSPORTATION AND THE DIRECTOR OF TRANSPORTATION RESPECTIVELY.

NOTICE TO ALL BIDDERS

The Rhode Island Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 42 U.S.C. §§ 2000d - 2000d-4 and 49 C.F.R. Part 21, Nondiscrimination in Federally-Assisted Programs of the Department of Transportation - Effectuation of Title VI of the Civil Rights Act of 1964, issued pursuant to such Act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, Disadvantaged Business Enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, national origin, age, or disability in consideration for an award.

To report bid rigging activities call: **1-800-424-9071**

The U.S. Department of Transportation (DOT) operates the above toll-free hotline Monday through Friday, 8:00 a.m. to 5:00 p.m. eastern time. Anyone with knowledge of possible bid rigging, bidder collusion, or other fraudulent activities should use the hotline to report such activities.

The hotline is part of the DOT's continuing effort to identify, and investigate highway construction contract fraud and abuse and is operated under the direction of the DOT Inspector General. All information will be treated confidentially and caller anonymity will be respected.

Item List

Date: 9/7/2017

Estimate Name - Advertising
 Project Name - Pine Street Bridge No. 548 (31)
 R.J. Contract No. - 2017-CB-046
 FAP Nos. - BRO-0548(001)

Seq No.	Item Code	Description	Quantity	UM
001	201.0301	CUTTING AND DISPOSING ISOLATED TREES AND STUMPS (4"- 24")	1.00	EACH
002	201.0401	REMOVE AND DISPOSE GRANITE CURB	20.00	LF
003	201.0403	REMOVE AND DISPOSE SIDEWALKS	160.00	SY
004	201.0407	REMOVE AND DISPOSE PAVEMENT AND RIGID BASE	260.00	SY
005	201.0409	REMOVE AND DISPOSE FLEXIBLE PAVEMENT	840.00	SY
006	201.0419	REMOVE AND DISPOSE FENCE	100.00	LF
007	201.0423	REMOVE AND DISPOSE HANDHOLE	2.00	EACH
008	201.0428	REMOVE AND DISPOSE FRAME AND GRATE OR FRAME AND COVER	10.00	EACH
009	201.0610	REMOVE AND DISPOSE DIRECTIONAL, WARNING, REGULATORY, SERVICE, AND STREET SIGNS	4.00	EACH
010	201.0613	REMOVE AND STOCKPILE LIGHT STANDARDS	2.00	EACH
011	201.0617	REMOVE AND DISPOSE CONDUIT - ALL SIZES	125.00	LF
012	202.0100	EARTH EXCAVATION	1,150.00	CY
013	202.9901	HANDLING, HAULING, AND STOCKPILING OF WET CONTAMINATED SOIL	300.00	CY
014	202.9905	LOAD, HAUL, AND DISPOSE SOIL AND SEDIMENT, TYPE 2	2,850.00	TON
015	203.0100	STRUCTURAL EXCAVATION EARTH	1,400.00	CY
016	203.0220	STRUCTURAL EXCAVATION ROCK MECHANICAL	650.00	CY
017	203.0600	FILL GRAVEL BORROW UNDER STRUCTURES	190.00	CY
018	203.0650	CRUSHED STONE FILL UNDER STRUCTURES	30.00	CY
019	203.0700	PERVIOUS FILL	1,500.00	CY
020	204.0100	TRIMMING AND FINE GRADING	1,000.00	SY
021	206.0301	COMPOST FILTER SOCK	335.00	LF
022	206.9901	INLET SEDIMENT CONTROL DEVICE	85.00	EACH
023	208.9901	STOCKPILE CONTAMINATED SOIL AND SEDIMENT	1,050.00	SF
024	212.2000	CLEANING AND MAINTENANCE OF EROSION CONTROLS	1.00	LS
025	302.0100	GRAVEL BORROW SUBBASE COURSE	320.00	CY
026	401.1000	CLASS 19.0 HMA	325.00	TON
027	401.2003	CLASS 12.5 HMA FOR PATCHING	20.00	TON
028	401.3100	MODIFIED CLASS 9.5 HMA	110.00	TON
029	402.9901	FRICTION COURSE	2,360.00	TON
030	402.9902	FRICTION COURSE FOR SHOULDERS	810.00	TON
031	403.0300	ASPHALT EMULSION TACK COAT	32,760.00	SY
032	415.9901	INTELLIGENT COMPACTION FOR HMA	1.00	LS

Item List

Date: 9/7/2017

Estimate Name - Advertising
 Project Name - Pine Street Bridge No. 548 (31)
 R.I. Contract No. - 2017-CB-046
 FAP Nos. - BRO-0548(001)

Seq No.	Item Code	Description	Quantity	UM
033	601.0300	CLASS A PORTLAND CEMENT CONCRETE	8.00	CY
S034	701.9901	VERIZON TELEPHONE FACILITIES	1.00	LS
035	702.0516	FRAME AND GRATE, HIGH CAPACITY, STANDARD 6.3.4	11.00	EACH
036	702.0543	GRANITE APRON STONE 38" STANDARD 7.3.8	1.00	EACH
S037	702.9901	NATIONAL GRID DUCTS FOR PINE STREET BRIDGE NO. 548 APPROACHES	1.00	LS
S038	702.9902	NATIONAL GRID ELECTRIC BRIDGE CROSSING FOR PINE STREET BRIDGE NO. 548	1.00	LS
039	703.0708	8" PERFORATED POLYVINYL CHLORIDE PIPE M278 UNDERDRAIN WITH FILTER MATERIAL STANDARD 1.1.0	200.00	LF
040	704.0100	RECONSTRUCT CATCH BASIN/CORBEL CONES	3.00	EACH
041	704.0300	RECONSTRUCT CATCH BASIN/VERTICAL WALLS	10.00	VLF
042	707.1900	ADJUST FRAME & COVER TO GRADE	2.00	EACH
043	707.2000	ADJUST FRAME AND GRATE TO GRADE	85.00	EACH
044	708.9040	CLEANING AND FLUSHING PIPE ALL SIZES	4,187.00	LF
045	708.9041	CLEANING CATCH BASINS ALL TYPES AND SIZES	85.00	EACH
046	708.9042	CLEANING MANHOLES ALL TYPES AND SIZES	2.00	EACH
047	713.9901	ADJUST CATHODIC PROTECTION BOX AND RISER TO GRADE	1.00	EACH
048	800.9901	PINE STREET BRIDGE NO. 548	1.00	LS
049	803.9901	REMOVE AND DISPOSE EXISTING BRIDGE SUPERSTRUCTURE	1.00	LS
050	803.9902	REMOVE AND DISPOSE PORTIONS OF EXISTING BRIDGE SUBSTRUCTURE	1.00	LS
051	832.8050	BRIDGE MINIMUM CLEARANCE SIGNS	2.00	EACH
052	832.8051	BRIDGE IDENTIFICATION SIGNS	2.00	EACH
053	901.0151	TERMINAL END SECTION SINGLE FACE STANDARD 34.3.2	2.00	EACH
054	901.9901	STEEL BEAM BRIDGE CONNECTION TRAILING END (W/NESTED RAIL)	2.00	EACH
055	903.0110	WOVEN WIRE RIGHT-OF-WAY FENCE STANDARD 31.3.0	20.00	LF
056	903.0410	TEMPORARY CHAIN LINK FENCE	100.00	LF
057	903.0411	TEMPORARY CHAIN LINK GATE	2.00	EACH
058	905.0110	PORTLAND CEMENT SIDEWALK MONOLITHIC STANDARD 43.1.0	18.00	CY
059	905.0115	PORTLAND CEMENT CONCRETE DRIVEWAY STANDARD 43.5.0	5.00	CY
060	906.0110	GRANITE CURB, QUARRY SPLIT STRAIGHT, STANDARD 7.3.0	29.00	LF
061	906.0111	GRANITE CURB, QUARRY SPLIT CIRCULAR, STANDARD 7.3.0	13.00	LF
062	906.0130	GRANITE RAMP STONE STRAIGHT STANDARD 7.3.9	1.00	EACH
063	906.0131	GRANITE RAMP STONE CIRCULAR STANDARD 7.3.9	1.00	EACH

Item List

Date: 9/7/2017

Estimate Name - Advertising
 Project Name - Pine Street Bridge No. 548 (31)
 R.I. Contract No. - 2017-CB-046
 FAP Nos. - BRO-0548(001)

Seq No.	Item Code	Description	Quantity	UM
064	906.0700	REMOVE, HANDLE, HAUL TRIM RESET CURB EDGING, STRAIGHT, CIRCULAR ALL TYPES	210.00	LF
065	906.9903	GRANITE WHEELCHAIR RAMP TRANSITION CURB - STRAIGHT	14.00	LF
066	906.9904	GRANITE WHEELCHAIR RAMP TRANSITION CURB - CIRCULAR	21.00	LF
067	907.0100	WATER FOR DUST CONTROL	10.00	MGA L
068	909.3021	PRECAST MEDIAN BARRIER SINGLE-FACED STANDARD 40.2.1	160.00	LF
069	914.5010	FLAGPERSONS	1,200.00	MHRS
070	914.5020	FLAGPERSONS - OVERTIME	300.00	MHRS
071	916.9901	NARROW CONDITION IMPACT ATTENUATOR	2.00	EACH
072	920.9901	FILTER FABRIC FOR CATCH BASIN INLET PROTECTION	100.00	SY
073	922.0100	TEMPORARY CONSTRUCTION SIGNS STANDARD 29.1.0 AND 27.1.1	1,400.00	SF
074	923.0105	DRUM BARRICADE STANDARD 26.2.0	15,000.00	BDAY
075	923.0120	PLASTIC PIPE BARRICADE STANDARD 26.3.0	30.00	EACH
076	923.0200	FLUORESCENT TRAFFIC CONES STANDARD 26.1.0	350.00	EACH
077	924.0113	ADVANCE WARNING ARROW PANEL	350.00	PDAY
078	925.0112	PORTABLE CHANGEABLE MESSAGE SIGN	300.00	PDAY
079	926.0121	UNANCHORED PRECAST CONCRETE BARRIER FOR TEMPORARY TRAFFIC CONTROL STANDARD 40.5.0	1,530.00	LF
080	926.0140	REFLECTIVE DELINEATORS FOR TEMPORARY CONCRETE BARRIERS	30.00	EACH
081	928.9901	TRUCK MOUNTED ATTENUATOR WITH TRUCK MOUNTED FLASHING ARROW BOARD	2,000.00	HRS
082	929.0110	FIELD OFFICE	24.00	PMO
083	931.0110	CLEANING AND SWEEPING PAVEMENT	3,140.00	HSY
084	932.0100	CUTTING AND MATCHING ASPHALT	422.00	LF
085	932.0210	FULL DEPTH SAWCUT OF BITUMINOUS PAVEMENT AND RIGID BASE	220.00	LF
086	932.0230	FULL DEPTH SAWCUT OF PORTLAND CEMENT CONCRETE SIDEWALK/DRIVEWAY	18.00	LF
087	935.0400	REMOVING BITUMINOUS PAVEMENT BY MICRO MILLING	31,400.00	SY
088	936.0100	MOBILIZATION AND DEMOBILIZATION	1.00	LS
089	937.0200	MAINTENANCE AND MOVEMENT TRAFFIC PROTECTION	1.00	LS
090	942.0200	DETECTABLE WARNING PANEL STANDARD 48.1.0	40.00	SF
091	943.0200	TRAINEE MAN-HOURS	1,500.00	MHRS
092	L01.0104	PLANTABLE SOIL 4 INCHES DEEP	635.00	SY
S093	L02.0101	GENERAL HIGHWAY SEEDING (TYPE 1)	635.00	SY

Item List

Date: 9/7/2017

Estimate Name - Advertising
 Project Name - Pine Street Bridge No. 548 (31)
 R.I. Contract No. - 2017-CB-046
 FAP Nos. - BRO-0548(001)

Seq No.	Item Code	Description	Quantity	UM
094	L05.0506	JUTE MESH	635.00	SY
095	L11.0102	TREE PLANT PROTECTION DEVICE STANDARD 51.1.0	2.00	EACH
S096	T04.6902	'2' STRANDED COPPER CONDUCTOR 600V INSULATION	660.00	LF
S097	T04.6906	'6' STRANDED COPPER CONDUCTOR 600V INSULATION	260.00	LF
S098	T04.6910	'10' STRANDED COPPER CONDUCTOR 600V INSULATION	220.00	LF
S099	T04.7300	IN-LINE FUSED DISCONNECT DEVICE WITH FUSE WEATHERPROOF	2.00	EACH
S100	T04.7400	IN-LINE UNFUSED DISCONNECT DEVICE	2.00	EACH
S101	T04.7500	SPLICE KIT	6.00	EACH
S102	T04.9901	23 AWG CATEGORY 6 STP - NETWORK VIDEO CABLE	150.00	LF
S103	T05.0100	PRECAST TYPE A HANDHOLE STANDARD 18.2.0	2.00	EACH
S104	T05.0310	PULL BOX ON STRUCTURE TYPE W STANDARD 18.6.3	2.00	EACH
S105	T05.0400	BREAK INTO EXISTING HANDHOLE	1.00	EACH
S106	T06.4030	3 IN. RIGID STEEL CONDUIT IN STRUCTURE	200.00	LF
S107	T06.5130	3 INCH SCHEDULE 40 POLYVINYL CHLORIDE PLASTIC CONDUIT - UNDERGROUND	60.00	LF
S108	T06.7044	EXPANSION COUPLING WITH TRANSVERSE MOTION 4" PVC	1.00	EACH
S109	T07.9901	FURNISH AND INSTALL 195 WATT LED LUMINAIRE	2.00	EACH
S110	T08.2031	ALUMINUM LIGHTING STD. 30 FT. W/ SINGLE DAVIT ARM EXTN. 10 FT. STANDARD 18.3.0	2.00	EACH
S111	T12.9901	MODIFY TRAFFIC SIGNAL SYTEMS	6.00	EACH
S112	T12.9902	MAINTENANCE OF TRAFFIC SIGNAL SYSTEMS	1.00	LS
S113	T12.9910	REMOVE AND REPLACE CAMERA LOWERING DEVICE	1.00	EACH
S114	T12.9911	FURNISH AND INSTALL HARDENED ETHERNET SWITCH WITH SFP FIBER OPTIC TRANSCEIVERS	1.00	EACH
S115	T15.0100	DIRECTIONAL REGULATORY AND WARNING SIGNS	73.00	SF
S116	T15.2000	PARKING SIGNS	7.50	SF
S117	T15.9901	REMOVE, STOCKPILE, AND RESET SIGN ON EXISTING FOUNDATIONS	1.00	EACH
S118	T20.0006	6 INCH WHITE FAST - DRYING WATERBORNE PAVEMENT MARKING PAINT	20,000.00	LF
S119	T20.0012	12 INCH WHITE FAST - DRYING WATERBORNE PAVEMENT MARKING PAINT	2,700.00	LF
S120	T20.0106	6 INCH YELLOW FAST - DRYING WATERBORNE PAVEMENT MARKING PAINT	12,000.00	LF
S121	T20.0606	TEMPORARY PAVEMENT MARKING (TAPE) YELLOW AND/OR WHITE - 6 INCH	2,500.00	LF
S122	T20.0820	FAST DRYING WATERBONE PAVEMENT ARROW - STRAIGHT, LEFT, RIGHT, OR COMBINED STANDARD 20.1.0	10.00	EACH

Item List

Date: 9/7/2017

Estimate Name - Advertising
 Project Name - Pine Street Bridge No. 548 (31)
 R.J. Contract No. - 2017-CB-046
 FAP Nos. - BRO-0548(001)

Seq No.	Item Code	Description	Quantity	UM
S123	T20.0822	FAST DRYING WATERBORNE PAVEMENT MARKING WORD "ONLY" STANDARD 20.1.0	2.00	EACH
S124	T20.0828	FAST-DRYING WATERBORNE PAINT PAVEMENT MARKING - YIELD LINE SYMBOL	10.00	EACH
S125	T20.1000	REMOVE EXISTING PAVEMENT MARKINGS	10,400.00	LF
126	T20.1010	REMOVE EXISTING PAVEMENT MARKINGS	5.00	EACH
S127	T20.1106	6 INCH TEMPORARY WATERBORNE PAINT PAVEMENT MARKINGS WHITE	20,000.00	LF
S128	T20.1112	12 INCH TEMPORARY WATERBORNE PAINT PAVEMENT MARKINGS WHITE	2,700.00	LF
S129	T20.1206	6 INCH TEMPORARY WATERBORNE PAINT PAVEMENT MARKINGS YELLOW	12,000.00	LF
S130	T20.1310	TEMPORARY WATERBORNE PAINT PAVEMENT ARROW - STRAIGHT, LEFT, RIGHT OR COMBINED STANDARD 20.1.0	10.00	EACH
S131	T20.1314	TEMPORARY WATERBORNE PAINT PAVEMENT MARKING - YIELD LINE SYMBOL	10.00	EACH
S132	T20.2006	6 INCH EPOXY RESIN PAVEMENT MARKINGS WHITE	10,000.00	LF
S133	T20.2012	12 INCH EPOXY RESIN PAVEMENT MARKINGS WHITE	1,350.00	LF
S134	T20.2016	6 INCH EPOXY RESIN PAVEMENT MARKINGS YELLOW	6,000.00	LF
S135	T20.2020	EPOXY RESIN PAVEMENT ARROW - STRAIGHT, LEFT, RIGHT, OR COMBINED STANDARD 20.1.0	5.00	EACH
S136	T20.2022	EPOXY RESIN PAVEMENT MARKING WORD "ONLY" STANDARD 20.1.0	1.00	EACH
S137	T20.2042	EPOXY RESIN PAVEMENT MARKING - YIELD LINE SYMBOL	5.00	EACH
S138	T20.9958	THERMOPLASTIC PAVEMENT MARKINGS - ROUTE SHIELD SYMBOL	1.00	EACH
S139	T20.9960	EPOXY RESIN PAVEMENT MARKING WORD "TO"	1.00	EACH









RHODE ISLAND DEPARTMENT OF TRANSPORTATION

*** THIS IS A DISK-BASED BID ***

**ELECTRONIC BIDDING
PROCEDURE NOTICE**

**ALL BID OFFERS MUST BE PREPARED USING THE QUEST LITE BID
PREPARATION SOFTWARE PACKAGE**

Bidders MUST register in person at the RIDOT Contract Administration office to obtain the necessary Bidder Registration and Digital ID codes for the Quest Lite software.

RIDOT Provides:		Bidder Must Submit:	
			
CD	Plans (on CD)	2 High-Density Compact Disks (CDs) w/Quest Lite Bid "zip" file**	Completed & Signed Proposal (Hard Copy)
			
Contract Documents (on CD)	DOQ Report (on CD)	Bid Surety (Hard Copy)	Completed & Signed (Hard Copy)

Contact the Contracts & Specifications Office at 222-2495 to request technical assistance on issues directly related to the Quest Lite software
Office Hours: 8:00 AM – 4:00 PM

****Refer to the RIDOA "Notice to Contractors" for additional information on the "Public Copy" submission requirements.**

NO BID OFFER WILL BE CONSIDERED

UNLESS ACCOMPANIED BY A COMPACT DISK (CD)

CONTAINING THE BID PROPOSAL FILE

GENERATED BY THE QUEST LITE BID PREPARATION SOFTWARE

Failure to comply will result in a mandatory disqualification per Section 12.102.07 of the RI Dept of Administration Division of Purchases Procurement Regulations

Rhode Island Department of Transportation (RIDOT)

Notice to Contractors

THIS IS A DISK-BASED BID

Bid offers will be accepted *only on a CD generated by RIDOT-supplied software called Quest Lite; each CD must be accompanied by a hard copy signed offer printed from the software and submitted at the Bid Opening.* Minimum computer hardware and operating system requirements are listed here. *Training is strongly recommended for all new bidders and others unfamiliar with these procedures. SEE BELOW.*

CONTACT: **RIDOT CONTRACTS & SPECIFICATIONS**
Rm. 108, Two Capitol Hill, Providence, RI 02903
Phone: **401-222-2495**
Hours: **Mon – Fri, 8:00AM – 4:00PM**

1. Required Registration Codes for Each Bidder.

Registration Codes for RIDOT software are necessary to install and use the software; a firm only needs to register once to acquire secure, unique bidder identification codes to be used with all RIDOT disk-based construction project bids. Bidders must retain these codes for future use.

2. The required Quest Lite installation software and all applicable Contract Documents are provided on a CD-ROM.

The Contract Documents include the RI DOA Division of Purchases Procurement Regulations, RI Standard Specifications, Amended December 2010 and all revisions, the RI Standard Details for Highway and Bridge Construction, Bridge Standard Details, General Provisions, Special Provisions, Distribution of Quantities and Engineering Plans, and all other applicable documents

3. Minimum Computer Hardware and Operating System Requirements.

- Windows XP SP2 w/Pentium IV processor
- CD-ROM Drive, Floppy Drive, Printer & 15" Monitor (17" recommended)
- 20GB Hard Disk with 1GB free (40 GB with 5 GB free recommended)
- 512 MB RAM (1 GB recommended)
- 32 MB Video Card (64 MB SVGA recommended)
- Internet Explorer 6.0 SP 2

4. Addenda, when necessary, are available on Purchases' RIVIP website.

at: <http://www.purchasing.ri.gov/RIVIP/BidSearch.asp>

RIDOT will make all necessary addenda available at Purchases' web site. It is the plan-holders responsibility to poll the RIVIP to keep up-to-date on addenda.

5. Training may be requested up to three days prior to the Bid Opening.

Training is provided on request. Arrangements must be made through the RIDOT Contracts & Specifications Office at least three (3) days prior to the Bid Opening of the project

6. Technical Support.

Assistance is available upon request by contacting the Contracts & Specifications office during work hours or emailing Quest@dot.ri.gov.

NOTICE TO HIGHWAY AND BRIDGE CONTRACTORS

Rhode Island Department of Transportation (RIDOT)
Contracts and Specifications

ELECTRONIC BIDDING PROCEDURES QUEST LITE UPGRADE

Effective January 1, 2011, bid offers for all RIDOT Contracts requiring the use of the Department's Quest Lite bid preparation software **MUST** be prepared using **Quest Lite Version 040408 (2.8.4)**. Failure to comply with this requirement could result in the disqualification of your bid offer.

Full installation and upgrade-only software packages, including installation directions, for Quest Lite Version **040408 (2.8.4)** will be provided on the Project Advertising CD's, which are available to prospective bidders through the Contracts and Specifications office on or after the scheduled project advertising date.

Contractors presently using Quest Lite Version 040407 (2.8.3) need only install the upgrade package to complete the conversion, UNLESS a previous upgrade installation was used to upgrade from 2.8.2 to 2.8.3, in which case these installations must be removed and the full installation performed. Earlier versions (2.8.2 or lower) will require the full installation in all instances.

For technical assistance, contact the Contracts and Specifications office at 222-2495.

01/21/11

QUEST LITE VERSION 4.4.8 (2.8.4)

UPGRADE & FULL INSTALLATION

All bid offers prepared using the Department of Transportation's Quest Lite software must use the Quest Lite Version 040408 (2.8.4). If there is no Quest Lite installation, then the full installation must be completed. For earlier versions of Quest Lite, either the upgrade or full installation will be required to be completed. Both versions (upgrade and full installation) are provided on this project CD.

Before proceeding with any installations, note the following:

1. All users must register with the Department of Transportation in order to use Quest Lite. At the time of registration, users are provided with a set of unique company ID codes (Site Code, Bidder Code and company Short Name). Users **MUST RETAIN** these codes for future use.
2. Many users who currently have Quest Lite installed will only require the installation of the upgrade version. To determine if the upgrade installation is sufficient, the present version of the Quest Lite installation must be determined. This is accomplished in Quest Lite by clicking on Help/About. If the present version is 040407 (2.8.3) then the upgrade installation is sufficient **unless** an upgrade version has been previously used to upgrade version 2.8.2 to 2.8.3.
3. For earlier installations (versions below 2.8.3, and if an upgrade has been previously installed to upgrade to version 2.8.3), the full installation of Quest Lite is required. (Note: if the full installation is required, the upgrade installation **does not** need to be performed after the full installation is completed.)
4. To determine if an upgrade version of Quest Lite version is present, it is generally easiest to use the "Add or Remove Programs" function from the Control Panel to view the Quest Lite installations. Should both an installation and an upgrade version be installed, both programs must be removed using the "Remove" function and the new version 2.8.4 installed.
5. It is recommended that users consult the Quest Lite User Manual provided on this CD prior to attempting the installation of the upgrade or full program installation.
6. After completing the installation of the upgrade or full installation, it is recommended that a test bid be submitted to the Department to ensure the program is functioning correctly and that the Quest Lite bid files can be correctly imported into the Department's Quest program. **Test bids may be submitted on a CD to the Contracts office in Room 109 of the RIDOT Headquarters, or by e-mail to Quest@dot.ri.gov.**

Installation Instructions – Upgrade Version

Upgrade Quest Lite only if the current installed version is 2.8.3, and a previous upgrade has not been installed.

1. Close Quest Lite before attempting the installation.
2. Using the project CD, double-click on the “Upgrade Only” option provided on the Start page.
3. When prompted for a password, enter “ridot”.
4. Follow the instructions provided in the installation wizard to complete the installation.
5. When executing Quest Lite for the first time after installing the upgrade, users may be prompted to enter their company bidder codes.

Installation Instructions – Complete Installation

A complete Installation of the software is required only if Quest Lite is:

1. Not installed on the computer/laptop; or
2. The installed version of Quest Lite is older than 2.8.3, i.e. 2.8.2 or under; or
3. The 2.8.3 upgrade version of Quest Lite is installed.

If any of 1 through 3 above apply, follow these instructions:

1. If a Quest Lite version 2.8.2 or older, or a 2.8.3 upgrade are currently installed,
 - a. Close Quest Lite.
 - b. Remove all the existing installation(s) of Quest Lite. To accomplish this, follow the instructions provided on pages 19 – 25 of the Quest Lite User Manual provided with this project CD. Follow the installation removal directions for the operating system in use on the machine.
2. Using the project CD, double-click on the “Complete Installation” option provided on the Start page.
3. When prompted for a password, enter “ridot”.
4. Follow the instructions provided in the installation wizard to complete the installation.
5. When executing Quest Lite for the first time after completing the installation, the user will be prompted to enter the company bidder codes provided by the Department. Once this information is entered, the installation process will be complete.

For technical assistance, contact the Contracts & Specifications office at 222-2495.