

Request for Quote

Page 1 of 2

STATE OF RHODE ISLAND AND PROVIDENCE PLANTATIONS
ONE CAPITOL HILL
PROVIDENCE RI 02908

BUYER: McGurn, Cheryl A
PHONE #: 401-574-8130

CREATION DATE : 22-SEP-17
BID NUMBER: 7565503
TITLE: COMMERCIAL APPLIANCES - RISP

BID CLOSING DATE AND TIME: 01-NOV-2017 10:30:00

B
I
L
L
T
O
DOA CONTROLLER
ONE CAPITOL HILL, 4TH FLOOR
SMITH ST
PROVIDENCE, RI 02908
US

S
H
I
P
T
O
DPS STATE POLICE TRAINING ACADEMY
64 WINDSOR ROAD
FOSTER, RI 02825
US

Requisition Number: 1529357

Note to Bidders: THE RHODE ISLAND STATE POLICE IS REQUESTING QUOTES FOR THE PURCHASE OF THREE COMMERCIAL APPLIANCES PER THE ATTACHED BID SPECIFICATIONS OR EQUAL.

PRICING TO INCLUDE DELIVERY AND INSTALLATION.

DELIVERY TO: 64 WINSOR ROAD, FOSTER, RI 02825

QUESTIONS CONCERNING THIS SOLICITATION MUST BE EMAILED AND RECEIVED BY THE DIVISION OF PURCHASES AT CHERYL.MCGURN@PURCHASING.RI.GOV NO LATER THAN OCTOBER 18, 2017 @ 3:00 PM (EST) IN A MICROSOFT WORD ATTACHMENT WITH THE CORRESPONDING SOLICITATION NUMBER. QUESTIONS, IF ANY, AND RESPONSES WILL BE POSTED ON THE DIVISION OF PURCHASES WEBSITE AT WWW.PURCHASING.RI.GOV.

Line	Description	Quantity	Unit	Unit Price	Total
1	HOBART LX6H-2 COMMERCIAL GRADE UNDERCOUNTER DISHWASHER - PER THE ATTACHED SPECIFICATIONS OR EQUAL BRAND: _____ MODEL NO: _____	1.00	Each		
2	TRUE TWT-60 - COMMERCIAL GRADE UNDERCOUNTER WORKTOP REFRIGERATOR - PER THE ATTACHED SPECIFICATIONS OR EQUAL BRAND: _____ MODEL NO: _____	1.00	Each		
3	GARLAND G60-6R24RR - COMMERCIAL GRADE LIQUID PROPANE 6 BURNER 60" RANGE - PER THE ATTACHED SPECIFICATIONS OR EQUAL BRAND: _____ MODEL NO: _____	1.00	Each		
4	THREE YEAR SERVICE PARTS AND LABOR CONTRACT BEYOND MANUFACTURER WARRANTIES - PER THE ATTACHED SPECIFICATIONS	1.00	Each		

It is the Vendor's responsibility to check and download any and all addenda from the RIVIP. This offer may not be considered unless a signed RIVIP generated Bidder Certification Cover Form is attached and the Unit Price column is completed. The signed Certification Cover Form must be attached to the front of the offer

Delivery: _____

Terms of Payment: _____

It is the Vendor's responsibility to check and download any and all addenda from the RIVIP. This offer may not be considered unless a signed RIVIP generated Bidder Certification Cover Form is attached and the Unit Price column is completed. The signed Certification Cover Form must be attached to the front of the offer



STATE OF RHODE ISLAND AND PROVIDENCE PLANTATIONS

Department of Administration

DIVISION OF PURCHASES

One Capitol Hill, 2nd floor

Providence, RI 02908-5855

TEL: (401) 574-8100

FAX: (401) 574-8387

TDD: (401) 574-8228

COMMERCIAL GRADE APPLIANCES

RI STATE POLICE TRAINING ACADEMY

****Note, it is requested that the vendor provide (to be included in pricing) a three (3) year service parts and labor contract on these appliances beyond manufacturer warranties.**

Garland G60-6R24RR

Liquid Propane 6 Burner 60" Range with 24" Raised Griddle/broiler and 2 standard ovens-307,000 BTU

* (6) 33,000 BTU Burners

* 24" Raised griddle/broiler section with (3) 11,000 BTU burners

* (2) 38,000 BTU standard ovens

* 6" adjustable stainless-steel legs

* Stainless steel backguard with removable shelf

* Durable stainless-steel construction

* Fully porcelainized oven interiors

* Liquid propane

Overall Dimensions

Left to Right: 59 1/16"

7565503

Front to Back: 34 ½"

Cooking surface height: 36"

Height (including backguard): 57"

Oven Dimensions

Left to right: 26 ¼"

Front to back: 26"

Height: 13"

Hobart LXeH-2

Undercounter Dishwasher-Hot Water Sanitizing, 120/208-240V

*Hot water sanitizing

*17" door opening

*Cleans up to 32 racks per hour, 0.74 gallons of water per rack

*Detergent and rinse aid pumps

*Features service diagnostics and low chemical alarm

*Includes one peg rack and one combination rack

*Efficient upper and lower rinse arms

*Boasts a deluxe soil management system

Overall Dimensions

Width: 23 15/16"

Depth: 25 9/16"

Interior Clearance: 17"

Height: 32 ½"

True TWT-60

60" Solid Door Worktop Refrigerator

*Durable Stainless steel construction

*Oversized, environmentally friendly (134A) forced-air refrigeration systems holds 33 degrees F to 38 degrees F.

*All Stainless steel front, top and ends. Matching aluminum finished back. Top and backsplash are one piece formed construction. Bacteria and food particles cannot be trapped underneath as with other two-piece worktop units.

*Front breathing

*Heavy duty PVC coated wire shelves

Overall Dimensions

Left to right: 60.38"

Front to back: 30.16"

Height: 33.38"

Garland

G Series 60" Raised Griddle/Broiler Gas Range


Item: _____
 Quantity: _____
 Project: _____
 Approval: _____
 Date: _____

Models:

☐ G60-6R24RR

☐ G60-6R24RS

☐ G60-6R24SS



Model G60-6R24RR

NOTE: Ranges supplied with casters must be installed with an approved restraining device.

Standard Features:

- Large 27" (686mm) work top surface
- Stainless steel front and sides
- Stainless steel 5" (127mm) plate rail
- Stainless steel backguard, w/removable stainless steel shelf
- 6" (152mm) adj. stainless steel legs
- Large easy-to-use control knobs
- Gas regulator
- 12" (305mm) section stamped drip trays w/ dimpled bottom
- Ergonomic split cast iron top ring grates
- 33,000 Btuh/9.67 kW 2 piece cast Iron Starfire-Pro open top burner
- 24" (610mm) raised griddle/broiler section w/ 3 cast iron burners each rated 11,000 Btuh/3.22 kW, w/one manual hi/lo valve per burner
- 5/8" (15mm) thick steel griddle plate w/manual hi/lo valve control, 23" (584mm) working depth surface
- 4-1/4" 108(mm) wide grease trough
- 38,000 Btuh/ 11.13 kW cast Iron "H" style oven burner
- Snap action modulating oven thermostat low to 500° F
- Large porcelain oven interior, fits standardize sheet pans in both directions for standard ovens

- Strong, keep-cool oven door handle
- Nickel plated oven rack and 3-position removable oven rack guide
- Convection oven w/3 nickel plated oven racks and removable rack guides in lieu of standard oven w/ 1/3HP 120v 60 Hz single phase fan motor; change suffix RS to CS or RR to CC, CS ovens standard on right
- Cabinet base in lieu of oven

Optional Features:

- ☐ Convection oven motor 240v 50/60HZ single phase
- ☐ Hot top 12" (305mm) plate in lieu of two open burners, manual valve controlled w/18,000 Btuh/5.27 kW cast Iron "H" burner standard on left side
- ☐ Low profile backguard (LPBG)
- ☐ Additional oven racks
- ☐ 6" (152mm) levelling swivel casters (4), w/front locking
- ☐ Flanged deck mount legs

Specifications:

Gas restaurant series range with large capacity (standard) oven. 59-1/16" (1500mm) wide, 27" (686mm) deep work top surfaces. Stainless steel front, sides and 5" wide front rail. 6" (152mm) legs with adjustable feet. Six Starfire-Pro 2 piece, 33,000 Btuh/ 9.67 kW (natural gas), cast open burners set in split cast iron ergonomic grates. 24" (610mm) raised griddle/broiler section with 3 cast iron burners each rated a 11,000 Btuh/3.22 kW. Optional hot-top with cast iron "H" style burners, 18,000 Btuh/5.27 kW (natural gas), in lieu of open burners. One piece oven with porcelain interior and heavy duty, "keep cool" door handle. Heavy cast iron "H" oven burner rated 38,000 Btuh/11.13 kW (natural gas) Oven controlled by even bake, fast recovery snap action modulating oven thermostat. Available with convection oven or storage base in lieu of standard oven.



Garland Commercial Ranges Ltd.
 1177 Kamato Road,
 Mississauga, Ontario
 L4W 1X4 CANADA

General Inquiries 1-905-624-0260
 USA Sales, Parts and Service 1-800-424-2411
 Canadian Sales 1-888-442-7526
 Canada or USA Parts/Service 1-800-427-6668

Manitowoc

G Series 60" Raised Griddle/Broiler Gas Range

UPC Code:

Condition:



[View All Items](#)



Noble Chemical Metal
Safe Dishwashing
Liquid 5 Gallons
\$99.99/Each




Noble Chemical 1
Gallon Power Liquid
Dish Washing Machine
\$59.99/Case



Noble Chemical 2.5
Gallon Power Liquid
Dish Washing Machin
\$76.99/Case

Quickly and efficiently wash dishes and
glassware with this Hobart LXeH-2
undercounter dishwasher.



This hot water sanitizing dishwasher can keep up with the high demands of your kitchen while working efficiently to cut down on costs. With additional features and advanced technology, this dishwasher provides convenience to your work flow and allows you to focus on other important tasks in the kitchen!

**TRUE FOOD SERVICE
EQUIPMENT, INC.**

2001 East Terra Lane • O'Fallon, Missouri 63366-4434 • (636)240-2400
Fax (636)272-2408 • Toll Free (800)325-6152 • Intl Fax# (001)636-272-7546
Parts Dept. (800)424-TRUE • Parts Dept. Fax# (636)272-9471 • www.truemfg.com

Project Name: _____


Location: _____

Item #: _____ Qty: _____

Model #: _____

AIA # _____

SIS # _____

Model:
TWT-60**Worktop:**
Solid Door RefrigeratorScan code
for video**TWT-60**

- ▶ True's worktop units are designed with enduring quality that protects your long term investment.
- ▶ Designed using the highest quality materials and components to provide the user with colder product temperatures, lower utility costs, exceptional food safety and the best value in today's food service marketplace.
- ▶ Oversized, environmentally friendly (134A) forced-air refrigeration system holds 33°F to 38°F (5°C to 3.3°C).
- ▶ All stainless steel front, top and ends. Matching aluminum finished back. Top and backsplash are one piece formed construction. Bacteria and food particles cannot be trapped underneath as with other two-piece worktop units.
- ▶ Interior - attractive, NSF approved, clear coated aluminum liner. Stainless steel floor with coved corners.
- ▶ Front breathing.
- ▶ Heavy duty PVC coated wire shelves.
- ▶ Foamed-In-place using Ecomate. A high density, polyurethane insulation that has zero ozone depletion potential (ODP) and zero global warming potential (GWP).

ROUGH-IN DATA

Chart dimensions rounded up to the nearest 1/8" (millimeters rounded up to next whole number). Specifications subject to change without notice.

Model	Doors	Shelves	Cabinet Dimensions (inches) (mm)			HP	Voltage	Amps	NEMA Config.	Cord Length (total ft.) (total m)	Crated Weight (lbs.) (kg)
			L	D†	H*						
TWT-60	2	4	60 3/8 1534	30 1/8 766	33 3/8 848	1/2 1/2	115/60/1 230-240/50/1	5.1 4.2	5-15P ▲	7 2.13	345 157

† Depth does not include 1" (26 mm) for rear bumpers.

* Height does not include 6 1/4" (159 mm) for castors or 6" (153 mm) for optional legs.

▲ Plug type varies by country.



APPROVALS:

AVAILABLE AT:

Contract Terms and Conditions

Table of Contents

Terms and Conditions.....VII

 BID STANDARD TERMS AND CONDITIONSVII

 TERMS AND CONDITIONS FOR THIS BIDVII

 INSURANCE REQUIREMENTSVII

 BID ALL ITEMSVII

 RIVIP INFO - BID SUBMISSION REQUIREMENTSVII

 TERMS AND CONDITIONS OF PRICING AGREEMENTVIII

 SAMPLE REQUIREDVIII

 AWARDIX

Terms and Conditions

BID STANDARD TERMS AND CONDITIONS

TERMS AND CONDITIONS FOR THIS BID

INSURANCE REQUIREMENTS

AN INSURANCE CERTIFICATE IN COMPLIANCE WITH PROVISIONS OF ITEM 31 (INSURANCE) OF THE GENERAL CONDITIONS OF PURCHASE IS REQUIRED FOR COMPREHENSIVE GENERAL LIABILITY, AUTOMOBILE LIABILITY, AND WORKERS' COMPENSATION AND MUST BE SUBMITTED BY THE SUCCESSFUL BIDDER(S) TO THE DIVISION OF PURCHASES PRIOR TO AWARD. THE INSURANCE CERTIFICATE MUST NAME THE STATE OF RHODE ISLAND AS CERTIFICATE HOLDER AND AS AN ADDITIONAL INSURED. FAILURE TO COMPLY WITH THESE PROVISIONS MAY RESULT IN REJECTION OF THE OFFEROR'S BID. ANNUAL RENEWAL CERTIFICATES MUST BE SUBMITTED TO THE AGENCY IDENTIFIED ON THE PURCHASE ORDER. FAILURE TO DO SO MAY BE GROUNDS FOR CANCELLATION OF CONTRACT.

NOTE: IF THIS BID COVERS CONSTRUCTION, SCHOOL BUSING, HAZARDOUS WASTE, OR VESSEL OPERATION, APPLICABLE COVERAGES FROM THE FOLLOWING LIST MUST ALSO BE SUBMITTED TO THE DIVISION OF PURCHASES PRIOR TO AWARD: * PROFESSIONAL LIABILITY INSURANCE (AKA ERRORS & OMISSIONS) - \$1 MILLION OR 5% OF ESTIMATED PROJECT COST, WHICHEVER IS GREATER. * BUILDER'S RISK INSURANCE - COVERAGE EQUAL TO FACE AMOUNT OF CONTRACT FOR CONSTRUCTION. * SCHOOL BUSING - AUTO LIABILITY COVERAGE IN THE AMOUNT OF \$5 MILLION. * ENVIRONMENTAL IMPAIRMENT (AKA POLLUTION CONTROL) - \$1 MILLION OR 5% OF FACE AMOUNT OF CONTRACT, WHICHEVER IS GREATER. * VESSEL OPERATION - (MARINE OR AIRCRAFT) - PROTECTION & INDEMNITY COVERAGE REQUIRED IN THE AMOUNT OF \$1 MILLION.

BID ALL ITEMS

BIDDERS MUST BID ALL ITEMS TO BE CONSIDERED. AWARD WILL BE BASED ON TOTAL LOW.

RIVIP INFO - BID SUBMISSION REQUIREMENTS

It is the Vendor's responsibility to check and download any and all addenda from the RIVIP. This offer may not be considered unless a signed RIVIP generated Bidder Certification Cover Form is attached and the Unit Price column is completed. The signed Certification Cover Form must be attached to the front of the offer. When delivering offers in person to One Capitol Hill, vendors are advised to allow at least one hour additional time for clearance through security checkpoints.

MAILING ADDRESS FOR BID PROPOSALS ISSUED BY THE STATE OF RHODE ISLAND,
DIVISION OF PURCHASES

All Bid Proposals must be submitted by mail or hand delivered to:

- State of Rhode Island
- Department of Administration
- Division of Purchases, Second floor
- One Capitol Hill
- Providence, RI 02908-5855

DIVESTITURE OF INVESTMENTS IN IRAN REQUIREMENT:

No vendor engaged in investment activities in Iran as described in R.I. Gen. Laws §37-2.5-2(b) may

submit a bid proposal to, or renew a contract with, the Division of Purchases. Each vendor submitting a bid proposal or entering into a renewal of a contract is required to certify that the vendor does not appear on the list maintained by the General Treasurer pursuant to R.I. Gen. Laws §37-2.5-3.

TERMS AND CONDITIONS OF PRICING AGREEMENT

SCOPE AND LIMITATIONS - This Agreement covers requirements as described herein, ordered by State agencies during the Agreement Period. No additional or alternative requirements are covered, unless added to the Agreement by formal amendment by the State Purchasing Agent or his designee.

Under State Purchasing Law, 37-2-54, no purchase or contract shall be binding on the state or any agency thereof unless approved by the department [of administration] or made under general regulations which the chief purchasing officer may prescribe. Under State Purchasing Regulation 8.2.1.1.2, any alleged oral agreement or arrangements made by a bidder or contractor with any agency or an employee of the Office of Purchases may be disregarded and shall not be binding on the state.

PRODUCT ACCEPTANCE - All merchandise offered or otherwise provided shall be new, of prime manufacture, and of first quality unless otherwise specified by the State. The State reserves the right to reject all nonconforming goods, and to cause their return for credit or replacement, at the State's option.

a) Failure by the state to discover latent defect(s) or concealed damage or non-conformance shall not foreclose the State's right to subsequently reject the goods in question.

b) Formal or informal acceptance by the State of non-conforming goods shall not constitute a precedent for successive receipts or procurements.

Where the vendor fails to cure the defect promptly or replace the goods, the State reserves the right to cancel the Release, contract with a different vendor, and to invoice the original vendor for any differential in price over the original contract price.

ORDER AUTHORIZATION AND RELEASE AGAINST PRICING AGREEMENT

In no event shall the Vendor deliver goods or provide service until such time as a duly authorized release document is certified by the ordering Agency.

State Agencies shall request release as follows: All releases shall reference the Price Agreement number, the Contract Issue number, the item(s) covered, and the unit pricing in the same format as described herein.

A Department Purchase Order (DPO) listing the items ordered shall be created by the agency. The agency may mail or fax a copy of the order to the Vendor. In some cases the agency may request delivery by telephone, but must provide the Vendor with a DPO Order Number reference for billing purposes. Vendors are encouraged to require written orders to assure payments are processed accurately and promptly.

DELIVERY If this is an MPA, Vendor will obtain "ship to" information from each participating agency. This information will be contained in the DPO. APA delivery information will be contained in the Notice of Award.

PRICING - All pricing shall be as described herein, and is considered to be fixed and firm for the term of the Agreement, unless specifically noted to the contrary herein. All prices include prepaid freight. Freight, taxes, surcharges, or other additional charges will not be honored unless reflected herein.

INVOICING All invoices shall reference the DPO Order Number(s), Price Agreement number, the Contract Issue number, the item(s) covered, and the unit pricing in the same format as described herein. If this is an MPA, Vendor will obtain "bill to" information from each participating agency. This information will be contained in the DPO. APA billing information will be contained in the Notice of Award.

PAYMENT - Invoices for items not received, not priced according to contract or for work not yet performed will not be honored. No payment will be processed to any vendor for whom there is no IRS W-9 on file with the State Controller.

SAMPLE REQUIRED

If not bidding item specified, bidder must furnish sample with bid or bid will not be considered.

AWARD

THE STATE, AT ITS SOLE DISCRETION, SHALL RESERVE THE RIGHT TO MAKE ONE OR MULTIPLE AWARDS FOR THIS REQUIREMENT AND/OR TO REJECT ANY OR ALL BIDS.