



REQUEST FOR QUOTE (RFQ) – BID# 7565520

2016-CB-061 REPLACEMENT OF SIMMONSVILLE AVE BRIDGE #326

SUBMISSION DEADLINE: Tuesday, October 24, 2017 at 01:00 PM (ET)

PRE-BID CONFERENCE:

☒ **NO**

☐ **YES** _____

Mandatory:

☐ **NO**

☐ **YES:**

Any vendor who intends to submit a bid proposal in response to this solicitation must have its designated representative attend the mandatory pre-bid conference. The representative must register at the pre-bid conference and disclose the identity of the vendor whom he/she represents. Because attendance at the pre-bid conference is mandatory, a vendor's failure to attend and register at the pre-bid conference shall result in disqualification of the vendor's bid proposal as non-responsive to the solicitation.

Lisa Hill

Buyer Name: Lisa Hill

Title: Chief Buyer

QUESTIONS Prospective bidders are hereby notified that all questions pertaining to this contract must be submitted to the Department of Transportation in writing through its website at <http://www.dot.ri.gov/contracting/bids> by accessing the questions & answers menu located within the 'contracting', then 'bidding opportunities' link. Response to the submitted questions will also be posted under this link, phone calls will not be accepted.

SURETY REQUIRED: YES

BOND REQUIRED: YES

DISK BASED BID: ☐ **NO**

☒ **YES:** See attached Disk Based Bidding Information

NOTE TO VENDORS:

Vendors must register on-line at the Rhode Island Division of Purchases website at www.purchasing.ri.gov. Offers received without the completed four-page Rhode Island Vendor Information Program (RIVIP) Generated Bidder Certification Cover Form attached may result in disqualification.

THIS IS NOT A BIDDER CERTIFICATION FORM



State of Rhode Island Department of Administration
Division of Purchases

RHODE ISLAND DEPARTMENT OF TRANSPORTATION

REVISED
November 20, 2013

NOTICE TO VENDORS

Each bid proposal for a *public works project* must include a "public copy" to be available for public inspection upon the opening of bids. **Bid proposals that do not include a copy for public inspection will be deemed nonresponsive.**

To comply with this requirement, *in addition to* the Quest Lite compatible electronic copy and one hard copy, bid proposals for *highway and bridge public works projects* must also include a duplicate original of the Quest Lite compatible electronic copy on a **read-only** CD-R media disc as the "public copy."

The public copy disc must be separately enclosed in a protective cover clearly marked "Public Copy" and include the following information (all available from the Bidder Certification Cover Form): (1) title of solicitation; (2) name of bidder and RIVIP vendor ID number; (3) bid number; and (4) date of bid.

The public copy may redact any trade secrets or commercial or financial information which is of a privileged or confidential nature pursuant to the "Access to Public Records Act," R. I. Gen. Laws §§ 38-2-1 *et seq.*

For further information on how to comply with this statutory requirement, see R. I. Gen. Laws §§ 37-2-18(b) and (j). Also see Procurement Regulations 5.11, 5.13, and 12.102.05 accessible at www.purchasing.ri.gov.

**State of Rhode Island and Providence Plantations
Department of Transportation**

**Notice to Contractors
Special Provisions
Proposal
Contract Agreement
Contract Bond**

for the Performance of

Rhode Island Contract Number: 2016-CB-061

**Rhode Island Federal-Aid\State-Aid Project 3RD-PRTY(242), BRO-057C(001)
Numbers:**

Project: Simmonsville Bridge No. 326 (Gr. 57C)

**Limits: Simmonsville Avenue Bridge over Simmons Brook (approx. 150 feet north and south of
 Simmons Brook)**

City/Town: Johnston

County: PROVIDENCE

Submitted By: _____

Address: _____

Name of Surety: _____

Total Bid: _____

(BIDDER MUST FILL IN ALL ABOVE SPACES)

The basis of award of the Contract will be the total bid for all quantities of work in the proposal subject to review and correction as provided for in the Rhode Island Department of Transportation Standard Specifications for Road and Bridge Construction and Standard Details.

NOTE: The State of Rhode Island Standard Specifications for Road and Bridge Construction and Standard Details consists of the following:

- The Rhode Island Standard Specifications for Road and Bridge Construction, Amended December 2010, with all revisions.
- The Rhode Island Standard Details, 1998 Edition, with all revisions.
- The Rhode Island Bridge Standard Details, 2010 Edition, with all revisions.
- The Division of Purchases Procurement Regulations Adopted December 2010.

*** Refer to Section 12.102.05 PREPARATION OF PROPOSAL of the STATE OF RHODE ISLAND
PROCUREMENT REGULATIONS regarding the use of Quest Lite software for bid preparation.**

The above documents may be obtained at the Rhode Island Department of Transportation, Contracts and Specifications Office, upon request.

**STATE OF RHODE ISLAND AND PROVIDENCE PLANTATIONS
DEPARTMENT OF ADMINISTRATION - DIVISION OF PURCHASES**

NOTICE TO HIGHWAY AND BRIDGE CONTRACTORS

Sealed Proposals addressed to the State Purchasing Agent, Rhode Island Department of Administration, Division of Purchases, One Capitol Hill, Providence, Rhode Island 02903, will be opened and read in public on October 24, 2017 at 1:00PM. All bidders MUST register online at www.purchasing.ri.gov. A Bidder Certification Cover Sheet MUST accompany each bid. Bid item description and quantities estimated for this project will also be available online. Should you need assistance in registering or downloading a bid, call (401) 222-3766. Failure to comply will result in mandatory disqualification per Item 4 of Section 12.102.12 of the Division of Purchases Procurement Regulations Adopted December 2010 and RI General Law 37-2-17 which references the RI Vendor Information Program (RIVIP).

DESCRIPTION: Replacement of Simmonsville Bridge over Simmons Brook Bridge No. 326. The work under this contract shall consist of, but not be limited to: removal and replacement of the existing bridge with a new precast prestressed concrete voided deck slab bridge with a composite CIP concrete overlay with FRP reinforcing on GRS-IBS abutments within the limits shown, installation and removal of temporary shielding, installation of a new 12" ductile waterline within the bridge, AC waterline removal, remove and install drainage, removal and disposal of existing bituminous pavement, installation of new bituminous pavement, installation of guardrail, maintenance and protection of traffic including a detour route and all other incidentals necessary to complete the work under this Contract.

The Contractor will not be required to meet a Disadvantaged Business Enterprise (DBE) goal for the project.

Computer Disks for competitive bidding for the above described work will be furnished by the Department of Transportation, Division of Administrative Services, Contracts & Specifications Office, Room 108, Two Capitol Hill, Providence, Rhode Island, 02903, Tel. Number (401) 222-2495. The Plans, Specifications and Special Provisions may also be examined on or after September 29, 2017 every weekday except holidays between the hours of 8:00 AM and 4:00 PM.

The Bid Package consists of a single compact disk (CD) containing the following items: Construction Plans, Standard Specifications for Road and Bridge Construction, Compilations of Approved Specifications, Required Contract Provisions for Federal-Aid Construction Contracts, RI Division of Purchases Procurement Regulations, General Provisions, Rhode Island Standard Details, Rhode Island Bridge Standard Details, Federal Wage Rates, Contract-Specific General Provisions, Job-Specific Specifications, Distribution of Quantities, Appendices (if applicable), Quest Lite bid file, Quest Lite installation software and a Quest Lite User Manual. Only complete bid packages will be issued.

Prospective Bidders are hereby notified that all questions pertaining to this Contract must be submitted to the Department of Transportation in writing through its website at <http://www.dot.ri.gov/contracting/bids/> by accessing the Questions & Answers Menu located within the "Contracting", then "Contract Opportunities" link. Responses to the submitted questions will also be posted under this link. PHONE CALLS WILL NOT BE ACCEPTED.

For help with RIDOT's Quest Lite bid preparation software, please contact the Contracts & Specifications Office, Room 108, Two Capitol Hill, Providence, Rhode Island, 02903, Tel. Number (401)-222-2495 or e-mail Quest@dot.ri.gov.

Please also note that all Bidding Documents required to be submitted and in fact submitted to the Purchasing Agent as part of a bid will be considered returned to the State and need not be returned to RIDOT.

A bid bond payable to the State of Rhode Island, in the amount of 5% of the total or gross sum of the bid must be furnished by each bidder. The Proposal Guaranty will be furnished by surety companies authorized/licensed to do business in the State of Rhode Island. The State reserves the right to retain the surety of all bidders until the successful bidder enters into the Contract or until such time as the award or cancellation of the Contract is announced at which point Sureties will be returned to all bidders by the State of Rhode Island. A performance bond of one hundred (100) percent of the contract price with a satisfactory surety company will be required of the successful bidder. All surety companies must be listed with The Department of the Treasury, Fiscal Services, Circular 570, (Latest Revision published by the Federal Register). The Department of Transportation reserves the right to reject any or all bids.

Required Contract Provisions - The attention of prospective bidders is called to the fact that this project is to be bid upon and the contract executed subject to all applicable federal laws and regulations for carrying out the provisions of the Federal-Aid Highway program..

Wages of labor on Federal -Aid Highway Projects - the prevailing rate of wages for laborers and mechanics employed by contractors or subcontractors on the initial construction of highway projects on the Federal - Aid Highway System, authorized under the Federal Highway Act of 1968, shall be paid wages at rates not less than those prevailing on the same type of work on similar construction in the immediate locality as determined by the United States Secretary of Labor, in accordance with the Act of August 30, 1935, known as the Davis - Bacon Act, under Decision Nos. 1 through 6 as applicable.

Prevailing wage rates and Davis - Bacon Wage Determination Reference Materials are available online at www.purchasing.ri.gov. It is advisable to print only the pages applicable to this bid; the rates active on the Rhode Island Vendor Information Program's bid solicitation date for this project are applicable for the duration of the contract resulting from this bid.

Work Hours Act of 1962 - This contract is subject to Work Hours Act of 1962, Public Law 87-581 and implementing regulations.

There will be no Pre-Bid Conference scheduled for this project.

SPECIAL NOTE

ANY REFERENCE TO THE RHODE ISLAND DEPARTMENT OF PUBLIC WORKS OR THE DIRECTOR OF PUBLIC WORKS SHOULD BE REVISED TO THE RHODE ISLAND DEPARTMENT OF TRANSPORTATION AND THE DIRECTOR OF TRANSPORTATION RESPECTIVELY.

NOTICE TO ALL BIDDERS

The Rhode Island Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 42 U.S.C. §§ 2000d - 2000d-4 and 49 C.F.R. Part 21, Nondiscrimination in Federally-Assisted Programs of the Department of Transportation - Effectuation of Title VI of the Civil Rights Act of 1964, issued pursuant to such Act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, Disadvantaged Business Enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, national origin, age, or disability in consideration for an award.

To report bid rigging activities call: **1-800-424-9071**

The U.S. Department of Transportation (DOT) operates the above toll-free hotline Monday through Friday, 8:00 a.m. to 5:00 p.m. eastern time. Anyone with knowledge of possible bid rigging, bidder collusion, or other fraudulent activities should use the hotline to report such activities.

The hotline is part of the DOT's continuing effort to identify, and investigate highway construction contract fraud and abuse and is operated under the direction of the DOT Inspector General. All information will be treated confidentially and caller anonymity will be respected.

Item List

Date: 9/27/2017

Estimate Name - Simmonsville Bridge No. 326 - Advertise
 Project Name - Simmonsville Bridge No. 326 (Gr. 57C)
 R.I. Contract No. - 2016-CB-061
 FAP Nos. - 3RD-PRTY(242), BRO-057C(001)

Seq No.	Item Code	Description	Quantity UM
001	201.0321	CLEARING AND GRUBBING	400.00 SY
002	201.0401	REMOVE AND DISPOSE GRANITE CURB	60.00 LF
003	201.0403	REMOVE AND DISPOSE SIDEWALKS	287.00 SY
004	201.0409	REMOVE AND DISPOSE FLEXIBLE PAVEMENT	266.00 SY
005	201.0411	REMOVE AND DISPOSE CATCH BASIN AND GUTTER INLETS	3.00 EACH
006	201.0414	REMOVE AND DISPOSE PIPE - ALL SIZES	39.00 LF
007	201.0419	REMOVE AND DISPOSE FENCE	226.00 LF
008	201.0430	REMOVE AND DISPOSE CONCRETE MEDIAN BARRIER	44.00 LF
009	201.0440	REMOVE AND DISPOSE ASBESTOS CEMENT PIPE/ DUCT (TRANSITE) ALL TYPES AND SIZES	66.00 LF
010	201.0610	REMOVE AND DISPOSE DIRECTIONAL, WARNING, REGULATORY, SERVICE, AND STREET SIGNS	2.00 EACH
011	202.0100	EARTH EXCAVATION	69.00 CY
012	202.0300	UNCLASSIFIED EXCAVATION	25.00 CY
013	203.0100	STRUCTURAL EXCAVATION EARTH	1,175.00 CY
014	203.0210	STRUCTURAL EXCAVATION ROCK	295.00 CY
015	203.9901	WATER CONTROL STRUCTURES	1.00 LS
016	204.0100	TRIMMING AND FINE GRADING	989.00 SY
017	206.0220	SILT FENCE STANDARD 9.2.0	10.00 LF
018	206.0301	COMPOST FILTER SOCK	457.00 LF
019	209.9901	INLET SEDIMENT CONTROL DEVICE	6.00 EACH
020	212.2000	CLEANING AND MAINTENANCE OF EROSION CONTROLS	1.00 LS
021	213.0100	PLACEMENT OF MILLINGS BENEATH GUARDRAIL	132.00 LF
022	302.0100	GRAVEL BORROW SUBBASE COURSE	170.00 CY
023	401.1000	CLASS 19.0 HMA	111.00 TON
024	401.3002	CLASS 9.5 HMA FOR LEVELLING	102.00 TON
025	401.3100	MODIFIED CLASS 9.5 HMA	164.00 TON
026	403.0300	ASPHALT EMULSION TACK COAT	987.00 SY
027	601.0300	CLASS A PORTLAND CEMENT CONCRETE	20.00 CY
028	601.0501	CLASS B PORTLAND CEMENT CONCRETE	10.00 CY
029	603.1000	CONTROLLED LOW STRENGTH MATERIAL	180.00 CY
030	701.0412	REINFORCED CONCRETE PIPE M 170 CLASS III 12 INCH	2.00 LF
031	701.0415	REINFORCED CONCRETE PIPE M 170 CLASS III 15 INCH	32.00 LF
032	701.5412	12 INCH DUCTILE IRON WATER PIPE CLASS 52, MECHANICAL JOINT	150.00 LF

Item List

Date: 9/27/2017

Estimate Name - Simmonsville Bridge No. 326 - Advertise
 Project Name - Simmonsville Bridge No. 326 (Gr. 57C)
 R.I. Contract No. - 2016-CB-061
 FAP Nos. - 3RD-PRTY(242), BRO-057C(001)

Seq No.	Item Code	Description	Quantity UM
033	701.8002	PIPE BEDDING CLASS B	35.00 CY
034	701.8100	FURNISH AND INSTALL DUCTILE IRON FITTINGS	1,400.00 LBS
035	701.8112	12 INCH GATE VALVE AND BOX	2.00 EACH
036	701.8160	BLOW OFF ASSEMBLY	1.00 EACH
037	701.9903	12" INSULATED DUCTILE IRON WATER MAIN ON BRIDGE	100.00 LF
038	702.0204	4' MANHOLE BLOCK STANDARD 3.2.0	1.00 EACH
039	702.0517	FRAME AND GRATE, STANDARD 6.3.2	2.00 EACH
040	702.0522	FRAME AND COVER STANDARD 6.2.1	1.00 EACH
041	702.0543	GRANITE APRON STONE 38" STANDARD 7.3.8	2.00 EACH
042	702.0703	CATCH BASIN TYPE 'F' ROUND STANDARD 3.4.2	1.00 EACH
043	702.0713	PRECAST CONCRETE DROP INLET WITH APRON STONE STANDARD 4.5.1	1.00 EACH
044	704.0100	RECONSTRUCT CATCH BASIN/CORBEL CONES	1.00 EACH
045	706.9000	PLUG AND CAP PIPE ALL SIZES	4.00 EACH
046	707.1900	ADJUST FRAME & COVER TO GRADE	1.00 EACH
047	707.2000	ADJUST FRAME AND GRATE TO GRADE	1.00 EACH
048	708.9040	CLEANING AND FLUSHING PIPE ALL SIZES	467.00 LF
049	708.9041	CLEANING CATCH BASINS ALL TYPES AND SIZES	1.00 EACH
050	713.8269	ADJUST WATER GATE BOXES TO GRADE	2.00 EACH
051	803.0100	REMOVE AND DISPOSE EXISTING SUPERSTRUCTURE	1.00 LS
052	803.0300	PARTIAL REMOVAL AND DISPOSAL OF EXISTING CONCRETE MASONRY	15.00 CY
053	803.0500	TEMPORARY DECK UNDERSIDE AND SIDE PROTECTIVE SHIELDING	2,400.00 SF
054	805.2050	TEMPORARY SHEET PILING STEEL ABANDONED IN PLACE	1,845.00 SF
055	808.1502	CONCRETE SUPERSTRUCTURE CLASS HP 3/4" BRIDGE SIDEWALKS	30.00 CY
056	808.1503	CONCRETE SUPERSTRUCTURE CLASS HP 3/4" PARAPETS	15.00 CY
057	808.1509	CONCRETE SUPERSTRUCTURE CLASS HP 3/4" WALLS	15.00 CY
058	808.1621	JOINT SEALER POURED AND CAULKED TYPE A	100.00 CI
059	809.0913	PRESTRESSED CONCRETE BOX BEAM B1-36 FURNISH FABRICATE & ERECT CLASS HP 3/4"	145.00 SF
060	809.1142	PRESTRESSED CONCRETE VOIDED SLABS 18 X 36" FURNISH FAB. & ERECT CLASS HP 3/4"	1,990.00 SF
061	810.0210	GALVANIZED BAR REINFORCEMENT GRADE 60	10,800.00 LBS
S062	810.9910	FIBER REINFORCED POLYMER (FRP) REINFORCING BARS	4,900.00 LF
063	813.0300	COLD APPLIED LIQUID MEMBRANE	325.00 SY

Item List

Date: 9/27/2017

Estimate Name - Simmonsville Bridge No. 326 - Advertise
 Project Name - Simmonsville Bridge No. 326 (Gr. 57C)
 R.I. Contract No. - 2016-CB-061
 FAP Nos. - 3RD-PTY(242), BRO-057C(001)

Seq No.	Item Code	Description	Quantity UM
064	816.1920	CLASS HP CONCRETE BRIDGE DECK OVERLAYS	40.00 CY
065	817.2110	REPAIRS TO STRUCTURAL CONCRETE MASONRY (PATCHING MORTAR)	130.00 CF
066	817.2140	REPAIRS TO STRUCTURAL CONCRETE MASONRY FORM AND CAST IN PLACE	30.00 CF
067	824.0111	AASHTO M270 GRADE 36 STEEL FURNISH, FABRICATE & ERECT	1,100.00 LBS
068	833.0400	GRANITE IDENTIFICATION TABLETS	4.00 EACH
069	841.0100	PRE AND POST CONSTRUCTION CONDITION SURVEYS	1.00 LS
S070	901.0199	GUARDRAIL END TREATMENT, ENERGY ABSORBING TERMINAL	4.00 EACH
071	903.0204	CHAIN LINK FENCE 4' STANDARD 31.1.0	221.00 LF
072	903.0229	DOUBLE GATE, CHAIN LINK 4' STANDARD 31.1.0	1.00 EACH
073	903.0410	TEMPORARY CHAIN LINK FENCE	250.00 LF
074	905.0110	PORTLAND CEMENT SIDEWALK MONOLITHIC STANDARD 43.1.0	26.00 CY
075	905.0115	PORTLAND CEMENT CONCRETE DRIVEWAY STANDARD 43.5.0	8.00 CY
076	905.0140	BITUMINOUS SIDEWALK STANDARD 43.2.0	6.00 TON
077	906.0100	SLOPE FACED GRANITE CURB - QUARRY SPLIT STRAIGHT STANDARD 7.4.0	10.00 LF
078	906.0103	GRANITE TRANSITION CURB VERTICAL FACE TO SLOPED FACE STANDARD 7.4.2	1.00 EACH
079	906.0110	GRANITE CURB, QUARRY SPLIT STRAIGHT, STANDARD 7.3.0	57.00 LF
080	906.0700	REMOVE, HANDLE, HAUL TRIM RESET CURB EDGING, STRAIGHT, CIRCULAR ALL TYPES	344.00 LF
081	907.0100	WATER FOR DUST CONTROL	10.00 MGA L
S082	911.9901	FURNISH AND INSTALL GRS-IBS ABUTMENTS	1.00 LS
083	914.5010	FLAGPERSONS	900.00 MHRS
084	914.5020	FLAGPERSONS - OVERTIME	90.00 MHRS
085	915.0100	HIGHWAY BOUND GRANITE STANDARD 14.2.0	8.00 EACH
086	916.0600	SHOCK ABSORBING BARRIER MODULES	2.00 GRP
087	919.0101	TEST PITS	4.00 EACH
088	922.0100	TEMPORARY CONSTRUCTION SIGNS STANDARD 29.1.0 AND 27.1.1	205.00 SF
089	923.0105	DRUM BARRICADE STANDARD 26.2.0	1,800.00 BDAY
090	923.0125	PLASTIC PIPE TYPE III BARRICADE STANDARD 26.3.1	14.00 EACH
091	925.0112	PORTABLE CHANGEABLE MESSAGE SIGN	360.00 PDAY
092	926.0121	UNANCHORED PRECAST CONCRETE BARRIER FOR TEMPORARY TRAFFIC CONTROL STANDARD 40.5.0	220.00 LF

Item List

Date: 9/27/2017

Estimate Name - Simmonsville Bridge No. 326 - Advertise
 Project Name - Simmonsville Bridge No. 326 (Gr. 57C)
 R.I. Contract No. - 2016-CB-061
 FAP Nos. - 3RD-PRTY(242), BRO-057C(001)

Seq No.	Item Code	Description	Quantity UM
093	928.9901	TRUCK MOUNTED ATTENUATOR (TMA) WITH TRUCK MOUNTED FLASHING ARROW BOARD	400.00 HRS
094	929.0110	FIELD OFFICE	16.00 PMO
095	931.0110	CLEANING AND SWEEPING PAVEMENT	10.00 HSY
096	932.0200	FULL-DEPTH SAWCUT OF BITUMINOUS PAVEMENT	146.00 LF
097	932.0220	FULL DEPTH SAWCUT OF BITUMINOUS SIDEWALK/DRIVEWAY	60.00 LF
098	932.0230	FULL DEPTH SAWCUT OF PORTLAND CEMENT CONCRETE SIDEWALK/DRIVEWAY	22.00 LF
099	935.0400	REMOVING BITUMINOUS PAVEMENT BY MICRO MILLING	541.00 SY
100	936.0110	MOBILIZATION	1.00 LS
101	937.0200	MAINTENANCE AND MOVEMENT TRAFFIC PROTECTION	1.00 LS
102	943.0200	TRAINEE MAN-HOURS	1,000.00 MHRS
S103	L01.0102	LOAM BORROW 4 INCHES DEEP	390.00 SY
S104	L02.0102	RESIDENTIAL SEEDING (TYPE 2)	390.00 SY
105	L11.0102	TREE PLANT PROTECTION DEVICE STANDARD 51.1.0	1.00 EACH
106	L11.0103	SHRUB PLANT PROTECTION DEVICE STANDARD 51.2.0	70.00 LF
107	L11.0104	DRIP-LINE TREE PROTECTION DEVICE STANDARD 51.1.1	10.00 LF
S108	T20.1106	6 INCH TEMPORARY WATERBORNE PAINT PAVEMENT MARKINGS WHITE	526.00 LF
S109	T20.1204	4 INCH TEMPORARY WATERBORNE PAINT PAVEMENT MARKINGS YELLOW	526.00 LF
S110	T20.2006	6 INCH EPOXY RESIN PAVEMENT MARKINGS WHITE	526.00 LF
111	T20.2014	4 INCH EPOXY RESIN PAVEMENT MARKINGS YELLOW	526.00 LF


*** THIS IS A DISK-BASED BID ***

**ELECTRONIC BIDDING
PROCEDURE NOTICE**


**ALL BID OFFERS MUST BE PREPARED USING THE QUEST LITE BID
PREPARATION SOFTWARE PACKAGE**

Bidders **MUST** register in person at the RIDOT Contract Administration office to obtain the necessary Bidder Registration and Digital ID codes for the Quest Lite software.


RIDOT Provides:




CD



Plans (on CD)




Contract Documents
(on CD)



DOQ Report
(on CD)


Bidder Must Submit:




2 High-Density
Compact Disks
(CDs) w/Quest Lite
Bid "zip" file**



Completed &
Signed Proposal
(Hard Copy)



Bid Surety
(Hard Copy)



Completed & Signed
(Hard Copy)

Contact the Contracts & Specifications Office at 222-2495 to request technical assistance on issues directly related to the Quest Lite software
Office Hours: 8:00 AM – 4:00 PM

****Refer to the RIDOA "Notice to Contractors" for additional information on the
"Public Copy" submission requirements.**

NO BID OFFER WILL BE CONSIDERED

UNLESS ACCOMPANIED BY A COMPACT DISK (CD)

CONTAINING THE BID PROPOSAL FILE

GENERATED BY THE QUEST LITE BID PREPARATION SOFTWARE

*Failure to comply will result in a mandatory disqualification per Section 12.102.07 of the RI
Dept. of Administration Division of Purchases Procurement Regulations*

Rhode Island Department of Transportation (RIDOT)

Notice to Contractors

THIS IS A DISK-BASED BID

Bid offers will be accepted *only on a CD generated by RIDOT-supplied software called Quest Lite; each CD must be accompanied by a hard copy signed offer printed from the software and submitted at the Bid Opening.* Minimum computer hardware and operating system requirements are listed here. *Training is strongly recommended for all new bidders and others unfamiliar with these procedures. SEE BELOW.*

CONTACT: RIDOT CONTRACTS & SPECIFICATIONS
Rm. 108, Two Capitol Hill, Providence, RI 02903
Phone: **401-222-2495**
Hours: **Mon – Fri, 8:00AM – 4:00PM**

1. Required Registration Codes for Each Bidder.

Registration Codes for RIDOT software are necessary to install and use the software; a firm only needs to register once to acquire secure, unique bidder identification codes to be used with all RIDOT disk-based construction project bids Bidders must retain these codes for future use.

2. The required Quest Lite installation software and all applicable Contract Documents are provided on a CD-ROM.

The Contract Documents include the RI DOA Division of Purchases Procurement Regulations, RI Standard Specifications, Amended December 2010 and all revisions, the RI Standard Details for Highway and Bridge Construction, Bridge Standard Details, General Provisions, Special Provisions, Distribution of Quantities and Engineering Plans, and all other applicable documents

3. Minimum Computer Hardware and Operating System Requirements.

- Windows XP SP2 w/Pentium IV processor
- CD-ROM Drive, Floppy Drive, Printer & 15" Monitor (17" recommended)
- 20GB Hard Disk with 1GB free (40 GB with 5 GB free recommended)
- 512 MB RAM (1 GB recommended)
- 32 MB Video Card (64 MB SVGA recommended)
- Internet Explorer 6.0 SP 2

4. Addenda, when necessary, are available on Purchases' RIVIP website.

at: <http://www.purchasing.ri.gov/RIVIP/BidSearch.asp>

RIDOT will make all necessary addenda available at Purchases' web site. It is the plan-holders responsibility to poll the RIVIP to keep up-to-date on addenda.

5. Training may be requested up to three days prior to the Bid Opening.

Training is provided on request. Arrangements must be made through the RIDOT Contracts & Specifications Office at least three (3) days prior to the Bid Opening of the project.

6. Technical Support.

Assistance is available upon request by contacting the Contracts & Specifications office during work hours or emailing Quest@dot.ri.gov.

NOTICE TO HIGHWAY AND BRIDGE CONTRACTORS

Rhode Island Department of Transportation (RIDOT)
Contracts and Specifications

ELECTRONIC BIDDING PROCEDURES QUEST LITE UPGRADE

Effective January 1, 2011, bid offers for all RIDOT Contracts requiring the use of the Department's Quest Lite bid preparation software **MUST** be prepared using **Quest Lite Version 040408 (2.8.4)**. Failure to comply with this requirement could result in the disqualification of your bid offer.

Full installation and upgrade-only software packages, including installation directions, for Quest Lite Version **040408 (2.8.4)** will be provided on the Project Advertising CD's, which are available to prospective bidders through the Contracts and Specifications office on or after the scheduled project advertising date.

Contractors presently using Quest Lite Version 040407 (2.8.3) need only install the upgrade package to complete the conversion, **UNLESS** a previous upgrade installation was used to upgrade from 2.8.2 to 2.8.3, in which case these installations must be removed and the full installation performed. Earlier versions (2.8.2 or lower) will require the full installation in all instances.

For technical assistance, contact the Contracts and Specifications office at 222-2495.

QUEST LITE VERSION 4.4.8 (2.8.4)

UPGRADE & FULL INSTALLATION

All bid offers prepared using the Department of Transportation's Quest Lite software must use the Quest Lite Version 040408 (2.8.4). If there is no Quest Lite installation, then the full installation must be completed. For earlier versions of Quest Lite, either the upgrade or full installation will be required to be completed. Both versions (upgrade and full installation) are provided on this project CD.

Before proceeding with any installations, note the following:

1. All users must register with the Department of Transportation in order to use Quest Lite. At the time of registration, users are provided with a set of unique company ID codes (Site Code, Bidder Code and company Short Name). Users **MUST RETAIN** these codes for future use.
2. Many users who currently have Quest Lite installed will only require the installation of the upgrade version. To determine if the upgrade installation is sufficient, the present version of the Quest Lite installation must be determined. This is accomplished in Quest Lite by clicking on Help/About. If the present version is 040407 (2.8.3) then the upgrade installation is sufficient unless an upgrade version has been previously used to upgrade version 2.8.2 to 2.8.3.
3. For earlier installations (versions below 2.8.3, and if an upgrade has been previously installed to upgrade to version 2.8.3), the full installation of Quest Lite is required. (Note: if the full installation is required, the upgrade installation does not need to be performed after the full installation is completed.)
4. To determine if an upgrade version of Quest Lite version is present, it is generally easiest to use the "Add or Remove Programs" function from the Control Panel to view the Quest Lite installations. Should both an installation and an upgrade version be installed, both programs must be removed using the "Remove" function and the new version 2.8.4 installed.
5. It is recommended that users consult the Quest Lite User Manual provided on this CD prior to attempting the installation of the upgrade or full program installation.
6. After completing the installation of the upgrade or full installation, it is recommended that a test bid be submitted to the Department to ensure the program is functioning correctly and that the Quest Lite bid files can be correctly imported into the Department's Quest program. Test bids may be submitted on a CD to the Contracts office in Room 109 of the RIDOT Headquarters, or by e-mail to Quest@dot.ri.gov.

Installation Instructions – Upgrade Version

Upgrade Quest Lite only if the current installed version is 2.8.3, and a previous upgrade has not been installed.

1. Close Quest Lite before attempting the installation.
2. Using the project CD, double-click on the “Upgrade Only” option provided on the Start page.
3. When prompted for a password, enter “ridot”.
4. Follow the instructions provided in the installation wizard to complete the installation.
5. When executing Quest Lite for the first time after installing the upgrade, users may be prompted to enter their company bidder codes.

Installation Instructions – Complete Installation

A complete Installation of the software is required only if Quest Lite is:

1. Not installed on the computer/laptop; or
2. The installed version of Quest Lite is older than 2.8.3, i.e. 2.8.2 or under; or
3. The 2.8.3 upgrade version of Quest Lite is installed.

If any of 1 through 3 above apply, follow these instructions:

1. If a Quest Lite version 2.8.2 or older, or a 2.8.3 upgrade are currently installed,
 - a. Close Quest Lite.
 - b. Remove all the existing installation(s) of Quest Lite. To accomplish this, follow the instructions provided on pages 19 – 25 of the Quest Lite User Manual provided with this project CD. Follow the installation removal directions for the operating system in use on the machine.
2. Using the project CD, double-click on the “Complete Installation” option provided on the Start page.
3. When prompted for a password, enter “ridot”.
4. Follow the instructions provided in the installation wizard to complete the installation.
5. When executing Quest Lite for the first time after completing the installation, the user will be prompted to enter the company bidder codes provided by the Department. Once this information is entered, the installation process will be complete.

For technical assistance, contact the Contracts & Specifications office at 222-2495.