



Request for Quote

STATE OF RHODE ISLAND AND PROVIDENCE PLANTATIONS
 ONE CAPITOL HILL
 PROVIDENCE RI 02908

CREATION DATE : 09-NOV-17
 BID NUMBER: 7574493
 TITLE: ENVIRONMENTAL POLICE UNIFORMS - DEM
 BLANKET START : 01-JAN-18
 BLANKET END : 31-DEC-20
 BID CLOSING DATE AND TIME: 18-DEC-2017 10:30:00

BUYER: McGurn, Cheryl A
 PHONE #: 401-574-8130


**B
I
L
L
T
O**
 DOA CONTROLLER
 ONE CAPITOL HILL, 4TH FLOOR
 SMITH ST
 PROVIDENCE, RI 02908
 US

**S
H
I
P
T
O**
 DEM DIV OF LAW ENFORCEMENT
 235 PROMENADE STREET
 PROVIDENCE, RI 02908
 US

Requisition Number: 1535348

Line	Description	Quantity	Unit	Unit Price	Total
1	<p>QUESTIONS CONCERNING THIS SOLICITATION MUST BE EMAILED AND RECEIVED BY THE DIVISION OF PURCHASES AT CHERYL.MCGURN@PURCHASING.RI.GOV NO LATER THAN DECEMBER 8, 2017 @ 4:00 PM (EST) IN A MICROSOFT WORD ATTACHMENT WITH THE CORRESPONDING SOLICITATION NUMBER. QUESTIONS, IF ANY, AND RESPONSES WILL BE POSTED ON THE DIVISION OF PURCHASES WEBSITE AT WWW.PURCHASING.RI.GOV.</p> <p>BLANKET REQUIREMENTS: 1/1/2018 - 12/31/19</p> <p>WITH OPTION TO EXTEND FOR ONE (1) ADDITIONAL 12 MONTH PERIOD AT THE 1/1/2019 - 12/31/19 PRICING. AT THE SOLE DESCRETION OF THE STATE.</p> <p>"THE SELECTED SUPPLIER MUST BE AN AUTHORIZED 5.11 TACTICAL, INC. DISTRIBUTOR"</p> <p>VENDOR MUST PROVIDE PROPER MEASUREMENT FOR ITEMS REQUESTED.</p> <p>VENDOR MUST ADHERE TO THE SPECIFICATION REQUIREMENTS FOR THE ITEMS REQUESTED.</p> <p>ENVIRONMENTAL POLICE UNIFORM - S/S DRESS SHIRT (1/1/2018 - 12/31/2018)</p>	4.00	Each		
2	ENVIRONMENTAL POLICE UNIFORM - L/S DRESS SHIRT (1/1/2018 - 12/31/2018)	4.00	Each		
3	ENVIRONMENTAL POLICE UNIFORM - CLASS A SUMMER TROUSER (1/1/2018 - 12/31/2018)	10.00	Each		
4	ENVIRONMENTAL POLICE UNIFORM - CLASS A WINTER TROUSER (1/1/2018 - 12/31/2018)	16.00	Each		
5	ENVIRONMENTAL POLICE UNIFORM - 5.11 TACLITE S/S PRO SHIRT 71175 TDU GREEN (1/1/2018 - 12/31/2018)	80.00	Each		

It is the Vendor's responsibility to check and download any and all addenda from the RIVIP. This offer may not be considered unless a signed RIVIP generated Bidder Certification Cover Form is attached and the Unit Price column is completed. The signed Certification Cover Form must be attached to the front of the offer



Request for Quote

STATE OF RHODE ISLAND AND PROVIDENCE PLANTATIONS
 ONE CAPITOL HILL
 PROVIDENCE RI 02908

CREATION DATE : 09-NOV-17
 BID NUMBER: 7574493
 TITLE: ENVIRONMENTAL POLICE UNIFORMS - DEM

BLANKET START : 01-JAN-18
 BLANKET END : 31-DEC-20
 BID CLOSING DATE AND TIME: 18-DEC-2017 10:30:00

BUYER: McGurn, Cheryl A
 PHONE #: 401-574-8130

**B
I
L
L
T
O**
 DOA CONTROLLER
 ONE CAPITOL HILL, 4TH FLOOR
 SMITH ST
 PROVIDENCE, RI 02908
 US


**S
H
I
P
T
O**
 DEM DIV OF LAW ENFORCEMENT
 235 PROMENADE STREET
 PROVIDENCE, RI 02908
 US

Requisition Number: 1535348

Line	Description	Quantity	Unit	Unit Price	Total
6	ENVIRONMENTAL POLICE UNIFORM - 5.11 TACLITE TDU PANT 74280 TDU GREEN (1/1/2018 - 12/31/2018)	40.00	Each		
7	ENVIRONMENTAL POLICE UNIFORM - 5.11 RIPSTOP TDU L/S SHIRT 72002 TDU GREEN (1/1/2018 - 12/31/2018)	140.00	Each		
8	ENVIRONMENTAL POLICE UNIFORM - 5.11 RIPSTOP TDU PANT 74003 TDU GREEN (1/1/2018 - 12/31/2018)	160.00	Each		
9	ENVIRONMENTAL POLICE UNIFORM - 5.11 5 IN 1 JACKET 48017 BLACK (1/1/2018 - 12/31/2018)	12.00	Each		
10	ENVIRONMENTAL POLICE UNIFORM - 5.11 FLEECE JACKET 48038 BLACK (1/1/2018 - 12/31/2018)	20.00	Each		
11	ENVIRONMENTAL POLICE UNIFORM - 5.11 TAC DRY RAIN SHELL JACKET 48098 BLACK (1/1/2018 - 12/31/2018)	8.00	Each		
12	ENVIRONMENTAL POLICE UNIFORM - 5.11 PATROL RAIN PANT 48057 BLACK (1/1/2018 - 12/31/2018)	8.00	Each		
13	ENVIRONMENTAL POLICE UNIFORM - CAMBER MOCK-NECK TURTLENECK SHIRT 706 & 706T BLACK (1/1/2018 - 12/31/2018)	40.00	Each		
14	ENVIRONMENTAL POLICE UNIFORM - SHOOTERS CHOICE POLICE DUTY GLOVES 7318 BLACK (1/1/2018 - 12/31/2018)	60.00	Each		
15	ENVIRONMENTAL POLICE UNIFORM - PACIFIC HEADWARE BALL CAP 101C BLACK (1/1/2018 - 12/31/2018)	48.00	Each		
16	ENVIRONMENTAL POLICE UNIFORM - PACIFIC HEADWARE BALL CAP 148C BLAZE ORANGE (1/1/2018 - 12/31/2018)	48.00	Each		
17	ENVIRONMENTAL POLICE UNIFORM - DRESS BLOUSE COAT (1/1/2018 - 12/31/2018)	4.00	Each		
18	ENVIRONMENTAL POLICE UNIFORM - CAMPAIGN HAT-NATIONAL PARK SRVICE-CONSERVATION GREEN (1/1/2018 - 12/31/2018)	4.00	Each		
19	ENVIRONMENTAL POLICE UNIFORM - RI POLICE ACADEMY BDU L/S SHIRT WITH BOTH ACADEMY AND DIVISION PATCHES (1/1/2018 - 12/31/2018)	12.00	Each		

It is the Vendor's responsibility to check and download any and all addenda from the RIVIP. This offer may not be considered unless a signed RIVIP generated Bidder Certification Cover Form is attached and the Unit Price column is completed. The signed Certification Cover Form must be attached to the front of the offer

Request for Quote



STATE OF RHODE ISLAND AND PROVIDENCE PLANTATIONS
 ONE CAPITOL HILL
 PROVIDENCE RI 02908

CREATION DATE : 09-NOV-17
 BID NUMBER: 7574493
 TITLE: ENVIRONMENTAL POLICE UNIFORMS - DEM

BLANKET START : 01-JAN-18
 BLANKET END : 31-DEC-20
 BID CLOSING DATE AND TIME: 18-DEC-2017 10:30:00

BUYER: McGurn, Cheryl A
 PHONE #: 401-574-8130

**B
I
L
L
T
O**
 DOA CONTROLLER
 ONE CAPITOL HILL, 4TH FLOOR
 SMITH ST
 PROVIDENCE, RI 02908
 US

**S
H
I
P
T
O**
 DEM DIV OF LAW ENFORCEMENT
 235 PROMENADE STREET
 PROVIDENCE, RI 02908
 US

Requisition Number: 1535348

Line	Description	Quantity	Unit	Unit Price	Total
20	ENVIRONMENTAL POLICE UNIFORM - RI POLICE ACADEMY BDU PANT NAVY BLUE (1/1/2019 - 12/31/2019)	12.00	Each		
21	ENVIRONMENTAL POLICE UNIFORM - S/S DRESS SHIRT (1/1/2019 - 12/31/2019)	4.00	Each		
22	ENVIRONMENTAL POLICE UNIFORM - L/S DRESS SHIRT (1/1/2019 - 12/31/2019)	4.00	Each		
23	ENVIRONMENTAL POLICE UNIFORM - CLASS A SUMMER TROUSER (1/1/2019 - 12/31/2019)	10.00	Each		
24	ENVIRONMENTAL POLICE UNIFORM - CLASS A WINTER TROUSER (1/1/2019 - 12/31/2019)	16.00	Each		
25	ENVIRONMENTAL POLICE UNIFORM - 5.11 TACLITE S/S PRO SHIRT 71175 TDU GREEN(1/1/2019 - 12/31/2019)	80.00	Each		
26	ENVIRONMENTAL POLICE UNIFORM - 5.11 TACLITE TDU PANT 74280 TDU GREEN (1/1/2019 - 12/31/2019)	40.00	Each		
27	ENVIRONMENTAL POLICE UNIFORM - 5.11 RIPSTOP TDU L/S SHIRT 72002 TDU GREEN (1/1/2019 - 12/31/2019)	140.00	Each		
28	ENVIRONMENTAL POLICE UNIFORM - 5.11 RIPSTOP TDU PANT 74003 TDU GREEN (1/1/2019 - 12/31/2019)	160.00	Each		
29	ENVIRONMENTAL POLICE UNIFORM - 5.11 5 IN 1 JACKET 48017 BLACK (1/1/2019 - 12/31/2019)	12.00	Each		
30	ENVIRONMENTAL POLICE UNIFORM - 5.11 FLEECE JACKET 48038 BLACK (1/1/2019 - 12/31/2019)	20.00	Each		
31	ENVIRONMENTAL POLICE UNIFORM - 5.11 TAC DRY RAIN SHELL JACKET 48098 BLACK(1/1/2019 - 12/31/2019)	8.00	Each		
32	ENVIRONMENTAL POLICE UNIFORM - 5.11 PATROL RAIN PANT 48057 BLACK (1/1/2019 - 12/31/2019)	8.00	Each		
33	ENVIRONMENTAL POLICE UNIFORM - COMBER MOCK-NECK TURTLENECK SHIRT 706 & 706T BLACK (1/1/2019 - 12/31/2019)	40.00	Each		

It is the Vendor's responsibility to check and download any and all addenda from the RIVIP. This offer may not be considered unless a signed RIVIP generated Bidder Certification Cover Form is attached and the Unit Price column is completed. The signed Certification Cover Form must be attached to the front of the offer



Request for Quote

STATE OF RHODE ISLAND AND PROVIDENCE PLANTATIONS
 ONE CAPITOL HILL
 PROVIDENCE RI 02908

CREATION DATE : 09-NOV-17
BID NUMBER: 7574493
TITLE: ENVIRONMENTAL POLICE UNIFORMS - DEM

BLANKET START : 01-JAN-18
BLANKET END : 31-DEC-20
BID CLOSING DATE AND TIME: 18-DEC-2017 10:30:00

BUYER: McGurn, Cheryl A
PHONE #: 401-574-8130

**B
I
L
L
T
O**
DOA CONTROLLER
ONE CAPITOL HILL, 4TH FLOOR
SMITH ST
PROVIDENCE, RI 02908
US

**S
H
I
P
T
O**
DEM DIV OF LAW ENFORCEMENT
235 PROMENADE STREET
PROVIDENCE, RI 02908
US

Requisition Number: 1535348

Line	Description	Quantity	Unit	Unit Price	Total
34	ENVIRONMENTAL POLICE UNIFORM - SHOOTERS CHOICE POLICE DUTY GLOVES 7318 BLACK(1/1/2019 - 12/31/2019)	60.00	Each		
35	ENVIRONMENTAL POLICE UNIFORM - PACIFIC HEADWARE BALL CAP 101C BLACK (1/1/2019 - 12/31/2019)	48.00	Each		
36	ENVIRONMENTAL POLICE UNIFORM - PACIFIC HEADWARE BALL CAP 148C BLAZE ORANGE(1/1/2019 - 12/31/2019)	48.00	Each		
37	ENVIRONMENTAL POLICE UNIFORM - DRESS BLOUSE COAT (1/1/2019 - 12/31/2019)	4.00	Each		
38	ENVIRONMENTAL POLICE UNIFORM - CAMPAIGN HAT-NATIONAL PARK SRVICE-CONSERVATION GREEN (1/1/2019 - 12/31/2019)	4.00	Each		
39	ENVIRONMENTAL POLICE UNIFORM - RI POLICE ACADEMY BDU L/S SHIRT WITH BOTH ACADEMY AND DIVISION PATCHES (1/1/2019 - 12/31/2019)	12.00	Each		
40	ENVIRONMENTAL POLICE UNIFORM - RI POLICE ACADEMY BDU PANT NAVY BLUE (1/1/2019 - 12/31/2019) Line Note to Bidders: ****DISCOUNT FROM LIST PRICE _____ % FOR MISCELLANOUS ACCESSORIES AND ALTERATIONS	12.00	Each		

Delivery: _____

Terms of Payment: _____

It is the Vendor's responsibility to check and download any and all addenda from the RIVIP. This offer may not be considered unless a signed RIVIP generated Bidder Certification Cover Form is attached and the Unit Price column is completed. The signed Certification Cover Form must be attached to the front of the offer

UNIFORM SPECIFICATIONS

REQUEST FOR QUOTE- POLICE UNIFORMS
RI DEM, DIVISION OF LAW ENFORCEMENT

2 YEAR AGREEMENT FOR PERIOD NOVEMBER 01, 2017 – OCTOBER 31, 2019 WITH OPTION TO EXTEND FOR ONE ADDITIONAL 12 MONTH PERIOD AT THE NOVEMBER 01, 2018- OCTOBER 31, 2019 PRICING AT THE SOLE DISCRETION OF THE STATE.

THE SELECTED SUPPLIER MUST BE AN AUTHORIZED 5.11 TACTICAL, INC DISTRIBUTER FOR 5.11 TACTICAL ITEMS REQUESTED ON THE BID.

VENDOR MUST PROVIDE PROPER MEASUREMENT AND ALTERATION IF REQUIRED FOR ITEMS REQUESTED.

VENDOR MUST ADHERE TO THE SPECIFICATION REQUIREMENTS FOR THE ITEMS REQUESTED.

Rhode Island DEM Enforcement
SHORT SLEEVE DRESS SHIRT SPECIFICATIONS

SCOPE:

This specification covers the requirement for uniform long sleeve shirts made from first quality 55% Dacron polyester and 45% wool, 3-ply tropical fabric for the Rhode Island DEM enforcement agency.

The garment shall be custom made to measure according to individual measurements and fittings.

REQUIREMENTS:

First quality 55% Dacron polyester and 45% wool 3-ply tropical fabric as detailed in specifications.

FABRIC SPECIFICATIONS:

WEAVE – TROPICAL

WEIGHT – 11 OUNCES PER LINEAR YARD

FIBER CONTENT – 55% DACRON POLYESTER
45% WOOL WORSTED

PLY OF YARN – 3-PLY WARP AND FILLING

SHIRT FABRICATION:

MATERIAL: Green (ref: Raeford shade #93389), 11oz, 55% Dacron polyester and 45% worsted wool, 3-ply, tropical finish.

STYLE: regulation police short sleeve shirt with hard shoulder straps and metal eyelet badge holder tab. Five permanently sewn in military creases. Rear creases to be sewn under the yoke to the base of the rear inner lining below the neck. Yoke to be center pointed (4 ½" from the bottom neckband to point of yoke on a male size 16 ½" shirt, comparable distance for other sizes) for comfort and to be lined with 55% cotton and 45% polyester broadcloth of a coordinating color. Shoulder and side seams will be sewn with a double needle style machine.

FRONT: Seven button front with vertical buttonholes. Buttonholes are to be extra heavy duty, approximately 50 stitches per inch. Center placket is to be approximately 1 3/8" wide and to be lined with fusible Pellon. The shirt is to have a hidden zipper front, which is to be molded flat yak zipper #vfo-36, 7/16" wide, 15" in length and molded. Zipper will begin at the 2nd button from the top down.

CONSTRUCTION: The collars are to be ¼" top stitched and all seams are to have no less than 10 stitches per inch. All parts of the shirts to be computer cut and mirrored to insure uniformity of shape and size. All seams to have reinforcing tack stitching of no less than 3 stitches at the beginning and end of each seam.

BADGE HOLDER: Badge tab to be lined with fusible Pellon and two metal eyelets approximately 1 inch wide and 2 ½" inches long having a center stitch for reinforcement, to be sewn all the way around.

VELCRO NUMBER BOARD: There will be black female side of Velcro sewn on the right chest parallel to the badge tab. The size of the velcro is:

COLLAR: To be open style. Collar to have permanently fused shrink proof 100% cotton interlining, extra heavy grade, collar to be 2 5/8" long. Collar stays which measure 3/8" x 2 ½" shall be stitched in such a manner that the collar stays are sewn directly to the tip of the collar. Neckband to be lined with same material as the body of the shirt. The collar will consist of a leaf with a separate stitched on stand. The collar stand will be made of the basic cloth and will be lined on the inside with poly/cotton broadcloth. The collar stand will be sewn and turned single needle construction. The points of the collar leaf will be 2-7/8" +/- 1/8" in length when finished at the points. The collar stays shall be inserted to the very point of the collar and sewn into the point of the collar in the inner part of the collar leaf in a manner that no stitches will show through the outside of the collar. The collar stays will be of the best possible quality staler. The collar stays will be 2-5/8" in length and 1/4" in width. Collar stays must be affixed in a manner so as not to interfere with the centering of collar brass on the collar. The collar stays must be of sufficient thickness to prevent puckering, wrinkling and rolling of the collar.

SLEEVE: To have a 1" plain hem and will available in sleeve lengths.

POCKETS: Pockets to be pleated approximately 5 7/8" deep and 5 ¼" wide. Pockets are to be scalloped style with velcro in each corner. Velcro is to measure 5/8" x 5/8" and to be sewn in place on all four sides. The flaps are to be interlined with Pellon crease and tac, 100% polyester. The left pocket at the top is to have a 1 ¼" pencil division. Pockets will accommodate a permanent plastic 24 ligne button. Pockets and flaps to be die creases for uniformity. Pockets will be equally distant from the center placket. The plastic buttons are to be attached to top of flap.

SHOULDER STRAPS: Rhode Island style sewn into sleeve seams. Center shall be made of specified shirt fabric with Black 3 ply 10oz poly/wool trim, comprising a stiff collar buckram lining. Shoulder straps shall be sewn in sleeve seam and cross stitched. End of strap shall extend under collar approximately 1". Straps shall measure 2-1/4" at shoulder seam and 1-3/4" at buttonhole. Point of shoulder strap shall be sewn down. Buttonhole shall be placed so that center of button shall be 3/4" from edge of the collar and visible, not hidden underneath collar.

BUTTONS: The front of the shirt will have permanent 24 ligne plastic buttons. The pocket flaps & epaulets will have 24 ligne brass RI State seal buttons.

CERTIFICATION: vendor shall be responsible for all requirements, specifications and standards, and shall certify compliance with all of the above. There shall be no sub-contracting of either the cutting or the manufacturing of the shirts and doing so will be cause for rejection of the garment.

EMBLEMS: A regulation Rhode Island DEM Enforcement emblem shall be attached to each sleeve, set 1" below shoulder seam. Where needed, regulation Rhode Island DEM Enforcement rank chevrons will be attached to each sleeve below the shoulder emblem.

Rhode Island DEM Enforcement
LONG SLEEVE DRESS SHIRT SPECIFICATIONS

SCOPE:

This specification covers the requirement for uniform long sleeve shirts made from first quality 55% Dacron polyester and 45% wool, 3-ply tropical fabric for the Rhode Island DEM enforcement agency.

The garment shall be custom made to measure according to individual measurements and fittings.

REQUIREMENTS:

First quality 55% Dacron polyester and 45% wool 3-ply tropical fabric as detailed in specifications.

FABRIC SPECIFICATIONS:

WEAVE – TROPICAL

WEIGHT – 11 OUNCES PER LINEAR YARD

FIBER CONTENT – 55% DACRON POLYESTER
45% WOOL WORSTED

PLY OF YARN – 3-PLY WARP AND FILLING

SHIRT FABRICATION:

MATERIAL: Green (ref: Raeford shade #93389), 11oz, 55% Dacron polyester and 45% worsted wool, 3-ply, tropical finish.

STYLE: regulation police long sleeve shirt with hard shoulder straps and metal eyelet badge holder tab. Five permanently sewn in military creases. Rear creases to be sewn under the yoke to the base of the rear inner lining below the neck. Yoke to be center pointed (4 ½" from the bottom neckband to point of yoke on a male size 16 ½" shirt, comparable distance for other sizes) for comfort and to be lined with 55% cotton and 45% polyester broadcloth of a coordinating color. Shoulder and side seams will be sewn with a double needle style machine.

FRONT: Seven button front with vertical buttonholes. Buttonholes are to be extra heavy duty, approximately 50 stitches per inch. Center placket is to be approximately 1 3/8" wide and to be lined with fusible Pellon. The shirt is to have a hidden zipper front, which is to be molded flat yak zipper #vfo-36, 7/16" wide, 15" in length and molded. Zipper will begin at the 2nd button from the top down.

CONSTRUCTION: The collars and cuffs are to be ¼" top stitched and all seams are to have no less than 10 stitches per inch. All parts of the shirts to be computer cut and mirrored to insure uniformity of shape and size. All seams to have reinforcing tack stitching of no less than 3 stitches at the beginning and end of each seam.

BADGE HOLDER: Badge tab to be lined with fusible Pellon and two metal eyelets approximately 1 inch wide and 2 ½" inches long having a center stitch for reinforcement, to be sewn all the way around.

VELCRO NUMBER BOARD: There will be black female side of Velcro sewn on the right chest parallel to the badge tab. The size of the velcro is:

COLLAR: To be stand up style. Collar to have permanently fused shrink proof 100% cotton interlining, extra heavy grade, collar to be 2 5/8" long. Collar stays which measure 3/8" x 2 ½" shall be stitched in such a manner that the collar stays are sewn directly to the tip of the collar. Neckband to be lined with same material as the body of the shirt. The collar will consist of a leaf with a separate stitched on stand. The collar stand will be made of the basic cloth and will be lined on the inside with poly/cotton broadcloth. The collar stand will be sewn and turned single needle construction. The collar stand and collar stand lining shall be fused with pellon #ah3643 white. The collar stand is to fasten with one (1) button, with a corresponding buttonhole. The collar leaf is to be top stitched with two (2) rows of stitching. The points of the collar leaf will be 2-7/8" +/- 1/8" in length when finished at the points. The collar leaf after being completed and folded down will measure approximately 1-3/4" in the center, at the back of the collar. The collar stays shall be inserted to the very point of the collar and sewn into the point of the collar in the inner part of the collar leaf in a manner that no stitches will show through the outside of the collar. When completed, the collar will have a tie space opening of 3/8" to 1/2". The interlining of the collar leaf will be of pellon woven fusible #n5772 white. The collar stays will be of the best possible quality staler. The collar stays will be 2-5/8" in length and 1/4" in width. Collar stays must be affixed in a manner so as not to interfere with the centering of collar brass on the collar. The collar stays must be of sufficient thickness to prevent puckering, wrinkling and rolling of the collar.

SLEEVE: To have double reinforced elbows. Reinforcement is to be one piece construction and to be double stitched at opening and single stitched throughout the elbow. Reinforcement to be approximately 6 ¾" at the widest point, to vary depending on the shirt size, and is to be sewn into the inseam of the sleeve and into the cuff. Two button cuff will accommodate a permanent plastic 24 ligne button. Cuff to have permanently fused shrink proof 100% cotton interlining, extra heavy grade. Cuff to be 3" wide and squared off, rounded or barrel cuff is not acceptable. There shall be ¾" Black 3ply 10oz Poly/wool stripe sewn on the sleeve just above the cuff.

POCKETS: Pockets to be pleated approximately 5 7/8" deep and 5 ¼" wide. Pockets are to be scalloped style with velcro in each corner. Velcro is to measure 5/8" x 5/8" and to be sewn in place on all four sides. The flaps are to be interlined with Pellon crease and tac, 100% polyester. The left pocket at the top is to have a 1 ¼" pencil division. Pockets will accommodate a permanent plastic 24 ligne button. Pockets and flaps to be die creases for uniformity. Pockets will be equally distant from the center placket. The plastic buttons are to be attached to top of flap.

SHOULDER STRAPS: Rhode Island style sewn into sleeve seams. Center shall be made of specified shirt fabric with Black 3 ply 10oz poly/wool trim, comprising a stiff collar buckram lining. Shoulder straps shall be sewn in sleeve seam and cross stitched. End of strap shall extend under collar approximately 1". Straps shall measure 2-1/4" at shoulder seam and 1-3/4" at buttonhole. Point of shoulder strap shall be sewn down. Buttonhole shall be placed so that center of button shall be 3/4" from edge of the collar and visible, not hidden underneath collar.

BUTTONS: The front and cuffs of the shirt will have permanent 24 ligne plastic buttons. The pocket flaps & epaulets will have 24 ligne brass RI State seal buttons.

CERTIFICATION: vendor shall be responsible for all requirements, specifications and standards, and shall certify compliance with all of the above. There shall be no sub-contracting of either the cutting or the manufacturing of the shirts and doing so will be cause for rejection of the garment.

EMBLEMS: A regulation Rhode Island DEM Enforcement emblem shall be attached to each sleeve, set 1" below shoulder seam. Where needed, regulation Rhode Island DEM Enforcement rank chevrons will be attached to each sleeve below the shoulder emblem.

TROUSER SPECIFICATIONS

Class A SUMMER

SCOPE:

THIS SPECIFICATION COVERS THE REQUIREMENTS FOR UNIFORM TROUSERS MADE FROM FIRST QUALITY 55% DACRON POLYESTER AND 45% WOOL TROPICAL FABRIC FOR THE RHODE ISLAND DEPARTMENT OF ENVIROMENTAL MANAGEMENT.

THE GARMENTS SHALL BE CUSTOM MADE TO MEASURE ACCORDING TO INDIVIDUAL MEASUREMENTS AND FITTINGS.

REQUIREMENTS:

FIRST QUALITY 55% DACRON POLYESTER AND 45% WOOL TROPICAL FABRIC AS DETAILED IN THE SPECIFICATIONS.

FABRIC SPECIFICATIONS:

WEAVE – TROPICAL WEAVE #573-93389

WEIGHT – 10.5 OUNCES PER LINEAR YARD

**FIBER CONTENT – 55% DACRON POLYESTER
45% WORSTED WOOL**

PLY OF YARN -3 PLY WARP AND FILLING

COLOR-FOREST GREEN

TROUSER FABRICATION:

MATERIAL: SLATE GREY 55% DACRON POLYESTER AND 45% WOOL, 3-PLY, TROPICAL, 10.5 OUNCE.

STYLE: MODERN UP TO DATE MILITARY PATTERNS SHALL BE USED WITH FITTED WAISTBANDS AND FINISHED HEMS PRODUCED ACCORDING TO INDIVIDUAL SIZING. THE WIDTH OF THE LEGS SHALL BE PROPORTIONAL TO INDIVIDUAL INSEAM AND SHOE SIZES. TO BE MADE WITH TWO QUARTER TOP STYLE SIDE POCKETS AND TWO REAR POCKETS.

THE LEFT REAR POCKET WILL HAVE BUTTON TAB WITH A CENTER BUTTON HOLE. THE DENSITY OF BUTTONHOLE IS 50 STITCHES PER INCH WITH A FOUR HOLE 24 LIGNE PLASTIC BUTTON. ONE

POCKETS: FRONT ON QUARTER TOP STYLE POCKETS APPROXIMATELY 6 ¼" OPENING AND MEASURING FROM THE TOP OF THE OPENING TO THE BOTTOM OF THE POCKET MEASURES APPROXIMATELY 13". THE BACK POCKET OPENING IS TO BE 5 ½" WIDE AND 7" DEEP. ALL POCKETS ARE TO BE SEWN INSIDE OUT AND TURNED THEN TOP STITCHED FOR EXTRA STRENGTH. ALL POCKET WELTS ARE TO BE

INTERLINED WITH PELLON AND THEN TOP STITCHED.

BELT LOOPS: ALL TROUSERS ARE TO HAVE 7 BELT LOOPS 7/8" WIDE AND 2" LONG. ALL LOOPS ARE TO HAVE DOUBLE STITCHING FOR EXTRA STRENGTH. ALL LOOPS ARE TO BE SEWN INTO WAISTBAND AT THE TOP ACCOMMODATE A 1 3/4" BELT. ALL LOOPS ARE TO BE SEWN IN SUCH A MANNER AS NOT TO ALLOW RAW EDGES. THE BASE OF THE LOOPS TO BE STITCHED FOR EXTRA STRENGTH WITH A MINIMUM OF 28 STITCHES PER LOOP.

POCKETING: TO BE 2.5 NATURAL DRILL, POLY/COTTON TWILL #230 AS MANUFACTURED BY QST INDUSTRIES. BLEND TO BE 70% COTTON AND 30% POLYESTER.

WAISTBAND: WAISTBAND CURTAIN TO BE BLACK, APPROXIMATELY 2 3/4" WIDE WITH 3 ROWS OF SNUG-TEX COMPLETELY AROUND THE INTERIOR OF THE PANTS AND 1 5/8" BANROLL TO PREVENT ROLLING SHALL BE CAUGHT IN THE TOP STITCHING.

SNUG-TEX TO EXTEND OVER THE FRENCH FLY AND WAISTBAND CURTAIN WITH SNUG-TEX TO COVER THE BACK SEAM OUTLET. TOP OF THE WAISTBAND TO BE SINGLE NEEDLE TOP STITCHED AT THE TOP AND BOTTOM OF BAND FOR EXTRA STRENGTH. ZIG-ZAG OR CHAIN STITCH IS NOT ACCEPTABLE. WAISTBAND CURTAIN SHALL BE CONSTRUCTED WITH 3" WIDE BUCKRAM BACKING. POLYESTER WILL NOT BE ACCEPTED.

FLY: TALON ZIPPER IS TO BE BRASS #603-0-025 WITH A #001-5310-05-03-04-000 SLIDE, CUT AND GAPPED TO PRECISE LENGTHS FOR INDIVIDUAL TROUSERS. ZIPPER SLIDE TO BE HEAVY DUTY SELF-LOCKING TYPE. ZIPPER TAPE TO BE ALL COTTON TWILL STYLE #06-1310. TROUSER CLOSURE TO BE CRUSH PROOF HEAVY DUTY HOOK AND EYE STYLE WITH A 1 PIECE FRENCH FLY AND FLY BUTTON FASTENING AT THE BASE OF THE WAISTBAND. TWO PIECE FLY AND BUTTON TAB IS NOT ACCEPTABLE.

STRIPE: STRIPE TO BE 1" BLACK RAYON STRIPE. STRIPE IS TO BE SEWN INTO THE TROUSER IN SUCH A MANNER AS TO SHOW TOP STITCHING EXCEPT AT POCKET OPENING REINFORCEMENT. STRIPE TO BE MOUNTED TO THE BACK PANEL

CONSTRUCTION: ALL STRESS POINTS ARE TO BE PROPERLY BAR TACKED AND CLOSING SEAMS TO HAVE #40 POLYESTER CORD REINFORCED THREAD FOR EXTRA STRENGTH. TROUSERS MUST BE PROPERLY SHAPED, THE OUT SEAMS AND INSEAMS TO BE PRESSED OPEN FLAT. ALL EDGES WILL BE FINISHED SMOOTH WITH 15 STITCHES PER INCH. THERE WILL BE NO RAW EDGES INSIDE OR OUTSIDE OF THE TROUSER. ALL TROUSERS ARE TO HAVE APPROXIMATELY A 5" POLYESTER AND COTTON CROTCH REINFORCEMENT SEWN IN, SIZE MAY VARY ACCORDING ON THE TROUSER SIZE. FRONT CREASES ARE TO BE PERMANENTLY SEWN IN WITH A LOCK STITCH.

CERTIFICATION: VENDOR SHALL BE RESPONSIBLE FOR ALL REQUIREMENTS. SPECIFICATIONS AND STANDARDS AND SHALL CERTIFY COMPLIANCE WITH ALL OF THE ABOVE

CUTTING: ALL GARMENTS ARE TO BE CUT FROM COMPUTERIZED PATTERNS UTILIZING A LECTRA OR GERBER COMPUTERIZED CUTTING SYSTEM. THIS MODERN EQUIPMENT PROVIDES AND INSURES THE PRODUCTION OF EXTREMELY PRECISE PATTERNS AS WELL AS PROPERLY ALIGNED SEAMS FOR FUTURE ALTERATIONS. IN ADDITION TO ENHANCING TAILORING OF FINELY PROPORTIONED PATTERNS FOR MAXIMUM DRAPING QUALITIES AND CONSISTENT SIZING.

Revised 10/23/14

TROUSER SPECIFICATIONS

Class A WINTER

SCOPE:

THIS SPECIFICATION COVERS THE REQUIREMENTS FOR UNIFORM TROUSERS MADE FROM FIRST QUALITY 55% DACRON POLYESTER AND 45% WOOL ELASTIQUE FABRIC FOR THE RHODE ISLAND DEPARTMENT OF ENVIROMENTAL MANAGEMENT.

THE GARMENTS SHALL BE CUSTOM MADE TO MEASURE ACCORDING TO INDIVIDUAL MEASUREMENTS AND FITTINGS.

REQUIREMENTS:

FIRST QUALITY 55% DACRON POLYESTER AND 45% WOOL ELASTIQUE FABRIC AS DETAILED IN THE SPECIFICATIONS.

FABRIC SPECIFICATIONS:

WEAVE – ELASTIQUE WEAVE #645-92727

WEIGHT – 16.5 OUNCES PER LINEAR YARD

**FIBER CONTENT – 55% DACRON POLYESTER
45% WORSTED WOOL**

PLY OF YARN -2 PLY WARP AND FILLING

COLOR-FOREST GREEN

TROUSER FABRICATION:

MATERIAL: SLATE GREY 55% DACRON POLYESTER AND 45% WOOL, 2-PLY, ELASTIQUE FINISH, 16.5 OUNCE.

STYLE: MODERN UP TO DATE MILITARY PATTERNS SHALL BE USED WITH FITTED WAISTBANDS AND FINISHED HEMS PRODUCED ACCORDING TO INDIVIDUAL SIZING. THE WIDTH OF THE LEGS SHALL BE PROPORTIONAL TO INDIVIDUAL INSEAM AND SHOE SIZES. TO BE MADE WITH TWO QUARTER TOP STYLE SIDE POCKETS AND TWO REAR POCKETS.

THE LEFT REAR POCKET WILL HAVE BUTTON TAB WITH A CENTER BUTTON HOLE. THE DENSITY OF BUTTONHOLE IS 50 STITCHES PER INCH WITH A FOUR HOLE 24 LIGNE PLASTIC BUTTON. ONE

POCKETS: FRONT ON QUARTER TOP STYLE POCKETS APPROXIMATELY 6 ¼" OPENING AND MEASURING FROM THE TOP OF THE OPENING TO THE BOTTOM OF THE POCKET MEASURES APPROXIMATELY 13". THE BACK POCKET OPENING IS TO BE 5 ½" WIDE AND 7" DEEP. ALL POCKETS ARE TO BE SEWN INSIDE OUT AND TURNED THEN TOP STITCHED FOR EXTRA STRENGTH. ALL POCKET WELTS ARE TO BE

INTERLINED WITH PELLON AND THEN TOP STITCHED.

BELT LOOPS: ALL TROUSERS ARE TO HAVE 7 BELT LOOPS 7/8" WIDE AND 2" LONG. ALL LOOPS ARE TO HAVE DOUBLE STITCHING FOR EXTRA STRENGTH. ALL LOOPS ARE TO BE SEWN INTO WAISTBAND AT THE TOP ACCOMMODATE A 1 3/4" BELT. ALL LOOPS ARE TO BE SEWN IN SUCH A MANNER AS NOT TO ALLOW RAW EDGES. THE BASE OF THE LOOPS TO BE STITCHED FOR EXTRA STRENGTH WITH A MINIMUM OF 28 STITCHES PER LOOP.

POCKETING: TO BE 2.5 NATURAL DRILL, POLY/COTTON TWILL #230 AS MANUFACTURED BY QST INDUSTRIES. BLEND TO BE 70% COTTON AND 30% POLYESTER.

WAISTBAND: WAISTBAND CURTAIN TO BE BLACK, APPROXIMATELY 2 3/4" WIDE WITH 3 ROWS OF SNUG-TEX COMPLETELY AROUND THE INTERIOR OF THE PANTS AND 1 5/8" BANROLL TO PREVENT ROLLING SHALL BE CAUGHT IN THE TOP STITCHING.

SNUG-TEX TO EXTEND OVER THE FRENCH FLY AND WAISTBAND CURTAIN WITH SNUG-TEX TO COVER THE BACK SEAM OUTLET. TOP OF THE WAISTBAND TO BE SINGLE NEEDLE TOP STITCHED AT THE TOP AND BOTTOM OF BAND FOR EXTRA STRENGTH. ZIG-ZAG OR CHAIN STITCH IS NOT ACCEPTABLE. WAISTBAND CURTAIN SHALL BE CONSTRUCTED WITH 3" WIDE BUCKRAM BACKING. POLYESTER WILL NOT BE ACCEPTED.

FLY: TALON ZIPPER IS TO BE BRASS #603-0-025 WITH A #001-5310-05-03-04-000 SLIDE, CUT AND GAPPED TO PRECISE LENGTHS FOR INDIVIDUAL TROUSERS. ZIPPER SLIDE TO BE HEAVY DUTY SELF-LOCKING TYPE. ZIPPER TAPE TO BE ALL COTTON TWILL STYLE #06-1310. TROUSER CLOSURE TO BE CRUSH PROOF HEAVY DUTY HOOK AND EYE STYLE WITH A 1 PIECE FRENCH FLY AND FLY BUTTON FASTENING AT THE BASE OF THE WAISTBAND. TWO PIECE FLY AND BUTTON TAB IS NOT ACCEPTABLE.

STRIPE: STRIPE TO BE 1" BLACK RAYON STRIPE. STRIPE IS TO BE SEWN INTO THE TROUSER IN SUCH A MANNER AS TO SHOW TOP STITCHING EXCEPT AT POCKET OPENING REINFORCEMENT. STRIPE TO BE MOUNTED TO THE BACK PANEL

CONSTRUCTION: ALL STRESS POINTS ARE TO BE PROPERLY BAR TACKED AND CLOSING SEAMS TO HAVE #40 POLYESTER CORD REINFORCED THREAD FOR EXTRA STRENGTH. TROUSERS MUST BE PROPERLY SHAPED, THE OUT SEAMS AND INSEAMS TO BE PRESSED OPEN FLAT. ALL EDGES WILL BE FINISHED SMOOTH WITH 15 STITCHES PER INCH. THERE WILL BE NO RAW EDGES INSIDE OR OUTSIDE OF THE TROUSER. ALL TROUSERS ARE TO HAVE APPROXIMATELY A 5" POLYESTER AND COTTON CROTCH REINFORCEMENT SEWN IN, SIZE MAY VARY ACCORDING ON THE TROUSER SIZE. FRONT CREASES ARE TO BE PERMANENTLY SEWN IN WITH A LOCK STITCH.

CERTIFICATION: VENDOR SHALL BE RESPONSIBLE FOR ALL REQUIREMENTS, SPECIFICATIONS AND STANDARDS AND SHALL CERTIFY COMPLIANCE WITH ALL OF THE ABOVE.

CUTTING: ALL GARMENTS ARE TO BE CUT FROM COMPUTERIZED PATTERNS UTILIZING A LECTRA OR GERBER COMPUTERIZED CUTTING SYSTEM. THIS MODERN EQUIPMENT PROVIDES AND INSURES THE PRODUCTION OF EXTREMELY PRECISE PATTERNS AS WELL AS PROPERLY ALIGNED SEAMS FOR FUTURE ALTERATIONS. IN ADDITION TO ENHANCING TAILORING OF FINELY PROPORTIONED PATTERNS FOR MAXIMUM DRAPING QUALITIES AND CONSISTENT SIZING.

Revised 10/23/14

5.11 Short Sleeve Taclite Pro Shirts

Item #: 71175-190

5.11 Short Sleeve Taclite Pro Shirts

An excellent choice for law enforcement, military or emergency personnel, the 5.11 Short Sleeve Taclite Pro Shirts are a comfortable, durable, and functional choice for both on-duty and off-duty wear. The ripstop fabric is coated with a Teflon treatment for resistance against stains, liquids, and soils, giving you a professional appearance all day long. When the weather gets warm, a cape-back mesh panel offers maximum ventilation to keep you feeling cool. The shirt is outfitted with plenty of storage options to keep your documents and accessories close at hand. Constructed from durable, ultra-lightweight 4-oz. cotton, the Taclite Pro Tactical Shirt is ideal for both work and play. Features also include a hidden documents pocket and quick-drying color retention fabric.

Features of 5.11 Short Sleeve Taclite Pro Shirts

- 65% polyester / 35% cotton ripstop fabric for maximum maneuverability
- Ultralight 4 oz. fabric weight
- Pen pockets on left sleeve
- Teflon-treated for stain, liquid, and soil resistance
- Featuring 5.11's patented hidden document pockets

5.11 Taclite TDU Pants

Item #: 74280-190

5.11 Taclite TDU Pants

These 5.11 Taclite TDU Pants are in it for the long haul with Taclite ripstop fabric and a Teflon treatment to repel stains and moisture. Roomy cargo pockets feature internal secondary storage pockets for AR magazines, while the rear pockets secure IDs and other smaller accessories. These pants are Backup Belt System compatible, allowing the user to customize a tactical kit. Double padding in the knees and seat pairs with bartacking at high stress areas for superior durability and movement. Ideal for when the weather heats up, these breathable pants keep you comfortable, so you can focus on the task at hand.

Features of 5.11 Taclite TDU Pants

- 65% Polyester / 35% Cotton fabric reinforced with triple-stitching
- Teflon treatment provides resistance against moisture, soil and stains
- Double-thick seat
- Bartacking at high stress points
- Tunnel waistband self-adjusts to maintain a secure fit
- Blousing straps
- Compatible with a Backup Belt System
- Spacious cargo pockets
- Secondary magazine storage pockets
- Rear pockets
- YKK zippers
- Prym snaps

5.11 Long Sleeve Poly / Cotton Ripstop TDU Shirts

Item #: 72002-190

5.11 Long Sleeve Poly / Cotton Ripstop TDU Shirts

There is no need to sacrifice the comfort and maneuverability of your uniform for the sake of a professional appearance. After receiving feedback from police officers and military personnel, 5.11 has specially designed the Long Sleeve TDU shirt as an ideal uniform option for anyone who appreciates functional comfort and a neat, professional look. The new design features the popular, ultra-durable poly/cotton ripstop material construction, which is comfortable enough for long days on the job and ensures a superior fit. In any line of work, a wide range of motion is critical. The bi-swing shoulders allow for full mobility and function, while strategically placed bar-tacking at high stress areas increases overall durability. This shirt does not lack in tactical utility. There are large storage pockets at the chest and hidden, side-entry document pockets that provide easy access to an ID or essential papers. Every 5.11 uniform shirt is Teflon-treated for stain and soil resistance to maintain that neat, clean look.

Features of 5.11 Long Sleeve Poly / Cotton Ripstop TDU Shirts

- 65% polyester / 35% cotton ripstop
- Triple-stitch construction
- Bi-swing shoulder for increased mobility
- 26 bar-tacks in high stress areas
- Teflon-treated for stain and soil resistance
- Durable melamine buttons
- Double-reinforced elbows
- Patented hidden document pockets

5.11 Poly / Cotton Ripstop TDU Pants

Item #: 74003-190

5.11 Poly / Cotton Ripstop TDU Pants

After receiving feedback from tactical operators who know what it takes to perform in the field, 5.11 released its tactically advanced Ripstop TDU pants. Made from a lightweight poly/cotton ripstop fabric, these pants can withstand extreme conditions and deliver comfort that lasts all day. The tunnel waistband adjusts as you move, ensuring a secure fit at all times. Double thick seat, triple-stitching and bar-tacks in high-stress areas provide additional reinforcement, while a Teflon treatment makes the pants soil, liquid and stain-resistant. Deep cargo pockets, rear pockets and pockets for backup magazines let you stow essential gear securely. The pants are also compatible with a Back-up Belt System.

Features of 5.11 Poly / Cotton Ripstop TDU Pants

- Polyester / cotton ripstop fabric
- Teflon treatment offers resistance to soil, stains and liquid
- Key stress areas are reinforced with bar-tacking
- Triple-stitched reinforcement
- Tunnel waistband adjusts to ensure secure fit while in motion
- Sizeable cargo pockets
- Rear pockets provide secure storage
- Pockets designed for magazine storage
- Back-up Belt System compatible
- Blousing straps
- Double thick seat
- Locking flange YKK zippers
- Prym snaps

5.11 5-in-1 Jackets

Item #: 48017-019

5.11 5-in-1 Jackets

The 5.11 Tactical 5-in-1 all-weather jacket has raised the bar on tactical jackets. This waterproof jacket can handle any weather conditions you might face in the field. A fleece inner jacket that incorporates zip-off sleeves keeps you warm in cold weather, while the waterproof outer lining keeps you dry. This jacket also comes loaded with covert pockets and other special features. Both the removeable liner and patrol shell have chest-level hidden pockets. There are also zippered handwarmer pockets, zippered utility pockets, removable ID panels on the back and shoulder mic clips to secure your radio cords. Side zippers provide ventilation and ensure quick access a sidearm. This jacket also is Backup Belt System compatible, providing mission-specific accessory customization. With everything this 5-in-1 jacket offers, it's the perfect addition to your cold weather outerwear.

Features of 5.11 5-in-1 Jackets

- High-performance waterproof/breathable outer liner
- Fleece-lined inner jacket with removable sleeves
- Covert chest-level pockets
- Removable ID panels on chest and back
- Elastic wristbands with Velcro storm cuffs
- Elastic waist
- Removable hood
- Side zippers provide access to sidearm and ventilation
- Backup Belt System compatible
- YKK zippers
- Mic clips
- Insulated

5.11 Tactical Fleece

Item #: 48038-019

5.11 Tactical Fleece

Maintain a professional appearance in windy conditions with the 5.11 Tactical Fleece. The collar, elbows and shoulders are abrasion resistant for extended wear, while microphone clips on each shoulder work with radios or communications devices. This all-weather fleece is made with YKK side zippers and Prym snaps to improve ventilation in hotter months and enable fast access to your bottom layer. Zippered pockets on the front keep your hands warm, while the hidden TacTec System compatible chest pockets allow fast access to your accessories or sidearm. Designed with a tapered fit for a neat look, this fleece is excellent for casual duty wear.

Features of 5.11 Tactical Fleece

- All weather, wind-resistant fleece
- Zippered handwarmer pockets
- Dual internal pockets
- Abrasion-resistant elbows, collar and shoulders
- Hidden chest pockets are compatible with TacTec System for quick access to a sidearm and accessories
- Side zippers and snaps for ventilation and access to bottom layer
- Heavy-duty YKK zippers and Prym snaps
- Tapered fit for a professional look
- Microphone clips on each shoulder

TAC DRY® RAIN SHELL

ITEM # 48098

SPECIFICATIONS

- 100% seam-sealed nylon
- Storm flap at front
- Roll-up/removable hood
- Three pull-out ID panels
- Hook and loop storm cuffs
- YKK® zippers
- Prym® snaps
- Imported

5.11 Patrol Rain Pants

Item #: 48057-019

5.11 Patrol Rain Pants

5.11 Patrol Rain Pants are built to keep you covered and dry in rapidly changing weather conditions. Designed with waterproof, breathable fabric, these pants quickly pull on over your PDU to give you instant protection from heavy rain and wind and pack away easily when the weather improves. Cargo pockets on each thigh provide ample storage room for your accessories, while pass-through hip pockets enable access to your PDU pants. An elasticized waistband and hook and loop closures at the lower leg provide a secure fit along with superior protection against rain. Abrasion-resistant kick panels and a reinforced gusseted crotch ensure these pants will hold up in rough environments.

Features of 5.11 Patrol Rain Pants

- Made of breathable, waterproof fabric
- Elasticized waistband
- Can be pulled on quickly and easily and worn over PDU pants
- Pass-through pockets on the hip for PDU pant access
- YKK zipper hardware
- Prym snaps
- 12" size zips for easy on and off action
- Spacious cargo pockets on each thigh
- Kick panels resist abrasion for long-lasting wear
- Reinforced gusseted crotch
- Hook and loop closures on the lower leg for a secure fit

AGENCY SPECIFIC FINISHING FOR 5.11 SHIRTS, FLEECE, AND JACKETS

The Rhode Island Department of Environmental Management, Division of Law Enforcement requires the following agency specific finishing to the 5.11 specified garments listed.

48017, 5 in 1 Jacket. Installation of four shoulder patches, two of which will be sewn on both shoulders of the outer shell and two of which will be sewn on both shoulders of the inner fleece removable liner. These patches will be positioned one inch below the shoulder seam and centered on the shoulder portion of the garment. A badge holder will be sewn centered onto the left breast outer shell of the garment and a 2.75" x 1.5" Velcro strip for a number board will be sewn centered on the right front breast area of the outer shell of the jacket. On the inner fleece liner we shall require our badge to be embroidered on the left breast area and a badge number tape sewn onto the right breast area. These badge number tapes are to be included and made to our specifications. The positioning of the badge holder, embroidered badge, Velcro strip, and badge number tape shall be positioned centered on the respective breast area and be placed so that the attached accoutrement shall not hang or be displayed over any breast pocket. All fold out tabs will have "POLICE" silk screened in reflective silver. There shall be sergeant chevrons attached to outer jacket and inner fleece ordered specifically for sergeants in the agency. These chevrons are to be supplied by the vendor. These chevrons are to be centered below the agency shoulder patches (emblems) on both sleeves of the sweater.

#48038, Tactical Fleece. Installation of two shoulder patches sewn on both shoulders positioned one inch below the shoulder seam and centered on the shoulder portion of this garment. We shall require our badge to be embroidered on the left breast area and a badge number tape sewn onto the right breast area. These badge number tapes are to be included and made to our specifications. The positioning of the embroidered badge and badge number tape shall be positioned centered on the respective breast area. There shall be sergeant chevrons attached to fleece ordered specifically for sergeants in the agency. These chevrons are to be supplied by the vendor. These chevrons are to be centered below the agency shoulder patches (emblems) on both sleeves of the fleece.

The agency has a sample jacket and fleece that can be provided for confirming of said finishing.

#71175, Taclite S/S Pro Shirt, #72175, Taclite L/S Pro Shirt. Installation of two shoulder patches sewn on both shoulders positioned one inch below the shoulder seam and centered on the shoulder portion of this garment. We shall require our badge to be embroidered on the left breast area and a badge number tape sewn onto the right breast area. These badge number tapes are to be included and made to our specifications. The positioning of the embroidered badge and badge number tape shall be positioned centered on the respective breast area and be placed not more than 1/2" above any breast pocket. There shall be sergeant chevrons attached to the shirt ordered specifically for sergeants in the agency. These chevrons are to be supplied by the vendor. These chevrons are to be centered below the agency shoulder patches (emblems) on both sleeves of the shirt.

The agency has sample shirts that can be provided for confirming of said finishing.

48098 TACDRY Rain Shell Jacket. Division badge direct embroidered on left front chest panel. Both the removable rear and right front panels are to have "POLICE" silk screened in silver reflective 2" block lettering.

The agency will provide the respective shoulder patches in the appropriate number to the vendor.

This award shall require that the vendor complete and assure that proper fit for the respective users is completed.

DEPARTMENT OF ENVIRONMENTAL MANAGEMENT

DIVISION OF LAW ENFORCEMENT

UNIFORM SPECIFICATIONS

MOCK-NECK TURTLENECK SHIRT- CAMBER # 706 & 706T

1. **Classification and Scope:**

- 1.1 This specification mock-neck turtleneck shirt as described herein.
- 1.2 Material: 100% compacted cotton
- 1.3 Weight: 6.0 oz. per square yard
- 1.4 Color: Black
- 1.5 Sizes: S-3XL, also available in Tall sizes, Unisex adult regular

2. **Requirements:**

- 2.1 The mock-neck shirt shall be made throughout the body with 100% compacted cotton with 3 inch rib collar and cuffs (3% lycra).
- 2.2 The mock-neck shirt shall be a close-fitting pullover style with set in shoulders and attached turtleneck collar and cuffs using one ply of the specified stretch fabric for the body and sleeves with two plies of the specified fabric for the collar and cuffs.
- 2.3 The shoulders and neck shall be tapered. Cover stitching on neck band, arm seams, shoulders and bottom.
- 2.4 Garments shall be permanently labeled with origin, size, care, and contents.
- 2.5 A specified agency 3 color logo is too be embroidered on the front left collar portion of the mock-neck shirt.

NOTE: In all details not specifically described herein, the tailoring, styling, and the construction of the components shall conform to the standard sample.

BID SAMPLES: Buyer, subsequent to bid opening, may instruct (3) lowest bidders to submit samples. Samples shall not be submitted with bid.

DEPARTMENT OF ENVIRONMENTAL MANAGEMENT

DIVISION OF LAW ENFORCEMENT

UNIFORM SPECIFICATIONS

LEATHER POLICE DUTY GLOVES

GLOVES FOR PROFESSIONALS # 7318 SHOOTERS CHOICE

1. **Classification and Scope:**

- 1.1 This specification for leather patrol duty gloves as described herein.
- 1.2 Material: leather
- 1.3 Color: black
- 1.4 Sizes: small- XX-large

2. **Requirements:**

- 2.1 Subtle long wearing leather.
- 2.2 3M Thinsulate lining.
- 2.3 Adjustable Velcro strap for comfort fit.
- 2.4 Grip stitching on palm.
- 2.5 Inverted seams for finger dexterity.

NOTE: In all details not specifically described herein, the tailoring, styling, and the construction of the components shall conform to the standard sample.

BID SAMPLES: Buyer, subsequent to bid opening, may instruct (3) lowest bidders to submit samples. Samples shall not be submitted with bid.

DEPARTMENT OF ENVIRONMENTAL MANAGEMENT

DIVISION OF LAW ENFORCEMENT

UNIFORM SPECIFICATIONS

BALL CAP

PACIFIC HEADWEAR 148C HIGH VISIBILITY

PACIFIC HEADWEAR 101C BRUSHED TWILL

1. Requirements:

- 1.1 **Color.** High Visibility 148C ball cap color will be Blaze Orange. Brushed Twill 101C ball cap color will be Black.
- 1.2 The Agency's Division badge is to be embroidered, centered on the front panel and the embroidered badge is to be embroidered to 2 inches wide and 2 1/2 inches in height in multi-color threads as per agency's ball cap sample.
- 1.3 **"ENVIRONMENTAL POLICE"** 5/16 inch block lettering in forest green thread is to be embroidered on the back of the ball cap arched over the top of opening on the back as per the agency's ball cap sample.

BID SAMPLES: Buyer, subsequent to bid opening, may instruct (3) lowest bidders to submit samples. Samples shall not be submitted with bid.

The agency has sample ball caps that can be provided for confirming of said finishing.

DRESS BLOUSE

SCOPE:

This specification covers the requirements for uniform blouses made from first quality 55% polyester and 45% wool worsted elastique fabric for the Rhode Island DEM.

The garments shall be tailor fit according to individual measurements and fittings.

REQUIREMENTS:

First quality 55% polyester and 45% wool worsted elastique fabric as detailed in specifications.

The production of the blouse shall be first class in every respect. All material necessary to produce the blouse must be first quality and the garments shall be clean, well finished and pressed.

Blouses in custom made to measure sizes will be required. Custom fit blouses are to be made to individual measurements and fittings. Measurements are to be taken at Headquarters.

All garments shall be manufactured in one establishment where sanitary conditions shall prevail. During normal working hours the vendor's plant shall be open for inspection of work by duly authorized representative of the Rhode Island DEM.

The vendor shall demonstrate that facilities are available for promptly making necessary alterations and adjustments.

SPECIFICATIONS, FABRIC:

Weave – Elastique Weave

Weight – 16 ½ - 17 oz. Per Linear Yard

Fiber Content – 55% Dacron Polyester
45% Wool

Ply of Yarn – 2 Ply Warp and Filling

Tensile Strength – 260 lbs. In Warp Minimum
150 lbs. In Filling Minimum

Construction – 125 Ends Per Inch
80 Picks Per Inch

BLOUSE FABRICATION:

MATERIALS: Raeford Mills BB #645, Black 16 ½-17 oz 55% dacron/polyester and 45% wool 2 ply elastique. London cold water shrunk. Green piping will be #333-168.

STYLE: Five button front, no buttons on cuff, single breasted, choker collar, cut snug at waist, flare in skirt (Sam Browne belt will be worn), double bi-swing back. There will be #333-168 piping sewn on the front edge of the jacket.

COLLAR: Choker collar. The color fabric of the collar will be Raeford #646-black. The neck shall be secured with a hidden snap, reinforced with buckram and lined with satin against the neck. At the top edge of the collar, there will be #333-168 green piping that will be sewn on.

POCKETS: Blouse shall have two upper breast and two lower hip outside pockets with pleats and scalloped flaps. The corners of the pockets shall be slightly rounded. The pleat in each pocket shall be 1 ½" wide. All pocket flaps will be made with Raeford 646-black. The blouse shall also be constructed with two inside breast pockets. The pockets shall be 5 ¼" wide by 6 inches deep. The pocket opening shall be neatly piped. Dimensions for breast and lower pockets shall be scaled in accordance with garment size and length. All four pockets will accommodate a removable metal 24-ligne button.

BACK: Shall be constructed with a resilient true double bi-swing to facilitate movement. The opening of both the interior and exterior bi-swing shall start 1 ½" below epaulet seam and extend 1 ½" above waistband. There shall be the placement of a 1 ½" elastic strap inside the lining to provide a true bi-swing.

VENT: Yes, center

LINING: Full lining of polyester twill fabric, black in color. Front innercloth shall be the best grade on nonwoven fusible pellow. There shall be no substitute for pellow. Chest and shoulder of coat to be padded with hymo haircloth and felt, to be sewn with two rows of blindstitch including one inch woven bridle tape. The back of the blouse is to be constructed with a biswing that is connected with a one-inch elastic strap.

SLEEVE: The lining shall be the same as the body lining. A department emblem shall be sewn on both sleeves 1 inch below shoulder seam. Emblems shall be supplied by the agency. There shall be a New England style cuff that will be made with 645-black and HWC #333-168 green fabric piping.

EPAULETS: Shall be 2 ¼" wide at shoulder seam and tapered to 1 ½", and the point extending well under the collar. Each epaulet will be open, (not cross stitched) and button near the collar with a metal 24 ligne button. The epaulets will be 645-black with 333-168 green piping. Under the left epaulet, 2 inches from the shoulder seam, there will be a plastic button to attach a shoulder cord.

SEAMS: Outside body seams shall be plain. Shoulder seams shall be stayed around armhole with tape from back notch to front notch.

OUTLETS: Side seams – ¾" each side; ¾" in underseam. The turnup at the bottom of the cuff shall be no less than 2 ½". The turnup at the bottom of the coat shall be no less than 1 ¼".

BUTTONS: Front closure: five, 36 ligne, metal buttons. Pocket flaps and epaulets: six 24 ligne, metal buttons as manufactured by the Waterbury Button Company. Brass RI state seal buttons will be used.

BUTTONHOLES: Shall be a cut first or after type, positioned 1/2" from edge of coat and finished with separate bartacks.

BELT HOOKS: Front and Rear total of 4

SHOULDER PADS: Shall be ½" thick needle punch type with 100% cotton padding fill.

SEWING THREADS: All sewing threads shall be the best quality nylon, cotton polyester and blends of polyester and cotton as is applicable to specific seams. Manufacturer shall certify that the seams, sewing threads, tensile strength elongation and number of stitches per inch will withstand the stresses exerted in the performance of the normal duties of a law enforcement officer.

TOP AND EDGE STITCHING: Uniform ¼" double stitching shall be used on all flaps, epaulets, upper pockets, lapel, belts and at hem of blouse.

CUTTING: Garments are to be cut from computerized patterns utilizing a Lectra or Gerber computerized cutting systems. This modern equipment provides and insures the production of extremely precise patterns as well as properly aligned seams for future alterations. In addition to enhancing tailoring of finely proportioned patterns for maximum garment draping qualities and consistent sizing, this equipment makes possible the production of a complete set of individual customized patterns further assuring continuity in visual effect.

FITTING: All uniform garments shall be custom made to the measurements taken of the individual. All measurements shall be taken in the presence of an official designated by the Rhode Island DEM. This official shall also be present at the try-on in the baste; shall approve alterations and acceptance of the finished product. Measurements shall be recorded and the Rhode Island DEM representative shall retain one copy until acceptance of the final garment is approved, at which time it will be surrendered upon demand by the contractor. Acceptance or rejection of the garments shall be at the discretion of the above-designated official. One try-on in the baste is required and one alteration permitted. If the uniform is judged to be unacceptable after one alteration, it will be rejected and a new garment shall be produced. A rejected uniform may not be accepted after alteration for any other individual.

STANDARDS: Color fastness (carbon – arc type fadometer):

To light: 20 hours, no appreciable change in shade of color.

To dry Cleaning, perspiration and crocking: must meet commercially acceptable minimum standards according to the A.A.T.C.C. test methods (132-1976, 15-1976), class 4 transference of or alteration in color after dry cleaning; perspiration acid and alkaline; as well as wet and dry crocking tests.

The residual sizing, finish, protein or other non-fibrous material, including chloroform soluble and water-soluble material, shall not exceed 2%.

FABRIC ABRASION: Must meet commercially acceptable ratings.

CERTIFICATION: Vendor shall be responsible for all requirements, specifications and standards and shall certify compliance with all of the above. All blouses shall be properly sized and delivered clean and well pressed.

LABELING: All coats are to be custom made for each individual officer, to be produced and filed in CAD Computer System (Computer Aided Design). All coats are to have a care label permanently affixed, with the department name, officer's name, manufacturer's name, specification, size, date of manufacture also to have a tracking code (bar code), which corresponds to the packing slip and invoice number.

ADDITIONS: There shall be a self-goods badge holder sewn above the left breast pocket, 2" long and 1" wide, with two brass eyelets and sewn all the way around. There shall be a rectangle piece of black Velcro (soft side) for the attachment of the officer's number board.

DEPARTMENT OF ENVIRONMENTAL MANAGEMENT

DIVISION OF LAW ENFORCEMENT

UNIFORM SPECIFICATIONS

NATIONAL PARK SERVICE CAMPAIGN HAT
STRATTON STYLE # F-44

1. Classification and Scope:

- 1.1 This specification sheriff Stetson as described herein.
- 1.2 Material: FELT
- 1.3 Color: Conservation green
- 1.4 Sizes: 6 ½- 7 ¼

2. Requirements:

- 2.1 The brim shall be 3 inches.
- 2.2 There shall be vent holes.
- 2.3 There shall be brim eyelets on each side of the brim.
- 2.4 There shall be one badge eyelet 2 7/16 inches above the front center brim.

NOTE: In all details not specifically described herein, the tailoring, styling, and the construction of the components shall conform to the standard sample.

BID SAMPLES: Buyer, subsequent to bid opening, may instruct (3) lowest bidders to submit samples. Samples shall not be submitted with bid.

DEPARTMENT OF ENVIRONMENTAL MANAGEMENT

DIVISION OF LAW ENFORCEMENT

UNIFORM SPECIFICATIONS

RI MUNICIPAL POLICE TRAINING ACADEMY BDU TROUSER

1. **Classification and Scope:**

- 1.1 Trousers are to meet all RI Municipal Police Training Academy specifications.
- 1.2 Material: 65% Polyester/ 35% Cotton Ripstop fabric
- 1.3 Color: navy blue
- 1.4 Sizes: small- XX-large in short, regular and long

2. **Requirements:**

- 2.1 Made to military specification # APA-12134.
- 2.2 The trouser will be of the Zipper-Fly type.

NOTE: In all details not specifically described herein, the tailoring, styling, and the construction of the components shall conform to the standard sample.

BID SAMPLES: Buyer, subsequent to bid opening, may instruct (3) lowest bidders to submit samples. Samples shall not be submitted with bid.

Contract Terms and Conditions

Table of Contents

Terms and Conditions.....XX
 BID STANDARD TERMS AND CONDITIONSXX
 TERMS AND CONDITIONS FOR THIS BIDXX
 TERMS AND CONDITIONS OF PRICING AGREEMENTXX
 DELIVERY PER AGENCYXXI
 MULTI YEAR AWARDXXI
 AWARDXXI
 VENDOR SPECIFICATIONSXXI
 RIVIP INFO - BID SUBMISSION REQUIREMENTSXXI

Terms and Conditions

BID STANDARD TERMS AND CONDITIONS

TERMS AND CONDITIONS FOR THIS BID

TERMS AND CONDITIONS OF PRICING AGREEMENT

SCOPE AND LIMITATIONS - This Agreement covers requirements as described herein, ordered by State agencies during the Agreement Period. No additional or alternative requirements are covered, unless added to the Agreement by formal amendment by the State Purchasing Agent or his designee.

Under State Purchasing Law, 37-2-54, no purchase or contract shall be binding on the state or any agency thereof unless approved by the department [of administration] or made under general regulations which the chief purchasing officer may prescribe. Under State Purchasing Regulation 8.2.1.1.2, any alleged oral agreement or arrangements made by a bidder or contractor with any agency or an employee of the Office of Purchases may be disregarded and shall not be binding on the state.

PRODUCT ACCEPTANCE - All merchandise offered or otherwise provided shall be new, of prime manufacture, and of first quality unless otherwise specified by the State. The State reserves the right to reject all nonconforming goods, and to cause their return for credit or replacement, at the State's option.

- a) Failure by the state to discover latent defect(s) or concealed damage or non-conformance shall not foreclose the State's right to subsequently reject the goods in question.
- b) Formal or informal acceptance by the State of non-conforming goods shall not constitute a precedent for successive receipts or procurements.

Where the vendor fails to cure the defect promptly or replace the goods, the State reserves the right to cancel the Release, contract with a different vendor, and to invoice the original vendor for any differential in price over the original contract price.

ORDER AUTHORIZATION AND RELEASE AGAINST PRICING AGREEMENT

In no event shall the Vendor deliver goods or provide service until such time as a duly authorized release document is certified by the ordering Agency.

State Agencies shall request release as follows: All releases shall reference the Price Agreement number, the Contract Issue number, the item(s) covered, and the unit pricing in the same format as described herein.

A Department Purchase Order (DPO) listing the items ordered shall be created by the agency. The agency may mail or fax a copy of the order to the Vendor. In some cases the agency may request delivery by telephone, but must provide the Vendor with a DPO Order Number reference for billing purposes. Vendors are encouraged to require written orders to assure payments are processed accurately and promptly.

DELIVERY If this is an MPA, Vendor will obtain "ship to" information from each participating agency. This information will be contained in the DPO. APA delivery information will be contained in the Notice of Award.

PRICING - All pricing shall be as described herein, and is considered to be fixed and firm for the term of the Agreement, unless specifically noted to the contrary herein. All prices include prepaid freight. Freight, taxes, surcharges, or other additional charges will not be honored unless reflected herein.

INVOICING All invoices shall reference the DPO Order Number(s), Price Agreement number, the Contract Issue number, the item(s) covered, and the unit pricing in the same format as described herein. If this is an MPA, Vendor will obtain "bill to" information from each participating agency. This information will be contained in the DPO. APA billing information will be contained in the Notice of Award.

PAYMENT - Invoices for items not received, not priced according to contract or for work not yet performed will not be honored. No payment will be processed to any vendor for whom there is no IRS W-9 on file with the State Controller.

DELIVERY PER AGENCY

DELIVERY OF GOODS OR SERVICES AS REQUESTED BY AGENCY.

MULTI YEAR AWARD

THIS IS A MULTI-YEAR BID/CONTRACT. PER RHODE ISLAND STATE LAW 37-2-33, CONTRACT OBLIGATIONS BEYOND THE CURRENT FISCAL YEAR ARE SUBJECT TO AVAILABILITY OF FUNDS. CONTINUATION OF THE CONTRACT BEYOND THE INITIAL FISCAL YEAR WILL BE AT THE DISCRETION OF THE STATE. TERMINATION MAY BE EFFECTED BY THE STATE BASED UPON DETERMINING FACTORS SUCH AS UNSATISFACTORY PERFORMANCE OR THE DETERMINATION BY THE STATE TO DISCONTINUE THE GOODS/SERVICES, OR TO REVISE THE SCOPE AND NEED FOR THE TYPE OF GOODS/SERVICES; ALSO MANAGEMENT OWNER DETERMINATIONS THAT MAY PRECLUDE THE NEED FOR GOODS/SERVICES.

AWARD

THE STATE, AT ITS SOLE DISCRETION, SHALL RESERVE THE RIGHT TO MAKE ONE OR MULTIPLE AWARDS FOR THIS REQUIREMENT AND/OR TO REJECT ANY OR ALL BIDS.

VENDOR SPECIFICATIONS

ALL VENDORS MUST INCLUDE SPECIFICATIONS WITH BID PROPOSAL (EVEN THOSE BIDDING BRAND SPECIFIED). FAILURE TO SUBMIT SPECIFICATIONS WITH BID PROPOSAL MAY RESULT IN DISQUALIFICATION OF BID. ITEMS IN CATALOGS MUST BE CLEARLY MARKED AND PAGES TABBED.

RIVIP INFO - BID SUBMISSION REQUIREMENTS

It is the Vendor's responsibility to check and download any and all addenda from the RIVIP. This offer may not be considered unless a signed RIVIP generated Bidder Certification Cover Form is attached and the Unit Price column is completed. The signed Certification Cover Form must be attached to the front of the offer. When delivering offers in person to One Capitol Hill, vendors are advised to allow at least one hour additional time for clearance through security checkpoints.

MAILING ADDRESS FOR BID PROPOSALS ISSUED BY THE STATE OF RHODE ISLAND,
DIVISION OF PURCHASES

All Bid Proposals must be submitted by mail or hand delivered to:

- State of Rhode Island
- Department of Administration
- Division of Purchases, Second floor
- One Capitol Hill
- Providence, RI 02908-5855

DIVESTITURE OF INVESTMENTS IN IRAN REQUIREMENT:

No vendor engaged in investment activities in Iran as described in R.I. Gen. Laws §37-2.5-2(b) may submit a bid proposal to, or renew a contract with, the Division of Purchases. Each vendor submitting a bid proposal or entering into a renewal of a contract is required to certify that the vendor does not appear on the list maintained by the General Treasurer pursuant to R.I. Gen. Laws §37-2.5-3.