



Request for Quote

STATE OF RHODE ISLAND AND PROVIDENCE PLANTATIONS
ONE CAPITOL HILL
PROVIDENCE RI 02908

CREATION DATE : 06-APR-18
BID NUMBER: 7592648
TITLE: FULL CAB TRACTOR - DOA STATE FLEET

BID CLOSING DATE AND TIME:01-MAY-2018 10:00:00

BUYER: Mosca, Gary
PHONE #: 401-574-8124

B
I
L
L
L
T
O
DOA CONTROLLER
ONE CAPITOL HILL, 4TH FLOOR
SMITH ST
PROVIDENCE, RI 02908
US

S
H
I
P
T
O
DOA-CS STATE FLEET
ONE CAPITOL HILL, 2ND FLOOR
SMITH ST
PROVIDENCE, RI 02908
US

Requisition Number: 1553251

Note to Bidders: QUESTIONS about this solicitation must be emailed and received by the Division of Purchases at doa.purquestions3@purchasing.ri.gov no later than April 18, 2018, 4:00 PM, in a Microsoft Word attachment with the corresponding solicitation number. Questions, if any, and responses will be posted on the Division of Purchases website at www.purchasing.ri.gov as an addendum to this solicitation

Line	Description	Quantity	Unit	Unit Price	Total
1	FULL CAB TRACTOR - 4WD - 18' BOOM MOWER, PER ATTACHED SPECIFICATIONS. PROVIDE THE FOLLOWING INFORMATION: MAKE: _____ MODEL: _____ MODEL YEAR: _____ ANTICIPATED DELIVERY: _____	1.00	Each		

Delivery: _____

Terms of Payment: _____

It is the Vendor's responsibility to check and download any and all addenda from the RIVIP. This offer may not be considered unless a signed RIVIP generated Bidder Certification Cover Form is attached and the Unit Price column is completed. The signed Certification Cover Form must be attached to the front of the offer

STATE OF RHODE ISLAND
DIVISION OF PURCHASES
BID NO. 7592648

The State of Rhode Island Division of Purchases on behalf of Rhode Island Department of Environmental Management/Fish and Wildlife. is seeking proposals for One (1) New, Newest Model, Model Year 2018 Full Cab Tractor 4WD with 18' Boom Mower, in accordance to all specified requirements of Bid Specification Sheet and solicitation requirements herein.

A copy of the bid specifications must be **returned with the bid and must indicate compliance or exception to each aspect of the specification.** All exceptions must be specifically identified. The specification must have the corresponding bid item number identified.

The unit shall be newest current model, new and unused, under standard production by the manufacturer, and of which parts are stocked at one or more locations in Rhode Island and/or Southern New England region. All parts utilized on the unit shall be new and unused.

Bidder must be an authorized manufacturer's representative/dealer.

Bidder must submit a detailed specification of the model offered including vehicle confirmation.

Bidders located beyond a 150-mile radius of the delivery destination must include a written plan for delivery. Vehicles will odometer reading in excess of 150 miles will not be accepted without prior approval from the Division of Purchases.

Each vehicle is identified with a specification number. That number must be clearly marked on all invoices as well as on the sticker attached to window of each vehicle.

It is imperative that this number appears on the vehicle sticker since this will be the identification for distribution from the State Fleet parking facility to the individual state agencies.

DELIVERY SITE FOR ALL VEHICLES WILL BE THE FOLLOWING:

DEM Fish & Wildlife
277 Great Neck Road
West Kingston, RI 02892

STATE OF RHODE ISLAND
DIVISION OF PURCHASES
BID NO. 7592648

DELIVERY INFORMATION:

SUCCESSFUL VENDOR(S) MUST CONTACT CONNIE RESENDES AT STATE FLEET OPERATIONS, (401-222-6227) AT LEAST (2) TWO DAYS PRIOR TO DELIVERY AND Mary Talbot OF RI DEM at 401-789-0281 mary.talbot@dm.ri.gov

THE FOLLOWING ADDITIONAL TERMS AND CONDITIONS APPLY TO THIS INVITATION TO BID:

1. All vehicles must be delivered without dealer's name or advertising of any type visible on the body.
2. Each vehicles delivered to the State must be accompanied by a "Certificate of Origin" with owner listed as: STATE OF RI/FLEET OPERATIONS, ONE CAPITOL HILL, PROVIDENCE, RI 02908, CONTAINING THE MANUFACTURER'S VEHICLE IDENTIFICATION NUMBER (VIN), THE NUMBER OF ENGINE CYLINDERS AND ENGINE TYPE, A GENERAL DESCRIPTION OF THE BODY GVW #, AND THE MODEL NAME/NUMBER. ODOMETER DISCLOSURE **MUST** BE COMPLETED ON THE VENDOR'S SIDE OF "CERTIFICATE OF ORIGIN".
3. Bids must be predicated on the basis of the bidder's full and unencumbered title to the vehicle(s) as of the date of delivery to the State. Bids subject to lien or assignment at the time of delivery to the State, or which stipulate third party or joint payment, will be rejected.
4. Title certificates must be provided at the time of delivery to the State.
5. The successful vendor(s) will be required to provide the following:
 - A. A completed application for registration and Title Certificate (TR-1) **with the exception of Sections G and H.** Owner to be listed as: State of RI/Fleet Operations, One Capitol Hill, Providence, RI 02908.
 - B. A completed Sales or Use Tax Exemption Certification - Motor Vehicles. Purchaser to be listed as: State of RI/Fleet Operations, One Capitol Hill, Providence, RI 02908.
6. To insure timely deliveries, vendor is required to supply confirmation of order to Connie Resendes (401-222-6227) State Fleet Operations, 1 Capitol Hill, Providence, RI 02908 indicating anticipated delivery date. This must be received within 30 days of award.
7. A copy of specification, labeled by bid item number, must be submitted with each offer. Failure to provide specifications as required may result in disqualification.
8. All vehicles must be delivered with less than 150 miles on the odometer. Dealers located outside a 150-mile radius from Providence, Rhode Island

STATE OF RHODE ISLAND
DIVISION OF PURCHASES
BID NO. 7592648

must include a written plan of their proposed delivery method, including information regarding required dealer preparation.

9. Standard manufacturer's warranty and operator's manual shall accompany each vehicle. All written warranties and warranty cards are to be furnished in the glove compartment of each vehicle delivered.
10. All deliveries must include a minimum of ½ tank of fuel. Fuel gauges which fail to register a minimum of ½ tank of fuel will be charged for the actual cost of fuel (to reach ½ full) plus \$100 labor charge per vehicle. This amount, where applicable will be deducted from the invoice.
11. All vehicles must meet California emission standards. (If applicable to vehicle type).

PREPARATION FOR DELIVERY:

The vendor shall be responsible to complete new vehicle delivery inspection. The engine, transmission, differential and cooling system shall be filled to the manufacturer's recommended capacity. The vehicle will receive a new vehicle cleaning and preparation prior to delivery. All equipment shall be completely installed and adjustments made prior to delivery and to make the vehicle available for immediate use. The vehicle shall be free of any defects when delivered.

If any deficiencies are observed and cannot be corrected within two (2) business days, the vehicle will be deleted from the invoice and payment will not be made until corrective action is taken and the vehicle is re-inspected and accepted. It shall be the responsibility of the vendor for the pickup and delivery of the vehicle for re-inspection.

All information requested must be included for each item bid. Failure to include all information requested may deem the offer as non-responsive.

Questions relative to the solicitation may be directed by email only to doa.purquestions3@purchasing.ri.gov until 4/18/18 @ 4:00 pm.

END DOCUMENT.

DESCRIPTION: 4 Wheel drive full cab tractor with mid-mount 18 ft. boom mower

Quantity:	1			Vendor Indicate Compliance Yes/No
Department:	Environmental Management	Fuel Type:	Diesel	
Division:	Fish & Wildlife	Color: <small>*if not offered may be changed at award</small>	any	
RI-FANS Requisition Number: 1553251	Solicitation # 7592648			

This form MUST be completed and submitted with proposal

STANDARD FEATURES Minimum specifications	FOR VENDOR USE ONLY TO INDICATE COMPLIANCE	
	↓ Yes/No	↓ Specify Alternative (if responding no)
4 wheel Drive full cab tractor with mid mount 18ft articulated boom specifications:		
Engine: Tier T4 105 hp., water cooled diesel, w/cold starting aid, turbocharged		
PTO Horse Power: minimum 89hp		
Cylinders: 4		
Displacement: 274 cubic inches		
Fuel water separator: Required		
Anti-Freeze Solution: Protected to -34 degrees F.		
Clutch: Wet		
Transmission: 16Forward-8Reverse with left hand power reverser with transmission cooler		
Brakes: Wet disk		
PTO w/Guard & Wet Clutch: 540/1000, electric hydraulic engagement. Digital PTO speed indicator.		
Hitch: Category 2 ,3 point w/telescopic link ends w/t top link		
Adjustable telescopic Sway Bars: Right and left side if draft lift arms, tube type with pins or screw type with pin are acceptable.		
Fuel Capacity: 44 gallons		
Final Drive: Planetary		
Exhaust: Vertical		
Differential Lock: Required		
Electrical System: 12 Volt, key start, 90AMP alternator, 925 CCA battery		
Throttle: Hand & Foot		
Steering: Power w/tilt& telescopic column		
Seat: Spring suspension, with seat belt & arm rest		
Ground Speed Indicator: Digital, Dash Mounted		
Factory Cab: Factory installed w/ heater, front and rear defroster, air conditioner, windshield wipers ROPS (Roll -Over Protection Structure), and tinted safety glass		
Lighting Package: Two headlights; two taillights; turn signals; rear and right side work lights		
Warning Flashers: Required		
Manufacturer Standard Gauges to include		

RI-FANS Requisition Number: 1553251	Solicitation # 7592648
---	-------------------------------

This form MUST be completed and submitted with proposal

STANDARD FEATURES Minimum specifications	FOR VENDOR USE ONLY TO INDICATE COMPLIANCE	
	↓ Yes/No	↓ Specify Alternative (if responding no)
4 wheel Drive full cab tractor with mid mount 18ft articulated boom specifications:		
1.Lighted instrument panel		
2. Tachometer		
3. Electric Hour meter		
4. Temperature gauge		
5.Warning lights for Oil Pressure &alternator		
6 Fuel Gauge.		
7.PTO Warning Light & Buzzer.		
Front Axle: heavy duty		
Rear Fenders: Required		
Front Tires: Two 11Lx 16 F3 12 ply (Foam Filled)		
Rear Tires: Two 18.4XR30 R4 10 ply (Foam Filled)		
Front Weight Bracket/Weights: 1000lbs(suitcase type weights,bracket not be included in total weight 1000lbs		
Rear Wheel Weights: wheel mounted		
Wheels: heavy duty 8 position adjustable front and rear. Thread width to be delivered approximately 76" center to center		
Hydraulic Flow Pump : 20 GPM at a Single SCV		
Remote Hydraulic valves: Three (3) sets of dual remotes from tractor main hydraulic system		
Main Hydraulic System: Direct gear driven		
Full under carriage skid plate protection		
Color: Maufacturer's standard		
WARRANTY: The standard manufacturer's warranty shall be extended for the period of 60 months/7500 hours to include 100% parts, labor and other incidentals which are covered under the standard new tractor warranty.		
18 ft Mid Mount 2 section Articulated boom as specified:		
Standard boom functions shall include1. horizontal swing, 2.vertical lift, 3.dipper reach, and 4.mower head tilt		
Horizontal Reach : 18 feet minimum		
Vertical Reach : 17 feet minimum		
Below grade reach: 5 feet 1 inch minimum		
Counterweight: A minimum of 1600 lbs shall be fastened to the frame opposite the boom.		
Wheel Weights: An additional 500 lbs. shall be provided as standard equipment		
Paint: All components to be powder coated		
Tractor mounting kit: subframe spanning from the front bolster to the rear axle, shall not be fastened to tractor bell housing. All structural tubing in mounting kit shall conform to ASTM A-500 GR.B (58000psi min. tensile strength).		
Self adjusting axle stabilizer system shall provide counter stability for the articulated boom		

RI-FANS Requisition Number:
1553251

Solicitation # 7592648

This form **MUST** be completed and submitted with proposal

STANDARD FEATURES Minimum specifications	FOR VENDOR USE ONLY TO INDICATE COMPLIANCE	
	↓ Yes/No	↓ Specify Alternative (if responding no)
4 wheel Drive full cab tractor with mid mount 18ft articulated boom specifications:		
Two piece boom rest structure shall support the height of the boom in transport		
Hydraulic System: unit shall feature self contained, properly sized hydraulic circuit must be properly sized for boom control and mowing head. Mounted so that it does not impede the operators's visibility and access with the following features:		
1.closed loop hydrostatic variable displacement piston pump		
2.Pre-compensated, proportional and load independent control valves		
3.Properly sized hydraulic reservoir, filter and cooler for continuous operation		
4.Quick Hitch system for cutter heads		
SEVERE DUTY ROTARY CUTTER HEAD:		
Width of cut : 60 inches minimum		
Blade bar : 3 leaf 5inch X7/8 inch		
Blades : 5"x14"x 5/8" Full swinging double edge steel tempered blades		
Hydraulic motor : gear type, minimum 100 hp @2750psi& 2400RPM		
Deck Thickness : 10 gauge minimum		
Skirt Thickness :7/8" minimum		
Skid Shoes : Replaceable full length		
Front Debris Deflector : spring loaded and retractable		
Rear Debris Deflector :3 ply rubber belting		
HEAVY Duty Flail Axe Cutter head		
Width of cut : 48" minimum		
Cutting height : adjustable from 7/8" to 7 1/4" in 1 5/8" increments		
Skid Shoes : Full length replaceable		
Blades : 40 blades weighing 2 lbs. each.		
Safety Features		
Controls shall feature a master ON/OFF switch for complete power shut down		
Ignition lock-out safety switch shall prevent the tractor from being started with the cutter head valve engaged		
Cab unit shall include 3/8" thick right side polycarbonate window		
SMV (slow moving vehicle) Emblem		
Warranty : 2years parts and labor on boom hydraulic system and attachments		

Contract Terms and Conditions

Table of Contents

Terms and Conditions.....VI
 BID STANDARD TERMS AND CONDITIONSVI
 TERMS AND CONDITIONS FOR THIS BIDVI
 RIVIP INFO - BID SUBMISSION REQUIREMENTSVI
 DELIVERY PER AGENCYVI
 VENDOR SPECIFICATIONSVI
 VEHICLE / AUTO BIDVI

Terms and Conditions

BID STANDARD TERMS AND CONDITIONS

TERMS AND CONDITIONS FOR THIS BID

RIVIP INFO - BID SUBMISSION REQUIREMENTS

It is the vendor's responsibility to check and download any and all addenda from the RIVIP. This offer may not be considered unless a signed RIVIP generated Bidder Certification Cover Form is attached and the Unit Price column is completed. The signed Certification Cover Form should be attached to the front of the offer. Each bid proposal must be submitted in a separate sealed envelope with the bidder's name and address and the specific "Solicitation Number," "Solicitation Title," and the "Bid Proposal Submission Deadline" marked in the upper left-hand corner of the envelope.

The bid proposal must be delivered (via mail, messenger service, or personal delivery) to the Division of Purchases and date-stamped/receipted by the date and time specified for the bid proposal submission deadline. Bidders should mail bid proposals sufficiently in advance of the bid proposal submission deadline to ensure timely delivery to the Division of Purchases or, when delivering a bid proposal in person or by messenger, should allow additional time for parking and clearance through security checkpoints. Bid proposals must be addressed to:

Rhode Island Department of Administration
Division of Purchases, 2nd Floor
One Capitol Hill, Providence, RI 02908-5855

Bid proposals that are not received by the Division of Purchases by the bid proposal submission deadline for whatever reason will be deemed late and will not be considered. The submission time will be determined by the time clock in the Division of Purchases. Postmarks will not be considered proof of timely submission.

Bid proposals in electronic format are not accepted at this time.

At the bid proposal submission deadline, bid proposals will be opened and read aloud in public.

DIVESTITURE OF INVESTMENTS IN IRAN REQUIREMENT:

No vendor engaged in investment activities in Iran as described in R.I. Gen. Laws §37-2.5-2(b) may submit a bid proposal to, or renew a contract with, the Division of Purchases. Each vendor submitting a bid proposal or entering into a renewal of a contract is required to certify that the vendor does not appear on the list maintained by the General Treasurer pursuant to R.I. Gen. Laws §37-2.5-3.

DELIVERY PER AGENCY

DELIVERY OF GOODS OR SERVICES AS REQUESTED BY AGENCY.

VENDOR SPECIFICATIONS

ALL VENDORS MUST INCLUDE SPECIFICATIONS WITH BID PROPOSAL (EVEN THOSE BIDDING BRAND SPECIFIED). FAILURE TO SUBMIT SPECIFICATIONS WITH BID PROPOSAL MAY RESULT IN DISQUALIFICATION OF BID. ITEMS IN CATALOGS MUST BE CLEARLY MARKED AND PAGES TABBED.

VEHICLE / AUTO BID

THE FOLLOWING ADDITIONAL TERMS AND CONDITIONS APPLY TO THIS INVITATION FOR

BIDS: 1. ALL VEHICLES MUST BE DELIVERED WITHOUT DEALER'S NAME OR ADVERTISING OF ANY TYPE VISIBLE ON THE BODY. 2. EACH VEHICLE DELIVERED TO THE STATE MUST BE ACCOMPANIED BY A "CERTIFICATE OF ORIGIN" CONTAINING THE MANUFACTURER'S VEHICLE IDENTIFICATION NUMBER (VIN), THE NUMBER OF ENGINE CYLINDERS AND ENGINE TYPE, A GENERAL DESCRIPTION OF THE BODY, AND THE MODEL NAME OR NUMBER. CERTIFICATE OF ORIGIN MUST BE ASSIGNED TO STATE OF RI/FLEET OPERATIONS, ONE CAPITOL HILL, PROVIDENCE, RI 02908, UNLESS THE VEHICLE IS BEING PURCHASED BY THE RHODE ISLAND STATE POLICE. IF SO, CERTIFICATE OF ORIGIN MUST BE ASSIGNED TO RHODE ISLAND STATE POLICE, 311 DANIELSON PIKE, NORTH SCITUATE, RI 02857. 3. BIDS MUST BE PREDICATED ON THE BASIS OF THE BIDDER'S FULL AND UNENCUMBERED TITLE TO THE VEHICLE(S) AS OF THE DATE OF DELIVERY TO THE STATE. BIDS SUBJECT TO LIEN OR ASSIGNMENT AT THE TIME OF DELIVERY TO THE STATE, OR WHICH STIPULATE THIRD PARTY OR JOINT PAYMENT, WILL BE REJECTED. 4. TITLE CERTIFICATES MUST BE PROVIDED AT THE TIME OF DELIVERY TO THE STATE. 5. WHERE THE FIRM SUBMITTING THE BID IS ACTING AS AN AGENT FOR ANOTHER CORPORATE ENTITY, (SPECIFICALLY WITH RESPECT TO LEASE ARRANGEMENTS), THE BID MUST IDENTIFY THE CORPORATION WHO WILL BE NAMED IN ANY SUBSEQUENT AWARD AS THE BIDDER OF RECORD. 6. UNLESS OTHERWISE INDICATED, ALL VEHICLES WILL BE DELIVERED TO STATE FLEET OPERATIONS AT ONE CAPITOL HILL, PROVIDENCE, R.I. THE STATE OF RHODE ISLAND RESERVES THE RIGHT TO MANDATE THE REPLACEMENT OF ALL VEHICLES IN ACCORDANCE WITH RHODE ISLAND STATE LEMON LAW 31-5.2-1 TO 31-5.2-13. REPLACEMENT EQUIPMENT MUST BE OF LIKE OR SUPERIOR SPECIFICATIONS TO THE VEHICLE IN QUESTION. COSTS ASSOCIATED WITH THE REMOVAL OF PROBLEMATIC EQUIPMENT AND DELIVERY AND INSTALLATION OF REPLACEMENT EQUIPMENT WILL BE SOLELY AT THE VENDOR'S EXPENSE.