

REQUEST FOR QUOTE (RFQ) – BID# 7598707

2018-CB-022 BRIDGE GROUP 54A-I95 KINGSTON ROAD BRIDGE

SUBMISSION DEADLINE: Friday, April 26, 2019 at 01:00 PM (ET)

PRE-BID CONFERENCE: NO
 YES _____

Mandatory: NO
 YES: Any vendor who intends to submit a bid proposal in response to this solicitation must have its designated representative attend the mandatory pre-bid conference. The representative must register at the pre-bid conference and disclose the identity of the vendor whom he/she represents. Because attendance at the pre-bid conference is mandatory, a vendor’s failure to attend and register at the pre-bid conference shall result in disqualification of the vendor’s bid proposal as non-responsive to the solicitation.

Lisa Hill

Buyer Name: LISA HILL
Title: ASSISTANT ADMINISTRATOR

QUESTIONS Prospective bidders are hereby notified that all questions pertaining to this contract must be submitted to the Department of Transportation in writing through its website at <http://www.dot.ri.gov/contracting/bids> by accessing the questions & answers menu located within the ‘contracting’, then ‘bidding opportunities’ link. Response to the submitted questions will also be posted under this link, phone calls will not be accepted.

SURETY REQUIRED: YES

BOND REQUIRED: YES

DISK BASED BID: NO
 YES: See attached Disk Based Bidding Information

NOTE TO VENDORS:
Vendors must register on-line at the Rhode Island Division of Purchases website at www.purchasing.ri.gov. Offers received without the completed four-page Rhode Island Vendor Information Program (RIVIP) Generated Bidder Certification Cover Form attached may result in disqualification.

THIS IS NOT A BIDDER CERTIFICATION FORM



State of Rhode Island Department of Administration
Division of Purchases

RHODE ISLAND DEPARTMENT OF TRANSPORTATION

REVISED
November 20, 2013

NOTICE TO VENDORS

Each bid proposal for a *public works project* must include a "public copy" to be available for public inspection upon the opening of bids. **Bid proposals that do not include a copy for public inspection will be deemed nonresponsive.**

To comply with this requirement, *in addition to* the Quest Lite compatible electronic copy and one hard copy, bid proposals for *highway and bridge public works projects* must also include a duplicate original of the Quest Lite compatible electronic copy on a *read-only* CD-R media disc as the "public copy."

The public copy disc must be separately enclosed in a protective cover clearly marked "Public Copy" and include the following information (all available from the Bidder Certification Cover Form): (1) title of solicitation; (2) name of bidder and RIVIP vendor ID number; (3) bid number; and (4) date of bid.

The public copy may redact any trade secrets or commercial or financial information which is of a privileged or confidential nature pursuant to the "Access to Public Records Act," R. I. Gen. Laws §§ 38-2-1 *et seq.*

For further information on how to comply with this statutory requirement, see R. I. Gen. Laws §§ 37-2-18(b) and (j). Also see Procurement Regulations 5.11, 5.13, and 12.102.05 accessible at www.purchasing.ri.gov.

**State of Rhode Island and Providence Plantations
Department of Transportation**

**Notice to Contractors
Special Provisions
Proposal
Contract Agreement
Contract Bond**

for the Performance of

Rhode Island Contract Number: 2018-CB-022

Rhode Island Federal-Aid\State-Aid Project BRO-0403(030)
Numbers: -

Project: Bridge Group 54A -Kingston Rd Bridge

Limits:

City/Town: Richmond

County: WASHINGTON

Submitted By: _____

Address: _____

Name of Surety: _____

Total Bid: _____

(BIDDER MUST FILL IN ALL ABOVE SPACES)

The basis of award of the Contract will be the total bid for all quantities of work in the proposal subject to review and correction as provided for in the Rhode Island Department of Transportation Standard Specifications for Road and Bridge Construction and Standard Details.

NOTE: The State of Rhode Island Standard Specifications for Road and Bridge Construction and Standard Details consists of the following:

- The Rhode Island Standard Specifications for Road and Bridge Construction, Amended December 2010, with all revisions.
- The Rhode Island Standard Details, 1998 Edition, with all revisions.
- The Rhode Island Bridge Standard Details, 2010 Edition, with all revisions.
- The Division of Purchases Procurement Regulations Adopted December 2010.

*** Refer to Section 12.102.05 PREPARATION OF PROPOSAL of the STATE OF RHODE ISLAND PROCUREMENT REGULATIONS regarding the use of Quest Lite software for bid preparation.**

The above documents may be obtained at the Rhode Island Department of Transportation, Contracts and Specifications Office, upon request.

STATE OF RHODE ISLAND AND PROVIDENCE PLANTATIONS
DEPARTMENT OF ADMINISTRATION - DIVISION OF PURCHASES

NOTICE TO HIGHWAY AND BRIDGE CONTRACTORS

Sealed Proposals addressed to the State Purchasing Agent, Rhode Island Department of Administration, Division of Purchases, One Capitol Hill, Providence, Rhode Island 02903, will be opened and read in public on April 26, 2019 at 1:00PM. All bidders MUST register online at www.purchasing.ri.gov. A Bidder Certification Cover Sheet MUST accompany each bid. Bid item description and quantities estimated for this project will also be available online. Should you need assistance in registering or downloading a bid, call (401) 222-3766. Failure to comply will result in mandatory disqualification per Item 4 of Section 12.102.12 of the Division of Purchases Procurement Regulations Adopted December 2010 and RI General Law 37-2-17 which references the RI Vendor Information Program (RIVIP).

DESCRIPTION: Rhode Island Contract No. 2018-CB-022 and R.I. Federal-Aid Project No. BRO-0403(030), County of Washington, Town of Richmond, Rhode Island, is for Bridge Group 54A – I-95 Kingston Road. This project consists of the Bridge Replacement of Kingston Road Bridge No. 403 over RI Route 138 (Kingstown Road) and the related roadway and ramp reconstruction. The total project length is approximately 1.42 miles.

The work to be performed under this contract shall consist of, but is not limited to: utility relocation; installation of a temporary excavation support system; earth excavation; complete demolition and removal of existing concrete bridge superstructure and substructure; construction of GRS abutments and walls with precast concrete modular facing units; erection of precast concrete substructure components; furnishing, fabricating, and erecting a steel plate girder superstructure with composite concrete deck consisting of Pre-Fabricated Bridge Units (PBU); construction of reinforced concrete TL-5 parapets; application of waterproofing membrane, and construction of bituminous wearing surface over waterproofing membrane; installation of temporary signage and implementation of road closures; full depth pavement reconstruction; installation of traffic signals; removal of two existing interchange ramps; cold planning; grading; curb removal and replacement; installation of new concrete sidewalks, guardrails, and highway lighting; cutting and matching pavement; sawcutting bituminous pavements; storm drainage improvements; construction of a water quality bioretention basin; signing and striping; site preparation; plantable soil and seed; maintenance and protection of traffic; and all other tasks necessary to complete the work of this Contract.

The Contractor will be required, in accordance with the provisions of the Disadvantaged Business Enterprise Affirmative Action Certification for Contractors and Consultants, to meet the established Race-Conscious Goal, or Contract Goal, of not less than 15.00 percent of the contract bid price, to the Contractors, Subcontractors, and/or suppliers which qualify as Disadvantaged Business Enterprises (DBE's). Failure by the Contractor to demonstrate every good faith effort in fulfilling its DBE commitment during the construction period will result in the reduction in contract payments by the amount determined by multiplying the awarded contract value by the established DBE percentage, and subtracting the dollar value of the work actually performed by DBE contractors. This action will not preclude RIDOT from imposing sanctions or other remedies available as specified in paragraph (I)(C) of the Disadvantaged Business Enterprise Affirmative Action Certification for Contractors and Consultants.

Computer Disks for competitive bidding for the above described work will be furnished by the Department of Transportation, Division of Administrative Services, Contracts & Specifications Office, Room 108, Two Capitol Hill, Providence, Rhode Island, 02903, Tel.Number (401) 222-2495. The Plans, Specifications and Special Provisions may also be examined on or after March 29, 2019 every weekday except holidays between the hours of 8:00 AM and 4:00 PM.

The Bid Package consists of a single compact disk (CD) containing the following items: Construction Plans, Standard Specifications for Road and Bridge Construction, Compilations of Approved Specifications, Required Contract Provisions for Federal-Aid Construction Contracts, RI Division of Purchases Procurement Regulations, General Provisions, Rhode Island Standard Details, Rhode Island Bridge Standard Details, Federal Wage Rates, Contract-Specific General Provisions, Job-Specific Specifications, Distribution of Quantities, Appendices (if applicable), Quest Lite bid file, Quest Lite installation software and a Quest Lite User Manual. Only complete bid packages will be issued.

Prospective Bidders are hereby notified that all questions pertaining to this Contract must be submitted to the Department of Transportation in writing through its website at <http://www.dot.ri.gov/contracting/bids/> by accessing the Questions & Answers Menu located within the "Contracting", then "Contract Opportunities" link. Responses to the submitted questions will also be posted under this link. PHONE CALLS WILL NOT BE ACCEPTED.

For help with RIDOT's Quest Lite bid preparation software, please contact the Contracts & Specifications Office, Room 108, Two Capitol Hill, Providence, Rhode Island, 02903, Tel. Number (401)-222-2495 or e-mail Quest@dot.ri.gov.

Please also note that all Bidding Documents required to be submitted and in fact submitted to the Purchasing Agent as part of a bid will be considered returned to the State and need not be returned to RIDOT.

A bid bond payable to the State of Rhode Island, in the amount of 5% of the total or gross sum of the bid must be furnished by each bidder. The Proposal Guaranty will be furnished by surety companies authorized/licensed to do business in the State of Rhode Island. The State reserves the right to retain the surety of all bidders until the successful bidder enters into the Contract or until such time as the award or cancellation of the Contract is announced at which point Sureties will be returned to all bidders by the State of Rhode Island. A performance bond of one hundred (100) percent of the contract price with a satisfactory surety company will be required of the successful bidder. All surety companies must be listed with The Department of the Treasury, Fiscal Services, Circular 570, (Latest Revision published by the Federal Register). The Department of Transportation reserves the right to reject any or all bids.

Required Contract Provisions - The attention of prospective bidders is called to the fact that this project is to be bid upon and the contract executed subject to all applicable federal laws and regulations for carrying out the provisions of the Federal-Aid Highway program..

Wages of labor on Federal -Aid Highway Projects - the prevailing rate of wages for laborers and mechanics employed by contractors or subcontractors on the initial construction of highway projects on the Federal - Aid Highway System, authorized under the Federal Highway Act of 1968, shall be paid wages at rates not less than those prevailing on the same type of work on similar construction in the immediate locality as determined by the United States Secretary of Labor, in accordance with the Act of August 30, 1935, known as the Davis - Bacon Act, under Decision Nos. 1 through 6 as applicable.

Prevailing wage rates and Davis - Bacon Wage Determination Reference Materials are available online at www.purchasing.ri.gov. It is advisable to print only the pages applicable to this bid; the rates active on the Rhode Island Vendor Information Program's bid solicitation date for this project are applicable for the duration of the contract resulting from this bid.

Work Hours Act of 1962 - This contract is subject to Work Hours Act of 1962, Public Law 87-581 and implementing regulations.

There will be no Pre-Bid Conference scheduled for this project.

SPECIAL NOTE

ANY REFERENCE TO THE RHODE ISLAND DEPARTMENT OF PUBLIC WORKS OR THE DIRECTOR OF PUBLIC WORKS SHOULD BE REVISED TO THE RHODE ISLAND DEPARTMENT OF TRANSPORTATION AND THE DIRECTOR OF TRANSPORTATION RESPECTIVELY.

NOTICE TO ALL BIDDERS

The Rhode Island Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 42 U.S.C. §§ 2000d - 2000d-4 and 49 C.F.R. Part 21, Nondiscrimination in Federally-Assisted Programs of the Department of Transportation - Effectuation of Title VI of the Civil Rights Act of 1964, issued pursuant to such Act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, Disadvantaged Business Enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, national origin, age, or disability in consideration for an award.

To report bid rigging activities call: **1-800-424-9071**

The U.S. Department of Transportation (DOT) operates the above toll-free hotline Monday through Friday, 8:00 a.m. to 5:00 p.m. eastern time. Anyone with knowledge of possible bid rigging, bidder collusion, or other fraudulent activities should use the hotline to report such activities.

The hotline is part of the DOT's continuing effort to identify, and investigate highway construction contract fraud and abuse and is operated under the direction of the DOT Inspector General. All information will be treated confidentially and caller anonymity will be respected.

Item List

Date: 3/22/2019

Estimate Name - Bridge Group 54A - I-95 Kingston Rd
 Project Name - Bridge Group 54A -Kingston Rd Bridge
 R.I. Contract No. - 2018-CB-022
 FAP Nos. - BRO-0403(030)

Seq No.	Item Code	Description	Quantity	UM
001	201.0301	CUTTING AND DISPOSING ISOLATED TREES AND STUMPS (4"- 24")	1.00	EACH
002	201.0321	CLEARING AND GRUBBING	1,150.00	SY
003	201.0401	REMOVE AND DISPOSE GRANITE CURB	3,068.00	LF
004	201.0409	REMOVE AND DISPOSE FLEXIBLE PAVEMENT	20,628.00	SY
005	201.0410	REMOVE AND DISPOSE CATCH BASINS	45.00	EACH
006	201.0414	REMOVE AND DISPOSE PIPE - ALL SIZES	2,066.00	LF
007	201.0415	REMOVE AND DISPOSE GUARDRAIL AND POST ALL TYPES	5,605.00	LF
008	201.0423	REMOVE AND DISPOSE HANDHOLE	59.00	EACH
009	201.0425	REMOVE AND DISPOSE FLARED END SECTION	1.00	EACH
010	201.0428	REMOVE AND DISPOSE FRAME AND GRATE OR FRAME AND COVER	76.00	EACH
011	201.0430	REMOVE AND DISPOSE CONCRETE MEDIAN BARRIER	4,660.00	LF
012	201.0432	REMOVE AND DISPOSE HEADWALL	10.00	EACH
013	201.0434	REMOVE AND DISPOSE MONITORING/OBSERVATION WELL	1.00	EACH
014	201.0450	REMOVE AND STOCKPILE ON SITE GRANITE CURB	4,724.00	LF
015	201.0601	REMOVE AND DISPOSE GROUND MOUNTED SIGNS	11.00	EACH
016	201.0604	REMOVE AND DISPOSE GROUND MOUNTED SIGN POSTS	22.00	EACH
017	201.0605	REMOVE AND DISPOSE GROUND MOUNTED SIGN BASES	22.00	EACH
018	201.0610	REMOVE AND DISPOSE DIRECTIONAL, WARNING, REGULATORY, SERVICE, AND STREET SIGNS	79.00	EACH
S019	201.0616	REMOVE AND DISPOSE LIGHT STANDARD FOUNDATIONS	58.00	EACH
020	201.0617	REMOVE AND DISPOSE CONDUIT - ALL SIZES	200.00	LF
021	201.0622	REMOVE AND DISPOSE OVERHEAD SIGN PANEL	4.00	EACH
022	201.0623	REMOVE AND DISPOSE OVERHEAD SIGN STRUCTURE	4.00	EACH
023	201.9901	REMOVE AND DISPOSE POST MOUNTED DELINEATORS	350.00	EACH
S024	201.9903	REMOVE AND DISPOSE WIRING - ALL SIZES - ABANDON IN PLACE ALL CONDUITS	11,874.00	LF
025	201.9904	REMOVE AND DISPOSE OVERHEAD CANTILEVER SIGN BASES	4.00	EACH
S026	201.9905	REMOVE AND SALVAGE TRAFFIC SIGNAL SYSTEM EQUIPMENT	1.00	LS
027	201.9906	REMOVE AND STOCKPILE LIGHT STANDARDS	58.00	EACH
S028	201.9930	REMOVE AND DISPOSE PVC JUNCTION BOX, WOODED POST, EXISTING LOOP WIRES	4.00	EACH
029	202.0100	EARTH EXCAVATION	17,038.00	CY
030	202.0700	COMMON BORROW	100.00	CY
031	203.0100	STRUCTURAL EXCAVATION EARTH	5,500.00	CY

Item List

Date: 3/22/2019

Estimate Name - Bridge Group 54A - I-95 Kingston Rd
 Project Name - Bridge Group 54A -Kingston Rd Bridge
 R.I. Contract No. - 2018-CB-022
 FAP Nos. - BRO-0403(030)

Seq No.	Item Code	Description	Quantity	UM
032	203.0220	STRUCTURAL EXCAVATION ROCK MECHANICAL	100.00	CY
033	204.0100	TRIMMING AND FINE GRADING	82,198.00	SY
034	205.0270	TRENCH ROCK EXCAVATION-MECHANICAL (0-7')	80.00	CY
035	205.0280	TRENCH ROCK EXCAVATION-MECHANICAL (7-12')	15.00	CY
036	206.0312	COMPOST FILTER SOCK 12 INCH DIAMETER	12,710.00	LF
037	209.9901	SEDIMENTATION CONTROL FOR CATCH BASINS	114.00	EACH
038	209.9902	SEDIMENTATION CONTROL FOR INLET STRUCTURES	35.00	EACH
039	211.0100	CONSTRUCTION ACCESSES STANDARD 9.9.0	600.00	SY
040	212.2000	CLEANING AND MAINTENANCE OF EROSION CONTROLS	1.00	LS
041	213.0100	PLACEMENT OF MILLINGS BENEATH GUARDRAIL	3,355.00	LF
042	301.0300	CRUSHED STONE OR CRUSHED GRAVEL BASE MODIFIED	1,025.00	CY
043	301.9901	PEASTONE	120.00	CY
044	301.9902	GRS REINFORCED BACKFILL	3,500.00	CY
045	301.9903	RSF BACKFILL	400.00	CY
046	302.0100	GRAVEL BORROW SUBBASE COURSE	9,439.00	CY
047	401.1010	CLASS 19.0 HMA WITH PAY ADJUSTMENTS	11,373.00	TON
048	401.2100	MODIFIED CLASS 12.5 HMA	3,636.00	TON
049	401.3000	CLASS 9.5 HMA	40.00	TON
050	401.3002	CLASS 9.5 HMA FOR LEVELLING	587.00	TON
051	401.9901	PAY ADJUSTMENTS	10,000.00	EACH
052	402.9901	FRICTION COURSE	6,059.00	TON
053	403.0300	ASPHALT EMULSION TACK COAT	108,121.00	SY
054	410.1000	TEMPORARY PATCHING MATERIAL/TRENCHES	400.00	TON
055	410.9901	MICRO MILLING AND FILL RUMBLE STRIP WITH CLASS 9.5 HOT MIX ASPHALT	1,086.00	SY
056	415.9902	INTELLIGENT COMPACTION FOR HMA	1.00	LS
057	601.0200	CLASS XX PORTLAND CEMENT CONCRETE	342.00	CY
058	701.0412	REINFORCED CONCRETE PIPE M 170 CLASS III 12 INCH	1,092.00	LF
059	701.0418	REINFORCED CONCRETE PIPE M 170 CLASS III 18 INCH	272.00	LF
060	701.0424	REINFORCED CONCRETE PIPE M 170 CLASS III 24 INCH	354.00	LF
061	701.7712	12 INCH REINFORCED CONCRETE PIPE END SECTION STANDARD 2.3.0	4.00	EACH
062	701.8003	PIPE BEDDING CLASS C	40.00	CY
063	702.0207	4' MANHOLE BRICK STANDARD 3.2.0	3.00	EACH

Item List

Date: 3/22/2019

Estimate Name - Bridge Group 54A - I-95 Kingston Rd
 Project Name - Bridge Group 54A -Kingston Rd Bridge
 R.I. Contract No. - 2018-CB-022
 FAP Nos. - BRO-0403(030)

Seq No.	Item Code	Description	Quantity	UM
064	702.0511	FRAME AND COVER STANDARD 6.1.0	3.00	EACH
065	702.0513	FRAME AND GRATE STANDARD 6.3.1	60.00	EACH
066	702.0516	FRAME AND GRATE, HIGH CAPACITY, STANDARD 6.3.4	16.00	EACH
067	702.0518	ROUND AREA FRAME AND GRATE STANDARD 6.4.1	1.00	EACH
068	702.0521	FRAME AND COVER STANDARD 6.2.0	6.00	EACH
069	702.0522	FRAME AND COVER STANDARD 6.2.1	9.00	EACH
070	702.0540	GRANITE INLET STONE 5 FOOT STANDARD 7.3.5	1.00	EACH
071	702.0541	GRANITE INLET STONE 38" STANDARD 7.3.6	1.00	EACH
072	702.0542	GRANITE APRON STONE 5FT. STANDARD 7.3.7	3.00	EACH
073	702.0543	GRANITE APRON STONE 38" STANDARD 7.3.8	25.00	EACH
074	702.0630	PRECAST MANHOLE 4' DIAMETER STANDARD 4.2.0	3.00	EACH
075	702.0640	PRECAST MANHOLE 6' DIAMETER STANDARD 4.2.2	1.00	EACH
076	702.0712	PRECAST CONCRETE DROP INLET STANDARD 4.5.0	4.00	EACH
077	702.0714	PRECAST CONCRETE DROP INLET WITH APRON STONE STANDARD 4.5.2	10.00	EACH
078	702.9901	MODIFIED PRECAST 4' ROUND CATCH BASIN WITH 4' DEEP SUMP STD 4.4.0M	28.00	EACH
079	702.9902	MODIFIED BRICK/SOLID BLOCK DOUBLE GRATE CATCH BASIN WITH 4' DEEP SUMP STD 3.3.4M	1.00	EACH
080	702.9903	MODIFIED BRICK/SOLID BLOCK ROUND CATCH BASIN WITH GUTTER INLET AND 4' DEEP SUMP STD 3.4.1M	1.00	EACH
081	702.9904	MODIFIED BRICK/SOLID BLOCK TYPE 'F' ROUND CATCH BASIN WITH 4' DEEP SUMP STD 3.4.2M	10.00	EACH
082	702.9905	RECONSTRUCT I-95 MEDIAN CATCH BASINS	7.00	EACH
083	702.9906	MODIFIED BRICK/SOLID BLOCK TYPE "F" 6'-0" ROUND CATCH BASIN WITH 4'-0" DEEP SUMP STD 3.4.5M	1.00	EACH
084	702.9907	EXTENDED DETENTION BASIN 1 AND DRY SWALE WITH DRAIN	1.00	LS
085	702.9908	INFILTRATION BASIN 2 AND DRY SWALE WITHOUT DRAIN	1.00	LS
086	704.0100	RECONSTRUCT CATCH BASIN/CORBEL CONES	4.00	EACH
087	704.0200	RECONSTRUCT MANHOLE/CORBEL CONES	2.00	EACH
088	706.9000	PLUG AND CAP PIPE ALL SIZES	6.00	EACH
089	707.0900	ADJUST MANHOLES TO GRADE	7.00	EACH
090	707.1100	ADJUST CATCH BASINS	16.00	EACH
091	707.1200	ADJUST CATCH BASIN TO MANHOLE	6.00	EACH
092	708.9040	CLEANING AND FLUSHING PIPE ALL SIZES	8,161.00	LF
093	708.9041	CLEANING CATCH BASINS ALL TYPES AND SIZES	93.00	EACH

Item List

Date: 3/22/2019

Estimate Name - Bridge Group 54A - I-95 Kingston Rd
 Project Name - Bridge Group 54A -Kingston Rd Bridge
 R.I. Contract No. - 2018-CB-022
 FAP Nos. - BRO-0403(030)

Seq No.	Item Code	Description	Quantity	UM
094	708.9042	CLEANING MANHOLES ALL TYPES AND SIZES	6.00	EACH
095	709.0200	CONCRETE HEADWALLS FOR PIPE CULVERTS STANDARD 2.1.0	5.00	CY
096	713.8268	ADJUST CURB STOP BOX TO GRADE	3.00	EACH
097	800.9901	KINGSTON ROAD BRIDGE NO. 403	1.00	LS
098	803.9901	REMOVE & DISPOSE EXISTING KINGSTON ROAD BRIDGE NO. 403	1.00	LS
099	810.0210	GALVANIZED BAR REINFORCEMENT GRADE 60	619.00	LBS
S100	901.0101	GUARDRAIL STEEL BEAM SINGLE FACE EARTH AND ASPHALT	2,670.00	LF
S101	901.0102	GUARDRAIL STEEL BEAM SINGLE FACE WITH RUBRAIL EARTH AND ASPHALT	990.00	LF
S102	901.0151	TERMINAL END SECTION SINGLE FACE STANDARD 34.3.2	2.00	EACH
S103	901.0177	STEEL THRIE BEAM GUARDRAIL TRANSITION	4.00	EACH
S104	901.0185	STEEL THRIE BEAM BRIDGE CONNECTION	4.00	EACH
S105	901.0191	GUARDRAIL STEEL BEAM ANCHORAGE TRAILING END SECTION STANDARD 34.3.4	7.00	EACH
S106	901.9901	GUARDRAIL END TREATMENT - TEST LEVEL 3	3.00	EACH
S107	901.9902	GUARDRAIL END TREATMENT - TEST LEVEL 2	7.00	EACH
108	905.0110	PORTLAND CEMENT SIDEWALK MONOLITHIC STANDARD 43.1.0	327.00	CY
109	905.0115	PORTLAND CEMENT CONCRETE DRIVEWAY STANDARD 43.5.0	13.00	CY
110	906.0111	GRANITE CURB, QUARRY SPLIT CIRCULAR, STANDARD 7.3.0	381.00	LF
111	906.0118	6' GRANITE TRANSITION CURB, QUARRY SPLIT SPECIAL TRANSITION STANDARD 7.3.2	33.00	EACH
112	906.0120	GRANITE WHEELCHAIR RAMP CURB STANDARDS 7.3.3, 43.3.0 AND 43.3.1	15.00	EACH
113	906.0130	GRANITE RAMP STONE STRAIGHT STANDARD 7.3.9	10.00	EACH
114	906.0131	GRANITE RAMP STONE CIRCULAR STANDARD 7.3.9	5.00	EACH
115	906.0602	BITUMINOUS BERM STANDARD 7.5.1	7,840.00	LF
116	906.0700	REMOVE, HANDLE, HAUL TRIM RESET CURB EDGING, STRAIGHT, CIRCULAR ALL TYPES	5,887.00	LF
117	906.0720	RESET STOCKPILE CURB STRAIGHT CIRCULAR CORNER RETURNS	1,656.00	LF
118	906.9901	BITUMINOUS BERM TYPE BB-1	8,600.00	LF
119	906.9902	BITUMINOUS BERM TYPE BB-2	6,420.00	LF
120	907.0100	WATER FOR DUST CONTROL	165.00	MGA L
121	907.0200	CALCIUM CHLORIDE FOR DUST CONTROL (PROJECT WIDE)	25.00	TON
122	909.3020	PRECAST MEDIAN BARRIER SINGLE-FACED STANDARD 40.2.0	370.00	LF
123	909.3021	PRECAST MEDIAN BARRIER SINGLE-FACED STANDARD 40.2.1	4,640.00	LF

Item List

Date: 3/22/2019

Estimate Name - Bridge Group 54A - I-95 Kingston Rd
 Project Name - Bridge Group 54A -Kingston Rd Bridge
 R.I. Contract No. - 2018-CB-022
 FAP Nos. - BRO-0403(030)

Seq No.	Item Code	Description	Quantity	UM
124	910.9901	CUT BITUMINOUS RUMBLE STRIP	11,560.00	LF
125	914.5010	FLAGPERSONS	8,000.00	MHRS
126	914.5020	FLAGPERSONS - OVERTIME	2,000.00	MHRS
127	916.0600	SHOCK ABSORBING BARRIER MODULES	11.00	GRP
128	919.0101	TEST PITS	10.00	EACH
129	920.0040	DUMPED STONE RIPRAP R-3, R-4, R-5 STANDARD 8.3.0	144.00	SY
130	920.0135	BEDDING FOR RIPRAP FS-2 STANDARD 8.3.0	144.00	SY
131	920.0200	FILTER FABRIC FOR RIP-RAP	144.00	SY
132	922.0100	TEMPORARY CONSTRUCTION SIGNS STANDARD 29.1.0 AND 27.1.1	2,234.00	SF
133	922.9901	TEMPORARY CONSTRUCTION SIGN OVERLAY PANEL (OVERHEAD)	38.00	SF
134	922.9902	TEMPORARY CONSTRUCTION SIGN OVERLAY PANEL (GROUND MOUNTED)	19.00	SF
135	923.0105	DRUM BARRICADE STANDARD 26.2.0	42,000.00	BDAY
136	923.0120	PLASTIC PIPE BARRICADE STANDARD 26.3.0	6.00	EACH
137	923.0200	FLUORESCENT TRAFFIC CONES STANDARD 26.1.0	300.00	EACH
138	924.0113	ADVANCE WARNING ARROW PANEL	400.00	PDAY
139	925.0112	PORTABLE CHANGEABLE MESSAGE SIGN	15,400.00	PDAY
140	926.0110	ANCHORED SINGLE-FACE PRECAST CONCRETE BARRIER FOR TEMPORARY TRAFFIC CONTROL	70.00	LF
141	926.0121	UNANCHORED PRECAST CONCRETE BARRIER FOR TEMPORARY TRAFFIC CONTROL STANDARD 40.5.0	22,650.00	LF
142	926.0140	REFLECTIVE DELINEATORS FOR TEMPORARY CONCRETE BARRIERS	537.00	EACH
143	928.9901	TRUCK MOUNTED ATTENUATOR WITH TRUCK MOUNTED FLASHING ARROW BOARD	3,200.00	HRS
144	929.0110	FIELD OFFICE	35.00	PMO
145	931.0110	CLEANING AND SWEEPING PAVEMENT	1,532.00	HSY
146	932.0100	CUTTING AND MATCHING ASPHALT	407.00	LF
147	932.0200	FULL-DEPTH SAWCUT OF BITUMINOUS PAVEMENT	28,616.00	LF
148	935.0400	REMOVING BITUMINOUS PAVEMENT BY MICRO MILLING	57,851.00	SY
149	935.9901	REMOVE RUMBLE STRIP BY MICRO-MILLING AND FILL WITH HOT MIX ASPHALT	5,310.00	LF
150	936.0110	MOBILIZATION	1.00	LS
151	937.0200	MAINTENANCE AND MOVEMENT TRAFFIC PROTECTION	1.00	LS
152	942.0200	DETECTABLE WARNING PANEL STANDARD 48.1.0	120.00	SF
153	943.0200	TRAINEE MAN-HOURS	2,700.00	MHRS

Item List

Date: 3/22/2019

Estimate Name - Bridge Group 54A - I-95 Kingston Rd
 Project Name - Bridge Group 54A -Kingston Rd Bridge
 R.I. Contract No. - 2018-CB-022
 FAP Nos. - BRO-0403(030)

Seq No.	Item Code	Description	Quantity	UM
154	944.9901	DIESEL EMISSION REDUCTION PROGRAM	50,000.00	EACH
155	L01.0104	PLANTABLE SOIL 4 INCHES DEEP	30,683.00	SY
S156	L02.0101	GENERAL HIGHWAY SEEDING (TYPE 1)	30,683.90	SY
S157	L06.9901	AMELANCHIER CANADENSIS 7-8', B&B, 15' O.C.	4.00	EACH
S158	L06.9902	BETULA NIGRA, 8-10', B&B, 15' O.C.	11.00	EACH
S159	L06.9903	CEANOTHUS AMERICANUS, #1, CAN, 5' O.C.	219.00	EACH
S160	L06.9904	CLETHRA ALNIFOLIA RUBRA, #5, CAN, 4' O.C.	41.00	EACH
S161	L06.9905	CORNUS RACEMOSA, #3, CAN, 6' O.C.	71.00	EACH
S162	L06.9906	ILEX GLABRA, #5, CAN, 4' O.C.	21.00	EACH
S163	L06.9907	ILEX VERTICILLATA, #3, CAN, 4' O.C.	26.00	EACH
S164	L06.9908	JUNIPERUS KETELEERI, 4-5', B&B, 6' O.C.	20.00	EACH
S165	L06.9909	KALMIA LATIFOLIA, #5, CAN, 4' O.C.	13.00	EACH
S166	L06.9910	KOELREUTERIA PANICULATA, 2.5-3" CAL, B&B	17.00	EACH
S167	L06.9911	MAGNOLIA VIRGINIANA, 7-8', B&B	7.00	EACH
S168	L06.9912	MYRICA PENNSYLVANICA, #5, CAN, 6' O.C.	6.00	EACH
S169	L06.9913	PRUNUS MARITIMA, #3, CAN, 4' O.C.	10.00	EACH
S170	L06.9914	RHUS AROMATICA GRO-LOW, #3, CAN, 5' O.C.	134.00	EACH
S171	L06.9915	STYPHNOLOBIUM JAPONICUM 'REGENT', 3-3.5" CAL, B&B	20.00	EACH
172	L08.0109	TREE TRIMMING	20.00	MHRS
173	L11.0103	SHRUB PLANT PROTECTION DEVICE STANDARD 51.2.0	225.00	LF
174	T01.9901	NATIONAL GRID PRECAST CONCRETE MANHOLE	2.00	EACH
175	T01.9902	NATIONAL GRID 6-5" PVC DUCT ENCASED IN CONCRETE	294.00	LF
176	T01.9904	COX COMMUNICATION 2-3" PVC CONDUIT DUCT ENCASED IN CONCRETE	367.00	LF
177	T01.9905	VERIZON PRECAST CONCRETE MANHOLE	1.00	EACH
178	T01.9906	VERIZON 4-4" PVC CONDUIT DUCT ENCASED IN CONCRETE	304.00	LF
S179	T04.5001	6 AWG SINGLE CONDUCTOR CABLE 600V INSULATION	1,305.00	LF
S180	T04.5302	14 AWG 2 CONDUCTOR TWISTED SHIELDED CABLE	4,368.00	LF
S181	T04.5303	14 AWG 3 CONDUCTOR CABLE	890.00	LF
S182	T04.5305	14 AWG 5 CONDUCTOR CABLE	4,792.00	LF
S183	T04.5309	14 AWG 9 CONDUCTOR CABLE	643.00	LF
S184	T04.5312	14 AWG 12 CONDUCTOR CABLE	139.00	LF
S185	T04.6902	'2' STRANDED COPPER CONDUCTOR 600V INSULATION	53,697.00	LF

Item List

Date: 3/22/2019

Estimate Name - Bridge Group 54A - I-95 Kingston Rd
 Project Name - Bridge Group 54A -Kingston Rd Bridge
 R.I. Contract No. - 2018-CB-022
 FAP Nos. - BRO-0403(030)

Seq No.	Item Code	Description	Quantity	UM
S186	T04.6906	'6' STRANDED COPPER CONDUCTOR 600V INSULATION	16,815.00	LF
S187	T04.6910	'10' STRANDED COPPER CONDUCTOR 600V INSULATION	7,650.00	LF
S188	T04.7300	IN-LINE FUSED DISCONNECT DEVICE WITH FUSE WEATHERPROOF	170.00	EACH
S189	T04.7400	IN-LINE UNFUSED DISCONNECT DEVICE	85.00	EACH
S190	T04.7500	SPLICE KIT	173.00	EACH
S191	T05.0100	PRECAST TYPE A HANDHOLE STANDARD 18.2.0	105.00	EACH
S192	T05.0300	PRECAST TYPE B HEAVY DUTY HANDHOLE STANDARD 18.2.2	12.00	EACH
193	T05.0400	BREAK INTO EXISTING HANDHOLE	4.00	EACH
S194	T06.1020	2 IN. RIGID STEEL CONDUIT - UNDERGROUND	127.00	LF
S195	T06.1030	3 IN. RIGID STEEL CONDUIT-UNDERGROUND	66.00	LF
S196	T06.2020	2 IN. RIGID STEEL CONDUIT-OVERHEAD	20.00	LF
S197	T06.5120	2 INCH SCHEDULE 40 POLYVINYL CHLORIDE PLASTIC CONDUIT - UNDERGROUND	2,572.00	LF
S198	T06.5130	3 INCH SCHEDULE 40 POLYVINYL CHLORIDE PLASTIC CONDUIT - UNDERGROUND	16,595.00	LF
199	T06.5220	2 INCH SCHEDULE 80 POLYVINYL CHLORIDE PLASTIC CONDUIT - UNDERGROUND	320.00	LF
S200	T06.5230	3 INCH SCHEDULE 80 POLYVINYL CHLORIDE PLASTIC CONDUIT - UNDERGROUND	140.00	LF
S201	T06.5430	3 INCH SCHEDULE 80 POLYVINYL CHLORIDE PLASTIC CONDUIT - UNDER EXISTING PAVEMENT	3,695.00	LF
S202	T06.6020	2 INCH POLYVINYL CHLORIDE PLASTIC CONDUIT-OVERHEAD	20.00	LF
S203	T06.6030	3 INCH POLYVINYL CHLORIDE PLASTIC CONDUIT-OVERHEAD	40.00	LF
S204	T07.9901	30 FOOT POLE LED COBRAHEAD CUTOFF LUMINAIRE	86.00	EACH
S205	T07.9904	PRECAST TYPE "T" HANDHOLE	2.00	EACH
S206	T08.0100	LIGHT STANDARD FOUNDATION WITH ANCHOR BOLTS STANDARD 18.1.0	85.00	EACH
S207	T08.2031	ALUMINUM LIGHTING STD. 30 FT. W/ SINGLE DAVIT ARM EXTN. 10 FT. STANDARD 18.3.0	84.00	EACH
S208	T08.2032	ALUM. LIGHTING STD. 30 FT. W/ DOUBLE DAVIT ARM EXTN. 10X10 FT. STANDARD 18.3.0	1.00	EACH
S209	T09.1000	SERVICE PEDESTAL STANDARD 18.4.0	1.00	EACH
S210	T09.9903	CIMCON WIRELESS LIGHTING CONTROLLER WITH TILT SENSOR	86.00	EACH
S211	T11.1035	35 FOOT GAL STEEL MAST ARM TRAFFIC SIGNAL POST AND FOUNDATION STD 19.2.0	2.00	EACH
S212	T11.1258	DUAL MAST ARM (25X35) GAL STEEL TRAFFIC SIGNAL POST AND FOUNDATION STD 19.2.0	1.00	EACH
S213	T11.1304	DUAL MAST ARM (30X35) GAL STEEL TRAFFIC SIGNAL POST AND FOUNDATION STD 19.2.0	1.00	EACH

Item List

Date: 3/22/2019

Estimate Name - Bridge Group 54A - I-95 Kingston Rd
 Project Name - Bridge Group 54A -Kingston Rd Bridge
 R.I. Contract No. - 2018-CB-022
 FAP Nos. - BRO-0403(030)

Seq No.	Item Code	Description	Quantity	UM
S214	T11.2008	TRAFFIC SIGNAL STANDARD,8 FOOT,STD 19.4.0 ALUMINUM PEDESTAL POLE AND FOUNDATION	2.00	EACH
S215	T11.6005	TETHER WIRE 5/16	256.00	LF
S216	T11.6006	SPAN AND MESSENGER WIRES 6/16	223.00	LF
S217	T11.9901	TRAFFIC SIGNAL STANDARD WOOD 40 FOOT	4.00	EACH
S218	T12.0018	ACTUATED CONTROLLER TS-2, TYPE 1 W/8 PHASE ASSEMBLY GROUND MOUNTED INCLUDING FOUNDATION AND CABINET STD. 19.1.0	2.00	EACH
S219	T12.9150	METER SOCKET W/MANUAL BY-PASS	2.00	EACH
S220	T12.9903	MAINTENANCE OF TEMPORARY SIGNAL SYSTEM	1.00	LS
221	T12.9904	ACTUATED CONTROLLER, TS-2, TYPE 1 IN EXISTING CABINET	2.00	EACH
S222	T12.9905	MODIFY TRAFFIC SIGNAL CONTROLLER AND CABINET	2.00	EACH
S223	T13.1000	TRAFFIC DETECTORS-LOOP, STANDARD 19.6.0	3,381.00	LF
S224	T13.1004	TRAFFIC DETECTOR RELAY-LOOP 4 CHANNEL	4.00	EACH
S225	T13.8200	PEDESTRIAN DETECTOR-PUSHBUTTON W/SIGN	4.00	EACH
226	T13.9907	INTERCONNECT CABLE #19 AWG 6 PAIR TRAFFIC COMMUNICATIONS CABLE	2,877.00	LF
S227	T14.3413	1 WAY 3 SECTION SPAN MOUNTED SIGNAL HEAD 12 INCH	6.00	EACH
S228	T14.3423	2 WAY 3 SECTION SPAN MOUNTED SIGNAL HEAD 12 INCH	3.00	EACH
S229	T14.3513	1 WAY 3 SECTION MAST ARM MOUNTED SIGNAL HEAD 12 INCH	12.00	EACH
S230	T14.3911	1 WAY PEDESTAL MOUNTED L.E.D. PEDESTRIAN SIGNAL HEAD 12 INCH	2.00	EACH
S231	T14.3913	1 WAY BRACKET MOUNTED L.E.D. PEDESTRIAN SIGNAL HEAD 12 INCH	2.00	EACH
S232	T15.0100	DIRECTIONAL REGULATORY AND WARNING SIGNS	918.00	SF
S233	T15.0200	REMOVE AND RELOCATE DIRECTIONAL REGULATORY AND WARNING SIGN	18.00	EACH
S234	T15.1100	STREET SIGN - OVERHEAD MOUNTED	2.00	EACH
S235	T16.0100	GROUND MOUNTED PRIMARY DIRECTIONAL SIGN PANELS EXTRUDED ALUMINUM	2,008.00	SF
S236	T16.0300	GROUND MOUNTED PRIMARY DIRECTIONAL SIGN POST-STEEL BREAKAWAY	26.00	EACH
S237	T17.0100	OVERHEAD SIGN PANELS	532.00	SF
S238	T17.0203	OVERHEAD SIGN STRUCTURE 26-30 FOOT CANTILEVER - STEEL	2.00	EACH
S239	T18.9901	POST MOUNTED DELINEATORS	370.00	EACH
S240	T20.0006	6 INCH WHITE FAST - DRYING WATERBORNE PAVEMENT MARKING PAINT	15,585.00	LF
S241	T20.0012	12 INCH WHITE FAST - DRYING WATERBORNE PAVEMENT MARKING PAINT	1,998.00	LF

Item List

Date: 3/22/2019

Estimate Name - Bridge Group 54A - I-95 Kingston Rd
 Project Name - Bridge Group 54A -Kingston Rd Bridge
 R.I. Contract No. - 2018-CB-022
 FAP Nos. - BRO-0403(030)









Seq No.	Item Code	Description	Quantity	UM
S242	T20.0104	4 INCH YELLOW FAST - DRYING WATERBORNE PAVEMENT MARKING PAINT	3,600.00	LF
S243	T20.0106	6 INCH YELLOW FAST - DRYING WATERBORNE PAVEMENT MARKING PAINT	15,165.00	LF
S244	T20.0900	BI-DIRECTIONAL CONTROL DEVICE STANDARD 20.2.0	8.00	EACH
S245	T20.1000	REMOVE EXISTING PAVEMENT MARKINGS	40,761.00	LF
S246	T20.1010	REMOVE EXISTING PAVEMENT MARKINGS	2.00	EACH
S247	T20.1106	6 INCH TEMPORARY WATERBORNE PAINT PAVEMENT MARKINGS WHITE	23,527.00	LF
S248	T20.1112	12 INCH TEMPORARY WATERBORNE PAINT PAVEMENT MARKINGS WHITE	3,078.00	LF
S249	T20.1204	4 INCH TEMPORARY WATERBORNE PAINT PAVEMENT MARKINGS YELLOW	3,600.00	LF
S250	T20.1206	6 INCH TEMPORARY WATERBORNE PAINT PAVEMENT MARKINGS YELLOW	15,165.00	LF
S251	T20.1314	TEMPORARY WATERBORNE PAINT PAVEMENT MARKING - YIELD LINE SYMBOL	2.00	EACH
S252	T20.2206	6 INCH TEMPORARY EPOXY RESIN PAVEMENT MARKINGS WHITE	94,666.00	LF
S253	T20.2212	12 INCH TEMPORARY EPOXY RESIN PAVEMENT MARKINGS WHITE	4,975.00	LF
S254	T20.2230	TEMPORARY EPOXY RESIN PAVEMENT ARROW - STRAIGHT, LEFT, RIGHT OR COMBINED STANDARD 20.1.0	7.00	EACH
S255	T20.2232	TEMPORARY EPOXY RESIN PAVEMENT MARKING WORD "ONLY" STANDARD 20.1.0	2.00	EACH
S256	T20.2234	TEMPORARY EPOXY RESIN PAVEMENT MARKING - YIELD LINE SYMBOL	2.00	EACH
S257	T20.2304	4 INCH TEMPORARY EPOXY RESIN PAVEMENT MARKINGS YELLOW	8,370.00	LF
S258	T20.2306	6 INCH TEMPORARY EPOXY RESIN PAVEMENT MARKINGS YELLOW	55,036.00	LF
S259	T20.2308	8 INCH TEMPORARY EPOXY RESIN PAVEMENT MARKINGS YELLOW	1,000.00	LF
S260	T20.9901	REMOVE EXISTING BI-DIRECTIONAL CONTROL DEVICE AND PAVEMENT MARKING ARROW	4.00	EACH

*** THIS IS A DISK-BASED BID ***

**ELECTRONIC BIDDING
PROCEDURE NOTICE**

**ALL BID OFFERS MUST BE PREPARED USING THE QUEST LITE BID
PREPARATION SOFTWARE PACKAGE**

Bidders **MUST** register in person at the RIDOT Contract Administration office to obtain the necessary Bidder Registration and Digital ID codes for the Quest Lite software.

RIDOT Provides:		Bidder Must Submit:	
			
CD	Plans (on CD)	2 High-Density Compact Disks (CDs) w/Quest Lite Bid "zip" file**	Completed & Signed Proposal (Hard Copy)
			
Contract Documents (on CD)	DOQ Report (on CD)	Bid Surety (Hard Copy)	Completed & Signed (Hard Copy)

Contact the Contracts & Specifications Office at 222-2495 to request technical assistance on issues directly related to the Quest Lite software
Office Hours: 8:00 AM – 4:00 PM

****Refer to the RIDOA "Notice to Contractors" for additional information on the "Public Copy" submission requirements.**

NO BID OFFER WILL BE CONSIDERED
UNLESS ACCOMPANIED BY A COMPACT DISK (CD)
CONTAINING THE BID PROPOSAL FILE
GENERATED BY THE QUEST LITE BID PREPARATION SOFTWARE

Failure to comply will result in a mandatory disqualification per Section 12.102.07 of the RI Dept of Administration Division of Purchases Procurement Regulations

Rhode Island Department of Transportation (RIDOT)

Notice to Contractors

THIS IS A DISK-BASED BID

Bid offers will be accepted *only on a CD generated by RIDOT-supplied software called Quest Lite; each CD must be accompanied by a hard copy signed offer printed from the software and submitted at the Bid Opening.* Minimum computer hardware and operating system requirements are listed here. *Training is strongly recommended for all new bidders and others unfamiliar with these procedures. SEE BELOW.*

CONTACT: RIDOT CONTRACTS & SPECIFICATIONS
Rm. 108, Two Capitol Hill, Providence, RI 02903
Phone: **401-222-2495**
Hours: **Mon – Fri, 8:00AM – 4:00PM**

1. Required Registration Codes for Each Bidder.

Registration Codes for RIDOT software are necessary to install and use the software; a firm only needs to register once to acquire secure, unique bidder identification codes to be used with all RIDOT disk-based construction project bids Bidders must retain these codes for future use.

2. The required Quest Lite installation software and all applicable Contract Documents are provided on a CD-ROM.

The Contract Documents include the RI DOA Division of Purchases Procurement Regulations, RI Standard Specifications, Amended December 2010 and all revisions, the RI Standard Details for Highway and Bridge Construction, Bridge Standard Details, General Provisions, Special Provisions, Distribution of Quantities and Engineering Plans, and all other applicable documents

3. Minimum Computer Hardware and Operating System Requirements.

- Windows XP SP2 w/Pentium IV processor
- CD-ROM Drive, Floppy Drive, Printer & 15" Monitor (17" recommended)
- 20GB Hard Disk with 1GB free (40 GB with 5 GB free recommended)
- 512 MB RAM (1 GB recommended)
- 32 MB Video Card (64 MB SVGA recommended)
- Internet Explorer 6 0 SP 2

4. Addenda, when necessary, are available on Purchases' RIVIP website.

at: <http://www.purchasing.ri.gov/RIVIP/BidSearch.asp>

RIDOT will make all necessary addenda available at Purchases' web site It is the plan-holders responsibility to poll the RIVIP to keep up-to-date on addenda.

5. Training may be requested up to three days prior to the Bid Opening.

Training is provided on request Arrangements must be made through the RIDOT Contracts & Specifications Office at least three (3) days prior to the Bid Opening of the project

6. Technical Support.

Assistance is available upon request by contacting the Contracts & Specifications office during work hours or emailing Quest@dot.ri.gov.

01/25/2011

NOTICE TO HIGHWAY AND BRIDGE CONTRACTORS

Rhode Island Department of Transportation (RIDOT)
Contracts and Specifications

ELECTRONIC BIDDING PROCEDURES QUEST LITE UPGRADE

Effective January 1, 2011, bid offers for all RIDOT Contracts requiring the use of the Department's Quest Lite bid preparation software **MUST** be prepared using **Quest Lite Version 040408 (2.8.4)**. Failure to comply with this requirement could result in the disqualification of your bid offer.

Full installation and upgrade-only software packages, including installation directions, for Quest Lite Version **040408 (2.8.4)** will be provided on the Project Advertising CD's, which are available to prospective bidders through the Contracts and Specifications office on or after the scheduled project advertising date.

Contractors presently using Quest Lite Version 040407 (2.8.3) need only install the upgrade package to complete the conversion, **UNLESS** a previous upgrade installation was used to upgrade from 2.8.2 to 2.8.3, in which case these installations must be removed and the full installation performed. Earlier versions (2.8.2 or lower) will require the full installation in all instances.

For technical assistance, contact the Contracts and Specifications office at 222-2495.

01/21/11

QUEST LITE VERSION 4.4.8 (2.8.4)

UPGRADE & FULL INSTALLATION

All bid offers prepared using the Department of Transportation's Quest Lite software must use the Quest Lite Version 040408 (2.8.4). If there is no Quest Lite installation, then the full installation must be completed. For earlier versions of Quest Lite, either the upgrade or full installation will be required to be completed. Both versions (upgrade and full installation) are provided on this project CD.

Before proceeding with any installations, note the following:

1. All users must register with the Department of Transportation in order to use Quest Lite. At the time of registration, users are provided with a set of unique company ID codes (Site Code, Bidder Code and company Short Name). Users **MUST RETAIN** these codes for future use.
2. Many users who currently have Quest Lite installed will only require the installation of the upgrade version. To determine if the upgrade installation is sufficient, the present version of the Quest Lite installation must be determined. This is accomplished in Quest Lite by clicking on Help/About. If the present version is 040407 (2.8.3) then the upgrade installation is sufficient **unless** an upgrade version has been previously used to upgrade version 2.8.2 to 2.8.3.
3. For earlier installations (versions below 2.8.3, and if an upgrade has been previously installed to upgrade to version 2.8.3), the full installation of Quest Lite is required. (Note: if the full installation is required, the upgrade installation **does not** need to be performed after the full installation is completed.)
4. To determine if an upgrade version of Quest Lite version is present, it is generally easiest to use the "Add or Remove Programs" function from the Control Panel to view the Quest Lite installations. Should both an installation and an upgrade version be installed, both programs must be removed using the "Remove" function and the new version 2.8.4 installed.
5. It is recommended that users consult the Quest Lite User Manual provided on this CD prior to attempting the installation of the upgrade or full program installation.
6. After completing the installation of the upgrade or full installation, it is recommended that a test bid be submitted to the Department to ensure the program is functioning correctly and that the Quest Lite bid files can be correctly imported into the Department's Quest program. **Test bids may be submitted on a CD to the Contracts office in Room 109 of the RIDOT Headquarters, or by e-mail to Quest@dot.ri.gov.**

Installation Instructions – Upgrade Version

Upgrade Quest Lite only if the current installed version is 2.8.3, and a previous upgrade has not been installed.

1. Close Quest Lite before attempting the installation.
2. Using the project CD, double-click on the “Upgrade Only” option provided on the Start page.
3. When prompted for a password, enter “ridot”.
4. Follow the instructions provided in the installation wizard to complete the installation.
5. When executing Quest Lite for the first time after installing the upgrade, users may be prompted to enter their company bidder codes.

Installation Instructions – Complete Installation

A complete Installation of the software is required only if Quest Lite is:

1. Not installed on the computer/laptop; or
2. The installed version of Quest Lite is older than 2.8.3, i.e. 2.8.2 or under; or
3. The 2.8.3 upgrade version of Quest Lite is installed.

If any of 1 through 3 above apply, follow these instructions:

1. If a Quest Lite version 2.8.2 or older, or a 2.8.3 upgrade are currently installed,
 - a. Close Quest Lite.
 - b. Remove all the existing installation(s) of Quest Lite. To accomplish this, follow the instructions provided on pages 19 – 25 of the Quest Lite User Manual provided with this project CD. Follow the installation removal directions for the operating system in use on the machine.
2. Using the project CD, double-click on the “Complete Installation” option provided on the Start page.
3. When prompted for a password, enter “ridot”.
4. Follow the instructions provided in the installation wizard to complete the installation.
5. When executing Quest Lite for the first time after completing the installation, the user will be prompted to enter the company bidder codes provided by the Department. Once this information is entered, the installation process will be complete.

For technical assistance, contact the Contracts & Specifications office at 222-2495.