



REQUEST FOR QUOTE (RFQ) – BID# 7598869

2019-CB-071 BRIDGE GROUP 40A - HAWKINS STREET BRIDGE

SUBMISSION DEADLINE: Tuesday, July 23, 2019 at 1:00 PM (ET)

PRE-BID CONFERENCE: [X] NO [ ] YES
Mandatory: [ ] NO [ ] YES: Any vendor who intends to submit a bid proposal in response to this solicitation must have its designated representative attend the mandatory pre-bid conference.
Buyer Name: Lisa Hill
Title: Assistant Administrator

QUESTIONS Prospective bidders are hereby notified that all questions pertaining to this contract must be submitted to the Department of Transportation in writing through its website at http://www.dot.ri.gov/contracting/bids by accessing the questions & answers menu located within the 'contracting', then 'bidding opportunities' link.

SURETY REQUIRED: YES

BOND REQUIRED: YES

DISK BASED BID: [ ] NO [X] YES: See attached Disk Based Bidding Information

NOTE TO VENDORS: Vendors must register on-line at the Rhode Island Division of Purchases website at www.purchasing.ri.gov. Offers received without the completed three-page Rhode Island Vendor Information Program (RIVIP) Generated Bidder Certification Cover Form attached may result in disqualification.

THIS IS NOT A BIDDER CERTIFICATION FORM



State of Rhode Island Department of Administration  
Division of Purchases

**RHODE ISLAND DEPARTMENT OF TRANSPORTATION**

**REVISED**  
**November 20, 2013**

**NOTICE TO VENDORS**

Each bid proposal for a *public works project* must include a "public copy" to be available for public inspection upon the opening of bids. **Bid proposals that do not include a copy for public inspection will be deemed nonresponsive.**

To comply with this requirement, *in addition to* the Quest Lite compatible electronic copy and one hard copy, bid proposals for *highway and bridge public works projects* must also include a duplicate original of the Quest Lite compatible electronic copy on a *read-only* CD-R media disc as the "public copy."

The public copy disc must be separately enclosed in a protective cover clearly marked "Public Copy" and include the following information (all available from the Bidder Certification Cover Form): (1) title of solicitation; (2) name of bidder and RIVIP vendor ID number; (3) bid number; and (4) date of bid.

The public copy may redact any trade secrets or commercial or financial information which is of a privileged or confidential nature pursuant to the "Access to Public Records Act," R. I. Gen. Laws §§ 38-2-1 *et seq.*

For further information on how to comply with this statutory requirement, see R. I. Gen. Laws §§ 37-2-18(b) and (j). Also see Procurement Regulations 5.11, 5.13, and 12.102.05 accessible at [www.purchasing.ri.gov](http://www.purchasing.ri.gov).

**State of Rhode Island and Providence Plantations  
Department of Transportation**

**Notice to Contractors  
Special Provisions  
Proposal  
Contract Agreement  
Contract Bond**

for the Performance of

**Rhode Island Contract Number: 2019-CB-071**

**Rhode Island Federal-Aid\State-Aid Project                      405-421-973  
Numbers:**

**Project:     Bridge Group 40A - Hawkins**

**Limits:     0+90 to 4+75**

**City/Town: Providence**

**County:     PROVIDENCE**

**Submitted By:** \_\_\_\_\_

**Address:** \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

**Name of Surety:** \_\_\_\_\_

**Total Bid:** \_\_\_\_\_

**(BIDDER MUST FILL IN ALL ABOVE SPACES)**

The basis of award of the Contract will be the total bid for all quantities of work in the proposal subject to review and correction as provided for in the Rhode Island Department of Transportation Standard Specifications for Road and Bridge Construction and Standard Details.

NOTE: The State of Rhode Island Standard Specifications for Road and Bridge Construction and Standard Details consists of the following:

- The Rhode Island Standard Specifications for Road and Bridge Construction, Amended December 2010, with all revisions.
- The Rhode Island Standard Details, 1998 Edition, with all revisions.
- The Rhode Island Bridge Standard Details, 2010 Edition, with all revisions.
- The Division of Purchases Procurement Regulations Adopted December 2010.

**\* Refer to Section 12.102.05 PREPARATION OF PROPOSAL of the STATE OF RHODE ISLAND PROCUREMENT REGULATIONS regarding the use of Quest Lite software for bid preparation.**

The above documents may be obtained at the Rhode Island Department of Transportation, Contracts and Specifications Office, upon request.

STATE OF RHODE ISLAND AND PROVIDENCE PLANTATIONS  
DEPARTMENT OF ADMINISTRATION - DIVISION OF PURCHASES

NOTICE TO HIGHWAY AND BRIDGE CONTRACTORS

Sealed Proposals addressed to the State Purchasing Agent, Rhode Island Department of Administration, Division of Purchases, One Capitol Hill, Providence, Rhode Island 02903, will be opened and read in public on July 23, 2019 at 1:00PM. All bidders MUST register online at [www.purchasing.ri.gov](http://www.purchasing.ri.gov). A Bidder Certification Cover Sheet MUST accompany each bid. Bid item description and quantities estimated for this project will also be available online. Should you need assistance in registering or downloading a bid, call (401) 222-3766. Failure to comply will result in mandatory disqualification per Item 4 of Section 12.102.12 of the Division of Purchases Procurement Regulations Adopted December 2010 and RI General Law 37-2-17 which references the RI Vendor Information Program (RIVIP).

**DESCRIPTION: RI Contract No. 2019-CB-071, RI Federal Aid Project No. 405-421-973, for the Replacement of Hawkins Street Bridge No. 796 project in the City of Providence, County of Providence, will be completed using conventional construction while the bridge remains closed. The bridge work shall include the demolition of the existing concrete deck and sidewalk slab, retention of existing girders C&D, which are to be reused in the proposed structure, demolition of the remaining structural steel, removal of the existing concrete abutment cap and complete removal of the existing wingwalls to the limits shown on the contract drawings. The work also includes the installation of a temporary utility support structure for the existing water line, which shall be comprised of cast-in-place abutment footings and stems and a Contractor designed and furnished superstructure. The work for the proposed bridge superstructure shall include the installation of rolled steel beams, repurposed existing historic girders, cast-in-place sidewalk, two bar steel bridge rail and replicated historic pedestrian fence. The work for the proposed substructure shall include the installation of cast-in-place concrete gravity wingwalls, cast-in-place concrete abutment cap, cast-in-place concrete backwall, cast-in-place concrete approach slabs, cast-in-place concrete moment slabs and placement of riprap in front of each abutment.**

**The work shall also include, but not be limited to, road construction which includes gravel borrow subbase course, hot mix asphalt pavement, sawcutting, curbing, sidewalk, pavement markings, drainage, stormwater treatment units, guardrail, removal of pavement, excavation and embankment, erosion control, trimming and fine grading, dust control, traffic control, uniformed traffic persons, flag persons, temporary construction signs, maintenance and protection of traffic, temporary traffic signal, temporary barrier, field office, mobilization and all other incidentals, complete and accepted, as required by the Engineer.**

**The Contractor will be required, in accordance with the provisions of the Disadvantaged Business Enterprise Affirmative Action Certification for Contractors and Consultants, to meet the established Race-Conscious Goal, or Contract Goal, of not less than 10.00 percent of the contract bid price, to the Contractors, Subcontractors, and/or suppliers which qualify as Disadvantaged Business Enterprises (DBE's). Failure by the Contractor to demonstrate every good faith effort in fulfilling its DBE commitment during the construction period will result in the reduction in contract payments by the amount determined by multiplying the awarded contract value by the established DBE percentage, and subtracting the dollar value of the work actually performed by DBE contractors. This action will not preclude RIDOT from imposing sanctions or other remedies available as specified in paragraph (I)(C) of the Disadvantaged Business Enterprise Affirmative Action Certification for Contractors and Consultants.**

Computer Disks for competitive bidding for the above described work will be furnished by the Department of Transportation, Division of Administrative Services, Contracts & Specifications Office, Room 108, Two Capitol Hill, Providence, Rhode Island, 02903, Tel.Number (401) 222-2495. The Plans, Specifications and Special Provisions may also be examined on or after June 27, 2019 every weekday except holidays between the hours of 8:00 AM and 4:00 PM.

**The Bid Package consists of a single compact disk (CD) containing the following items: Construction Plans, Standard Specifications for Road and Bridge Construction, Compilations of Approved Specifications, Required Contract Provisions for Federal-Aid Construction Contracts, RI Division of Purchases Procurement Regulations, General Provisions, Rhode Island Standard Details, Rhode Island Bridge Standard Details, Federal Wage Rates, Contract-Specific General Provisions, Job-Specific Specifications, Distribution of Quantities, Appendices (if applicable), Quest Lite bid file, Quest Lite installation software and a Quest Lite User Manual. Only complete bid packages will be issued.**

It is the policy of the state of Rhode Island to support the fullest possible participation of businesses owned and controlled by individuals who are minorities, individuals who are women, and individuals with disabilities in State public works projects and in State purchases of goods and services. "Minority Business Enterprises" is a small business concern which is at least fifty-one percent (51%) owned and controlled by one or more socially and economically disadvantaged individuals or in the case of a publicly owned business, at least fifty-one (51%) of the stock of which is owned by one or more socially and economically disadvantaged individuals; and whose management and daily business operations are controlled by one or more such individuals. "Woman Business Enterprise" or "WBE" means a small business enterprise that is owned and controlled by one or more individuals who are women as defined by R.I. Gen. Laws § 37-14.1-3. To be recognized under these Regulations as a WBE, the business must be certified as a WBE by the ODEO. Minority business enterprises (MBE's) and "Woman Business Enterprise" or (WBE) shall have the maximum opportunity to participate in the performance of procurements and projects outlined in R.I.G.L. § 37-14.1-3. This shall apply to any and all state purchasing, including, but not limited to, the procurement of goods, services, construction projects, or contracts funded in whole or in part by state funds, or funds which, in accordance with a federal grant or otherwise, the state expends or administers or in which the state is a signatory to the construction contract. Minority business enterprises shall be included in all procurements and construction projects and shall be awarded a minimum of ten percent (10%) of the dollar value of the entire procurement or project in accordance with R.I.G.L. § 37-14.1-6. Sanctions may be imposed upon contractors not in compliance with RIGL 37-14.1 and those shall include but not be limited to: (1) Suspension of payments; (2) Termination of the contract; (3) Recovery by the state of ten percent (10%) of the contract award price as liquidated damages; and (4) Denial of right to participate in future projects for up to three (3) years. Participation of firms owned and controlled by minorities and women (MBE's) in state funded and state directed public construction programs and projects and in state purchases of goods and services, including assisting MBE's throughout the life of contracts in which they participate. Submission of MBE/WBE Compliance Plan. Bidders must submit a MBE/WBE Compliance Plan to the Division. The MBE/WBE Compliance Plan shall identify each MBE/WBE name, each subcontract dollar amount and type, and each subcontract that the Bidder projects will be awarded to MBEs/WBEs over the period of the project. Unless otherwise indicated in the solicitation, the Lowest Bidder must submit this MBE/WBE Compliance Plan within ten (10) calendar days of the lowest bidder's receipt of a post qualification letter issued by the Division.

Prospective Bidders are hereby notified that all questions pertaining to this Contract must be submitted to the Department of Transportation in writing through its website at <http://www.dot.ri.gov/contracting/bids/> by accessing the Questions & Answers Menu located within the "Contracting", then "Contract Opportunities" link. Responses to the submitted questions will also be posted under this link. PHONE CALLS WILL NOT BE ACCEPTED.

For help with RIDOT's Quest Lite bid preparation software, please contact the Contracts & Specifications Office, Room 108, Two Capitol Hill, Providence, Rhode Island, 02903, Tel. Number (401)-222-2495 or e-mail [Quest@dot.ri.gov](mailto:Quest@dot.ri.gov).

Please also note that all Bidding Documents required to be submitted and in fact submitted to the Purchasing Agent as part of a bid will be considered returned to the State and need not be returned to RIDOT.

A bid bond payable to the State of Rhode Island, in the amount of 5% of the total or gross sum of the bid must be furnished by each bidder. The Proposal Guaranty will be furnished by surety companies authorized/licensed to do business in the State of Rhode Island. The State reserves the right to retain the surety of all bidders until the successful bidder enters into the Contract or until such time as the award or cancellation of the Contract is announced at which point Sureties will be returned to all bidders by the State of Rhode Island. A performance bond of one hundred (100) percent of the contract price with a satisfactory surety company will be required of the successful bidder. All surety companies must be listed with The Department of the Treasury, Fiscal Services, Circular 570, (Latest Revision published by the Federal Register). The Department of Transportation reserves the right to reject any or all bids.

Required Contract Provisions - The attention of prospective bidders is called to the fact that this project is to be bid upon and the contract executed subject to all applicable federal laws and regulations for carrying out the provisions of the Federal-Aid Highway program..

Wages of labor on Federal -Aid Highway Projects - the prevailing rate of wages for laborers and mechanics employed by contractors or subcontractors on the initial construction of highway projects on the Federal - Aid Highway System, authorized under the Federal Highway Act of 1968, shall be paid wages at rates not less than those prevailing on the same type of work on similar construction in the immediate locality as determined by the United States Secretary of Labor, in accordance with the Act of August 30, 1935, known as the Davis - Bacon Act, under Decision Nos. 1 through 6 as applicable.

Prevailing wage rates and Davis - Bacon Wage Determination Reference Materials are available online at [www.purchasing.ri.gov](http://www.purchasing.ri.gov). It is advisable to print only the pages applicable to this bid; the rates active on the Rhode Island Vendor Information Program's bid solicitation date for this project are applicable for the duration of the contract resulting from this bid.

Work Hours Act of 1962 - This contract is subject to Work Hours Act of 1962, Public Law 87-581 and implementing regulations.

There will be no Pre-Bid Conference scheduled for this project.

## **SPECIAL NOTE**

ANY REFERENCE TO THE RHODE ISLAND DEPARTMENT OF PUBLIC WORKS OR THE DIRECTOR OF PUBLIC WORKS SHOULD BE REVISED TO THE RHODE ISLAND DEPARTMENT OF TRANSPORTATION AND THE DIRECTOR OF TRANSPORTATION RESPECTIVELY.

## **NOTICE TO ALL BIDDERS**

The Rhode Island Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 42 U.S.C. §§ 2000d - 2000d-4 and 49 C.F.R. Part 21, Nondiscrimination in Federally-Assisted Programs of the Department of Transportation - Effectuation of Title VI of the Civil Rights Act of 1964, issued pursuant to such Act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, Disadvantaged Business Enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, national origin, age, or disability in consideration for an award.

To report bid rigging activities call: **1-800-424-9071**

The U.S. Department of Transportation (DOT) operates the above toll-free hotline Monday through Friday, 8:00 a.m. to 5:00 p.m. eastern time. Anyone with knowledge of possible bid rigging, bidder collusion, or other fraudulent activities should use the hotline to report such activities.

The hotline is part of the DOT's continuing effort to identify, and investigate highway construction contract fraud and abuse and is operated under the direction of the DOT Inspector General. All information will be treated confidentially and caller anonymity will be respected.

## Item List

Date: 6/14/2019

Estimate Name - PS&E Estimate  
 Project Name - Bridge Group 40A - Hawkins  
 R.I. Contract No. - 2019-CB-071  
 FAP Nos. - 405-421-973

Seq No.	Item Code	Description	Quantity	UM
001	201.0321	CLEARING AND GRUBBING	650.00	SY
002	201.0401	REMOVE AND DISPOSE GRANITE CURB	610.00	LF
003	201.0403	REMOVE AND DISPOSE SIDEWALKS	420.00	SY
004	201.0409	REMOVE AND DISPOSE FLEXIBLE PAVEMENT	825.00	SY
005	201.0411	REMOVE AND DISPOSE CATCH BASIN AND GUTTER INLETS	2.00	EACH
006	201.0412	REMOVE AND DISPOSE MANHOLE	3.00	EACH
007	201.0414	REMOVE AND DISPOSE PIPE - ALL SIZES	440.00	LF
008	201.0415	REMOVE AND DISPOSE GUARDRAIL AND POST ALL TYPES	500.00	LF
009	201.0428	REMOVE AND DISPOSE FRAME AND GRATE OR FRAME AND COVER	6.00	EACH
010	201.0610	REMOVE AND DISPOSE DIRECTIONAL, WARNING, REGULATORY, SERVICE, AND STREET SIGNS	4.00	EACH
011	202.0100	EARTH EXCAVATION	260.00	CY
012	202.0800	GRAVEL BORROW	258.00	CY
013	203.0100	STRUCTURAL EXCAVATION EARTH	494.00	CY
014	203.0400	STRUCTURAL EXCAVATION UNCLASSIFIED	38.00	CY
015	203.0650	CRUSHED STONE FILL UNDER STRUCTURES	28.00	CY
016	203.0700	PERVIOUS FILL	234.00	CY
017	203.9901	CONTROL OF WATER	1.00	LS
018	204.0100	TRIMMING AND FINE GRADING	1,900.00	SY
019	206.0230	BALED HAY EROSION CHECK AND SILT FENCE COMBINED STANDARD 9.3.0	150.00	LF
020	206.0312	COMPOST FILTER SOCK 12 INCH DIAMETER	600.00	LF
021	209.0110	BALED HAY CATCH BASIN INLET PROTECTION STANDARD 9.8.0	60.00	LF
022	211.0100	CONSTRUCTION ACCESSES STANDARD 9.9.0	230.00	SY
023	212.2000	CLEANING AND MAINTENANCE OF EROSION CONTROLS	1.00	LS
024	213.0100	PLACEMENT OF MILLINGS BENEATH GUARDRAIL	480.00	LF
025	302.0100	GRAVEL BORROW SUBBASE COURSE	230.00	CY
026	401.1000	CLASS 19.0 HMA	220.00	TON
027	401.1003	CLASS 19.0 HMA FOR PATCHING	5.00	TON
028	401.2003	CLASS 12.5 HMA FOR PATCHING	16.00	TON
029	401.3100	MODIFIED CLASS 9.5 HMA	158.00	TON
030	401.4002	CLASS 4.75 HMA FOR LEVELLING	20.00	TON
031	403.0300	ASPHALT EMULSION TACK COAT	2,300.00	SY
032	410.1000	TEMPORARY PATCHING MATERIAL/TRENCHES	14.00	TON



## Item List

Date: 6/14/2019

Estimate Name - PS&E Estimate  
 Project Name - Bridge Group 40A - Hawkins  
 R.I. Contract No. - 2019-CB-071  
 FAP Nos. - 405-421-973

Seq No.	Item Code	Description	Quantity	UM
033	603.1000	CONTROLLED LOW STRENGTH MATERIAL	87.00	CY
034	701.0412	REINFORCED CONCRETE PIPE M 170 CLASS III 12 INCH	230.00	LF
035	701.0612	REINFORCED CONCRETE PIPE M 170 CLASS V 12 INCH	75.00	LF
036	701.7712	12 INCH REINFORCED CONCRETE PIPE END SECTION STANDARD 2.3.0	3.00	EACH
037	701.8003	PIPE BEDDING CLASS C	35.00	CY
038	702.0605	PRECAST CATCH BASIN 4' DIAMETER STANDARD 4.4.0	4.00	EACH
039	702.0630	PRECAST MANHOLE 4' DIAMETER STANDARD 4.2.0	5.00	EACH
040	702.0840	ALTERNATE TOP COVER ROUND PRECAST MANHOLES AND CATCH BASINS STANDARD 4.7.2	5.00	EACH
041	702.9901	FRAME AND GRATE - PROVIDENCE STANDARD 6.3.0P	4.00	EACH
042	702.9902	FRAME AND COVER - PROVIDENCE STANDARD 6.1.1P	2.00	EACH
043	702.9903	FRAME AND COVER - PROVIDENCE STANDARD 6.2.1P	3.00	EACH
044	702.9904	APRON STONE - PROVIDENCE STANDARD 7.3.8P	4.00	EACH
045	703.9901	STORMWATER INFILTRATION STU	1.00	LS
046	704.0200	RECONSTRUCT MANHOLE/CORBEL CONES	1.00	EACH
047	706.9000	PLUG AND CAP PIPE ALL SIZES	4.00	EACH
048	707.0900	ADJUST MANHOLES TO GRADE	2.00	EACH
049	707.1000	ADJUST SANITARY MANHOLE	4.00	EACH
050	708.9040	CLEANING AND FLUSHING PIPE ALL SIZES	130.00	LF
051	708.9041	CLEANING CATCH BASINS ALL TYPES AND SIZES	2.00	EACH
052	708.9042	CLEANING MANHOLES ALL TYPES AND SIZES	2.00	EACH
053	715.9901	12 INCH DUCTILE IRON WATER PIPE CLASS 56, MECHANICAL JOINT	312.00	LF
054	715.9902	FURNISH AND INSTALL DUCTILE IRON FITTINGS	2,040.00	LBS
055	715.9903	12 INCH GATE VALVE AND BOX	4.00	EACH
056	715.9904	BLOW OFF ASSEMBLY	2.00	EACH
057	715.9905	TRANSITION COUPLING	4.00	EACH
058	715.9906	PRESSURE AND LEAKAGE TEST	2.00	EACH
059	715.9907	STERILIZATION OF WATER MAINS	1.00	LS
060	715.9908	INSULATION FOR 12 INCH DUCTILE IRON WATER PIPE	115.00	LF
061	715.9909	CONCRETE THRUST AND ANCHOR BLOCKS	4.00	CY
062	800.9910	HAWKINS STREET BRIDGE NO. 796 SUPERSTRUCTURE	1.00	LS
063	800.9920	HAWKINS STREET BRIDGE NO. 796 REHABILITATION OF EXISTING RIVETED PLATE GIRDERS	1.00	LS
064	800.9930	HAWKINS STREET BRIDGE NO. 796 SUBSTRUCTURE	1.00	LS

## Item List

Date: 6/14/2019

Estimate Name - PS&E Estimate  
 Project Name - Bridge Group 40A - Hawkins  
 R.I. Contract No. - 2019-CB-071  
 FAP Nos. - 405-421-973

Seq No.	Item Code	Description	Quantity	UM
065	802.9910	TEMPORARY UTILITY BRIDGE	1.00	LS
066	803.9910	REMOVE AND DISPOSE EXISTING SUPERSTRUCTURE HAWKINS STREET BRIDGE NO. 796	1.00	LS
067	803.9930	REMOVE AND DISPOSE EXISTING SUBSTRUCTURE HAWKINS STREET BRIDGE NO. 796	1.00	LS
068	805.9910	TEMPORARY EARTH SUPPORT SYSTEM HAWKINS STREET BRIDGE NO. 796	1.00	LS
069	807.9901	REPOINTING STONE MASONRY	448.00	LF
070	901.0151	TERMINAL END SECTION SINGLE FACE STANDARD 34.3.2	3.00	EACH
071	901.0160	REFLECTORIZED TRIANGULAR DELINEATORS STANDARD 34.2.5	4.00	EACH
072	901.0193	GUARDRAIL STEEL BEAM SINGLE FACE STANDARD 34.2.0	420.00	LF
073	901.0196	GUARDRAIL CONNECTION TO EXISTING ENDPST TRAILING END SECTION, STANDARD 34.3.6	1.00	EACH
074	901.0197	GUARDRAIL CONNECTION TO EXISTING ENDPST APPROACH END SECTION, STANDARD 34.3.5	1.00	EACH
075	903.0410	TEMPORARY CHAIN LINK FENCE	470.00	LF
076	903.0411	TEMPORARY CHAIN LINK GATE	2.00	EACH
077	905.9901	PORTLAND CEMENT SIDEWALK MONOLITHIC - PROVIDENCE STANDARD 43.1.0P	48.00	CY
078	905.9902	PORTLAND CEMENT CONCRETE DRIVEWAY - PROVIDENCE STANDARD 43.5.0P	4.00	CY
079	906.0112	GRANITE CURB PROVIDENCE STANDARD 7" STRAIGHT	395.00	LF
080	906.9901	GRANITE CURB, QUARRY SPLIT 2 FOOT CORNERS - PROVIDENCE STANDARD 7.3.4P	2.00	EACH
081	906.9902	GRANITE WHEELCHAIR RAMP CURB - PROVIDENCE STANDARDS 7.3.3P, 43.3.0, 43.3.1	2.00	EACH
082	906.9903	6 FOOT GRANITE TRANSITION CURB, MODIFIED	3.00	EACH
083	907.0100	WATER FOR DUST CONTROL	8.00	MGA L
084	914.5010	FLAGPERSONS	160.00	MHRS
085	919.0101	TEST PITS	4.00	EACH
086	920.0055	PLACED STONE RIPRAP R-3, R-4, R-5 STANDARD 8.3.0	238.00	SY
087	920.0070	DUMPED STONE RIPRAP R-3, R-4, 4-5 STANDARD 8.3.0	7.00	CY
088	920.0135	BEDDING FOR RIPRAP FS-2 STANDARD 8.3.0	238.00	SY
089	920.0150	BEDDING FOR RIPRAP FS-2 STANDARD 8.3.0	3.00	CY
090	920.0200	FILTER FABRIC FOR RIP-RAP	470.00	SY
091	922.0100	TEMPORARY CONSTRUCTION SIGNS STANDARD 29.1.0 AND 27.1.1	140.00	SF
092	923.0105	DRUM BARRICADE STANDARD 26.2.0	540.00	BDA

## Item List

Date: 6/14/2019

Estimate Name - PS&E Estimate  
 Project Name - Bridge Group 40A - Hawkins  
 R.I. Contract No. - 2019-CB-071  
 FAP Nos. - 405-421-973

Seq No.	Item Code	Description	Quantity	UM
093	923.0125	PLASTIC PIPE TYPE III BARRICADE STANDARD 26.3.1	6.00	EACH
094	923.0200	FLUORESCENT TRAFFIC CONES STANDARD 26.1.0	20.00	EACH
095	926.0121	UNANCHORED PRECAST CONCRETE BARRIER FOR TEMPORARY TRAFFIC CONTROL STANDARD 40.5.0	250.00	LF
096	929.0110	FIELD OFFICE	18.00	PMO
097	931.0110	CLEANING AND SWEEPING PAVEMENT	20.00	HSY
098	932.0110	TRANSVERSE PAVEMENT CUT AND MATCH STANDARD 47.1.1	130.00	LF
099	932.0200	FULL-DEPTH SAWCUT OF BITUMINOUS PAVEMENT	320.00	LF
100	932.0220	FULL DEPTH SAWCUT OF BITUMINOUS SIDEWALK/DRIVEWAY	110.00	LF
101	932.0230	FULL DEPTH SAWCUT OF PORTLAND CEMENT CONCRETE SIDEWALK/DRIVEWAY	5.00	LF
102	935.0400	REMOVING BITUMINOUS PAVEMENT BY MICRO MILLING	520.00	SY
103	936.0100	MOBILIZATION AND DEMOBILIZATION	1.00	LS
104	937.0200	MAINTENANCE AND MOVEMENT TRAFFIC PROTECTION	1.00	LS
105	L01.0102	LOAM BORROW 4 INCHES DEEP	20.00	SY
106	L01.0104	PLANTABLE SOIL 4 INCHES DEEP	550.00	SY
107	L02.0101	GENERAL HIGHWAY SEEDING (TYPE 1)	550.00	SY
108	L02.0102	RESIDENTIAL SEEDING (TYPE 2)	20.00	SY
109	L05.0505	EROSION CONTROL BLANKET	410.00	SY
110	L05.0506	JUTE MESH	95.00	SY
111	L06.9901	PINUS STROBUS, EASTERN WHITE PINE, 10' HEIGHT	3.00	EACH
112	L06.9902	QUERCUS ALBA, WHITE OAK, 2.5" CALIPER	4.00	EACH
113	L08.0109	TREE TRIMMING	20.00	MHRS
114	L11.0102	TREE PLANT PROTECTION DEVICE STANDARD 51.1.0	1.00	EACH
115	L11.0104	DRIP-LINE TREE PROTECTION DEVICE STANDARD 51.1.1	140.00	LF
116	T20.1000	REMOVE EXISTING PAVEMENT MARKINGS	400.00	LF
117	T20.2006	6 INCH EPOXY RESIN PAVEMENT MARKINGS WHITE	1,150.00	LF
118	T20.2014	4 INCH EPOXY RESIN PAVEMENT MARKINGS YELLOW	1,300.00	LF
119	T20.2019	12 INCH EPOXY RESIN PAVEMENT MARKINGS YELLOW	130.00	LF









RHODE ISLAND DEPARTMENT OF TRANSPORTATION

**\* THIS IS A DISK-BASED BID \***

**ELECTRONIC BIDDING  
PROCEDURE NOTICE**

**ALL BID OFFERS MUST BE PREPARED USING THE QUEST LITE BID  
PREPARATION SOFTWARE PACKAGE**

Bidders **MUST** register in person at the RIDOT Contract Administration office to obtain the necessary Bidder Registration and Digital ID codes for the Quest Lite software.

RIDOT Provides:		Bidder Must Submit:	
			
CD	Plans (on CD)	2 High-Density Compact Disks (CDs) w/Quest Lite Bid "zip" file**	Completed & Signed Proposal (Hard Copy)
			
Contract Documents (on CD)	DOQ Report (on CD)	Bid Surety (Hard Copy)	Completed & Signed (Hard Copy)

Contact the Contracts & Specifications Office at 222-2495 to request technical assistance on issues directly related to the Quest Lite software  
Office Hours: 8:00 AM – 4:00 PM

**\*\*Refer to the RIDOA "Notice to Contractors" for additional information on the "Public Copy" submission requirements.**

**NO BID OFFER WILL BE CONSIDERED**  
**UNLESS ACCOMPANIED BY A COMPACT DISK (CD)**  
**CONTAINING THE BID PROPOSAL FILE**  
**GENERATED BY THE QUEST LITE BID PREPARATION SOFTWARE**

*Failure to comply will result in a mandatory disqualification per Section 12.102.07 of the RI Dept of Administration Division of Purchases Procurement Regulations*

Rhode Island Department of Transportation (RIDOT)

**Notice to Contractors**

**THIS IS A DISK-BASED BID**

Bid offers will be accepted *only on a CD generated by RIDOT-supplied software called Quest Lite; each CD must be accompanied by a hard copy signed offer printed from the software and submitted at the Bid Opening.* Minimum computer hardware and operating system requirements are listed here. *Training is strongly recommended for all new bidders and others unfamiliar with these procedures. SEE BELOW.*

**CONTACT: RIDOT CONTRACTS & SPECIFICATIONS**

Rm. 108, Two Capitol Hill, Providence, RI 02903

Phone: **401-222-2495**

Hours: **Mon – Fri, 8:00AM – 4:00PM**

**1. Required Registration Codes for Each Bidder.**

Registration Codes for RIDOT software are necessary to install and use the software; a firm only needs to register once to acquire secure, unique bidder identification codes to be used with all RIDOT disk-based construction project bids Bidders must retain these codes for future use.

**2. The required Quest Lite installation software and all applicable Contract Documents are provided on a CD-ROM.**

The Contract Documents include the RI DOA Division of Purchases Procurement Regulations, RI Standard Specifications, Amended December 2010 and all revisions, the RI Standard Details for Highway and Bridge Construction, Bridge Standard Details, General Provisions, Special Provisions, Distribution of Quantities and Engineering Plans, and all other applicable documents

**3. Minimum Computer Hardware and Operating System Requirements.**

- Windows XP SP2 w/Pentium IV processor
- CD-ROM Drive, Floppy Drive, Printer & 15" Monitor (17" recommended)
- 20GB Hard Disk with 1GB free (40 GB with 5 GB free recommended)
- 512 MB RAM (1 GB recommended)
- 32 MB Video Card (64 MB SVGA recommended)
- Internet Explorer 6 0 SP 2

**4. Addenda, when necessary, are available on Purchases' RIVIP website.**

**at:** <http://www.purchasing.ri.gov/RIVIP/BidSearch.asp>

RIDOT will make all necessary addenda available at Purchases' web site It is the plan-holders responsibility to poll the RIVIP to keep up-to-date on addenda.

**5. Training may be requested up to three days prior to the Bid Opening.**

Training is provided on request Arrangements must be made through the RIDOT Contracts & Specifications Office at least three (3) days prior to the Bid Opening of the project

**6. Technical Support.**

Assistance is available upon request by contacting the Contracts & Specifications office during work hours or emailing [Quest@dot.ri.gov](mailto:Quest@dot.ri.gov).

01/25/2011

# NOTICE TO HIGHWAY AND BRIDGE CONTRACTORS

Rhode Island Department of Transportation (RIDOT)  
Contracts and Specifications

## ELECTRONIC BIDDING PROCEDURES QUEST LITE UPGRADE

Effective January 1, 2011, bid offers for all RIDOT Contracts requiring the use of the Department's Quest Lite bid preparation software **MUST** be prepared using **Quest Lite Version 040408 (2.8.4)**. Failure to comply with this requirement could result in the disqualification of your bid offer.

Full installation and upgrade-only software packages, including installation directions, for Quest Lite Version **040408 (2.8.4)** will be provided on the Project Advertising CD's, which are available to prospective bidders through the Contracts and Specifications office on or after the scheduled project advertising date.

Contractors presently using Quest Lite Version 040407 (2.8.3) need only install the upgrade package to complete the conversion, **UNLESS** a previous upgrade installation was used to upgrade from 2.8.2 to 2.8.3, in which case these installations must be removed and the full installation performed. Earlier versions (2.8.2 or lower) will require the full installation in all instances.

For technical assistance, contact the Contracts and Specifications office at 222-2495.

01/21/11

## QUEST LITE VERSION 4.4.8 (2.8.4)

### UPGRADE & FULL INSTALLATION

All bid offers prepared using the Department of Transportation's Quest Lite software must use the Quest Lite Version 040408 (2.8.4). If there is no Quest Lite installation, then the full installation must be completed. For earlier versions of Quest Lite, either the upgrade or full installation will be required to be completed. Both versions (upgrade and full installation) are provided on this project CD.

Before proceeding with any installations, note the following:

1. All users must register with the Department of Transportation in order to use Quest Lite. At the time of registration, users are provided with a set of unique company ID codes (Site Code, Bidder Code and company Short Name). Users **MUST RETAIN** these codes for future use.
2. Many users who currently have Quest Lite installed will only require the installation of the upgrade version. To determine if the upgrade installation is sufficient, the present version of the Quest Lite installation must be determined. This is accomplished in Quest Lite by clicking on Help/About. If the present version is 040407 (2.8.3) then the upgrade installation is sufficient **unless** an upgrade version has been previously used to upgrade version 2.8.2 to 2.8.3.
3. For earlier installations (versions below 2.8.3, and if an upgrade has been previously installed to upgrade to version 2.8.3), the full installation of Quest Lite is required. (Note: if the full installation is required, the upgrade installation **does not** need to be performed after the full installation is completed.)
4. To determine if an upgrade version of Quest Lite version is present, it is generally easiest to use the "Add or Remove Programs" function from the Control Panel to view the Quest Lite installations. Should both an installation and an upgrade version be installed, both programs must be removed using the "Remove" function and the new version 2.8.4 installed.
5. It is recommended that users consult the Quest Lite User Manual provided on this CD prior to attempting the installation of the upgrade or full program installation.
6. After completing the installation of the upgrade or full installation, it is recommended that a test bid be submitted to the Department to ensure the program is functioning correctly and that the Quest Lite bid files can be correctly imported into the Department's Quest program. **Test bids may be submitted on a CD to the Contracts office in Room 109 of the RIDOT Headquarters, or by e-mail to Quest@dot.ri.gov.**

### **Installation Instructions – Upgrade Version**

Upgrade Quest Lite only if the current installed version is 2.8.3, and a previous upgrade has not been installed.

1. Close Quest Lite before attempting the installation.
2. Using the project CD, double-click on the “Upgrade Only” option provided on the Start page.
3. When prompted for a password, enter “ridot”.
4. Follow the instructions provided in the installation wizard to complete the installation.
5. When executing Quest Lite for the first time after installing the upgrade, users may be prompted to enter their company bidder codes.

### **Installation Instructions – Complete Installation**

A complete Installation of the software is required only if Quest Lite is:

1. Not installed on the computer/laptop; or
2. The installed version of Quest Lite is older than 2.8.3, i.e. 2.8.2 or under; or
3. The 2.8.3 upgrade version of Quest Lite is installed.

If any of 1 through 3 above apply, follow these instructions:

1. If a Quest Lite version 2.8.2 or older, or a 2.8.3 upgrade are currently installed,
  - a. Close Quest Lite.
  - b. Remove all the existing installation(s) of Quest Lite. To accomplish this, follow the instructions provided on pages 19 – 25 of the Quest Lite User Manual provided with this project CD. Follow the installation removal directions for the operating system in use on the machine.
2. Using the project CD, double-click on the “Complete Installation” option provided on the Start page.
3. When prompted for a password, enter “ridot”.
4. Follow the instructions provided in the installation wizard to complete the installation.
5. When executing Quest Lite for the first time after completing the installation, the user will be prompted to enter the company bidder codes provided by the Department. Once this information is entered, the installation process will be complete.

For technical assistance, contact the Contracts & Specifications office at 222-2495.