



Request for Quote

STATE OF RHODE ISLAND AND PROVIDENCE PLANTATIONS
ONE CAPITOL HILL
PROVIDENCE RI 02908

CREATION DATE : 11-SEP-19
BID NUMBER: 7599776
TITLE: 12" HYDRAULIC FED DISC TYPE WOOD CHIPPER

BID CLOSING DATE AND TIME:07-OCT-2019 10:30:00

BUYER: Ward, Alyssa J
PHONE #: 401-574-8472

**B
I
L
L
T
O**
DOT ACCOUNTS PAYABLE
TWO CAPITOL HILL, RM 230
SMITH ST
PROVIDENCE, RI 02903
US

**S
H
I
P
T
O**
DOT MAINTENANCE BUSINESS OFFICE
360 LINCOLN AVE
WARWICK, RI 02888
US

Requisition Number: 1629010

Line	Description	Quantity	Unit	Unit Price	Total
	A pre-bid conference will be held on September 19th, 2019 at 2:00 pm at 360 Lincoln Ave, Warwick RI 02888 2nd floor conference room. All questions regarding this solicitation must be forwarded to doa.purquestions7@purchasing.ri.gov no later than September 26th, 2019 at 4:00 PM.				
1	DOT: 12" HYDRAULIC FED DISC TYPE WOOD CHIPPER Line Note to Bidders: MAKE: _____ MODEL: _____	3.00	Each		

Delivery: _____

Terms of Payment: _____

It is the Vendor's responsibility to check and download any and all addenda from the RIVIP. This offer may not be considered unless a signed RIVIP generated Bidder Certification Cover Form is attached and the Unit Price column is completed. The signed Certification Cover Form must be attached to the front of the offer

Contract Terms and Conditions

Table of Contents

Terms and Conditions.....II
 BID STANDARD TERMS AND CONDITIONSII
 TERMS AND CONDITIONS FOR THIS BIDII
 RIVIP INFO - BID SUBMISSION REQUIREMENTSII
 DELIVERY PER AGENCYII

Terms and Conditions

BID STANDARD TERMS AND CONDITIONS

TERMS AND CONDITIONS FOR THIS BID

RIVIP INFO - BID SUBMISSION REQUIREMENTS

It is the vendor's responsibility to check and download any and all addenda from the RIVIP. This offer may not be considered unless a signed RIVIP generated Bidder Certification Cover Form is attached and the Unit Price column is completed. The signed Certification Cover Form should be attached to the front of the offer. Each bid proposal must be submitted in a separate sealed envelope with the bidder's name and address and the specific "Solicitation Number," "Solicitation Title," and the "Bid Proposal Submission Deadline" marked in the upper left-hand corner of the envelope.

The bid proposal must be delivered (via mail, messenger service, or personal delivery) to the Division of Purchases and date-stamped/receipted by the date and time specified for the bid proposal submission deadline. Bidders should mail bid proposals sufficiently in advance of the bid proposal submission deadline to ensure timely delivery to the Division of Purchases or, when delivering a bid proposal in person or by messenger, should allow additional time for parking and clearance through security checkpoints. Bid proposals must be addressed to:

Rhode Island Department of Administration

Division of Purchases, 2nd Floor

One Capitol Hill, Providence, RI 02908-5855

Bid proposals that are not received by the Division of Purchases by the bid proposal submission deadline for whatever reason will be deemed late and will not be considered. The submission time will be determined by the time clock in the Division of Purchases. Postmarks will not be considered proof of timely submission.

Bid proposals in electronic format are not accepted at this time.

At the bid proposal submission deadline, bid proposals will be opened and read aloud in public.

DIVESTITURE OF INVESTMENTS IN IRAN REQUIREMENT:

~~No vendor engaged in investment activities in Iran as described in R.I. Gen. Laws §37-2.5-2(b) may submit a bid proposal to, or renew a contract with, the Division of Purchases. Each vendor submitting a bid proposal or entering into a renewal of a contract is required to certify that the vendor does not appear on the list maintained by the General Treasurer pursuant to R.I. Gen. Laws §37-2.5-3.~~

DELIVERY PER AGENCY

DELIVERY OF GOODS OR SERVICES AS REQUESTED BY AGENCY.

SOLICITATION NUMBER 7599776

VENDOR _____

SPECIFICATIONS

Rhode Island

Department of Transportation

Highway & Bridge Maintenance Division

12" Hydraulic Fed Disc Style Wood Chipper

GENERAL:

The following specification is for Three (3) Trailer Mounted 12" Disc Style Wood Chippers for the Rhode Island Department of Transportation, Highway Maintenance Department. The units shall be the latest current model of standard design manufactured, complete with all standard equipment, special tools and warranties. Bidders are to supply the latest printed literature and detailed specifications on equipment the bidder purposes to furnish.

The units shall be of standard design manufactured, complete with all standard equipment, special tools and warranties. Bidders are to supply the latest printed literature and detailed specifications on equipment the bidder purposes to furnish. All specifications listed within this bid packet are minimum requirements. It is expected that Chipper providers and respective up-fitting builders communicate and understand the coordination that is required for this build.

All completed units shall comply with all applicable O.S.H.A. ANSI, FMVSS standards and regulations. The specifications listed below shall be considered minimum requirements.

The chippers shall be delivered completely assembled and ready for use with all accessories to RIDOT Headquarters, 360 Lincoln Ave, Warwick, RI, 02888. Each chipper shall be adjusted and sized to properly couple with RIDOT's existing fleet of 19,500 lb GVWR trucks.

The dimensions in this specification are not intended to preclude any manufactures. Minor deviations to the dimensions based on sound engineering and proven product life in municipal applications are acceptable.

Any manufacture's deviation from the specification, no matter how minor, shall be noted on a separate sheet and be referenced to the section. The deviation shall be explained in detail and identified as an Exception, Clarification or Enhancement. Any "or equal" or "equivalent" items for brand specified components shall be listed with the bid package. Complete description and literature on the "or equal" components shall be supplied for consideration by the RIDOT. The burden of proof regarding "or equal" items will be upon the vendor. Responses that do not include an Exception, Clarification or Enhancement sheet on the bidder's letterhead shall be determined to be non-responsive.

MANUFACTURER AND MODEL NUMBER:

Indicate manufacturer and model number of the unit quoted.

Manufacturer: _____

Model/Year: _____

SPECIFICATIONS FOR 12" HYDRAULIC FED DISC STYLE WOOD CHIPPER

ALL SPECIFICATIONS ARE CONSIDERED MINIMUM UNLESS OTHERWISE NOTED

GENERAL DATA:

Capacity	Minimum 12"
Throat Opening	Minimum 12" x 17"
Infeed Hopper Opening	Minimum 29" high x 45" wide
Infeed Hopper Tray	Minimum 30" fold down
Chipper Disc	Minimum 38" diameter x 1.5" thick
Knives	Minimum 4 dual edge knives
Auto-feed System	Fully adjustable, reversing with continuous switch
Feed Rate	Minimum 110 feet per minute
Feed Motors	Hydraulic motors
Feed Wheels	Minimum Two – 7.5" Diameter x 17" wide
Feeder Bar	Minimum 1 1/2 "heavy duty
Lift and Crush Cylinders	Minimum Hydraulic, 3000 psi down pressure
High of Discharge Chute	Minimum 8' -4" during operation
Chute Rotation	360° adjustable swivel with adjustable chip deflector
Hydraulic System	Direct drive appropriately sized, cooled and filtered for continuous operation
Hydraulic tank	Minimum 13 gallon with locking cap and site gauge

Comply: _____

ENGINE:

Engine type	Liquid Cooled Gas
Engine Horsepower	Minimum 84 hp
Fuel Capacity	Minimum 24 Gallon tank with locking cap and gauge
Battery	Minimum 12 volt, 1000 CCA in lockable box
Gauges	Full Engine gauge package
Enclosure	Lockable engine enclosure with radiator debris screen
Clutch	Disk style with manual clutch engagement handle

Comply: _____

TRAILER:

Axle	Dexter Torflex 7,000 pound capacity with E-Z Lube
Tires	ST235/80R16 Load Range E
Spare Tire & Rim	To match above
Hitch Type	2.5 inch Pintle hitch with 9 inch adjustable height neck assembly and safety chains
Brakes	Electric with safety brake away
Tool Box	Tongue mounted
Jack Stand - Front	5,000 pound Capacity Screw Type Swing Up

SOLICITATION NUMBER 7599776

VENDOR _____

Jack Stand – Rear
Fenders
Stop/Directional Tail Lights
Conspicuity Marking
Safety Lighting


Pin type adjustable
3/16" steel with non-skid safety tread
Weather resistant LED with heavy duty covers
Installed on the rear and sides
Two (2) strobes mounted front and rear

Comply: _____

TRAILER PLUG:

A trailer plug compatible with RIDOT equipment shall be supplied.

RIDOT Standard Truck Wiring Diagram



Comply: _____

SAFETY FEATURES

Controls shall feature a master ON/OFF switch for complete power shutdown.

Comply: _____

ADDITIONAL EQUIPMENT:

10 lb. ABC UL Rated 3A:40B:C industrial fire extinguisher, reflector kit, and first aid kit
A 5 gallon absorption capacity universal spill response kit
Aluminum Tool Box, Two (2) grip strut wheel chocks and Registration Holder
Three sets of Ignition keys for each unit. All units keyed alike.

Comply: _____

WARRANTY

The standard manufacturer's warranty shall be extended for the period of 36 months/3000 hours to include 100% parts, labor and other incidentals which are cover under the standard new manufactures warranty.

Comply: _____

As an option to the State, an additional cost shall be provided to extend the standard manufacturer's warranty for the period of 60 months/5000 hours to include 100% parts, labor and other incidentals which are cover under the standard new manufactures warranty.

Cost per unit: _____

UP-FITTING WARRANTY

There shall be a two-year parts and labor warranty on any up-fitting and attachments.

Comply: _____

MANUALS:

Vendor shall provide current editions of all relevant manuals. This shall include but not be limited to overhaul and tune-up manuals, diagnostic, wiring, troubleshooting, and parts manuals for engine, transmission, differential and all components.

Two operator's manuals detailing the recommended operating procedure shall be delivered with each unit. These shall be supplied in both hardcopy and electronic formats. They shall consist of the following: shop manual, parts manual including exploded views of major components with their part numbers, wiring diagram, operator's manual, and a summary of warranties offered in excess of the standard one year. The manuals shall fully and clearly cover all components of the components installed on chassis by the upfitter. Manuals shall also include comprehensive trouble shooting and diagnosis information for all functions. Shop manual shall explain, in detail, procedures for overhauling all major components. The content of the set will be evaluated for approval at the prototype approval meeting.

Any deviations from this system shall be noted on the bid and approved by the RIDOT Division of Highway & Bridge Maintenance Administration. A complete system description and product literature for major components shall accompany the bid. Failure to provide manuals may result in 5 percent of total bid being withheld.

Comply _____

DELIVERY SCHEDULE:

Delivery must be completed within one hundred twenty (120) days of the successful proposal. All bidders shall provide as part of their bid a schedule for the delivery of all units to RIDOT 360 Lincoln Ave, Warwick, RI 02888. This date shall be listed as the number of days following issuance of a Notice-to-Proceed that the bidder shall successfully deliver all units to the Rhode Island Department of Transportation. Weekly updates shall be provided during the fabrication process including progress, pictures and any changes from the original schedule. Failure to submit a schedule will result in the bid being considered non-responsive.

Comply_____

TRAINING:

A "hands on" operator/technician training session that meets the requirements OSHA shall be provided at RIDOT Division of Highway & Bridge Maintenance Headquarters. The training session topics will be coordinated through RIDOT Motor Pool section and may include but are not limited to complete unit functions and operation, proper maintenance and operation of all components, engine tune-up and maintenance, and multiplex systems. The training session shall accommodate at least 24 RIDOT employees. Training shall be provided approximately 3 weeks after delivery of the first unit.

Comply_____

CERTIFICATE OF ORIGIN, TITLE and DELIVERY DOCUMENTATION:

At the time of delivery to the State, each vehicle delivered shall be accompanied by a window sticker, title certificate, "Certificate of Origin," and registration documents.

1. The "Certificate of Origin" shall have the owner listed as "STATE OF RI/FLEET OPERATIONS, ONE CAPITOL HILL, PROVIDENCE, RI 02908." It shall include at a minimum, the following information:

THE MANUFACTURER, MODEL NAME AND NUMBER

THE MANUFACTURER'S VEHICLE IDENTIFICATION NUMBER (VIN)

THE NUMBER OF ENGINE CYLINDERS AND ENGINE TYPE

A GENERAL DESCRIPTION OF THE BODY AND GVW #

THE ODOMETER DISCLOSURE MUST BE COMPLETED ON THE VENDOR'S SIDE OF "CERTIFICATE OF ORIGIN".

2. Title certificates must be provided.

3. The successful vendors will be required to provide the following:

- A completed application for registration and Title Certificate (TR-1) with the exception of Sections G and H. Owner to be listed as:
State of RI/Fleet Operations, One Capitol Hill, Providence, RI 02908.
- A completed States or Use Tax Exemption Certification - Motor Vehicles. Purchaser to be listed as: State of RI/Fleet Operations, One Capitol Hill, Providence, RI 02908.

CONCLUDING STATEMENTS:

~~Responses to this solicitation must be submitted in duplicate and each page shall be numbered (ex. 1 of X) and include the vender's name. A Pre-Bid conference will be held for this bid at a date to be determined. Bids must be predicated on the basis of the bidder's full and unencumbered title to the vehicle(s) as of the date of delivery to the State. Bids subject to lien or assignment at the time of delivery to the State, or which stipulate third party or joint payment, will be rejected. The State may, at its sole option, elect to require presentation(s) by offerors clearly in consideration for award.~~

~~End of Specification~~