



Request for Quote

STATE OF RHODE ISLAND AND PROVIDENCE PLANTATIONS
 ONE CAPITOL HILL
 PROVIDENCE RI 02908

CREATION DATE : 09-OCT-19
BID NUMBER: 7599807
TITLE: TOWABLE AIR COMPRESSORS FOR MAINTENANCE FACILITIES
BID CLOSING DATE AND TIME:08-NOV-2019 10:00:00

BUYER: Ward, Alyssa J
PHONE #: 401-574-8472

**B
I
L
L
T
O**
 DOT ACCOUNTS PAYABLE
 TWO CAPITOL HILL, RM 230
 SMITH ST
 PROVIDENCE, RI 02903
 US

**S
H
I
P
T
O**
 DOT MAINTENANCE BUSINESS OFFICE
 360 LINCOLN AVE
 WARWICK, RI 02888
 US

Requisition Number: 1633869

Line	Description	Quantity	Unit	Unit Price	Total
1	<p>A pre-bid conference will be held on October 24th, 2019 at 1:30 pm at 360 Lincoln Ave, Warwick RI 02888 2nd floor conference room. All questions regarding this solicitation must be forwarded to doa.purquestions7@purchasing.ri.gov no later than October 31st at 4:00pm.</p> <p>DOT: TOWABLE AIR COMPRESSORS Line Note to Bidders: MAKE: _____ MODEL: _____</p>	8.00	Each		

Delivery: _____

Terms of Payment: _____

It is the Vendor's responsibility to check and download any and all addenda from the RIVIP. This offer may not be considered unless a signed RIVIP generated Bidder Certification Cover Form is attached and the Unit Price column is completed. The signed Certification Cover Form must be attached to the front of the offer

Contract Terms and Conditions

Table of Contents

Terms and Conditions.....II
 BID STANDARD TERMS AND CONDITIONSII
 TERMS AND CONDITIONS FOR THIS BIDII
 LICENSE REQUIREMENTSII
 RIVIP INFO - BID SUBMISSION REQUIREMENTSII

Terms and Conditions

BID STANDARD TERMS AND CONDITIONS

TERMS AND CONDITIONS FOR THIS BID

LICENSE REQUIREMENTS

VENDOR (OWNER OF COMPANY) IS RESPONSIBLE TO COMPLY WITH ALL LICENSING OR STATE PERMITS REQUIRED FOR THIS TYPE OF SERVICE. A COPY OF LICENSE/PERMIT SHOULD BE SUBMITTED WITH THIS BID. IN ADDITION TO THESE LICENSE REQUIREMENTS, BIDDER, BY SUBMISSION OF THIS BID, CERTIFIES THAT ANY/ALL WORK RELATED TO THIS BID, AND ANY SUBSEQUENT AWARD WHICH REQUIRES A RHODE ISLAND LICENSE(S), SHALL BE PERFORMED BY AN INDIVIDUAL(S) HOLDING A VALID RHODE ISLAND LICENSE.

RIVIP INFO - BID SUBMISSION REQUIREMENTS

It is the vendor's responsibility to check and download any and all addenda from the RIVIP. This offer may not be considered unless a signed RIVIP generated Bidder Certification Cover Form is attached and the Unit Price column is completed. The signed Certification Cover Form should be attached to the front of the offer. Each bid proposal must be submitted in a separate sealed envelope with the bidder's name and address and the specific "Solicitation Number," "Solicitation Title," and the "Bid Proposal Submission Deadline" marked in the upper left-hand corner of the envelope.

The bid proposal must be delivered (via mail, messenger service, or personal delivery) to the Division of Purchases and date-stamped/receipted by the date and time specified for the bid proposal submission deadline. Bidders should mail bid proposals sufficiently in advance of the bid proposal submission deadline to ensure timely delivery to the Division of Purchases or, when delivering a bid proposal in person or by messenger, should allow additional time for parking and clearance through security checkpoints. Bid proposals must be addressed to:

Rhode Island Department of Administration
Division of Purchases, 2nd Floor
One Capitol Hill, Providence, RI 02908-5855

Bid proposals that are not received by the Division of Purchases by the bid proposal submission deadline for whatever reason will be deemed late and will not be considered. The submission time will be determined by the time clock in the Division of Purchases. Postmarks will not be considered proof of timely submission.

Bid proposals in electronic format are not accepted at this time.

At the bid proposal submission deadline, bid proposals will be opened and read aloud in public.

DIVESTITURE OF INVESTMENTS IN IRAN REQUIREMENT:

No vendor engaged in investment activities in Iran as described in R.I. Gen. Laws §37-2.5-2(b) may submit a bid proposal to, or renew a contract with, the Division of Purchases. Each vendor submitting a bid proposal or entering into a renewal of a contract is required to certify that the vendor does not appear on the list maintained by the General Treasurer pursuant to R.I. Gen. Laws §37-2.5-3.

SOLICITATION # 7599807

VENDOR: _____

SPECIFICATIONS

Rhode Island

Department of Transportation

Highway & Bridge Maintenance Division

Towable Air Compressor

SOLICITATION # 7599807

VENDOR: _____

GENERAL:

The following specification is for Eight (8) Towable Air Compressors for the Rhode Island Department of Transportation, Highway Maintenance Department. The units shall be the latest current model of standard design manufactured, complete with all standard equipment, special tools and warranties. Bidders are to supply the latest printed literature and detailed specifications on equipment the bidder purposes to furnish.

The units shall be of standard design manufactured, complete with all standard equipment, special tools and warranties. Bidders are to supply the latest printed literature and detailed specifications on equipment the bidder purposes to furnish. All specifications listed within this bid packet are minimum requirements. It is expected that Towable Air Compressors providers and respective up-fitting builders communicate and understand the coordination that is required for this build.

All completed units shall comply with all applicable O.S.H.A. ANSI, FMVSS standards and regulations. The specifications listed below shall be considered minimum requirements.

The Towable Air Compressors shall be delivered completely assembled and ready for use with all accessories to RIDOT Headquarters, 360 Lincoln Ave, Warwick, RI, 02888.

The dimensions in this specification are not intended to preclude any manufactures. Minor deviations to the dimensions based on sound engineering and proven product life in municipal applications are acceptable.

Any manufacture's deviation from the specification, no matter how minor, shall be noted on a separate sheet and be referenced to the section. The deviation shall be explained in detail and identified as an Exception, Clarification or Enhancement. Any "or equal" or "equivalent" items for brand specified components shall be listed with the bid package. Complete description and literature on the "or equal" components shall be supplied for consideration by the RIDOT. The burden of proof regarding "or equal" items will be upon the vendor. Responses that do not include an Exception, Clarification or Enhancement sheet on the bidder's letterhead shall be determined to be non-responsive.

MANUFACTURER AND MODEL NUMBER:

Indicate manufacturer and model number of the unit quoted.

Manufacturer: _____

Model/Year: _____

SOLICITATION # 7599807

VENDOR: _____

SPECIFICATIONS FOR Towable Air Compressor

ALL SPECIFICATIONS ARE CONSIDERED MINIMUM UNLESS OTHERWISE NOTED

GENERAL DATA:

Compressor Type	Rotary Screw/Single-Stage
Free-Air Delivery	185 CFM
Rated Operating Pressure	100 PSI
Pressure Range	80 – 125 PSI
Normal Effective working pressure	100 PSI
Maximum unloading working pressure	125 PSI
Cooling system	Air/Oil
Air Discharge Outlet Size	0.75 in
Air Discharge Outlet Quantity	2
Hose Reel	Tongue mounted, spring retractable with 50' of 3/4" air hose
Equipment	An adjustable pressure regulator/lubricator shall be installed in line with the reel inlet. Two (2) 3/4" air hose swivels

Comply: _____

ENGINE:

Engine type	Liquid Cooled Diesel, Tier 4 Final (T4F)
Engine Horsepower	Minimum 45 hp
Fuel Capacity	Minimum 30-gallon diesel fuel capacity with locking cap and gauge
Battery	Minimum 12 volt, 1000 CCA in lockable box
Gauges	Full Engine gauge package
Enclosure	Lockable engine enclosure with interior full tool storage areas on both sides

Comply: _____

TRAILER:


Axle	2,000-pound capacity with E-Z Lube
Springs	Double-eye leaf springs, sized to match axle capacity
Tires	ST205/75D15
Spare Tire and Wheel:	Match above with mounting bracket
Tongue	Extended to allow for hose reel mounting
Hitch Type	2.5 inch Pintle hitch with 9 inch adjustable height neck assembly and safety chains
Jack Stand - Front	Screw Type Swing Up
Fenders	16-gauge steel
Stop/Directional Tail Lights	Weather resistant LED with heavy duty covers
Conspicuity Marking	Installed on the rear and sides
Other	Eye for lifting Forklift pockets

Comply: _____

TRAILER PLUG:

A trailer plug compatible with RIDOT equipment shall be supplied.

RIDOT Standard Truck Wiring Diagram



Comply: _____

SAFETY FEATURES

Controls shall feature a master ON/OFF switch for complete power shutdown.

Comply: _____

Safety Lighting:

Two (2) Whelen MCRNSCF (Amber/Clear) LED shall be mounted on the unit, facing rearward. Final placement of all lighting shall be approved by RIDOT Motor Pool.

Comply: _____

ADDITIONAL EQUIPMENT:

- 5 lb. ABC UL Rated 3A:40B:C industrial fire extinguisher, reflector kit, and first aid kit
- A 5 gallon absorption capacity universal spill response kit
- Two (2) grip strut wheel chocks and Registration Holder
- Three sets of Ignition keys for each unit. All units keyed alike.

Comply: _____

WARRANTY

The standard manufacturer's warranty shall be extended for the period of 36 months/3000 hours to include 100% parts, labor and other incidentals which are cover under the standard new manufactures warranty.

Comply: _____

As an option to the State, an additional cost shall be provided to extend the standard manufacturer's warranty for the period of 60 months/5000 hours to include 100% parts, labor and other incidentals which are cover under the standard new manufactures warranty.

Cost per unit: _____

UP-FITTING WARRANTY

There shall be a two-year parts and labor warranty on any up-fitting and attachments.

Comply: _____

MANUALS:

Vendor shall provide current editions of all relevant manuals. This shall include but not be limited to overhaul and tune-up manuals, diagnostic, wiring, troubleshooting, and parts manuals for engine, transmission, differential and all components.

Two operator's manuals detailing the recommended operating procedure shall be delivered with each unit. These shall be supplied in both hardcopy and electronic formats. They shall consist of the following: shop manual, parts manual including exploded views of major components with their part numbers, wiring diagram, operator's manual, and a summary of warranties offered in excess of the standard one year. The manuals shall fully and clearly cover all components of the components installed on chassis by the upfitter. Manuals shall also include comprehensive trouble shooting and diagnosis information for all functions. Shop manual shall explain, in detail, procedures for overhauling all major components. The content of the set will be evaluated for approval at the prototype approval meeting.

Any deviations from this system shall be noted on the bid and approved by the RIDOT Division of Highway & Bridge Maintenance Administration. A complete system description and product literature for major components shall accompany the bid. Failure to provide manuals may result in 5 percent of total bid being withheld.

Comply_____

DELIVERY SCHEDULE:

Delivery must be completed within one hundred and twenty (120) days of the successful proposal. All bidders shall provide as part of their bid a schedule for the delivery of all units to RIDOT 360 Lincoln Ave, Warwick, RI 02888. This date shall be listed as the number of days following issuance of a Notice-to-Proceed that the bidder shall successfully deliver all units to the Rhode Island Department of Transportation. Weekly updates shall be provided during the fabrication process including progress, pictures and any changes from the original schedule. Failure to submit a schedule will result in the bid being considered non-responsive. Failure to meet the schedule will result in 3% retention on the total order.

Comply_____

TRAINING:

A "hands on" operator/technician training session that meets the requirements OSHA shall be provided at RIDOT Division of Highway & Bridge Maintenance Headquarters. The training session topics will be coordinated through RIDOT Motor Pool section and may include but are not limited to complete unit functions and operation, proper maintenance and operation of all components, engine tune-up and maintenance, and multiplex systems. The training session shall accommodate at least 24 RIDOT employees. Training shall be provided approximately 3 weeks after delivery of the first unit.

Comply_____

CERTIFICATE OF ORIGIN, TITLE and DELIVERY DOCUMENTATION:

At the time of delivery to the State, each vehicles delivered shall be accompanied by a window sticker, title certificate, "Certificate of Origin," and registration documents.

1. The "Certificate of Origin" shall have the owner listed as "STATE OF RI/FLEET OPERATIONS, ONE CAPITOL HILL, PROVIDENCE, RI 02908." It shall include at a minimum, the following information:
 - THE MANUFACTURER, MODEL NAME AND NUMBER
 - THE MANUFACTURER'S VEHICLE IDENTIFICATION NUMBER (VIN)
 - THE NUMBER OF ENGINE CYLINDERS AND ENGINE TYPE
 - A GENERAL DESCRIPTION OF THE BODY AND GVW #
 - THE ODOMETER DISCLOSURE MUST BE COMPLETED ON THE VENDOR'S SIDE OF "CERTIFICATE OF ORIGIN".
2. Title certificates must be provided.
3. The successful vendors will be required to provide the following:
 - A completed application for registration and Title Certificate (TR-1) with the exception of Sections G and H. Owner to be listed as:
State of RI/Fleet Operations, One Capitol Hill, Providence, RI 02908.
 - A completed States or Use Tax Exemption Certification - Motor Vehicles. Purchaser to be listed as: State of RI/Fleet Operations, One Capitol Hill, Providence, RI 02908.

CONCLUDING STATEMENTS:

Responses to this solicitation must be submitted in duplicate and each page shall be numbered (ex. 1 of X) and include the vender's name. A Pre-Bid conference will be held for this bid at a date to be determined. Bids must be predicated on the basis of the bidder's full and unencumbered title to the vehicle(s) as of the date of delivery to the State. Bids subject to lien or assignment at the time of delivery to the State, or which stipulate third party or joint payment, will be rejected. The State may, at its sole option, elect to require presentation(s) by offerors clearly in consideration for award.

End of Specification